LONGHORN ARMY AMMUNITION PLANT KARNACK, TEXAS

ADMINISTRATIVE RECORD

Volume 13

2021

Bate Stamp Numbers
01030114 – 01032044

Prepared for

Department of the Army
Longhorn Army Ammunition Plant

1976–2021

LONGHORN ARMY AMMUNITION PLANT
KARNACK, TEXAS
ADMINISTRATIVE RECORD – CHRONOLOGICAL INDEX

VOLUME 13


2021

A. Title: (Cont'd) Report – Appendix D to Final Remedial Action Completion Report, LHAAP-16 Landfill 16, Longhorn Army Ammunition Plant, Karnack, Texas, April 2021
Author(s): Department of the Army
Recipient: U.S. Environmental Protection Agency and Texas Commission on Environmental Quality
Date: April 15, 2021
Bate Stamp: 01030114 – 01031993

B. Title: Transmittal Letter – Draft Revised Proposed Plan for LHAAP-47, Plant 3 Area, Solid Rocket Motor Fuel Production, Longhorn Army Ammunition Plant, Karnack, Texas
Author(s): Department of the Army
Recipient: U.S. Environmental Protection Agency
Date: April 20, 2021
Bate Stamp: 01031994 – 01031994

C. Title: Transmittal Letter – Draft Revised Proposed Plan for LHAAP-47, Plant 3 Area, Solid Rocket Motor Fuel Production, Longhorn Army Ammunition Plant, Karnack, Texas
Author(s): Department of the Army
Recipient: Texas Commission on Environmental Quality
Date: April 20, 2021
Bate Stamp: 01031995 – 01031995

D. Title: Minutes – Final Quarterly Restoration Advisory Board (RAB) Meeting, Longhorn Army Ammunition Plant (LHAAP), January 21, 2021
Author(s): Bhate Environmental Associates, Inc.
Recipient: All Parties
Date: April 22, 2021
Bate Stamp: 01031996 – 01032044



Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092605.D
Date : 26-SEP-2019 15:13
Client ID: VLCSW-190926
Sample Info: VLCSW-190926;VLCSW-190926;3;;LCS
Purge Volume: 5.0
Column phase: DB624

Instrument: voa6.i
Operator: PC
Column diameter: 0.18

Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092607.D Page 1
Report Date: 09-Oct-2019 19:12

ALS Laboratory Group

Data file : \\nahstws005\Target\chem\voa6.i\X190926.b\X092607.D
Lab Smp Id: VBLKW-190926 Client Smp ID: VBLKW-190926
Inj Date : 26-SEP-2019 16:01
Operator : PC Inst ID: voa6.i
Smp Info : VBLKW-190926;VBLKW-190926;3;;BLANK
Misc Info : HS18090001;WATER;0;1;
Comment :
Method : \\nahstws005\Target\chem\voa6.i\X190926.b\8260W.m
Meth Date : 09-Oct-2019 19:11 DevakG Quant Type: ISTD
Cal Date : 24-SEP-2019 13:59 Cal File: X092408.D
Als bottle: 7 QC Sample: BLANK
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: CBI-HOU.sub
Target Version: 4.14

Concentration Formula: Amt * DF * (Uf/Vo)*1 * CpndVariable


Name	Value	Description
DF	1.000	Dilution Factor
Uf	5.000	ng unit correction factor
Vo	5.000	sample purged
Cpnd Variable		Local Compound Variable

Compounds	QUANT SIG MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/l)	CONCENTRATIONS FINAL (ug/l)
$ 35 1,2-Dichloroethane-d4	65	4.476	4.476	(1.070)	266245	44.4270	44.42
$ 69 4-Bromofluorobenzene	95	8.695	8.695	(1.134)	331141	52.4890	52.48
$ 30 Dibromofluoromethane	113	4.103	4.103	(0.981)	239323	46.5769	46.57
$ 48 Toluene-d8	98	6.388	6.388	(0.833)	910081	48.9367	48.93
* 1 Pentafluorobenzene	168	4.182	4.182	(1.000)	525647	50.0000	
* 36 1,4-Difluorobenzene	114	4.970	4.970	(1.000)	771604	50.0000	
* 47 Chlorobenzene-d5	117	7.671	7.670	(1.000)	661846	50.0000	
* 70 1,4-Dichlorobenzene-d4	152	9.669	9.669	(1.000)	341264	50.0000	

01030116

Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092607.D
Date : 26-SEP-2019 16:01
Client ID: VBLKW-190926
Sample Info: VBLKW-190926;VBLKW-190926;3;;BLANK
Purge Volume: 5.0
Column phase: DB624

Instrument: voa6.i
Operator: PC
Column diameter: 0.18



Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092613.D Page 1
Report Date: 09-Oct-2019 19:12


ALS Laboratory Group

Data file : \\nahstws005\Target\chem\voa6.i\X190926.b\X092613.D
Lab Smp Id: HS19090962-12MS Client Smp ID: HS19090962-12MS
Inj Date : 26-SEP-2019 18:25
Operator : PC Inst ID: voa6.i
Smp Info : HS19090962-12MS;HS19090962-12MS;3;;MS
Misc Info : HS18090001;WATER;0;1;
Comment :
Method : \\nahstws005\Target\chem\voa6.i\X190926.b\8260W.m
Meth Date : 09-Oct-2019 19:11 DevakG Quant Type: ISTD
Cal Date : 24-SEP-2019 13:59 Cal File: X092408.D
Als bottle: 13 QC Sample: MS
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: CBI-HOU.sub
Target Version: 4.14

Concentration Formula: Amt * DF * (Uf/Vo)*1 * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Uf	5.000	ng unit correction factor
Vo	5.000	sample purged
Cpnd Variable		Local Compound Variable

Compounds	QUANT SIG MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/l)	CONCENTRATIONS FINAL (ug/l)
53 1,1,2-Trichloroethane	83	6.847	6.847	(0.893)	71351	19.6370	19.63
11 1,1-Dichloroethene	96	1.911	1.919	(0.457)	75980	17.6427	17.64
33 1,2-Dichloroethane	62	4.562	4.562	(0.918)	114554	17.0767	17.07
27 cis-1,2-Dichloroethene	96	3.530	3.530	(0.844)	104177	16.9673	16.96
17 Methylene Chloride	84	2.305	2.305	(0.551)	93267	16.2838	16.28
38 Trichloroethene	130	5.214	5.214	(1.049)	238348	43.1602	43.16
5 Vinyl Chloride	62	1.138	1.138	(0.272)	89308	14.1857	14.18
$ 35 1,2-Dichloroethane-d4	65	4.476	4.476	(1.070)	253864	44.7791	44.77
$ 69 4-Bromofluorobenzene	95	8.695	8.695	(1.134)	301248	51.4138	51.41
$ 30 Dibromofluoromethane	113	4.103	4.103	(0.981)	227495	46.7983	46.79
$ 48 Toluene-d8	98	6.388	6.388	(0.833)	851691	49.3333	49.33
* 1 Pentafluorobenzene	168	4.182	4.182	(1.000)	497347	50.0000	
* 36 1,4-Difluorobenzene	114	4.970	4.970	(1.000)	720447	50.0000	
* 47 Chlorobenzene-d5	117	7.670	7.670	(1.000)	614404	50.0000	
* 70 1,4-Dichlorobenzene-d4	152	9.669	9.669	(1.000)	317289	50.0000	



Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092613.D
Date : 26-SEP-2019 18:25
Client ID: HS19090962-12MS
Sample Info: HS19090962-12MS;HS19090962-12MS;3;;MS
Purge Volume: 5.0
Column phase: DB624

Instrument: voa6.i
Operator: PC
Column diameter: 0.18

Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092614.D Page 1
Report Date: 09-Oct-2019 19:12


ALS Laboratory Group

Data file : \\nahstws005\Target\chem\voa6.i\X190926.b\X092614.D
Lab Smp Id: HS19090962-12MSD Client Smp ID: HS19090962-12MSD
Inj Date : 26-SEP-2019 18:49
Operator : PC Inst ID: voa6.i
Smp Info : HS19090962-12MSD;HS19090962-12MSD;3;;MSD
Misc Info : HS18090001;WATER;0;1;
Comment :
Method : \\nahstws005\Target\chem\voa6.i\X190926.b\8260W.m
Meth Date : 09-Oct-2019 19:11 DevakG Quant Type: ISTD
Cal Date : 24-SEP-2019 13:59 Cal File: X092408.D
Als bottle: 13 QC Sample: MSD
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: CBI-HOU.sub
Target Version: 4.14

Concentration Formula: Amt * DF * (Uf/Vo)*1 * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Uf	5.000	ng unit correction factor
Vo	5.000	sample purged
Cpnd Variable		Local Compound Variable

	Compounds	QUANT SIG MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/l)	CONCENTRATIONS FINAL (ug/l)
53	1,1,2-Trichloroethane	83	6.847	6.847	(0.893)	68975	19.3907	19.39
11	1,1-Dichloroethene	96	1.912	1.919	(0.456)	70768	16.7358	16.73
33	1,2-Dichloroethane	62	4.562	4.562	(0.918)	111180	16.9593	16.95
27	cis-1,2-Dichloroethene	96	3.530	3.530	(0.843)	97505	16.1738	16.17
17	Methylene Chloride	84	2.305	2.305	(0.550)	88124	15.6054	15.60
38	Trichloroethene	130	5.214	5.214	(1.049)	223216	41.3604	41.36
5	Vinyl Chloride	62	1.138	1.138	(0.272)	80312	12.9923	12.99
$ 35	1,2-Dichloroethane-d4	65	4.476	4.476	(1.068)	243924	43.7991	43.79
$ 69	4-Bromofluorobenzene	95	8.695	8.695	(1.134)	290860	50.7225	50.72
$ 30	Dibromofluoromethane	113	4.103	4.103	(0.979)	221160	46.3266	46.32
$ 48	Toluene-d8	98	6.388	6.388	(0.833)	830042	49.1421	49.14
* 1	Pentafluorobenzene	168	4.189	4.182	(1.000)	488331	50.0000	
* 36	1,4-Difluorobenzene	114	4.970	4.970	(1.000)	704067	50.0000	
* 47	Chlorobenzene-d5	117	7.671	7.670	(1.000)	601116	50.0000	
* 70	1,4-Dichlorobenzene-d4	152	9.669	9.669	(1.000)	299224	50.0000	



Data File: \\nahstws005\Target\chem\voa6,i\X190926,b\X092614,D
Date : 26-SEP-2019 18:49
Client ID: HS19090962-12MSD
Sample Info: HS19090962-12MSD;HS19090962-12MSD;3;;MSD
Purge Volume: 5.0
Column phase: DB624

Instrument: voa6,i
Operator: PC
Column diameter: 0.18

Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092628.D Page 1
Report Date: 09-Oct-2019 19:11

ALS Laboratory Group

Data file : \\nahstws005\Target\chem\voa6.i\X190926.b\X092628.D
Lab Smp Id: HS19090860-09 Client Smp ID: HS19090860-09
Inj Date : 27-SEP-2019 00:26
Operator : PC Inst ID: voa6.i
Smp Info : HS19090860-09;HS19090860-09;;;
Misc Info : HS18090001;WATER;0;1;
Comment :
Method : \\nahstws005\Target\chem\voa6.i\X190926.b\8260W.m
Meth Date : 09-Oct-2019 19:10 DevakG Quant Type: ISTD
Cal Date : 24-SEP-2019 13:59 Cal File: X092408.D
Als bottle: 27
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: CBI-HOU.sub
Target Version: 4.14
Processing Host: NAHSTW7056


Concentration Formula: Amt * DF * (Uf/Vo)*1 * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Uf	5.000	ng unit correction factor
Vo	5.000	sample purged
Cpnd Variable		Local Compound Variable

Compounds	QUANT SIG MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/l)	CONCENTRATIONS FINAL (ug/l)
11 1,1-Dichloroethene	96	1.919	1.919	(0.459)	16274	3.71109	3.71(a)
33 1,2-Dichloroethane	62	4.562	4.562	(0.918)	25940	3.81213	3.81(a)
27 cis-1,2-Dichloroethene	96	3.530	3.530	(0.844)	839859	134.335	134.33
38 Trichloroethene	130	5.214	5.214	(1.049)	4263886	761.171	761.17(AM)
5 Vinyl Chloride	62	1.138	1.138	(0.272)	19477	3.03825	3.03(a)
$ 35 1,2-Dichloroethane-d4	65	4.476	4.476	(1.070)	247149	42.7698	42.76
$ 69 4-Bromofluorobenzene	95	8.695	8.695	(1.134)	305587	53.0680	53.06
$ 30 Dibromofluoromethane	113	4.103	4.103	(0.981)	226039	45.6442	45.64
$ 48 Toluene-d8	98	6.388	6.388	(0.833)	820846	48.3452	48.34
* 1 Pentafluorobenzene	168	4.182	4.182	(1.000)	506428	50.0000	
* 36 1,4-Difluorobenzene	114	4.970	4.970	(1.000)	730797	50.0000	
* 47 Chlorobenzene-d5	117	7.671	7.670	(1.000)	604255	50.0000	
* 70 1,4-Dichlorobenzene-d4	152	9.669	9.669	(1.000)	326021	50.0000	

QC Flag Legend

a - Target compound detected but, quantitated amount Below Limit Of Quantitation(BLOQ).
A - Target compound detected but, quantitated amount exceeded maximum amount.
M - Compound response manually integrated.



Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092628.D
Date : 27-SEP-2019 00:26
Client ID: HS19090860-09
Sample Info: HS19090860-09;HS19090860-09;;;
Purge Volume: 5.0
Column phase: DB624

Instrument: voa6.i
Operator: PC
Column diameter: 0.18

Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092628.D

Date : 27-SEP-2019 00:26

Client ID: HS19090860-09

Instrument: voa6.i

Sample Info: HS19090860-09;HS19090860-09;;;

Purge Volume: 5.0


Operator: PC


Column phase: DB624


Column diameter: 0.18


11 1,1-Dichloroethene


Concentration: 3.71 ug/l

















Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092628.D

Date : 27-SEP-2019 00:26

Client ID: HS19090860-09

Instrument: voa6.i

Sample Info: HS19090860-09;HS19090860-09;;;

Purge Volume: 5.0


Operator: PC


Column phase: DB624


Column diameter: 0.18


33 1,2-Dichloroethane


Concentration: 3.81 ug/l














Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092628.D

Date : 27-SEP-2019 00:26

Client ID: HS19090860-09

Instrument: voa6.i

Sample Info: HS19090860-09;HS19090860-09;;;

Purge Volume: 5.0


Operator: PC


Column phase: DB624


Column diameter: 0.18


27 cis-1,2-Dichloroethene


Concentration: 134.33 ug/l

















Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092628.D

Date : 27-SEP-2019 00:26

Client ID: HS19090860-09

Instrument: voa6.i

Sample Info: HS19090860-09;HS19090860-09;;;

Purge Volume: 5.0


Operator: PC


Column phase: DB624


Column diameter: 0.18


38 Trichloroethene


Concentration: 761.17 ug/l

















Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092628.D

Date : 27-SEP-2019 00:26

Client ID: HS19090860-09

Instrument: voa6.i

Sample Info: HS19090860-09;HS19090860-09;;;

Purge Volume: 5.0


Operator: PC


Column phase: DB624


Column diameter: 0.18


5 Vinyl Chloride


Concentration: 3.03 ug/l
















Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\BEFORE\X092628.D
Injection Date: 27-SEP-2019 00:26
Instrument: voa6.i
Client Sample ID: HS19090860-09


Compound: Trichloroethene
CAS Number: 79-01-6




Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092628.D
Injection Date: 27-SEP-2019 00:26
Instrument: voa6.i
Client Sample ID: HS19090860-09

Compound: Trichloroethene
CAS Number: 79-01-6







Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092629.D Page 1
Report Date: 09-Oct-2019 19:11

ALS Laboratory Group

Data file : \\nahstws005\Target\chem\voa6.i\X190926.b\X092629.D
Lab Smp Id: HS19090860-07 Client Smp ID: HS19090860-07
Inj Date : 27-SEP-2019 00:50
Operator : PC Inst ID: voa6.i
Smp Info : HS19090860-07;HS19090860-07;;;
Misc Info : HS18090001;WATER;0;1;
Comment :
Method : \\nahstws005\Target\chem\voa6.i\X190926.b\8260W.m
Meth Date : 09-Oct-2019 19:10 DevakG Quant Type: ISTD
Cal Date : 24-SEP-2019 13:59 Cal File: X092408.D
Als bottle: 28
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: CBI-HOU.sub
Target Version: 4.14
Processing Host: NAHSTW7056

Concentration Formula: Amt * DF * (Uf/Vo)*1 * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Uf	5.000	ng unit correction factor
Vo	5.000	sample purged
Cpnd Variable		Local Compound Variable


	Compounds	QUANT SIG MASS	RT	EXP RT	REL RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/l)	FINAL (ug/l)
	11 1,1-Dichloroethene	96	1.919	1.919	(0.458)	11496	2.65602	2.65(a)
	33 1,2-Dichloroethane	62	4.569	4.562	(0.919)	13557	2.02901	2.02(a)
	27 cis-1,2-Dichloroethene	96	3.530	3.530	(0.843)	668392	108.316	108.31
	38 Trichloroethene	130	5.214	5.214	(1.049)	6281953	1142.07	1142.07(A)
	5 Vinyl Chloride	62	1.138	1.138	(0.272)	44685	7.06223	7.06
$	35 1,2-Dichloroethane-d4	65	4.476	4.476	(1.068)	243577	42.7049	42.70
$	69 4-Bromofluorobenzene	95	8.695	8.695	(1.134)	286036	50.9519	50.95
$	30 Dibromofluoromethane	113	4.103	4.103	(0.979)	218567	44.6988	44.69
$	48 Toluene-d8	98	6.388	6.388	(0.833)	799734	48.3590	48.35
*	1 Pentafluorobenzene	168	4.189	4.182	(1.000)	499850	50.0000	
*	36 1,4-Difluorobenzene	114	4.970	4.970	(1.000)	717586	50.0000	
*	47 Chlorobenzene-d5	117	7.671	7.670	(1.000)	588546	50.0000	
*	70 1,4-Dichlorobenzene-d4	152	9.669	9.669	(1.000)	311793	50.0000	

QC Flag Legend

a - Target compound detected but, quantitated amount Below Limit Of Quantitation(BLOQ).
A - Target compound detected but, quantitated amount exceeded maximum amount.

Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092629.D
Date : 27-SEP-2019 00:50
Client ID: HS19090860-07
Sample Info: HS19090860-07;HS19090860-07;;;
Purge Volume: 5.0
Column phase: DB624

Instrument: voa6.i
Operator: PC
Column diameter: 0.18



Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092629.D

Date : 27-SEP-2019 00:50

Client ID: HS19090860-07

Instrument: voa6.i

Sample Info: HS19090860-07;HS19090860-07;;;

Purge Volume: 5.0


Operator: PC


Column phase: DB624


Column diameter: 0.18


11 1,1-Dichloroethene


Concentration: 2.65 ug/l

















Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092629.D

Date : 27-SEP-2019 00:50

Client ID: HS19090860-07

Instrument: voa6.i

Sample Info: HS19090860-07;HS19090860-07;;;

Purge Volume: 5.0


Operator: PC


Column phase: DB624


Column diameter: 0.18


33 1,2-Dichloroethane


Concentration: 2.02 ug/l














Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092629.D

Date : 27-SEP-2019 00:50

Client ID: HS19090860-07

Instrument: voa6.i

Sample Info: HS19090860-07;HS19090860-07;;;

Purge Volume: 5.0


Operator: PC


Column phase: DB624


Column diameter: 0.18


27 cis-1,2-Dichloroethene


Concentration: 108.31 ug/l

















Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092629.D

Date : 27-SEP-2019 00:50

Client ID: HS19090860-07

Instrument: voa6.i

Sample Info: HS19090860-07;HS19090860-07;;;

Purge Volume: 5.0


Operator: PC


Column phase: DB624


Column diameter: 0.18


38 Trichloroethene


Concentration: 1142.07 ug/l

















Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092629.D

Date : 27-SEP-2019 00:50

Client ID: HS19090860-07

Instrument: voa6.i

Sample Info: HS19090860-07;HS19090860-07;;;

Purge Volume: 5.0


Operator: PC


Column phase: DB624


Column diameter: 0.18


5 Vinyl Chloride


Concentration: 7.06 ug/l














Data File: \\nahstws005\Target\chem\voa6.i\X190926.b\X092630.D Page 1
Report Date: 09-Oct-2019 19:12


ALS Laboratory Group

Data file : \\nahstws005\Target\chem\voa6.i\X190926.b\X092630.D
Lab Smp Id: CCV-END Client Smp ID: CCV-END
Inj Date : 27-SEP-2019 01:14
Operator : PC Inst ID: voa6.i
Smp Info : CCV-END;CCV-END;2;;
Misc Info : HS18090001;WATER;0;1;
Comment :
Method : \\nahstws005\Target\chem\voa6.i\X190926.b\8260W.m
Meth Date : 09-Oct-2019 19:11 DevakG Quant Type: ISTD
Cal Date : 24-SEP-2019 13:59 Cal File: X092408.D
Als bottle: 29 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: HP RTE Compound Sublist: CBI-HOU.sub
Target Version: 4.14

Concentration Formula: Amt * DF * (Uf/Vo)*1 * CpndVariable

Name	Value	Description
DF	1.000	Dilution Factor
Uf	5.000	ng unit correction factor
Vo	5.000	sample purged
Cpnd Variable		Local Compound Variable

	Compounds	QUANT SIG MASS	RT	EXP RT	REL RT	RESPONSE	AMOUNTS CAL-AMT (ug/l)	AMOUNTS ON-COL (ug/l)
	53 1,1,2-Trichloroethane	83	6.847	6.847	(0.893)	141362	50.0000	49.48
	11 1,1-Dichloroethene	96	1.919	1.919	(0.459)	155193	50.0000	49.82
	33 1,2-Dichloroethane	62	4.562	4.562	(0.918)	224392	50.0000	44.19
	27 cis-1,2-Dichloroethene	96	3.530	3.530	(0.844)	204858	50.0000	46.12
	17 Methylene Chloride	84	2.305	2.305	(0.551)	193619	50.0000	49.93
	38 Trichloroethene	130	5.214	5.214	(1.049)	205347	50.0000	49.12
	5 Vinyl Chloride	62	1.138	1.138	(0.272)	219976	50.0000	48.30
$	35 1,2-Dichloroethane-d4	65	4.476	4.476	(1.070)	194782	50.0000	47.56
$	69 4-Bromofluorobenzene	95	8.695	8.695	(1.134)	245170	50.0000	51.65
$	30 Dibromofluoromethane	113	4.103	4.103	(0.981)	176142	50.0000	50.15
$	48 Toluene-d8	98	6.388	6.388	(0.833)	655759	50.0000	46.88
*	1 Pentafluorobenzene	168	4.182	4.182	(1.000)	359730	50.0000	
*	36 1,4-Difluorobenzene	114	4.970	4.970	(1.000)	545278	50.0000	
*	47 Chlorobenzene-d5	117	7.670	7.670	(1.000)	497755	50.0000	
*	70 1,4-Dichlorobenzene-d4	152	9.669	9.669	(1.000)	264470	50.0000	



Data File: \\nahstus005\Target\chem\voa6.i\X190926.b\X092630.D
Date : 27-SEP-2019 01:14
Client ID: CCV-END
Sample Info: CCV-END;CCV-END;2;;
Purge Volume: 5.0
Column phase: DB624

Instrument: voa6.i
Operator: PC
Column diameter: 0.18

HS19090962 LHAAP16 Cover Page

ALS WO# HS19090962

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

HS19090962 LHAAP16 Cover Page
- CoverPage
- HS19090962 LHAAP16 Final
  - CoverLetter
  - Sample Summary
  - CaseNarrative
  - 16LHAAP-TB3-190918
  - 16WW13-190918
  - 16WW48-190918
  - 16WW35-190918
  - 16WW30-190918
  - 16EW06-190918
  - 16WW26-190917
  - 16EW02-190918
  - 16LHAAP-TB-5-190918
  - 16WW29-190918
  - 16WW12-190918
  - 16WW57-190918
  - 16WW26-190917-FD
  - Dates Report
  - QC
  - Acronyms

Table of Contents (continued)

Certifications
SampleReceiptCheckList
COC
HS19090962 ALS Kelso Sub Data K1908780
HS19090962 ALS Salt Lake City Combined Report 1927216
HS19090962 RSK 175 Raw Data
HS19090962 Wet Chem Raw Data

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

WorkOrder: HS19090962

LHAAP-16

Aptim Environmental & Infrastucture, Inc.

Susan Huang
2500 City West Blvd., Suite 1700
Houston TX 77042

14-Oct-2019

HS19090962 LHAAP16 Final

ALS WO# HS19090962

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

October 04, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19090962**

Laboratory Results for: **LHAAP-16**

Dear Susan,


ALS Environmental received 13 sample(s) on Sep 19, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,



Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19090962

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19090962-01	16LHAAP-TB3-190918	Water	C&G-080519-517	18-Sep-2019 00:00	19-Sep-2019 16:45	☐
HS19090962-02	16WW13-190918	Water		18-Sep-2019 08:45	19-Sep-2019 16:45	☐
HS19090962-03	16WW48-190918	Water		18-Sep-2019 17:20	19-Sep-2019 16:45	☐
HS19090962-04	16WW35-190918	Water		18-Sep-2019 10:55	19-Sep-2019 16:45	☐
HS19090962-05	16WW30-190918	Water		18-Sep-2019 11:11	19-Sep-2019 16:45	☐
HS19090962-06	16EW06-190918	Water		18-Sep-2019 13:35	19-Sep-2019 16:45	☐
HS19090962-07	16WW26-190917	Water		17-Sep-2019 15:53	19-Sep-2019 16:45	☐
HS19090962-08	16EW02-190918	Water		18-Sep-2019 14:55	19-Sep-2019 16:45	☐
HS19090962-09	16LHAAP-TB-5-190918	Water	C&G-080519-514	18-Sep-2019 00:00	19-Sep-2019 16:45	☐
HS19090962-10	16WW29-190918	Water		18-Sep-2019 12:07	19-Sep-2019 16:45	☐
HS19090962-11	16WW12-190918	Water		18-Sep-2019 09:59	19-Sep-2019 16:45	☐
HS19090962-12	16WW57-190918	Water		18-Sep-2019 15:30	19-Sep-2019 16:45	☐
HS19090962-13	16WW26-190917-FD	Water		18-Sep-2019 15:53	19-Sep-2019 16:45	☐

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc. **CASE NARRATIVE**
Project: LHAAP-16
Work Order: HS19090962

Work Order Comments

- The analysis for Perchlorate was subcontracted to ALS Salt Lake City, UT. Final report attached.
- The analysis for TOC was subcontracted to ALS Environmental in Kelso, WA. Final Report attached.

GC Semivolatiles by Method RSK-175

Batch ID: R346937

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

GCMS Volatiles by Method SW8260

Batch ID: R347016,R347098,R347193

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SW9056

Batch ID: R346732

Sample ID: 16WW57-190918 (HS19090962-12MS)

- The MS and/or MSD recovery was outside of the control limits; however, the result in the parent sample is greater than 4x the spike amount. (Sulfate)
- The MS and/or MSD recovery was outside of the control limits for Bromide

WetChemistry by Method SM2320B

Batch ID: R346726

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16LHAAP-TB3-190918
Collection Date: 18-Sep-2019 00:00

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-01
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	25-Sep-2019 17:50
1,1-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	25-Sep-2019 17:50
1,2-Dichloroethane	0.50	U	0.20	0.50	1.0	UG/L	1	25-Sep-2019 17:50
cis-1,2-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	25-Sep-2019 17:50
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	25-Sep-2019 17:50
Trichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	25-Sep-2019 17:50
Vinyl chloride	0.50	U	0.20	0.50	1.0	UG/L	1	25-Sep-2019 17:50
Surr: 1,2-Dichloroethane-d4	*89.7*			**0**	*81-118*	*%REC*	*1*	*25-Sep-2019 17:50*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*1*	*25-Sep-2019 17:50*
Surr: Dibromofluoromethane	*93.6*			**0**	*80-119*	*%REC*	*1*	*25-Sep-2019 17:50*
Surr: Toluene-d8	*99.1*			**0**	*89-112*	*%REC*	*1*	*25-Sep-2019 17:50*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW13-190918
Collection Date: 18-Sep-2019 08:45

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-02
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	27-Sep-2019 13:56
1,1-Dichloroethene	**0.70**	J	**0.20**	**0.50**	**1.0**	**UG/L**	1	27-Sep-2019 13:56
1,2-Dichloroethane	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 13:56
cis-1,2-Dichloroethene	**210**		**1.0**	**2.5**	**5.0**	**UG/L**	5	26-Sep-2019 19:37
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	27-Sep-2019 13:56
Trichloroethene	**630**		**1.0**	**2.5**	**5.0**	**UG/L**	5	26-Sep-2019 19:37
Vinyl chloride	**5.6**		**0.20**	**0.50**	**1.0**	**UG/L**	1	27-Sep-2019 13:56
Surr: 1,2-Dichloroethane-d4	*87.1*			**0**	*81-118*	*%REC*	*5*	*26-Sep-2019 19:37*
Surr: 1,2-Dichloroethane-d4	*84.4*			**0**	*81-118*	*%REC*	*1*	*27-Sep-2019 13:56*
Surr: 4-Bromofluorobenzene	*106*			**0**	*85-114*	*%REC*	*5*	*26-Sep-2019 19:37*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*1*	*27-Sep-2019 13:56*
Surr: Dibromofluoromethane	*92.9*			**0**	*80-119*	*%REC*	*5*	*26-Sep-2019 19:37*
Surr: Dibromofluoromethane	*90.4*			**0**	*80-119*	*%REC*	*1*	*27-Sep-2019 13:56*
Surr: Toluene-d8	*98.2*			**0**	*89-112*	*%REC*	*5*	*26-Sep-2019 19:37*
Surr: Toluene-d8	*97.7*			**0**	*89-112*	*%REC*	*1*	*27-Sep-2019 13:56*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW48-190918
Collection Date: 18-Sep-2019 17:20

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-03
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	2.5	U	1.5	2.5	5.0	UG/L	5	27-Sep-2019 18:45
1,1-Dichloroethene	**7.0**		**1.0**	**2.5**	**5.0**	**UG/L**	5	27-Sep-2019 18:45
1,2-Dichloroethane	**7.0**		**1.0**	**2.5**	**5.0**	**UG/L**	5	27-Sep-2019 18:45
cis-1,2-Dichloroethene	**1,800**		**5.0**	**12**	**25**	**UG/L**	25	26-Sep-2019 18:01
Methylene chloride	5.0	U	2.0	5.0	10	UG/L	5	27-Sep-2019 18:45
Trichloroethene	**3,700**		**5.0**	**12**	**25**	**UG/L**	25	26-Sep-2019 18:01
Vinyl chloride	**7.4**		**1.0**	**2.5**	**5.0**	**UG/L**	5	27-Sep-2019 18:45
Surr: 1,2-Dichloroethane-d4	*88.0*			**0**	*81-118*	*%REC*	*25*	*26-Sep-2019 18:01*
Surr: 1,2-Dichloroethane-d4	*83.8*			**0**	*81-118*	*%REC*	*5*	*27-Sep-2019 18:45*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*25*	*26-Sep-2019 18:01*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*5*	*27-Sep-2019 18:45*
Surr: Dibromofluoromethane	*93.0*			**0**	*80-119*	*%REC*	*25*	*26-Sep-2019 18:01*
Surr: Dibromofluoromethane	*90.0*			**0**	*80-119*	*%REC*	*5*	*27-Sep-2019 18:45*
Surr: Toluene-d8	*97.8*			**0**	*89-112*	*%REC*	*25*	*26-Sep-2019 18:01*
Surr: Toluene-d8	*95.9*			**0**	*89-112*	*%REC*	*5*	*27-Sep-2019 18:45*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW35-190918
Collection Date: 18-Sep-2019 10:55

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-04
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	12	U	7.5	12	25	UG/L	25	26-Sep-2019 21:14
1,1-Dichloroethene	**120**		**5.0**	**12**	**25**	**UG/L**	25	26-Sep-2019 21:14
1,2-Dichloroethane	12	U	5.0	12	25	UG/L	25	26-Sep-2019 21:14
cis-1,2-Dichloroethene	**8,800**		**50**	**120**	**250**	**UG/L**	250	26-Sep-2019 21:38
Methylene chloride	25	U	10	25	50	UG/L	25	26-Sep-2019 21:14
Trichloroethene	**13,000**		**50**	**120**	**250**	**UG/L**	250	26-Sep-2019 21:38
Vinyl chloride	**75**		**5.0**	**12**	**25**	**UG/L**	25	26-Sep-2019 21:14
Surr: 1,2-Dichloroethane-d4	*86.1*			**0**	*81-118*	*%REC*	*25*	*26-Sep-2019 21:14*
Surr: 1,2-Dichloroethane-d4	*87.1*			**0**	*81-118*	*%REC*	*250*	*26-Sep-2019 21:38*
Surr: 4-Bromofluorobenzene	*104*			**0**	*85-114*	*%REC*	*25*	*26-Sep-2019 21:14*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*250*	*26-Sep-2019 21:38*
Surr: Dibromofluoromethane	*90.3*			**0**	*80-119*	*%REC*	*25*	*26-Sep-2019 21:14*
Surr: Dibromofluoromethane	*93.2*			**0**	*80-119*	*%REC*	*250*	*26-Sep-2019 21:38*
Surr: Toluene-d8	*98.0*			**0**	*89-112*	*%REC*	*25*	*26-Sep-2019 21:14*
Surr: Toluene-d8	*99.2*			**0**	*89-112*	*%REC*	*250*	*26-Sep-2019 21:38*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW30-190918
Collection Date: 18-Sep-2019 11:11

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-05
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	26-Sep-2019 17:13
1,1-Dichloroethene	**0.82**	J	**0.20**	**0.50**	**1.0**	**UG/L**	1	26-Sep-2019 17:13
1,2-Dichloroethane	0.50	U	0.20	0.50	1.0	UG/L	1	26-Sep-2019 17:13
cis-1,2-Dichloroethene	**79**		**0.20**	**0.50**	**1.0**	**UG/L**	1	26-Sep-2019 17:13
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	26-Sep-2019 17:13
Trichloroethene	**360**		**1.0**	**2.5**	**5.0**	**UG/L**	5	27-Sep-2019 15:56
Vinyl chloride	**0.41**	J	**0.20**	**0.50**	**1.0**	**UG/L**	1	26-Sep-2019 17:13
Surr: 1,2-Dichloroethane-d4	*87.8*			**0**	*81-118*	*%REC*	*1*	*26-Sep-2019 17:13*
Surr: 1,2-Dichloroethane-d4	*83.9*			**0**	*81-118*	*%REC*	*5*	*27-Sep-2019 15:56*
Surr: 4-Bromofluorobenzene	*104*			**0**	*85-114*	*%REC*	*1*	*26-Sep-2019 17:13*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*5*	*27-Sep-2019 15:56*
Surr: Dibromofluoromethane	*92.1*			**0**	*80-119*	*%REC*	*1*	*26-Sep-2019 17:13*
Surr: Dibromofluoromethane	*90.9*			**0**	*80-119*	*%REC*	*5*	*27-Sep-2019 15:56*
Surr: Toluene-d8	*98.8*			**0**	*89-112*	*%REC*	*1*	*26-Sep-2019 17:13*
Surr: Toluene-d8	*97.8*			**0**	*89-112*	*%REC*	*5*	*27-Sep-2019 15:56*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16EW06-190918
Collection Date: 18-Sep-2019 13:35

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-06
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	12	U	7.5	12	25	UG/L	25	26-Sep-2019 22:02
1,1-Dichloroethene	**22**	J	**5.0**	**12**	**25**	**UG/L**	25	26-Sep-2019 22:02
1,2-Dichloroethane	12	U	5.0	12	25	UG/L	25	26-Sep-2019 22:02
cis-1,2-Dichloroethene	**3,700**		**5.0**	**12**	**25**	**UG/L**	25	26-Sep-2019 22:02
Methylene chloride	25	U	10	25	50	UG/L	25	26-Sep-2019 22:02
Trichloroethene	**6,500**		**50**	**120**	**250**	**UG/L**	250	26-Sep-2019 22:26
Vinyl chloride	**190**		**5.0**	**12**	**25**	**UG/L**	25	26-Sep-2019 22:02
Surr: 1,2-Dichloroethane-d4	*85.6*			**0**	*81-118*	*%REC*	*25*	*26-Sep-2019 22:02*
Surr: 1,2-Dichloroethane-d4	*86.8*			**0**	*81-118*	*%REC*	*250*	*26-Sep-2019 22:26*
Surr: 4-Bromofluorobenzene	*106*			**0**	*85-114*	*%REC*	*25*	*26-Sep-2019 22:02*
Surr: 4-Bromofluorobenzene	*102*			**0**	*85-114*	*%REC*	*250*	*26-Sep-2019 22:26*
Surr: Dibromofluoromethane	*90.3*			**0**	*80-119*	*%REC*	*25*	*26-Sep-2019 22:02*
Surr: Dibromofluoromethane	*93.0*			**0**	*80-119*	*%REC*	*250*	*26-Sep-2019 22:26*
Surr: Toluene-d8	*98.1*			**0**	*89-112*	*%REC*	*25*	*26-Sep-2019 22:02*
Surr: Toluene-d8	*98.2*			**0**	*89-112*	*%REC*	*250*	*26-Sep-2019 22:26*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW26-190917
Collection Date: 17-Sep-2019 15:53

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-07
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	26-Sep-2019 17:37
1,1-Dichloroethene	**1.4**		**0.20**	**0.50**	**1.0**	**UG/L**	1	26-Sep-2019 17:37
1,2-Dichloroethane	0.50	U	0.20	0.50	1.0	UG/L	1	26-Sep-2019 17:37
cis-1,2-Dichloroethene	**35**		**0.20**	**0.50**	**1.0**	**UG/L**	1	26-Sep-2019 17:37
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	26-Sep-2019 17:37
Trichloroethene	**380**		**1.0**	**2.5**	**5.0**	**UG/L**	5	27-Sep-2019 16:20
Vinyl chloride	0.50	U	0.20	0.50	1.0	UG/L	1	26-Sep-2019 17:37
Surr: 1,2-Dichloroethane-d4	*88.7*			**0**	*81-118*	*%REC*	*1*	*26-Sep-2019 17:37*
Surr: 1,2-Dichloroethane-d4	*83.5*			**0**	*81-118*	*%REC*	*5*	*27-Sep-2019 16:20*
Surr: 4-Bromofluorobenzene	*104*			**0**	*85-114*	*%REC*	*1*	*26-Sep-2019 17:37*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*5*	*27-Sep-2019 16:20*
Surr: Dibromofluoromethane	*93.4*			**0**	*80-119*	*%REC*	*1*	*26-Sep-2019 17:37*
Surr: Dibromofluoromethane	*90.5*			**0**	*80-119*	*%REC*	*5*	*27-Sep-2019 16:20*
Surr: Toluene-d8	*96.1*			**0**	*89-112*	*%REC*	*1*	*26-Sep-2019 17:37*
Surr: Toluene-d8	*98.6*			**0**	*89-112*	*%REC*	*5*	*27-Sep-2019 16:20*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16EW02-190918
Collection Date: 18-Sep-2019 14:55

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-08
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	12	U	7.5	12	25	UG/L	25	26-Sep-2019 22:50
1,1-Dichloroethene	**110**		**5.0**	**12**	**25**	**UG/L**	25	26-Sep-2019 22:50
1,2-Dichloroethane	**51**		**5.0**	**12**	**25**	**UG/L**	25	26-Sep-2019 22:50
cis-1,2-Dichloroethene	**25,000**		**50**	**120**	**250**	**UG/L**	250	26-Sep-2019 23:14
Methylene chloride	25	U	10	25	50	UG/L	25	26-Sep-2019 22:50
Trichloroethene	**42,000**		**50**	**120**	**250**	**UG/L**	250	26-Sep-2019 23:14
Vinyl chloride	**650**		**5.0**	**12**	**25**	**UG/L**	25	26-Sep-2019 22:50
Surr: 1,2-Dichloroethane-d4	*85.6*			**0**	*81-118*	*%REC*	*250*	*26-Sep-2019 23:14*
Surr: 1,2-Dichloroethane-d4	*85.1*			**0**	*81-118*	*%REC*	*25*	*26-Sep-2019 22:50*
Surr: 4-Bromofluorobenzene	*106*			**0**	*85-114*	*%REC*	*25*	*26-Sep-2019 22:50*
Surr: 4-Bromofluorobenzene	*104*			**0**	*85-114*	*%REC*	*250*	*26-Sep-2019 23:14*
Surr: Dibromofluoromethane	*91.2*			**0**	*80-119*	*%REC*	*25*	*26-Sep-2019 22:50*
Surr: Dibromofluoromethane	*90.2*			**0**	*80-119*	*%REC*	*250*	*26-Sep-2019 23:14*
Surr: Toluene-d8	*96.0*			**0**	*89-112*	*%REC*	*25*	*26-Sep-2019 22:50*
Surr: Toluene-d8	*97.9*			**0**	*89-112*	*%REC*	*250*	*26-Sep-2019 23:14*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16LHAAP-TB-5-190918
Collection Date: 18-Sep-2019 00:00

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-09
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	26-Sep-2019 16:25
1,1-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	26-Sep-2019 16:25
1,2-Dichloroethane	0.50	U	0.20	0.50	1.0	UG/L	1	26-Sep-2019 16:25
cis-1,2-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	26-Sep-2019 16:25
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	26-Sep-2019 16:25
Trichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	26-Sep-2019 16:25
Vinyl chloride	0.50	U	0.20	0.50	1.0	UG/L	1	26-Sep-2019 16:25
Surr: 1,2-Dichloroethane-d4	*87.2*			**0**	*81-118*	*%REC*	*1*	*26-Sep-2019 16:25*
Surr: 4-Bromofluorobenzene	*104*			**0**	*85-114*	*%REC*	*1*	*26-Sep-2019 16:25*
Surr: Dibromofluoromethane	*91.8*			**0**	*80-119*	*%REC*	*1*	*26-Sep-2019 16:25*
Surr: Toluene-d8	*99.6*			**0**	*89-112*	*%REC*	*1*	*26-Sep-2019 16:25*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW29-190918
Collection Date: 18-Sep-2019 12:07

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-10
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	27-Sep-2019 13:32
1,1-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 13:32
1,2-Dichloroethane	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 13:32
cis-1,2-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 13:32
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	27-Sep-2019 13:32
Trichloroethene	**2.7**		**0.20**	**0.50**	**1.0**	**UG/L**	1	27-Sep-2019 13:32
Vinyl chloride	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 13:32
Surr: 1,2-Dichloroethane-d4	*84.9*			**0**	*81-118*	*%REC*	*1*	*27-Sep-2019 13:32*
Surr: 4-Bromofluorobenzene	*105*			**0**	*85-114*	*%REC*	*1*	*27-Sep-2019 13:32*
Surr: Dibromofluoromethane	*90.6*			**0**	*80-119*	*%REC*	*1*	*27-Sep-2019 13:32*
Surr: Toluene-d8	*98.7*			**0**	*89-112*	*%REC*	*1*	*27-Sep-2019 13:32*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW12-190918
Collection Date: 18-Sep-2019 09:59

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-11
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	2.5	U	1.5	2.5	5.0	UG/L	5	27-Sep-2019 19:09
1,1-Dichloroethene	**4.9**	J	**1.0**	**2.5**	**5.0**	**UG/L**	5	27-Sep-2019 19:09
1,2-Dichloroethane	**9.2**		**1.0**	**2.5**	**5.0**	**UG/L**	5	27-Sep-2019 19:09
cis-1,2-Dichloroethene	**52**		**1.0**	**2.5**	**5.0**	**UG/L**	5	27-Sep-2019 19:09
Methylene chloride	5.0	U	2.0	5.0	10	UG/L	5	27-Sep-2019 19:09
Trichloroethene	**2,100**		**5.0**	**12**	**25**	**UG/L**	25	26-Sep-2019 23:38
Vinyl chloride	**5.5**		**1.0**	**2.5**	**5.0**	**UG/L**	5	27-Sep-2019 19:09
Surr: 1,2-Dichloroethane-d4	*85.2*			**0**	*81-118*	*%REC*	*25*	*26-Sep-2019 23:38*
Surr: 1,2-Dichloroethane-d4	*83.7*			**0**	*81-118*	*%REC*	*5*	*27-Sep-2019 19:09*
Surr: 4-Bromofluorobenzene	*104*			**0**	*85-114*	*%REC*	*25*	*26-Sep-2019 23:38*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*5*	*27-Sep-2019 19:09*
Surr: Dibromofluoromethane	*89.8*			**0**	*80-119*	*%REC*	*25*	*26-Sep-2019 23:38*
Surr: Dibromofluoromethane	*90.5*			**0**	*80-119*	*%REC*	*5*	*27-Sep-2019 19:09*
Surr: Toluene-d8	*98.6*			**0**	*89-112*	*%REC*	*25*	*26-Sep-2019 23:38*
Surr: Toluene-d8	*99.0*			**0**	*89-112*	*%REC*	*5*	*27-Sep-2019 19:09*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW57-190918
Collection Date: 18-Sep-2019 15:30

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-12
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	26-Sep-2019 16:49
1,1-Dichloroethene	**0.56**	J	**0.20**	**0.50**	**1.0**	**UG/L**	1	26-Sep-2019 16:49
1,2-Dichloroethane	0.50	U	0.20	0.50	1.0	UG/L	1	26-Sep-2019 16:49
cis-1,2-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	26-Sep-2019 16:49
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	26-Sep-2019 16:49
Trichloroethene	**24**		**0.20**	**0.50**	**1.0**	**UG/L**	1	26-Sep-2019 16:49
Vinyl chloride	0.50	U	0.20	0.50	1.0	UG/L	1	26-Sep-2019 16:49
Surr: 1,2-Dichloroethane-d4	*87.8*			**0**	*81-118*	*%REC*	*1*	*26-Sep-2019 16:49*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*1*	*26-Sep-2019 16:49*
Surr: Dibromofluoromethane	*92.1*			**0**	*80-119*	*%REC*	*1*	*26-Sep-2019 16:49*
Surr: Toluene-d8	*99.0*			**0**	*89-112*	*%REC*	*1*	*26-Sep-2019 16:49*
DISSOLVED GASES BY RSK-175		**Method:RSK-175**						Analyst: PVL
Ethane	**0.000246**	J	**0.000144**	**0.000250**	**0.00100**	**mg/L**	1	25-Sep-2019 12:40
Ethene	**0.00118**		**0.000234**	**0.000500**	**0.00100**	**mg/L**	1	25-Sep-2019 12:40
Methane	**0.00244**		**0.000107**	**0.000250**	**0.000500**	**mg/L**	1	25-Sep-2019 12:40
ALKALINITY BY SM2320B		**Method:SM2320B**						Analyst: TH
Alkalinity, Total (As CaCO3)	**133**	a	**5.00**	**5.00**	**5.00**	**mg/L**	1	21-Sep-2019 22:47
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.16**		**0.150**	**0.500**	**0.500**	**mg/L**	5	20-Sep-2019 17:08
Nitrogen, Nitrate (As N)	0.100	U	0.0300	0.100	0.100	mg/L	1	20-Sep-2019 13:34
Sulfate	**2,310**		**10.0**	**25.0**	**25.0**	**mg/L**	50	20-Sep-2019 17:58
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	30-Sep-2019 17:55

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW26-190917-FD
Collection Date: 18-Sep-2019 15:53

ANALYTICAL REPORT
WorkOrder:HS19090962
Lab ID:HS19090962-13
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	27-Sep-2019 14:20
1,1-Dichloroethene	**1.6**		**0.20**	**0.50**	**1.0**	**UG/L**	1	27-Sep-2019 14:20
1,2-Dichloroethane	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 14:20
cis-1,2-Dichloroethene	**36**		**0.20**	**0.50**	**1.0**	**UG/L**	1	27-Sep-2019 14:20
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	27-Sep-2019 14:20
Trichloroethene	**440**		**1.0**	**2.5**	**5.0**	**UG/L**	5	26-Sep-2019 20:25
Vinyl chloride	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 14:20
Surr: 1,2-Dichloroethane-d4	*88.1*			**0**	*81-118*	*%REC*	*5*	*26-Sep-2019 20:25*
Surr: 1,2-Dichloroethane-d4	*84.6*			**0**	*81-118*	*%REC*	*1*	*27-Sep-2019 14:20*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*5*	*26-Sep-2019 20:25*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*1*	*27-Sep-2019 14:20*
Surr: Dibromofluoromethane	*94.0*			**0**	*80-119*	*%REC*	*5*	*26-Sep-2019 20:25*
Surr: Dibromofluoromethane	*90.5*			**0**	*80-119*	*%REC*	*1*	*27-Sep-2019 14:20*
Surr: Toluene-d8	*100*			**0**	*89-112*	*%REC*	*5*	*26-Sep-2019 20:25*
Surr: Toluene-d8	*98.4*			**0**	*89-112*	*%REC*	*1*	*27-Sep-2019 14:20*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

DATES REPORT

Sample ID	Client Samp ID	Collection Date	TCLP Date	Prep Date	Analysis Date	DF
Batch ID: R346726 (0)	**Test Name :** ALKALINITY BY SM2320B				**Matrix:** Water	
HS19090962-12	16WW57-190918	18 Sep 2019 15:30			21 Sep 2019 22:47	1
Batch ID: R346732 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Water	
HS19090962-12	16WW57-190918	18 Sep 2019 15:30			20 Sep 2019 17:58	50
HS19090962-12	16WW57-190918	18 Sep 2019 15:30			20 Sep 2019 17:08	5
HS19090962-12	16WW57-190918	18 Sep 2019 15:30			20 Sep 2019 13:34	1
Batch ID: R346937 (0)	**Test Name :** DISSOLVED GASES BY RSK-175				**Matrix:** Water	
HS19090962-12	16WW57-190918	18 Sep 2019 15:30			25 Sep 2019 12:40	1
Batch ID: R347016 (0)	**Test Name :** VOLATILES ORGANICS BY METHOD 8260C				**Matrix:** Water	
HS19090962-01	16LHAAP-TB3-190918	18 Sep 2019 00:00			25 Sep 2019 17:50	1
Batch ID: R347098 (0)	**Test Name :** VOLATILES ORGANICS BY METHOD 8260C				**Matrix:** Water	
HS19090962-02	16WW13-190918	18 Sep 2019 08:45			26 Sep 2019 19:37	5
HS19090962-03	16WW48-190918	18 Sep 2019 17:20			26 Sep 2019 18:01	25
HS19090962-04	16WW35-190918	18 Sep 2019 10:55			26 Sep 2019 21:38	250
HS19090962-04	16WW35-190918	18 Sep 2019 10:55			26 Sep 2019 21:14	25
HS19090962-05	16WW30-190918	18 Sep 2019 11:11			26 Sep 2019 17:13	1
HS19090962-06	16EW06-190918	18 Sep 2019 13:35			26 Sep 2019 22:26	250
HS19090962-06	16EW06-190918	18 Sep 2019 13:35			26 Sep 2019 22:02	25
HS19090962-07	16WW26-190917	17 Sep 2019 15:53			26 Sep 2019 17:37	1
HS19090962-08	16EW02-190918	18 Sep 2019 14:55			26 Sep 2019 23:14	250
HS19090962-08	16EW02-190918	18 Sep 2019 14:55			26 Sep 2019 22:50	25
HS19090962-09	16LHAAP-TB-5-190918	18 Sep 2019 00:00			26 Sep 2019 16:25	1
HS19090962-11	16WW12-190918	18 Sep 2019 09:59			26 Sep 2019 23:38	25
HS19090962-12	16WW57-190918	18 Sep 2019 15:30			26 Sep 2019 16:49	1
HS19090962-13	16WW26-190917-FD	18 Sep 2019 15:53			26 Sep 2019 20:25	5
Batch ID: R347193 (0)	**Test Name :** VOLATILES ORGANICS BY METHOD 8260C				**Matrix:** Water	
HS19090962-02	16WW13-190918	18 Sep 2019 08:45			27 Sep 2019 13:56	1
HS19090962-03	16WW48-190918	18 Sep 2019 17:20			27 Sep 2019 18:45	5
HS19090962-05	16WW30-190918	18 Sep 2019 11:11			27 Sep 2019 15:56	5
HS19090962-07	16WW26-190917	17 Sep 2019 15:53			27 Sep 2019 16:20	5
HS19090962-10	16WW29-190918	18 Sep 2019 12:07			27 Sep 2019 13:32	1
HS19090962-11	16WW12-190918	18 Sep 2019 09:59			27 Sep 2019 19:09	5
HS19090962-13	16WW26-190917-FD	18 Sep 2019 15:53			27 Sep 2019 14:20	1
Batch ID: R347318 (0)	**Test Name :** SUBCONTRACT ANALYSIS - TOC ANALYSIS				**Matrix:** Water	
HS19090962-12	16WW57-190918	18 Sep 2019 15:30			30 Sep 2019 17:55	1

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

DATES REPORT

Sample ID	Client Samp ID	Collection Date	TCLP Date	Prep Date	Analysis Date	DF
Batch ID: R347602 (0)	**Test Name :** SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)				**Matrix:** Water	
HS19090962-02	16WW13-190918	18 Sep 2019 08:45			04 Oct 2019 09:41	1
HS19090962-03	16WW48-190918	18 Sep 2019 17:20			04 Oct 2019 09:41	1
HS19090962-04	16WW35-190918	18 Sep 2019 10:55			04 Oct 2019 09:41	1
HS19090962-05	16WW30-190918	18 Sep 2019 11:11			04 Oct 2019 09:41	1
HS19090962-06	16EW06-190918	18 Sep 2019 13:35			04 Oct 2019 09:41	1
HS19090962-07	16WW26-190917	17 Sep 2019 15:53			04 Oct 2019 09:41	1
HS19090962-08	16EW02-190918	18 Sep 2019 14:55			04 Oct 2019 09:41	1
HS19090962-10	16WW29-190918	18 Sep 2019 12:07			04 Oct 2019 09:41	1
HS19090962-11	16WW12-190918	18 Sep 2019 09:59			04 Oct 2019 09:41	1
HS19090962-12	16WW57-190918	18 Sep 2019 15:30			04 Oct 2019 09:41	1
HS19090962-13	16WW26-190917-FD	18 Sep 2019 15:53			04 Oct 2019 09:41	1

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

QC BATCH REPORT

Batch ID: R346937 (0) **Instrument:** FID-4 **Method:** DISSOLVED GASES BY RSK-175

MBLK Sample ID: **MBLK-190925** Units: **mg/L** Analysis Date: **25-Sep-2019 12:26**
Client ID: Run ID: **FID-4_346937** SeqNo: **5267809** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ethane	0.000250	0.00100								U
Ethene	0.000500	0.00100								U
Methane	0.000250	0.000500								U

LCS Sample ID: **LCS-190925** Units: **mg/L** Analysis Date: **25-Sep-2019 12:00**
Client ID: Run ID: **FID-4_346937** SeqNo: **5267807** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ethane	0.0177	0.00100	0.01804	0	98.1	75 - 125				
Ethene	0.0173	0.00100	0.0168	0	103	75 - 125				
Methane	0.00963	0.000500	0.009647	0	99.9	75 - 125				

LCSD Sample ID: **LCSD-190925** Units: **mg/L** Analysis Date: **25-Sep-2019 12:15**
Client ID: Run ID: **FID-4_346937** SeqNo: **5267808** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ethane	0.0167	0.00100	0.01804	0	92.7	75 - 125	0.01769	5.64	30	
Ethene	0.0161	0.00100	0.0168	0	95.7	75 - 125	0.01731	7.39	30	
Methane	0.00848	0.000500	0.009647	0	87.9	75 - 125	0.009634	12.7	30	

MS Sample ID: **HS19090962-12MS** Units: **mg/L** Analysis Date: **25-Sep-2019 13:16**
Client ID: **16WW57-190918** Run ID: **FID-4_346937** SeqNo: **5267870** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ethane	0.0185	0.00100	0.01804	0.0002460	101	75 - 125				
Ethene	0.0195	0.00100	0.0168	0.001181	109	75 - 125				
Methane	0.0102	0.000500	0.009647	0.002443	80.0	75 - 125				

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

QC BATCH REPORT

Batch ID: R346937 (0) **Instrument:** FID-4 **Method:** DISSOLVED GASES BY RSK-175

MSD Sample ID: **HS19090962-12MSD** Units: **mg/L** Analysis Date: **25-Sep-2019 13:27**
Client ID: **16WW57-190918** Run ID: **FID-4_346937** SeqNo: **5270103** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ethane	0.0186	0.00100	0.01804	0.0002460	102	75 - 125	0.01853	0.232	30	
Ethene	0.0186	0.00100	0.0168	0.001181	104	75 - 125	0.01948	4.43	30	
Methane	0.00968	0.000500	0.009647	0.002443	75.1	75 - 125	0.01016	4.78	30	

The following samples were analyzed in this batch: HS19090962-12

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

QC BATCH REPORT

Batch ID: R347016 (0) **Instrument:** VOA6 **Method:** VOLATILES ORGANICS BY METHOD 8260C

MBLK Sample ID: **VBLKW-190925** Units: **UG/L** Analysis Date: **25-Sep-2019 12:37**
Client ID: Run ID: **VOA6_347016** SeqNo: **5269438** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	0.50	1.0								U
1,1-Dichloroethene	0.50	1.0								U
1,2-Dichloroethane	0.50	1.0								U
cis-1,2-Dichloroethene	0.50	1.0								U
Methylene chloride	1.0	2.0								U
Trichloroethene	0.50	1.0								U
Vinyl chloride	0.50	1.0								U
Surr: 1,2-Dichloroethane-d4	*44.75*	*1.0*	*50*	*0*	*89.5*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*51.44*	*1.0*	*50*	*0*	*103*	*85 - 114*				
Surr: Dibromofluoromethane	*46.53*	*1.0*	*50*	*0*	*93.1*	*80 - 119*				
Surr: Toluene-d8	*50.44*	*1.0*	*50*	*0*	*101*	*89 - 112*				

LCS Sample ID: **VLCSW-190925** Units: **UG/L** Analysis Date: **25-Sep-2019 11:49**
Client ID: Run ID: **VOA6_347016** SeqNo: **5269437** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	20.5	1.0	20	0	102	80 - 119				
1,1-Dichloroethene	18.3	1.0	20	0	91.5	71 - 131				
1,2-Dichloroethane	19.2	1.0	20	0	96.0	73 - 128				
cis-1,2-Dichloroethene	18.83	1.0	20	0	94.1	78 - 123				
Methylene chloride	20.03	2.0	20	0	100	74 - 124				
Trichloroethene	17.97	1.0	20	0	89.9	79 - 123				
Vinyl chloride	17.8	1.0	20	0	89.0	58 - 137				
Surr: 1,2-Dichloroethane-d4	*51.58*	*1.0*	*50*	*0*	*103*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*53.54*	*1.0*	*50*	*0*	*107*	*85 - 114*				
Surr: Dibromofluoromethane	*52.18*	*1.0*	*50*	*0*	*104*	*80 - 119*				
Surr: Toluene-d8	*47.71*	*1.0*	*50*	*0*	*95.4*	*89 - 112*				

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

QC BATCH REPORT

Batch ID: R347016 (0) **Instrument:** VOA6 **Method:** VOLATILES ORGANICS BY METHOD 8260C

MS Sample ID: **HS19090847-01MS** Units: **UG/L** Analysis Date: **25-Sep-2019 15:26**
Client ID: Run ID: **VOA6_347016** SeqNo: **5269445** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	19.48	1.0	20	0	97.4	80 - 119				
1,1-Dichloroethene	17.22	1.0	20	0	86.1	71 - 131				
1,2-Dichloroethane	17.76	1.0	20	0	88.8	73 - 128				
cis-1,2-Dichloroethene	19.9	1.0	20	2.121	88.9	78 - 123				
Methylene chloride	16.8	2.0	20	0	84.0	74 - 124				
Trichloroethene	19.82	1.0	20	1.026	94.0	79 - 123				
Vinyl chloride	14.35	1.0	20	0	71.7	58 - 137				
Surr: 1,2-Dichloroethane-d4	*45.47*	*1.0*	*50*	*0*	*90.9*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*50.55*	*1.0*	*50*	*0*	*101*	*85 - 114*				
Surr: Dibromofluoromethane	*46.94*	*1.0*	*50*	*0*	*93.9*	*80 - 119*				
Surr: Toluene-d8	*49.26*	*1.0*	*50*	*0*	*98.5*	*89 - 112*				

MSD Sample ID: **HS19090847-01MSD** Units: **UG/L** Analysis Date: **25-Sep-2019 15:50**
Client ID: Run ID: **VOA6_347016** SeqNo: **5269446** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	18.64	1.0	20	0	93.2	80 - 119	19.48	4.39	20	
1,1-Dichloroethene	15.96	1.0	20	0	79.8	71 - 131	17.22	7.58	20	
1,2-Dichloroethane	17.06	1.0	20	0	85.3	73 - 128	17.76	4.01	20	
cis-1,2-Dichloroethene	18.34	1.0	20	2.121	81.1	78 - 123	19.9	8.14	20	
Methylene chloride	16.12	2.0	20	0	80.6	74 - 124	16.8	4.15	20	
Trichloroethene	18.29	1.0	20	1.026	86.3	79 - 123	19.82	8.06	20	
Vinyl chloride	13.44	1.0	20	0	67.2	58 - 137	14.35	6.54	20	
Surr: 1,2-Dichloroethane-d4	*45.03*	*1.0*	*50*	*0*	*90.1*	*81 - 118*	*45.47*	*0.978*	*20*	
Surr: 4-Bromofluorobenzene	*52.22*	*1.0*	*50*	*0*	*104*	*85 - 114*	*50.55*	*3.25*	*20*	
Surr: Dibromofluoromethane	*47.19*	*1.0*	*50*	*0*	*94.4*	*80 - 119*	*46.94*	*0.529*	*20*	
Surr: Toluene-d8	*48.77*	*1.0*	*50*	*0*	*97.5*	*89 - 112*	*49.26*	*1*	*20*	

The following samples were analyzed in this batch: HS19090962-01

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

QC BATCH REPORT

Batch ID: R347098 (0) **Instrument:** VOA6 **Method:** VOLATILES ORGANICS BY METHOD 8260C

MBLK Sample ID: **VBLKW-190926** Units: **UG/L** Analysis Date: **26-Sep-2019 16:01**
Client ID: Run ID: **VOA6_347098** SeqNo: **5271542** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	0.50	1.0								U
1,1-Dichloroethene	0.50	1.0								U
1,2-Dichloroethane	0.50	1.0								U
cis-1,2-Dichloroethene	0.50	1.0								U
Methylene chloride	1.0	2.0								U
Trichloroethene	0.50	1.0								U
Vinyl chloride	0.50	1.0								U
Surr: 1,2-Dichloroethane-d4	*44.43*	*1.0*	*50*	*0*	*88.9*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*52.49*	*1.0*	*50*	*0*	*105*	*85 - 114*				
Surr: Dibromofluoromethane	*46.58*	*1.0*	*50*	*0*	*93.2*	*80 - 119*				
Surr: Toluene-d8	*48.94*	*1.0*	*50*	*0*	*97.9*	*89 - 112*				

LCS Sample ID: **VLCSW-190926** Units: **UG/L** Analysis Date: **26-Sep-2019 15:13**
Client ID: Run ID: **VOA6_347098** SeqNo: **5271541** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	19.84	1.0	20	0	99.2	80 - 119				
1,1-Dichloroethene	18.21	1.0	20	0	91.1	71 - 131				
1,2-Dichloroethane	18.48	1.0	20	0	92.4	73 - 128				
cis-1,2-Dichloroethene	18.28	1.0	20	0	91.4	78 - 123				
Methylene chloride	18.89	2.0	20	0	94.5	74 - 124				
Trichloroethene	18.15	1.0	20	0	90.8	79 - 123				
Vinyl chloride	17.83	1.0	20	0	89.1	58 - 137				
Surr: 1,2-Dichloroethane-d4	*46.73*	*1.0*	*50*	*0*	*93.5*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*50.1*	*1.0*	*50*	*0*	*100*	*85 - 114*				
Surr: Dibromofluoromethane	*48.37*	*1.0*	*50*	*0*	*96.7*	*80 - 119*				
Surr: Toluene-d8	*45.53*	*1.0*	*50*	*0*	*91.1*	*89 - 112*				

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

QC BATCH REPORT

Batch ID: R347098 (0) **Instrument:** VOA6 **Method:** VOLATILES ORGANICS BY METHOD 8260C

MS Sample ID: **HS19090962-12MS** Units: **UG/L** Analysis Date: **26-Sep-2019 18:25**
Client ID: **16WW57-190918** Run ID: **VOA6_347098** SeqNo: **5271548** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	19.64	1.0	20	0	98.2	80 - 119				
1,1-Dichloroethene	17.64	1.0	20	0.5633	85.4	71 - 131				
1,2-Dichloroethane	17.08	1.0	20	0	85.4	73 - 128				
cis-1,2-Dichloroethene	16.97	1.0	20	0	84.8	78 - 123				
Methylene chloride	16.28	2.0	20	0	81.4	74 - 124				
Trichloroethene	43.16	1.0	20	23.96	96.0	79 - 123				
Vinyl chloride	14.19	1.0	20	0	70.9	58 - 137				
Surr: 1,2-Dichloroethane-d4	*44.78*	*1.0*	*50*	*0*	*89.6*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*51.41*	*1.0*	*50*	*0*	*103*	*85 - 114*				
Surr: Dibromofluoromethane	*46.8*	*1.0*	*50*	*0*	*93.6*	*80 - 119*				
Surr: Toluene-d8	*49.33*	*1.0*	*50*	*0*	*98.7*	*89 - 112*				

MSD Sample ID: **HS19090962-12MSD** Units: **UG/L** Analysis Date: **26-Sep-2019 18:49**
Client ID: **16WW57-190918** Run ID: **VOA6_347098** SeqNo: **5271549** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	19.39	1.0	20	0	97.0	80 - 119	19.64	1.26	20	
1,1-Dichloroethene	16.74	1.0	20	0.5633	80.9	71 - 131	17.64	5.28	20	
1,2-Dichloroethane	16.96	1.0	20	0	84.8	73 - 128	17.08	0.69	20	
cis-1,2-Dichloroethene	16.17	1.0	20	0	80.9	78 - 123	16.97	4.79	20	
Methylene chloride	15.61	2.0	20	0	78.0	74 - 124	16.28	4.25	20	
Trichloroethene	41.36	1.0	20	23.96	87.0	79 - 123	43.16	4.26	20	
Vinyl chloride	12.99	1.0	20	0	65.0	58 - 137	14.19	8.78	20	
Surr: 1,2-Dichloroethane-d4	*43.8*	*1.0*	*50*	*0*	*87.6*	*81 - 118*	*44.78*	*2.21*	*20*	
Surr: 4-Bromofluorobenzene	*50.72*	*1.0*	*50*	*0*	*101*	*85 - 114*	*51.41*	*1.35*	*20*	
Surr: Dibromofluoromethane	*46.33*	*1.0*	*50*	*0*	*92.7*	*80 - 119*	*46.8*	*1.01*	*20*	
Surr: Toluene-d8	*49.14*	*1.0*	*50*	*0*	*98.3*	*89 - 112*	*49.33*	*0.388*	*20*	

The following samples were analyzed in this batch:

HS19090962-02	HS19090962-03	HS19090962-04	HS19090962-05
HS19090962-06	HS19090962-07	HS19090962-08	HS19090962-09
HS19090962-11	HS19090962-12	HS19090962-13	

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

QC BATCH REPORT

Batch ID: R347193 (0) **Instrument:** VOA6 **Method:** VOLATILES ORGANICS BY METHOD 8260C

MBLK Sample ID: **VBLKW-190927** Units: **UG/L** Analysis Date: **27-Sep-2019 12:20**
Client ID: Run ID: **VOA6_347193** SeqNo: **5273201** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	0.50	1.0								U
1,1-Dichloroethene	0.50	1.0								U
1,2-Dichloroethane	0.50	1.0								U
cis-1,2-Dichloroethene	0.50	1.0								U
Methylene chloride	1.0	2.0								U
Trichloroethene	0.50	1.0								U
Vinyl chloride	0.50	1.0								U
Surr: 1,2-Dichloroethane-d4	*41.29*	*1.0*	*50*	*0*	*82.6*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*50.75*	*1.0*	*50*	*0*	*101*	*85 - 114*				
Surr: Dibromofluoromethane	*44.75*	*1.0*	*50*	*0*	*89.5*	*80 - 119*				
Surr: Toluene-d8	*49.34*	*1.0*	*50*	*0*	*98.7*	*89 - 112*				

LCS Sample ID: **VLCSW-190927** Units: **UG/L** Analysis Date: **27-Sep-2019 11:32**
Client ID: Run ID: **VOA6_347193** SeqNo: **5273200** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	18.91	1.0	20	0	94.5	80 - 119				
1,1-Dichloroethene	18.82	1.0	20	0	94.1	71 - 131				
1,2-Dichloroethane	17.88	1.0	20	0	89.4	73 - 128				
cis-1,2-Dichloroethene	17.62	1.0	20	0	88.1	78 - 123				
Methylene chloride	18.5	2.0	20	0	92.5	74 - 124				
Trichloroethene	18.29	1.0	20	0	91.4	79 - 123				
Vinyl chloride	18.06	1.0	20	0	90.3	58 - 137				
Surr: 1,2-Dichloroethane-d4	*48.59*	*1.0*	*50*	*0*	*97.2*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*53.49*	*1.0*	*50*	*0*	*107*	*85 - 114*				
Surr: Dibromofluoromethane	*50.11*	*1.0*	*50*	*0*	*100*	*80 - 119*				
Surr: Toluene-d8	*48.05*	*1.0*	*50*	*0*	*96.1*	*89 - 112*				

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

QC BATCH REPORT

Batch ID: R347193 (0) **Instrument:** VOA6 **Method:** VOLATILES ORGANICS BY METHOD 8260C

MS Sample ID: **HS19090962-10MS** Units: **UG/L** Analysis Date: **27-Sep-2019 15:08**
Client ID: **16WW29-190918** Run ID: **VOA6_347193** SeqNo: **5273208** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	18.87	1.0	20	0	94.3	80 - 119				
1,1-Dichloroethene	17.17	1.0	20	0	85.8	71 - 131				
1,2-Dichloroethane	16.27	1.0	20	0	81.4	73 - 128				
cis-1,2-Dichloroethene	16.64	1.0	20	0	83.2	78 - 123				
Methylene chloride	15.64	2.0	20	0	78.2	74 - 124				
Trichloroethene	20.62	1.0	20	2.663	89.8	79 - 123				
Vinyl chloride	13.68	1.0	20	0	68.4	58 - 137				
Surr: 1,2-Dichloroethane-d4	*42.73*	*1.0*	*50*	*0*	*85.5*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*50.9*	*1.0*	*50*	*0*	*102*	*85 - 114*				
Surr: Dibromofluoromethane	*45.37*	*1.0*	*50*	*0*	*90.7*	*80 - 119*				
Surr: Toluene-d8	*49.06*	*1.0*	*50*	*0*	*98.1*	*89 - 112*				

MSD Sample ID: **HS19090962-10MSD** Units: **UG/L** Analysis Date: **27-Sep-2019 15:32**
Client ID: **16WW29-190918** Run ID: **VOA6_347193** SeqNo: **5273209** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	18.6	1.0	20	0	93.0	80 - 119	18.87	1.45	20	
1,1-Dichloroethene	16.04	1.0	20	0	80.2	71 - 131	17.17	6.81	20	
1,2-Dichloroethane	15.91	1.0	20	0	79.5	73 - 128	16.27	2.26	20	
cis-1,2-Dichloroethene	15.78	1.0	20	0	78.9	78 - 123	16.64	5.31	20	
Methylene chloride	15.13	2.0	20	0	75.6	74 - 124	15.64	3.35	20	
Trichloroethene	19.11	1.0	20	2.663	82.2	79 - 123	20.62	7.61	20	
Vinyl chloride	12.88	1.0	20	0	64.4	58 - 137	13.68	6.03	20	
Surr: 1,2-Dichloroethane-d4	*42.41*	*1.0*	*50*	*0*	*84.8*	*81 - 118*	*42.73*	*0.745*	*20*	
Surr: 4-Bromofluorobenzene	*52.29*	*1.0*	*50*	*0*	*105*	*85 - 114*	*50.9*	*2.69*	*20*	
Surr: Dibromofluoromethane	*45.64*	*1.0*	*50*	*0*	*91.3*	*80 - 119*	*45.37*	*0.581*	*20*	
Surr: Toluene-d8	*48.45*	*1.0*	*50*	*0*	*96.9*	*89 - 112*	*49.06*	*1.25*	*20*	

The following samples were analyzed in this batch:

HS19090962-02	HS19090962-03	HS19090962-05	HS19090962-07
HS19090962-10	HS19090962-11	HS19090962-13	

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

QC BATCH REPORT

Batch ID: R346726 (0) **Instrument: ManTech01** **Method: ALKALINITY BY SM2320B**

MBLK Sample ID: **WBLKW2-190921** Units: **mg/L** Analysis Date: **21-Sep-2019 19:11**
Client ID: Run ID: **ManTech01_346726** SeqNo: **5263383** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Total (As CaCO3)	5.00	5.00								U

LCS Sample ID: **WLCS2-190921** Units: **mg/L** Analysis Date: **21-Sep-2019 19:20**
Client ID: Run ID: **ManTech01_346726** SeqNo: **5263384** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Total (As CaCO3)	1084	5.00	1000	0	108	85 - 115				

LCSD Sample ID: **WLCSD2-190921** Units: **mg/L** Analysis Date: **21-Sep-2019 19:30**
Client ID: Run ID: **ManTech01_346726** SeqNo: **5263385** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Total (As CaCO3)	1093	5.00	1000	0	109	85 - 115	1084	0.807	20	

DUP Sample ID: **HS19090962-12DUP** Units: **mg/L** Analysis Date: **21-Sep-2019 22:53**
Client ID: **16WW57-190918** Run ID: **ManTech01_346726** SeqNo: **5263409** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Total (As CaCO3)	134.3	5.00					133	0.958	20	

DUP Sample ID: **HS19090740-05DUP** Units: **mg/L** Analysis Date: **21-Sep-2019 22:11**
Client ID: Run ID: **ManTech01_346726** SeqNo: **5263404** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Total (As CaCO3)	764.4	5.00					762	0.321	20	

The following samples were analyzed in this batch: HS19090962-12

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

QC BATCH REPORT

Batch ID: R346732 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-092019** Units: **mg/L** Analysis Date: **20-Sep-2019 16:02**
Client ID: Run ID: **ICS-Integrion_346732** SeqNo: **5263511** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U
Nitrogen, Nitrate (As N)	0.100	0.100								U
Sulfate	0.500	0.500								U

LCS Sample ID: **WLCSW1-092019** Units: **mg/L** Analysis Date: **20-Sep-2019 16:18**
Client ID: Run ID: **ICS-Integrion_346732** SeqNo: **5263512** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.86	0.100	4	0	96.5	80 - 120				
Nitrogen, Nitrate (As N)	4.157	0.100	4	0	104	80 - 120				
Sulfate	21.18	0.500	20	0	106	80 - 120				

LCSD Sample ID: **WLCSDW1-092019** Units: **mg/L** Analysis Date: **20-Sep-2019 16:35**
Client ID: Run ID: **ICS-Integrion_346732** SeqNo: **5263513** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.77	0.100	4	0	94.2	80 - 120	3.86	2.38	20	
Nitrogen, Nitrate (As N)	4.041	0.100	4	0	101	80 - 120	4.157	2.84	20	
Sulfate	20.59	0.500	20	0	103	80 - 120	21.18	2.86	20	

MS Sample ID: **HS19090962-12MS** Units: **mg/L** Analysis Date: **20-Sep-2019 13:51**
Client ID: **16WW57-190918** Run ID: **ICS-Integrion_346732** SeqNo: **5263507** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100	2	0	0	80 - 120				S U
Nitrogen, Nitrate (As N)	1.997	0.100	2	0	99.8	80 - 120				
Sulfate	2014	0.500	10	2062	-480	80 - 120				SEO

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

QC BATCH REPORT

Batch ID: R346732 (0) **Instrument:** ICS-Integrion **Method:** ANIONS BY SW9056A

MS Sample ID: **HS19090962-12MS** Units: **mg/L** Analysis Date: **20-Sep-2019 18:15**
Client ID: **16WW57-190918** Run ID: **ICS-Integrion_346732** SeqNo: **5263518** PrepDate: DF: **50**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	91.32	5.00	100	5.05	86.3	80 - 120				
Nitrogen, Nitrate (As N)	103.2	5.00	100	0	103	80 - 120				
Sulfate	2719	25.0	500	2309	81.9	80 - 120				O

MS Sample ID: **HS19090962-12MS** Units: **mg/L** Analysis Date: **20-Sep-2019 17:25**
Client ID: **16WW57-190918** Run ID: **ICS-Integrion_346732** SeqNo: **5263515** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	12.05	0.500	10	3.158	88.9	80 - 120				
Nitrogen, Nitrate (As N)	10.53	0.500	10	0	105	80 - 120				
Sulfate	2144	2.50	50	2154	-20.9	80 - 120				SEO

MSD Sample ID: **HS19090962-12MSD** Units: **mg/L** Analysis Date: **20-Sep-2019 17:42**
Client ID: **16WW57-190918** Run ID: **ICS-Integrion_346732** SeqNo: **5263516** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	12.05	0.500	10	3.158	88.9	80 - 120	12.05	0.0249	20	
Nitrogen, Nitrate (As N)	10.66	0.500	10	0	107	80 - 120	10.53	1.26	20	
Sulfate	2164	2.50	50	2154	19.5	80 - 120	2144	0.939	20	SEO

MSD Sample ID: **HS19090962-12MSD** Units: **mg/L** Analysis Date: **20-Sep-2019 18:31**
Client ID: **16WW57-190918** Run ID: **ICS-Integrion_346732** SeqNo: **5263519** PrepDate: DF: **50**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	90.79	5.00	100	5.05	85.7	80 - 120	91.32	0.577	20	
Nitrogen, Nitrate (As N)	102.2	5.00	100	0	102	80 - 120	103.2	1	20	
Sulfate	2690	25.0	500	2309	76.2	80 - 120	2719	1.05	20	SO

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090962

QC BATCH REPORT

Batch ID: R346732 (0) **Instrument:** ICS-Integrion **Method:** ANIONS BY SW9056A

MSD Sample ID: **HS19090962-12MSD** Units: **mg/L** Analysis Date: **20-Sep-2019 14:07**
Client ID: **16WW57-190918** Run ID: **ICS-Integrion_346732** SeqNo: **5263508** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100	2	0	0	80 - 120	0	0	20	S U
Nitrogen, Nitrate (As N)	1.986	0.100	2	0	99.3	80 - 120	1.997	0.568	20	
Sulfate	2033	0.500	10	2062	-292	80 - 120	2014	0.929	20	SEO

The following samples were analyzed in this batch: HS19090962-12

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19090962**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-141	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 04-Oct-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19090962
Date/Time Received: **19-Sep-2019 16:45**
Received by: **AC**

Checklist completed by: *Asad Chaudhry* eSignature 20-Sep-2019 Date
Reviewed by: *RJ Modashia* eSignature 20-Sep-2019 Date

Matrices: **Water**
Carrier name: **Client**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☐	No ☑	
Chain of custody agrees with sample labels?	Yes ☐	No ☑	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	1.5c, 0.8c C/UC	IR 25
Cooler(s)/Kit(s):	43260, 44953	
Date/Time sample(s) sent to storage:	09/19/2019 19:00	

Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes: Bottle count differs: 16WW57-190918 COC= 31, Received= 29. Sx label time differs: 16WW13-190918 COC= 08:45, Label= 09:10. 16WW26-190917-FD COC= 15:53, Label=15:57. Logged in per COC.

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

01030177

APTIM

COC ID: LHAAP16-SEPT2019-ALSHT-1909-18 | TURNAROUND TIME: normal | RUSH: | Page 1 of 7

PROJECT/CLIENT INFO

Facility Name	Longhorn AAP
Project Number	501032
	LHAAP-16
Address	1203-B East Grand Avenue
	PMB 202
City	Marshall
State	TX
Postal Code	75670
Country	USA
Phone Number	713.243.7264
Project Manager	Praveen Srivastav

LABORATORY

Lab Name	ALS Laboratories
Lab Contact	RJ Modashia
Email	RJ.Modashia@alsglobal.com
Address	10450 Stanciff Rd., Suite 210
City	Houston
State	TX
Postal Code	77099
Country	USA
Phone Number	281.575.2279 or 281.530.5656

Fedinvoices @aptim.com

Susan.Huang@aptim.com
Susan Huang
4005 Port Chicago Hwy
Concord, CA
94520
USA

SAMPLE DETAILS

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.
16LHAAP-TB3-190918						9/18/19	Lab	2
16WW13-190918						9/19/19	945	4
16WW46-190919						9/19/19	1720	4
16WW35-190918						9/18/19	1055	4
16WW30-190919						9/19/19	1111	4
16EW06-190918						9/18/19	1335	4
~~16WW26-190918~~						~~9/18/19~~		
16WW26-190917						9/17/19	1553	4
16EW02-190919						9/19/19	1455	4
16LHAAP-TB5-190919						9/18/19	Lab	2
16WW29-190918						9/18/19	1207	4
16WW12-190919						9/18/19	959	4
16WW57-190918						9/18/19	1530	11
16WW26-190917-FD						9/17/19	1553	4

ANALYSIS REQUESTED

Containers and Preservative	3x40 ml VOA, HCL	1x125 ml HPDE, Ice	1x250 ml HPDE, Ice		3x40 ml VOA, HCL	2x40 ml VOA, H2SO4			
ANALYSIS	VOCs in Water by 8260B (see required VOCs below)	Perchlorate in Water by 6850	Alkalinity (SM2320B)	Anions by E300.0 (see required anions below)	Dissolved Gases (methane, ethane, and ethene) by RSK-175	TOC by (SM5310C)	0HG Ing with by Geochem		
	X								
	X	X							
	X	X							
	X	X							
	X	X							
	X	X							
	X	X							
	X	X							
	X								
	X	X							
	X	X							
	X	X	X	X	X	X	X		
	X	X							

HS19090962

Aptim Environmental & Infrastucture, Inc.
LHAAP-16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS

Select list VOC's (TCE, cis-1,2-DCE, 1,1-DCE, 1,2-DCA, 1,1,2-TCA, VC & methylene chloride

Required anions are: (1) bromide for sample 16WW49; and (2) nitrate, sulfate and bromide for samples 16WW57 and 16WW58

RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	9/19/19	30	
	9/19/19	KKS AC ALS	09/19/19 16:45

VC
1,1-DC
0 8C
IRA 25
CFO-0 AC
~~44765~~
43260
44953

ALS

APTIM

COC ID: LHAAP16-SEPT2019-ALSHT-1909-18 | TURNAROUND TIME: normal | RUSH: | Page 2 of 2

PROJECT/CLIENT INFO				LABORATORY					
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Fedinvoices @aptim.com	
Project Number	501032			Lab Contact	RJ Modashia				
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Susan.Huang@aptim.com	
Address	1203-B East Grand Avenue			Address	10450 Stanciff Rd., Suite 210			Susan Huang	
	PMB 202							4005 Port Chicago Hwy	
City	Marshall	State	TX	City	Houston	State	TX	Concord	State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	94520	Country USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656				
Project Manager	Praveen Srivastav								

SAMPLE DETAILS

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.
16WW29-190919-MS						9/19/19	1207	4
16WW29-190919-MSD						9/19/19	1207	4
16WW57-190919-MS						9/19/19	1530	10
16WW57-190919-MSD						9/19/19	1530	10

ANALYSIS REQUESTED

Containers and Preservative	3x40 ml VOA, HCL	1x125 ml HPDE, Ice	1x250 ml HPDE, Ice	3x40 ml VOA, HCL	2x40 ml VOA, H2SO4						
ANALYSIS	VOCs in Water by 8260B (see required VOCs below)	Perchlorate in Water by 6850	Alkalinity (SM2320B)	Anions by E300.0 (see required anions below)	Dissolved Gases (methane, ethane, and ethene) by RSK-175	TOC by (SM5310C)					
	X	X									
	X	X									
	X	X	X	X	X	X					
	X	X	X	X	X	X					

HS19090962

Aptim Environmental & Infrastucture, Inc.

LHAAP-16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
Select list VOC's (TCE, cis-1,2-DCE, 1,1-DCE, 1,2-DCA, 1,1,2-TCA, VC & methylene chloride Required anions are: (1) bromide for sample 16WW49; and (2) nitrate, sulfate and bromide for samples 16WW57 and 16WW58		9/19/19 1930 9/19/19 1645		

1017608

Custody Seal

DATE

SIGNATURE

43260

eurofins

AC

9/20/19

eurofins

1017608

ALS

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

44953

Date:
Name:
Company:

STODY SEAL

Seal Broken By:
AC
Date:
9/20/19

ALS

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

44953

CUST ODY SEAL

Date:
Name:
Company:

Seal Broken By:
AC
Date:
9/20/19

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

September 30, 2019

Analytical Report for Service Request No: K1908780

RJ Modashia
ALS Laboratory Group
10450 Stancliff Road
Suite 210
Houston, TX 77099-4338

RE: HS19090962

Dear RJ,

Enclosed are the results of the sample(s) submitted to our laboratory September 21, 2019
For your reference, these analyses have been assigned our service request number **K1908780.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3350. You may also contact me via email at Kelley.Lovejoy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Kelley Lovejoy

Kelley Lovejoy
Project Manager

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

Acronyms
Qualifiers
State Certifications, Accreditations, And Licenses
Case Narrative
Chain of Custody
General Chemistry
Raw Data
    General Chemistry

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable. See case narrative.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Case Narrative

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: ALS Environmental - US
Project: HS19090962
Sample Matrix: Water

Service Request: K1908780
Date Received: 09/21/2019

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier level IV requested by the client.

Sample Receipt:

One water sample was received for analysis at ALS Environmental on 09/21/2019. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The sample was stored at minimum in accordance with the analytical method requirements.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by Kelley Lovejoy Date 09/30/2019

Chain of Custody

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

10450 Stancliff Rd, Ste 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

KL1908780

Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **12202**

SUBCONTRACT TO:

ALS Environmental Kelso
1317 S. 13th Avenue
Kelso, WA 98626

Phone: +1 360 501 3312

CUSTOMER INFORMATION:

Company:	ALS Houston
Contact:	RJ Modashia
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Email:	RJ.Modashia@alsglobal.com
Alternate Contact:	
Email:	

INVOICE INFORMATION:

Company:	ALS Houston
Contact:	Accounts Payable
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Reference:	HS19090962
TSR:	Sonia West

	LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
	ANALYSIS REQUESTED			DUE DATE
1.	**HS19090962-12**	**16WW57-190918**	**Water**	**18 Sep 2019 15:30**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			27 Sep 2019

Comments: Please analyze for the analysis listed above.
Send report to the emails shown above.

QC Level: DOD IV (DoD Data Package)

HS19090962-12
MS/MSD

Relinquished By: _____ Date/Time: 9/20/19 1800

Received By: _____ Date/Time: 9-21-19 0915

Cooler ID(s): _____ Temperature(s): _____

PC KL

Cooler Receipt and Preservation Form

Client ALS Houston Service Request K19 0878

Received: 9.21.19 Opened: 9.21.19 By: NP Unloaded: 9.21.19 By: NP

1. Samples were received via? *USPS* (*Fed Ex*) *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other* _____ *NA*
3. Were custody seals on coolers? NA (Y) N If yes, how many and where? 2 Sides
   If present, were custody seals intact? (Y) N If present, were they signed and dated? (Y) N

Raw Cooler Temp	Corrected Cooler Temp	Raw Temp Blank	Corrected Temp Blank	Corr. Factor	Thermometer ID	Cooler/COC ID NA	Tracking Number NA	Filed
0.0	0.0	1.1	1.1	0.0	374	12202	1251 0289 7485	

4. Packing material: *Inserts* (*Baggies*) (*Bubble Wrap*) *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____
5. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
6. Were samples received in good condition (temperature, unbroken)? *Indicate in the table below.* NA (Y) N
   If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*
7. Were all sample labels complete (i.e analysis, preservation, etc.)? NA (Y) N
8. Did all sample labels and tags agree with custody papers? *Indicate major discrepancies in the table on page 2.* NA (Y) N
9. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N
10. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA (Y) N
11. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
12. Was C12/Res negative? (NA) Y N

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Out of Temp	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, & Resolutions: _____

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	ALS Environmental - US	**Service Request:**	K1908780
Project:	HS19090962	**Date Collected:**	09/18/19
Sample Matrix:	Water	**Date Received:**	09/21/19
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Carbon, Total Organic

Sample Name	Lab Code	Result	LOQ	LOD	MDL	Dil.	Date Analyzed	Q
16WW57-190918	K1908780-001	**10.9**	0.50	0.20	0.07	1	09/26/19 15:46	
Method Blank	K1908780-MB	ND U	0.50	0.20	0.07	1	09/26/19 15:02	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1908780
Project	HS19090962	**Date Collected:**	09/18/19
Sample Matrix:	Water	**Date Received:**	09/21/19
		Date Analyzed:	09/26/19

Replicate Sample Summary
General Chemistry Parameters

Sample Name:	16WW57-190918	**Units:**	mg/L
Lab Code:	K1908780-001	**Basis:**	NA

Analyte Name	Analysis Method	LOQ	LOD	MDL	Sample Result	Duplicate Sample K1908780-001DUP Result	Average	RPD	RPD Limit
Carbon, Total Organic	SM 5310 C	0.50	0.20	0.07	10.9	10.5	10.7	4	10

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1908780
Project:	HS19090962	**Date Collected:**	09/18/19
Sample Matrix:	Water	**Date Received:**	09/21/19
		Date Analyzed:	09/26/19
		Date Extracted:	NA

Matrix Spike Summary
Carbon, Total Organic

Sample Name:	16WW57-190918	**Units:**	mg/L
Lab Code:	K1908780-001	**Basis:**	NA
Analysis Method:	SM 5310 C		
Prep Method:	None		

Matrix Spike
K1908780-001MS

Analyte Name	Sample Result	Result	Spike Amount	% Rec	% Rec Limits
Carbon, Total Organic	10.9	32.6	25.0	87	83-117

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1908780
Project:	HS19090962	**Date Analyzed:**	09/26/19
Sample Matrix:	Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	653109

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1908780-LCS	24.8	25.0	99	83-117

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:** K1908780
Project: HS19090962

Continuing Calibration Verification (CCV) Summary

Carbon, Total Organic

Analysis Method: SM 5310 C **Units:** mg/L

	Analysis Lot	Lab Code	Date Analyzed	True Value	Measured Value	Percent Recovery	Acceptance Limits
CCV1	653109	KQ1913846-09	09/26/19 14:33	25.0	24.0	96	90-110
CCV2	653109	KQ1913846-10	09/26/19 18:08	25.0	23.9	95	90-110
CCV3	653109	KQ1913846-11	09/26/19 22:25	25.0	23.8	95	90-110

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:**K1908780
Project: HS19090962

Continuing Calibration Blank (CCB) Summary
Carbon, Total Organic

Analysis Method: SM 5310 C **Units:**mg/L

	Analysis Lot	Lab Code	Date Analyzed	LOQ	LOD	MDL	Result	Q
CCB1	653109	KQ1913846-12	09/26/19 14:47	0.50	0.20	0.07	ND	U
CCB2	653109	KQ1913846-13	09/26/19 18:23	0.50	0.20	0.07	ND	U
CCB3	653109	KQ1913846-14	09/26/19 22:39	0.50	0.20	0.07	ND	U

Raw Data

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

Work Request # (Original) K1908789, 8781, 868, T1901580

Tier: IV, IV, I, IV

Date Analyzed: 9/26/19

Analyst: BCD

Analysis: TOC/DOC

TOC: 653109
DOC: 653111, 653112, 653113

Run #

DATA QUALITY REPORT
INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1.	Is the method name and number correct and appropriate?	yes/no/NA
2.	Holding times met for all analyses and for all samples?	yes/no/NA
3.	Are calculations correct?	yes/no/NA
4.	Is the reporting basis correct? (Dry Weight)	yes/no/NA
5.	All quality control criteria met?	yes/no
6.	Is the calibration curve correlation coefficient ≥ 0.995?	yes/no/NA
7.	MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency?	yes/no/NA
8.	Are ICVs, CCVs, and CCBs all within acceptance limits?	yes/no/NA
9.	Are results for methods blanks all ND?	yes/no/NA
10.	Are all QC samples within acceptance criteria? (LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.)	yes/no/NA
11.	Are all exceptions explained?	yes/no/NA
12.	Have all applicable service requests been reviewed?	yes/no/NA
13.	Are all samples labeled correctly?	yes/no/NA
14.	Have all instructions on the service request been followed? (e.g. Special MRLs, QC on a specific sample, Form V)	yes/no/NA
15.	Are detection limits and units reported correctly?	yes/no/NA
16.	Is the unused space on the benchsheet crossed out?	yes/no/NA
17.	Was analysis turned in by the due date? (n-2) (If not record SR#)	yes/no/NA

COMMENTS: T1901580-67/67d, 64/64d report a high %RPD. However, these samples are less than 5x the MDL

Final Approved by: [signature] Date: 09/30/19

DQREPORT

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653109 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1908780-001	Carbon, Total Organic	N/A		Water	10.90 mg/L	10 mL	10.9 mg/L	1	0.07	0.50			9/26/19 15:46:00	Y	IV
K1908781-001	Carbon, Total Organic	N/A		Water	4.21 mg/L	10 mL	4.21 mg/L	1	0.07	0.50			9/26/19 16:43:00	Y	IV
K1908781-002	Carbon, Total Organic	N/A		Water	4.27 mg/L	10 mL	4.27 mg/L	1	0.07	0.50			9/26/19 17:40:00	Y	IV
KQ1913846-01	Carbon, Total Organic	MS	K1908780-001	Water	32.59 mg/L	10 mL	32.6 mg/L	1	0.07	0.50	87		9/26/19 16:14:00	N	IV
KQ1913846-02	Carbon, Total Organic	MS	K1908781-002	Water	27.42 mg/L	10 mL	27.4 mg/L	1	0.07	0.50	93		9/26/19 18:38:00	N	IV
KQ1913846-03	Carbon, Total Organic	MS	K1908781-001	Water	27.26 mg/L	10 mL	27.3 mg/L	1	0.07	0.50	92		9/26/19 17:11:00	N	IV
KQ1913846-04	Carbon, Total Organic	DUP	K1908781-002	Water	4.08 mg/L	10 mL	4.08 mg/L	1	0.07	0.50		5	9/26/19 17:40:00	N	IV
KQ1913846-05	Carbon, Total Organic	DUP	K1908780-001	Water	10.45 mg/L	10 mL	10.5 mg/L	1	0.07	0.50		4	9/26/19 15:46:00	N	IV
KQ1913846-06	Carbon, Total Organic	DUP	K1908781-001	Water	4.09 mg/L	10 mL	4.09 mg/L	1	0.07	0.50		3	9/26/19 16:43:00	N	IV
KQ1913846-07	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 15:02:00	N	IV
KQ1913846-08	Carbon, Total Organic	LCS		Water	24.84 mg/L	10 mL	24.8 mg/L	1	0.07	0.50	99		9/26/19 15:17:00	N	IV
KQ1913846-09	Carbon, Total Organic	CCV		Water	24.05 mg/L	10 mL	24.0 mg/L	1					9/26/19 14:33:00	N	IV
KQ1913846-10	Carbon, Total Organic	CCV		Water	23.87 mg/L	10 mL	23.9 mg/L	1					9/26/19 18:08:00	N	IV
KQ1913846-11	Carbon, Total Organic	CCV		Water	23.83 mg/L	10 mL	23.8 mg/L	1					9/26/19 22:25:00	N	IV
KQ1913846-12	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 14:47:00	N	IV
KQ1913846-13	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 18:23:00	N	IV
KQ1913846-14	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 22:39:00	N	IV

09/30/19

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653111 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1908618-001	Carbon, Dissolved Organic (DOC)	N/A		Water	11.43 mg/L	10 mL	11.4 mg/L	1	0.07	0.50			9/26/19 19:22:00	N	I
KQ1913850-01	Carbon, Dissolved Organic (DOC)	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 22:54:00	N	I
KQ1913850-02	Carbon, Dissolved Organic (DOC)	LCS		Water	24.26 mg/L	10 mL	24.3 mg/L	1	0.07	0.50	97		9/26/19 23:09:00	N	I
KQ1913850-03	Carbon, Dissolved Organic (DOC)	MS	T1901580-046	Water	29.38 mg/L	10 mL	29.4 mg/L	1	0.07	0.50	104		9/26/19 22:10:00	N	IV
KQ1913850-04	Carbon, Dissolved Organic (DOC)	DUP	T1901580-060	Water	2.81 mg/L	10 mL	2.81 mg/L	1	0.07	0.50		1	9/27/19 05:58:00	N	IV
KQ1913850-05	Carbon, Dissolved Organic (DOC)	DUP	T1901580-059	Water	2.32 mg/L	10 mL	2.32 mg/L	1	0.07	0.50		<1	9/27/19 05:30:00	N	IV
KQ1913850-06	Carbon, Dissolved Organic (DOC)	DUP	T1901580-058	Water	2.51 mg/L	10 mL	2.51 mg/L	1	0.07	0.50		<1	9/27/19 05:02:00	N	IV
KQ1913850-07	Carbon, Dissolved Organic (DOC)	DUP	T1901580-057	Water	0.89 mg/L	10 mL	0.89 mg/L	1	0.07	0.50		2	9/27/19 04:34:00	N	IV
KQ1913850-08	Carbon, Dissolved Organic (DOC)	DUP	T1901580-056	Water	2.15 mg/L	10 mL	2.15 mg/L	1	0.07	0.50		<1	9/27/19 04:05:00	N	IV
KQ1913850-09	Carbon, Dissolved Organic (DOC)	DUP	T1901580-055	Water	0.80 mg/L	10 mL	0.80 mg/L	1	0.07	0.50		10	9/27/19 03:37:00	N	IV
KQ1913850-10	Carbon, Dissolved Organic (DOC)	DUP	T1901580-054	Water	1.90 mg/L	10 mL	1.90 mg/L	1	0.07	0.50		3	9/27/19 02:40:00	N	IV
KQ1913850-11	Carbon, Dissolved Organic (DOC)	DUP	T1901580-053	Water	0.80 mg/L	10 mL	0.80 mg/L	1	0.07	0.50		<1	9/27/19 02:12:00	N	IV
KQ1913850-12	Carbon, Dissolved Organic (DOC)	DUP	T1901580-052	Water	1.68 mg/L	10 mL	1.68 mg/L	1	0.07	0.50		2	9/27/19 01:44:00	N	IV
KQ1913850-13	Carbon, Dissolved Organic (DOC)	DUP	T1901580-051	Water	1.59 mg/L	10 mL	1.59 mg/L	1	0.07	0.50		4	9/27/19 01:16:00	N	IV
KQ1913850-14	Carbon, Dissolved Organic (DOC)	DUP	T1901580-050	Water	3.22 mg/L	10 mL	3.22 mg/L	1	0.07	0.50		<1	9/27/19 00:48:00	N	IV
KQ1913850-15	Carbon, Dissolved Organic (DOC)	DUP	T1901580-049	Water	3.21 mg/L	10 mL	3.21 mg/L	1	0.07	0.50		2	9/27/19 00:19:00	N	IV
KQ1913850-16	Carbon, Dissolved Organic (DOC)	DUP	T1901580-048	Water	3.20 mg/L	10 mL	3.20 mg/L	1	0.07	0.50		<1	9/26/19 23:51:00	N	IV
KQ1913850-17	Carbon, Dissolved Organic (DOC)	DUP	T1901580-047	Water	3.18 mg/L	10 mL	3.18 mg/L	1	0.07	0.50		2	9/26/19 23:23:00	N	IV
KQ1913850-18	Carbon, Dissolved Organic (DOC)	DUP	T1901580-046	Water	3.31 mg/L	10 mL	3.31 mg/L	1	0.07	0.50		1	9/26/19 21:42:00	N	IV
KQ1913850-19	Carbon, Dissolved Organic (DOC)	DUP	T1901580-045	Water	3.17 mg/L	10 mL	3.17 mg/L	1	0.07	0.50		<1	9/26/19 21:14:00	N	IV
KQ1913850-20	Carbon, Dissolved Organic (DOC)	DUP	T1901580-044	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	9/26/19 20:46:00	N	IV
KQ1913850-21	Carbon, Dissolved Organic (DOC)	DUP	T1901580-043	Water	2.35 mg/L	10 mL	2.35 mg/L	1	0.07	0.50		2	9/26/19 20:18:00	N	IV
KQ1913850-22	Carbon, Dissolved Organic (DOC)	DUP	T1901580-042	Water	2.69 mg/L	10 mL	2.69 mg/L	1	0.07	0.50		2	9/26/19 19:50:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

09/30/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653111 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1913850-23	Carbon, Dissolved Organic (DOC)	DUP	K1908618-001	Water	11.37 mg/L	10 mL	11.4 mg/L	1	0.07	0.50		<1	9/26/19 19:22:00	N	I
KQ1913850-24	Carbon, Dissolved Organic (DOC)	CCV		Water	23.87 mg/L	10 mL	23.9 mg/L	1					9/26/19 18:08:00	N	I
KQ1913850-25	Carbon, Dissolved Organic (DOC)	CCV		Water	23.83 mg/L	10 mL	23.8 mg/L	1					9/26/19 22:25:00	N	I
KQ1913850-26	Carbon, Dissolved Organic (DOC)	CCV		Water	23.73 mg/L	10 mL	23.7 mg/L	1					9/27/19 03:08:00	N	I
KQ1913850-27	Carbon, Dissolved Organic (DOC)	CCV		Water	23.47 mg/L	10 mL	23.5 mg/L	1					9/27/19 08:05:00	N	I
KQ1913850-28	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 18:23:00	N	I
KQ1913850-29	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 22:39:00	N	I
KQ1913850-30	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 03:22:00	N	I
KQ1913850-31	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 08:20:00	N	I
T1901580-042	Carbon, Dissolved Organic (DOC)	N/A		Water	2.74 mg/L	10 mL	2.74 mg/L	1	0.07	0.50			9/26/19 19:50:00	N	IV
T1901580-043	Carbon, Dissolved Organic (DOC)	N/A		Water	2.39 mg/L	10 mL	2.39 mg/L	1	0.07	0.50			9/26/19 20:18:00	N	IV
T1901580-044	Carbon, Dissolved Organic (DOC)	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 20:46:00	N	IV
T1901580-045	Carbon, Dissolved Organic (DOC)	N/A		Water	3.20 mg/L	10 mL	3.20 mg/L	1	0.07	0.50			9/26/19 21:14:00	N	IV
T1901580-046	Carbon, Dissolved Organic (DOC)	N/A		Water	3.26 mg/L	10 mL	3.26 mg/L	1	0.07	0.50			9/26/19 21:42:00	N	IV
T1901580-047	Carbon, Dissolved Organic (DOC)	N/A		Water	3.26 mg/L	10 mL	3.26 mg/L	1	0.07	0.50			9/26/19 23:23:00	N	IV
T1901580-048	Carbon, Dissolved Organic (DOC)	N/A		Water	3.20 mg/L	10 mL	3.20 mg/L	1	0.07	0.50			9/26/19 23:51:00	N	IV
T1901580-049	Carbon, Dissolved Organic (DOC)	N/A		Water	3.14 mg/L	10 mL	3.14 mg/L	1	0.07	0.50			9/27/19 00:19:00	N	IV
T1901580-050	Carbon, Dissolved Organic (DOC)	N/A		Water	3.22 mg/L	10 mL	3.22 mg/L	1	0.07	0.50			9/27/19 00:48:00	N	IV
T1901580-051	Carbon, Dissolved Organic (DOC)	N/A		Water	1.53 mg/L	10 mL	1.53 mg/L	1	0.07	0.50			9/27/19 01:16:00	N	IV
T1901580-052	Carbon, Dissolved Organic (DOC)	N/A		Water	1.64 mg/L	10 mL	1.64 mg/L	1	0.07	0.50			9/27/19 01:44:00	N	IV
T1901580-053	Carbon, Dissolved Organic (DOC)	N/A		Water	0.79 mg/L	10 mL	0.79 mg/L	1	0.07	0.50			9/27/19 02:12:00	N	IV
T1901580-054	Carbon, Dissolved Organic (DOC)	N/A		Water	1.96 mg/L	10 mL	1.96 mg/L	1	0.07	0.50			9/27/19 02:40:00	N	IV
T1901580-055	Carbon, Dissolved Organic (DOC)	N/A		Water	0.88 mg/L	10 mL	0.88 mg/L	1	0.07	0.50			9/27/19 03:37:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653111 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
T1901580-056	Carbon, Dissolved Organic (DOC)	N/A		Water	2.14 mg/L	10 mL	2.14 mg/L	1	0.07	0.50			9/27/19 04:05:00	N	IV
T1901580-057	Carbon, Dissolved Organic (DOC)	N/A		Water	0.91 mg/L	10 mL	0.91 mg/L	1	0.07	0.50			9/27/19 04:34:00	N	IV
T1901580-058	Carbon, Dissolved Organic (DOC)	N/A		Water	2.49 mg/L	10 mL	2.49 mg/L	1	0.07	0.50			9/27/19 05:02:00	N	IV
T1901580-059	Carbon, Dissolved Organic (DOC)	N/A		Water	2.32 mg/L	10 mL	2.32 mg/L	1	0.07	0.50			9/27/19 05:30:00	N	IV
T1901580-060	Carbon, Dissolved Organic (DOC)	N/A		Water	2.85 mg/L	10 mL	2.85 mg/L	1	0.07	0.50			9/27/19 05:58:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653112 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1913851-01	Carbon, Dissolved Organic (DOC)	MS	T1901580-063	Water	27.05 mg/L	10 mL	27.0 mg/L	1	0.07	0.50	98		9/27/19 07:50:00	N	IV
KQ1913851-02	Carbon, Dissolved Organic (DOC)	DUP	T1901580-080	Water	3.23 mg/L	10 mL	3.23 mg/L	1	0.07	0.50		<1	9/27/19 17:03:00	N	IV
KQ1913851-03	Carbon, Dissolved Organic (DOC)	DUP	T1901580-079	Water	3.20 mg/L	10 mL	3.20 mg/L	1	0.07	0.50		2	9/27/19 16:35:00	N	IV
KQ1913851-04	Carbon, Dissolved Organic (DOC)	DUP	T1901580-078	Water	2.87 mg/L	10 mL	2.87 mg/L	1	0.07	0.50		<1	9/27/19 16:07:00	N	IV
KQ1913851-05	Carbon, Dissolved Organic (DOC)	DUP	T1901580-077	Water	2.71 mg/L	10 mL	2.71 mg/L	1	0.07	0.50		2	9/27/19 15:39:00	N	IV
KQ1913851-06	Carbon, Dissolved Organic (DOC)	DUP	T1901580-076	Water	0.90 mg/L	10 mL	0.90 mg/L	1	0.07	0.50		2	9/27/19 15:10:00	N	IV
KQ1913851-07	Carbon, Dissolved Organic (DOC)	DUP	T1901580-075	Water	2.23 mg/L	10 mL	2.23 mg/L	1	0.07	0.50		1	9/27/19 14:42:00	N	IV
KQ1913851-08	Carbon, Dissolved Organic (DOC)	DUP	T1901580-074	Water	2.23 mg/L	10 mL	2.23 mg/L	1	0.07	0.50		4	9/27/19 14:14:00	N	IV
KQ1913851-09	Carbon, Dissolved Organic (DOC)	DUP	T1901580-073	Water	0.70 mg/L	10 mL	0.70 mg/L	1	0.07	0.50		2	9/27/19 13:46:00	N	IV
KQ1913851-10	Carbon, Dissolved Organic (DOC)	DUP	T1901580-072	Water	1.76 mg/L	10 mL	1.76 mg/L	1	0.07	0.50		5	9/27/19 13:18:00	N	IV
KQ1913851-11	Carbon, Dissolved Organic (DOC)	DUP	T1901580-071	Water	0.62 mg/L	10 mL	0.62 mg/L	1	0.07	0.50		<1	9/27/19 12:20:00	N	IV
KQ1913851-12	Carbon, Dissolved Organic (DOC)	DUP	T1901580-070	Water	1.19 mg/L	10 mL	1.19 mg/L	1	0.07	0.50		5	9/27/19 11:52:00	N	IV
KQ1913851-13	Carbon, Dissolved Organic (DOC)	DUP	T1901580-069	Water	0.59 mg/L	10 mL	0.59 mg/L	1	0.07	0.50		2	9/27/19 11:24:00	N	IV
KQ1913851-14	Carbon, Dissolved Organic (DOC)	DUP	T1901580-068	Water	1.01 mg/L	10 mL	1.01 mg/L	1	0.07	0.50		8	9/27/19 10:56:00	N	IV
KQ1913851-15	Carbon, Dissolved Organic (DOC)	DUP	T1901580-067	Water	0.45 mg/L	10 mL	0.45 mg/L J	1	0.07	0.50		16*	9/27/19 10:28:00	N	IV
KQ1913851-16	Carbon, Dissolved Organic (DOC)	DUP	T1901580-066	Water	0.75 mg/L	10 mL	0.75 mg/L	1	0.07	0.50		<1	9/27/19 10:00:00	N	IV
KQ1913851-17	Carbon, Dissolved Organic (DOC)	DUP	T1901580-065	Water	0.46 mg/L	10 mL	0.46 mg/L J	1	0.07	0.50		NC	9/27/19 09:32:00	N	IV
KQ1913851-18	Carbon, Dissolved Organic (DOC)	DUP	T1901580-064	Water	0.61 mg/L	10 mL	0.61 mg/L	1	0.07	0.50		19*	9/27/19 09:04:00	N	IV
KQ1913851-19	Carbon, Dissolved Organic (DOC)	DUP	T1901580-063	Water	2.70 mg/L	10 mL	2.70 mg/L	1	0.07	0.50		2	9/27/19 07:22:00	N	IV
KQ1913851-20	Carbon, Dissolved Organic (DOC)	DUP	T1901580-062	Water	2.80 mg/L	10 mL	2.80 mg/L	1	0.07	0.50		2	9/27/19 06:54:00	N	IV
KQ1913851-21	Carbon, Dissolved Organic (DOC)	DUP	T1901580-061	Water	2.41 mg/L	10 mL	2.41 mg/L	1	0.07	0.50		3	9/27/19 06:26:00	N	IV
KQ1913851-22	Carbon, Dissolved Organic (DOC)	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 08:34:00	N	IV
KQ1913851-23	Carbon, Dissolved Organic (DOC)	LCS		Water	24.09 mg/L	10 mL	24.1 mg/L	1	0.07	0.50	96		9/27/19 08:49:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

09/30/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653112 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1913851-24	Carbon, Dissolved Organic (DOC)	CCV		Water	23.73 mg/L	10 mL	23.7 mg/L	1					9/27/19 03:08:00	N	IV
KQ1913851-25	Carbon, Dissolved Organic (DOC)	CCV		Water	23.47 mg/L	10 mL	23.5 mg/L	1					9/27/19 08:05:00	N	IV
KQ1913851-26	Carbon, Dissolved Organic (DOC)	CCV		Water	24.13 mg/L	10 mL	24.1 mg/L	1					9/27/19 12:49:00	N	IV
KQ1913851-27	Carbon, Dissolved Organic (DOC)	CCV		Water	23.64 mg/L	10 mL	23.6 mg/L	1					9/27/19 17:59:00	N	IV
KQ1913851-29	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 03:22:00	N	IV
KQ1913851-30	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 08:20:00	N	IV
KQ1913851-31	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 13:03:00	N	IV
KQ1913851-32	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 18:14:00	N	IV
T1901580-061	Carbon, Dissolved Organic (DOC)	N/A		Water	2.34 mg/L	10 mL	2.34 mg/L	1	0.07	0.50			9/27/19 06:26:00	N	IV
T1901580-062	Carbon, Dissolved Organic (DOC)	N/A		Water	2.85 mg/L	10 mL	2.85 mg/L	1	0.07	0.50			9/27/19 06:54:00	N	IV
T1901580-063	Carbon, Dissolved Organic (DOC)	N/A		Water	2.64 mg/L	10 mL	2.64 mg/L	1	0.07	0.50			9/27/19 07:22:00	N	IV
T1901580-064	Carbon, Dissolved Organic (DOC)	N/A		Water	0.73 mg/L	10 mL	0.73 mg/L	1	0.07	0.50			9/27/19 09:04:00	N	IV
T1901580-065	Carbon, Dissolved Organic (DOC)	N/A		Water	0.46 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 09:32:00	N	IV
T1901580-066	Carbon, Dissolved Organic (DOC)	N/A		Water	0.74 mg/L	10 mL	0.74 mg/L	1	0.07	0.50			9/27/19 10:00:00	N	IV
T1901580-067	Carbon, Dissolved Organic (DOC)	N/A		Water	0.53 mg/L	10 mL	0.53 mg/L	1	0.07	0.50			9/27/19 10:28:00	N	IV
T1901580-068	Carbon, Dissolved Organic (DOC)	N/A		Water	0.93 mg/L	10 mL	0.93 mg/L	1	0.07	0.50			9/27/19 10:56:00	N	IV
T1901580-069	Carbon, Dissolved Organic (DOC)	N/A		Water	0.60 mg/L	10 mL	0.60 mg/L	1	0.07	0.50			9/27/19 11:24:00	N	IV
T1901580-070	Carbon, Dissolved Organic (DOC)	N/A		Water	1.12 mg/L	10 mL	1.12 mg/L	1	0.07	0.50			9/27/19 11:52:00	N	IV
T1901580-071	Carbon, Dissolved Organic (DOC)	N/A		Water	0.61 mg/L	10 mL	0.61 mg/L	1	0.07	0.50			9/27/19 12:20:00	N	IV
T1901580-072	Carbon, Dissolved Organic (DOC)	N/A		Water	1.85 mg/L	10 mL	1.85 mg/L	1	0.07	0.50			9/27/19 13:18:00	N	IV
T1901580-073	Carbon, Dissolved Organic (DOC)	N/A		Water	0.71 mg/L	10 mL	0.71 mg/L	1	0.07	0.50			9/27/19 13:46:00	N	IV
T1901580-074	Carbon, Dissolved Organic (DOC)	N/A		Water	2.31 mg/L	10 mL	2.31 mg/L	1	0.07	0.50			9/27/19 14:14:00	N	IV
T1901580-075	Carbon, Dissolved Organic (DOC)	N/A		Water	2.25 mg/L	10 mL	2.25 mg/L	1	0.07	0.50			9/27/19 14:42:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653112 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
T1901580-076	Carbon, Dissolved Organic (DOC)	N/A		Water	0.88 mg/L	10 mL	0.88 mg/L	1	0.07	0.50			9/27/19 15:10:00	N	IV
T1901580-077	Carbon, Dissolved Organic (DOC)	N/A		Water	2.67 mg/L	10 mL	2.67 mg/L	1	0.07	0.50			9/27/19 15:39:00	N	IV
T1901580-078	Carbon, Dissolved Organic (DOC)	N/A		Water	2.85 mg/L	10 mL	2.85 mg/L	1	0.07	0.50			9/27/19 16:07:00	N	IV
T1901580-079	Carbon, Dissolved Organic (DOC)	N/A		Water	3.25 mg/L	10 mL	3.25 mg/L	1	0.07	0.50			9/27/19 16:35:00	N	IV
T1901580-080	Carbon, Dissolved Organic (DOC)	N/A		Water	3.23 mg/L	10 mL	3.23 mg/L	1	0.07	0.50			9/27/19 17:03:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653113 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1913852-01	Carbon, Dissolved Organic (DOC)	MS	T1901580-091	Water	28.88 mg/L	10 mL	28.9 mg/L	1	0.07	0.50	103		9/28/19 00:08:00	N	IV
KQ1913852-02	Carbon, Dissolved Organic (DOC)	DUP	T1901580-096	Water	2.98 mg/L	10 mL	2.98 mg/L	1	0.07	0.50		2	9/28/19 02:30:00	N	IV
KQ1913852-03	Carbon, Dissolved Organic (DOC)	DUP	T1901580-095	Water	3.11 mg/L	10 mL	3.11 mg/L	1	0.07	0.50		1	9/28/19 02:02:00	N	IV
KQ1913852-04	Carbon, Dissolved Organic (DOC)	DUP	T1901580-094	Water	2.90 mg/L	10 mL	2.90 mg/L	1	0.07	0.50		<1	9/28/19 01:34:00	N	IV
KQ1913852-05	Carbon, Dissolved Organic (DOC)	DUP	T1901580-093	Water	3.19 mg/L	10 mL	3.19 mg/L	1	0.07	0.50		<1	9/28/19 01:06:00	N	IV
KQ1913852-06	Carbon, Dissolved Organic (DOC)	DUP	T1901580-092	Water	3.01 mg/L	10 mL	3.01 mg/L	1	0.07	0.50		<1	9/28/19 00:38:00	N	IV
KQ1913852-07	Carbon, Dissolved Organic (DOC)	DUP	T1901580-091	Water	3.16 mg/L	10 mL	3.16 mg/L	1	0.07	0.50		<1	9/27/19 23:40:00	N	IV
KQ1913852-08	Carbon, Dissolved Organic (DOC)	DUP	T1901580-090	Water	2.09 mg/L	10 mL	2.09 mg/L	1	0.07	0.50		3	9/27/19 23:12:00	N	IV
KQ1913852-09	Carbon, Dissolved Organic (DOC)	DUP	T1901580-089	Water	2.14 mg/L	10 mL	2.14 mg/L	1	0.07	0.50		2	9/27/19 22:15:00	N	IV
KQ1913852-10	Carbon, Dissolved Organic (DOC)	DUP	T1901580-088	Water	1.95 mg/L	10 mL	1.95 mg/L	1	0.07	0.50		2	9/27/19 21:46:00	N	IV
KQ1913852-11	Carbon, Dissolved Organic (DOC)	DUP	T1901580-087	Water	2.30 mg/L	10 mL	2.30 mg/L	1	0.07	0.50		5	9/27/19 21:18:00	N	IV
KQ1913852-12	Carbon, Dissolved Organic (DOC)	DUP	T1901580-086	Water	1.52 mg/L	10 mL	1.52 mg/L	1	0.07	0.50		<1	9/27/19 20:50:00	N	IV
KQ1913852-13	Carbon, Dissolved Organic (DOC)	DUP	T1901580-085	Water	2.39 mg/L	10 mL	2.39 mg/L	1	0.07	0.50		<1	9/27/19 20:22:00	N	IV
KQ1913852-14	Carbon, Dissolved Organic (DOC)	DUP	T1901580-084	Water	3.30 mg/L	10 mL	3.30 mg/L	1	0.07	0.50		<1	9/27/19 19:54:00	N	IV
KQ1913852-15	Carbon, Dissolved Organic (DOC)	DUP	T1901580-083	Water	3.41 mg/L	10 mL	3.41 mg/L	1	0.07	0.50		2	9/27/19 19:26:00	N	IV
KQ1913852-16	Carbon, Dissolved Organic (DOC)	DUP	T1901580-082	Water	3.23 mg/L	10 mL	3.23 mg/L	1	0.07	0.50		3	9/27/19 18:58:00	N	IV
KQ1913852-17	Carbon, Dissolved Organic (DOC)	DUP	T1901580-081	Water	3.32 mg/L	10 mL	3.32 mg/L	1	0.07	0.50		1	9/27/19 17:31:00	N	IV
KQ1913852-18	Carbon, Dissolved Organic (DOC)	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 18:28:00	N	IV
KQ1913852-19	Carbon, Dissolved Organic (DOC)	LCS		Water	24.35 mg/L	10 mL	24.4 mg/L	1	0.07	0.50	97		9/27/19 18:43:00	N	IV
KQ1913852-20	Carbon, Dissolved Organic (DOC)	CCV		Water	24.13 mg/L	10 mL	24.1 mg/L	1					9/27/19 12:49:00	N	IV
KQ1913852-21	Carbon, Dissolved Organic (DOC)	CCV		Water	23.64 mg/L	10 mL	23.6 mg/L	1					9/27/19 17:59:00	N	IV
KQ1913852-22	Carbon, Dissolved Organic (DOC)	CCV		Water	23.39 mg/L	10 mL	23.4 mg/L	1					9/27/19 22:43:00	N	IV
KQ1913852-23	Carbon, Dissolved Organic (DOC)	CCV		Water	23.31 mg/L	10 mL	23.3 mg/L	1					9/28/19 02:58:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

09/30/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653113 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1913852-24	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 13:03:00	N	IV
KQ1913852-25	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 18:14:00	N	IV
KQ1913852-26	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 22:57:00	N	IV
KQ1913852-27	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/28/19 03:13:00	N	IV
T1901580-081	Carbon, Dissolved Organic (DOC)	N/A		Water	3.36 mg/L	10 mL	3.36 mg/L	1	0.07	0.50			9/27/19 17:31:00	N	IV
T1901580-082	Carbon, Dissolved Organic (DOC)	N/A		Water	3.34 mg/L	10 mL	3.34 mg/L	1	0.07	0.50			9/27/19 18:58:00	N	IV
T1901580-083	Carbon, Dissolved Organic (DOC)	N/A		Water	3.34 mg/L	10 mL	3.34 mg/L	1	0.07	0.50			9/27/19 19:26:00	N	IV
T1901580-084	Carbon, Dissolved Organic (DOC)	N/A		Water	3.30 mg/L	10 mL	3.30 mg/L	1	0.07	0.50			9/27/19 19:54:00	N	IV
T1901580-085	Carbon, Dissolved Organic (DOC)	N/A		Water	2.37 mg/L	10 mL	2.37 mg/L	1	0.07	0.50			9/27/19 20:22:00	N	IV
T1901580-086	Carbon, Dissolved Organic (DOC)	N/A		Water	1.51 mg/L	10 mL	1.51 mg/L	1	0.07	0.50			9/27/19 20:50:00	N	IV
T1901580-087	Carbon, Dissolved Organic (DOC)	N/A		Water	2.20 mg/L	10 mL	2.20 mg/L	1	0.07	0.50			9/27/19 21:18:00	N	IV
T1901580-088	Carbon, Dissolved Organic (DOC)	N/A		Water	1.99 mg/L	10 mL	1.99 mg/L	1	0.07	0.50			9/27/19 21:46:00	N	IV
T1901580-089	Carbon, Dissolved Organic (DOC)	N/A		Water	2.17 mg/L	10 mL	2.17 mg/L	1	0.07	0.50			9/27/19 22:15:00	N	IV
T1901580-090	Carbon, Dissolved Organic (DOC)	N/A		Water	2.16 mg/L	10 mL	2.16 mg/L	1	0.07	0.50			9/27/19 23:12:00	N	IV
T1901580-091	Carbon, Dissolved Organic (DOC)	N/A		Water	3.14 mg/L	10 mL	3.14 mg/L	1	0.07	0.50			9/27/19 23:40:00	N	IV
T1901580-092	Carbon, Dissolved Organic (DOC)	N/A		Water	3.00 mg/L	10 mL	3.00 mg/L	1	0.07	0.50			9/28/19 00:38:00	N	IV
T1901580-093	Carbon, Dissolved Organic (DOC)	N/A		Water	3.22 mg/L	10 mL	3.22 mg/L	1	0.07	0.50			9/28/19 01:06:00	N	IV
T1901580-094	Carbon, Dissolved Organic (DOC)	N/A		Water	2.92 mg/L	10 mL	2.92 mg/L	1	0.07	0.50			9/28/19 01:34:00	N	IV
T1901580-095	Carbon, Dissolved Organic (DOC)	N/A		Water	3.14 mg/L	10 mL	3.14 mg/L	1	0.07	0.50			9/28/19 02:02:00	N	IV
T1901580-096	Carbon, Dissolved Organic (DOC)	N/A		Water	3.04 mg/L	10 mL	3.04 mg/L	1	0.07	0.50			9/28/19 02:30:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

TOC: 653109
DOC: 653111,
653112,
653113

Schedule: 9262019

Version: 5
Instrument: Fusion1
Last Saved by: Fusion1 (Fusion1)
Last Saved on: 2019/09/26 14:18 - Thursday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Blank)	Blank	Reagent/Acid Blank		1	True	Ready
D	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
1	Sample	MB1	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
2	Sample	ICS	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
3	Sample	K1908780-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
4	Sample	K1908780-001.01 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
5	Sample	rb	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
6	Sample	K1908781-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
7	Sample	K1908781-001.01 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
8	Sample	rb	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
9	Sample	K1908781-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
10	Sample	K1908781-002.01 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
11	Sample	rb	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
12	Sample	fb	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
13	Sample	k1908618-1 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
14	Sample	T1901580-042.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
15	Sample	T1901580-043.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
16	Sample	T1901580-044.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
17	Sample	T1901580-045.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
18	Sample	T1901580-046.06 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
19	Sample	T1901580-046.06 ms doc	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
20	Sample	MB2	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
21	Sample	T1901580-047.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
22	Sample	T1901580-048.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
23	Sample	T1901580-049.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
24	Sample	T1901580-050.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
25	Sample	T1901580-051.06 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
26	Sample	T1901580-052.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
27	Sample	T1901580-053.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
28	Sample	T1901580-054.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
29	Sample	T1901580-055.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
30	Sample	T1901580-056.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
31	Sample	T1901580-057.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
32	Sample	T1901580-058.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
33	Sample	T1901580-059.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
34	Sample	T1901580-060.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
35	Sample	T1901580-061.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
36	Sample	T1901580-062.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
37	Sample	T1901580-063.05 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
38	Sample	T1901580-063.05 ms doc	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready

09/30/19

Schedule: 9262019

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
39	Sample	MB3	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
40	Sample	T1901580-064.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
41	Sample	T1901580-065.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
42	Sample	T1901580-066.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
43	Sample	T1901580-067.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
44	Sample	T1901580-068.05 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
45	Sample	T1901580-069.05 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
46	Sample	T1901580-070.05 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
47	Sample	T1901580-071.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
48	Sample	T1901580-072.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
49	Sample	T1901580-073.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
50	Sample	T1901580-074.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
51	Sample	T1901580-075.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
52	Sample	T1901580-076.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
53	Sample	T1901580-077.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
54	Sample	T1901580-078.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
55	Sample	T1901580-079.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
56	Sample	T1901580-080.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
57	Sample	T1901580-081.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
58	Sample	MB4	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
59	Sample	T1901580-082.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
60	Sample	T1901580-083.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
61	Sample	T1901580-084.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
62	Sample	T1901580-085.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
63	Sample	T1901580-086.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
64	Sample	T1901580-087.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
65	Sample	T1901580-088.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
66	Sample	T1901580-089.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
67	Sample	T1901580-090.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
68	Sample	T1901580-091.06 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
69	Sample	T1901580-091.06 ms doc	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
70	Sample	rb	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
71	Sample	T1901580-092.06 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
72	Sample	T1901580-093.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
73	Sample	T1901580-094.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
74	Sample	T1901580-095.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
75	Sample	T1901580-096.06 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
					False	

Fusion Report - 9262019
Thursday, September 26, 2019 12:37 PM

(View - Reps, Unused Reps, Meta-Data, Signature, History)
Printed on 2019/09/28 08:47 - Saturday

Report Summary Information

Company Location:	Gen Chem Lab		
Schedule Name:	9262019	Engine Version:	1.1.5.1
Instrument Name:	Fusion1	Firmware Version:	1.2.0696
Report Version:	1 of 1	Connection:	RS232 COM1
Report Creation by Operators (schedule version):	Fusion1 (Fusion1) (v2) Fusion1 (Fusion1) (v3) Fusion1 (Fusion1) (v4) Fusion1 (Fusion1) (v5)		
Comment:			

09/30/19

Report Results

Sample Type: Clean — From Schedule Version 2

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/09/26 12:37

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	13.14	16.79	3.65	49.73	05:25
2	TC Clean	8.74	12.32	3.59	50.04	04:04
3	TC Clean	4.64	8.22	3.58	50.08	03:50
4	TC Clean	3.02	6.49	3.47	50.09	03:49

Sample Type: Clean — From Schedule Version 2

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/09/26 12:59

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	1.03	4.58	3.56	49.72	05:13
2	TC Clean	9.28	12.97	3.69	50.07	04:01
3	TC Clean	3.50	7.22	3.72	50.09	03:48

4	TC Clean	2.13	5.64	3.51	50.02	03:54

Sample Type: Clean From Schedule Version 3

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/09/26 13:22

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	8.52	11.95	3.43	49.75	05:24
2	TC Clean	5.19	8.77	3.58	50.05	04:05
3	TC Clean	2.80	6.46	3.66	50.09	03:50
4	TC Clean	1.78	5.40	3.62	50.05	03:56

Sample Type: Blank (Creating v1299) From Schedule Version 4

	Pos	Analysis Type	Sample ID	Start Time
◈	(blank)		Reagent/Acid Blank	2019/09/26 13:44

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	10.78	14.36	3.58	49.75	05:22
2	TC Clean	5.36	8.94	3.58	50.06	04:01
3	TC Clean	3.23	6.83	3.59	50.06	03:42
4	TC Clean	1.99	5.80	3.81	50.10	03:49
5	Reagent Blank	3.25	6.96	3.71	50.03	05:04
6	Acid Blank	0.92	4.60	3.68	49.92	05:32

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	D	TOC	RB	0.5217 ppm	0.0000 ppm	0.0000%	2019/09/26 14:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5217	5.2166	12.27	15.92	3.65	50.11	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.0485 ppm (PASS)	0.0000 ppm	0%	2019/09/26 14:33

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.0485	240.4846	172.70	176.21	3.51	50.22	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/26 14:47

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	6.98	10.59	3.61	50.25	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	1	TOC	MB1	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 15:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.25	9.74	3.48	50.20	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	24.8388 ppm (PASS)	0.0000 ppm	0%	2019/09/26 15:17

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.8388	248.3883	178.07	181.82	3.75	50.26	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	2	TOC	ICS	0.0992 ppm	0.0000 ppm	0.0000%	2019/09/26 15:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0992	0.9915	9.41	13.18	3.77	50.27	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	3	TOC	K1908780-001.01	10.6789 ppm	0.3175 ppm	2.9700%	2019/09/26 15:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	10.9035	109.0346	82.74	86.33	3.58	50.25	10:30
2	TOC	10.4544	104.5443	79.70	83.19	3.49	50.30	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	4	TOC	K1908780-001.01 ms	32.5859 ppm	0.0000 ppm	0.0000%	2019/09/26 16:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	32.5859	325.8588	229.92	233.49	3.57	50.32	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	5	TOC	rb	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 16:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.30	9.75	3.45	50.27	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC)	CAS_salt_010711	CAS_salt_010711

(v1299) (v4) (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	6	TOC	K1908781-001.01	4.1457 ppm	0.0854 ppm	2.0600%	2019/09/26 16:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.2061	42.0614	37.28	40.95	3.66	50.30	10:27
2	TOC	4.0853	40.8534	36.46	40.05	3.58	50.27	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	7	TOC	K1908781-001.01 ms	27.2625 ppm	0.0000 ppm	0.0000%	2019/09/26 17:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	27.2625	272.6247	193.79	197.44	3.65	50.26	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	8	TOC	rb	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 17:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.91	9.51	3.60	50.32	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	9	TOC	K1908781-002.01	4.1727 ppm	0.1375 ppm	3.3000%	2019/09/26 17:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.2699	42.6993	37.72	41.38	3.66	50.30	10:26
2	TOC	4.0755	40.7547	36.40	39.93	3.53	50.31	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.8733 ppm	0.0000 ppm	0%	2019/09/26 18:08

							(PASS)			

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8733	238.7329	171.51	175.12	3.61	50.35	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/26 18:23

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.49	9.18	3.69	50.28	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	10	TOC	K1908781-002.01 ms	27.4195 ppm	0.0000 ppm	0.0000%	2019/09/26 18:38

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	27.4195	274.1951	194.86	198.39	3.53	50.32	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	11	TOC	rb	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 18:53

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.39	8.96	3.57	50.28	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	12	TOC	fb	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 19:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.15	8.61	3.45	50.24	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	13	TOC	k1908618-1 doc	11.3985 ppm	0.0454 ppm	0.4000%	2019/09/26 19:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	11.4306	114.3057	86.32	89.86	3.54	50.20	10:26
2	TOC	11.3663	113.6634	85.89	89.64	3.75	50.18	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	14	TOC	T1901580-042.04 doc	2.7172 ppm	0.0335 ppm	1.2300%	2019/09/26 19:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.7409	27.4089	27.34	31.02	3.69	50.16	10:29
2	TOC	2.6935	26.9346	27.02	30.61	3.59	50.17	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	15	TOC	T1901580-043.04 doc	2.3677 ppm	0.0295 ppm	1.2500%	2019/09/26 20:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.3885	23.8850	24.95	28.33	3.38	50.14	10:29
2	TOC	2.3468	23.4681	24.66	28.20	3.54	50.16	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	16	TOC	T1901580-044.04 doc	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 20:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.16	9.61	3.45	50.15	10:32
2	TOC	0.0000	0.0000	6.03	9.52	3.49	50.15	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	17	TOC	T1901580-045.04 doc	3.1883 ppm	0.0215 ppm	0.6700%	2019/09/26 21:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2035	32.0348	30.48	34.01	3.54	50.16	10:25
2	TOC	3.1731	31.7313	30.27	33.76	3.49	50.16	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	18	TOC	T1901580-046.06 doc	3.2843 ppm	0.0334 ppm	1.0200%	2019/09/26 21:42

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2606	32.6064	30.87	34.29	3.42	50.15	10:28
2	TOC	3.3079	33.0793	31.19	34.58	3.40	50.15	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	19	TOC	T1901580-046.06 ms doc	29.3793 ppm	0.0000 ppm	0.0000%	2019/09/26 22:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	29.3793	293.7931	208.16	211.59	3.43	50.16	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.8262 ppm (PASS)	0.0000 ppm	0%	2019/09/26 22:25

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8262	238.2615	171.19	174.87	3.68	50.18	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/26 22:39

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.92	9.64	3.73	50.17	10:34

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)
STD Conc - Pos D: 0 ppmC

Sample Type: Sample — From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	20	TOC	MB2	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 22:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	4.86	8.66	3.81	50.18	10:34

Dilution: 1:10
Blank Contribution: (TC) 8.7330 (IC) (v1299)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS — From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	24.2630 ppm (PASS)	0.0000 ppm	0%	2019/09/26 23:09

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.2630	242.6296	174.16	177.74	3.58	50.17	10:31

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)
STD Conc - Pos C: 25 ppmC

Sample Type: Sample — From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	21	TOC	T1901580-047.04 doc	3.2183 ppm	0.0549 ppm	1.7100%	2019/09/26 23:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2571	32.5710	30.84	34.57	3.73	50.19	10:25

2	TOC	3.1795	31.7947	30.32	33.86	3.55	50.20	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	22	TOC	T1901580-048.04 doc	3.1974 ppm	0.0016 ppm	0.0500%	2019/09/26 23:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.1985	31.9847	30.44	33.94	3.49	50.20	10:27
2	TOC	3.1963	31.9626	30.43	34.21	3.78	50.19	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	23	TOC	T1901580-049.04 doc	3.1742 ppm	0.0552 ppm	1.7400%	2019/09/27 00:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.1351	31.3512	30.01	33.61	3.59	50.20	10:29
2	TOC	3.2132	32.1320	30.54	34.02	3.48	50.21	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	24	TOC	T1901580-050.04 doc	3.2210 ppm	0.0002 ppm	0.0100%	2019/09/27 00:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2212	32.2116	30.60	34.04	3.44	50.22	10:28
2	TOC	3.2209	32.2086	30.60	34.28	3.68	50.22	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	25	TOC	T1901580-051.06 doc	1.5612 ppm	0.0449 ppm	2.8800%	2019/09/27 01:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5295	15.2948	19.12	22.66	3.54	50.27	10:31
2	TOC	1.5930	15.9298	19.55	23.09	3.54	50.26	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◆	26	TOC	T1901580-052.04 doc	1.6600 ppm	0.0227 ppm	1.3700%	2019/09/27 01:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6439	16.4395	19.89	23.34	3.45	50.28	10:27
2	TOC	1.6761	16.7606	20.11	23.70	3.59	50.31	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	27	TOC	T1901580-053.04 doc	0.7946 ppm	0.0035 ppm	0.4500%	2019/09/27 02:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7921	7.9214	14.11	17.59	3.48	50.31	10:28
2	TOC	0.7972	7.9715	14.14	17.60	3.46	50.32	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	28	TOC	T1901580-054.04 doc	1.9312 ppm	0.0381 ppm	1.9700%	2019/09/27 02:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9582	19.5818	22.02	25.65	3.62	50.35	10:28
2	TOC	1.9043	19.0426	21.66	25.32	3.66	50.36	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.7261 ppm (PASS)	0.0000 ppm	0%	2019/09/27 03:08

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.7261	237.2612	170.51	174.03	3.51	50.38	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

			Concentration			Min / Max				

	Pos	BAT	(ppm)	Dil	Sample ID	(% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/27 03:22

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.61	9.21	3.60	50.39	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	29	TOC	T1901580-055.04 doc	0.8421 ppm	0.0604 ppm	7.1700%	2019/09/27 03:37

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8848	8.8481	14.74	18.24	3.51	50.40	10:26
2	TOC	0.7994	7.9936	14.16	17.89	3.73	50.41	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	30	TOC	T1901580-056.04 doc	2.1449 ppm	0.0139 ppm	0.6500%	2019/09/27 04:05

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.1351	21.3511	23.23	26.69	3.46	50.44	10:31
2	TOC	2.1547	21.5471	23.36	26.88	3.52	50.43	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	31	TOC	T1901580-057.04 doc	0.9001 ppm	0.0134 ppm	1.4900%	2019/09/27 04:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9096	9.0956	14.91	18.27	3.36	50.47	10:28
2	TOC	0.8906	8.9055	14.78	18.18	3.40	50.48	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	32	TOC	T1901580-058.04 doc	2.5001 ppm	0.0159 ppm	0.6400%	2019/09/27 05:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.4888	24.8883	25.63	29.15	3.52	50.49	10:28
2	TOC	2.5114	25.1137	25.78	29.36	3.58	50.50	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	33	TOC	T1901580-059.04 doc	2.3192 ppm	0.0028 ppm	0.1200%	2019/09/27 05:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.3172	23.1720	24.46	28.02	3.56	50.50	10:25
2	TOC	2.3212	23.2118	24.49	28.07	3.58	50.49	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	34	TOC	T1901580-060.04 doc	2.8313 ppm	0.0293 ppm	1.0300%	2019/09/27 05:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8520	28.5197	28.09	31.50	3.41	50.51	10:27
2	TOC	2.8106	28.1058	27.81	31.29	3.48	50.51	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	35	TOC	T1901580-061.04 doc	2.3749 ppm	0.0451 ppm	1.9000%	2019/09/27 06:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.3430	23.4298	24.64	28.33	3.70	50.50	10:29
2	TOC	2.4068	24.0677	25.07	28.64	3.57	50.52	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	36	TOC	T1901580-062.04 doc	2.8271 ppm	0.0360 ppm	1.2700%	2019/09/27 06:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8526	28.5256	28.10	31.72	3.62	50.51	10:27
2	TOC	2.8016	28.0159	27.75	31.30	3.55	50.51	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC)	CAS_salt_010711	CAS_salt_010711

(v1299) (v4) (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	37	TOC	T1901580-063.05 doc	2.6698 ppm	0.0370 ppm	1.3900%	2019/09/27 07:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.6437	26.4366	26.68	30.23	3.56	50.52	10:31
2	TOC	2.6960	26.9596	27.03	30.50	3.46	50.50	10:27

Dilution: 1:10
Blank Contribution: (TC) 8.7330 (IC) (v1299)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	38	TOC	T1901580-063.05 ms doc	27.0484 ppm	0.0000 ppm	0.0000%	2019/09/27 07:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	27.0484	270.4841	192.34	195.94	3.60	50.47	10:36

Dilution: 1:10
Blank Contribution: (TC) 8.7330 (IC) (v1299)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm — From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.4673 ppm (PASS)	0.0000 ppm	0%	2019/09/27 08:05

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.4673	234.6728	168.76	172.31	3.55	50.51	10:32

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)
STD Conc - Pos B: 50 ppmC

Sample Type: Check Standard --> CCB — From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/27 08:20

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.65	9.15	3.50	50.47	10:28

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	39	TOC	MB3	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/27 08:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	4.97	8.39	3.41	50.47	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	24.0856 ppm (PASS)	0.0000 ppm	0%	2019/09/27 08:49

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.0856	240.8558	172.95	176.60	3.65	50.46	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	40	TOC	T1901580-064.04 doc	0.6699 ppm	0.0892 ppm	13.3100%	2019/09/27 09:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7329	7.3292	13.71	17.28	3.57	50.45	10:28
2	TOC	0.6068	6.0682	12.85	16.36	3.51	50.43	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	41	TOC	T1901580-065.04 doc	0.4597 ppm	0.0005 ppm	0.1100%	2019/09/27 09:32

Rep	Base	ppm	µg	Adjusted	NDIR (Abs)	Baseline	Pressure	Run

#	Analysis Type			(Abs)		(Abs)	(psig)	Time
1	TOC	0.4601	4.6008	11.86	15.49	3.63	50.45	10:27
2	TOC	0.4593	4.5935	11.85	15.50	3.65	50.44	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	42	TOC	T1901580-066.04 doc	0.7479 ppm	0.0047 ppm	0.6300%	2019/09/27 10:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7446	7.4456	13.79	17.48	3.70	50.38	10:31
2	TOC	0.7512	7.5119	13.83	17.52	3.69	50.39	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	43	TOC	T1901580-067.04 doc	0.4893 ppm	0.0568 ppm	11.6000%	2019/09/27 10:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5295	5.2947	12.33	15.98	3.65	50.36	10:30
2	TOC	0.4492	4.4918	11.78	15.67	3.89	50.33	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	44	TOC	T1901580-068.05 doc	0.9681 ppm	0.0536 ppm	5.5400%	2019/09/27 10:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9302	9.3018	15.05	18.62	3.57	50.34	10:26
2	TOC	1.0061	10.0605	15.56	19.04	3.48	50.33	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	45	TOC	T1901580-069.05 doc	0.5941 ppm	0.0102 ppm	1.7200%	2019/09/27 11:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6014	6.0136	12.82	16.37	3.56	50.30	10:27
2	TOC	0.5869	5.8693	12.72	16.16	3.45	50.30	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.1246	11.2465	16.37	19.94	3.57	50.28	10:28
2	TOC	1.1876	11.8755	16.79	20.41	3.62	50.33	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	47	TOC	T1901580-071.04 doc	0.6137 ppm	0.0026 ppm	0.4200%	2019/09/27 12:20

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6118	6.1182	12.89	16.56	3.67	50.27	10:31
2	TOC	0.6155	6.1551	12.91	16.44	3.53	50.26	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.1317 ppm (PASS)	0.0000 ppm	0%	2019/09/27 12:49

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.1317	241.3169	173.27	176.86	3.60	50.24	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/27 13:03

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.72	9.31	3.59	50.35	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D

Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	48	TOC	T1901580-072.04 doc	1.8056 ppm	0.0607 ppm	3.3600%	2019/09/27 13:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.8486	18.4858	21.28	24.93	3.65	50.24	10:26
2	TOC	1.7627	17.6269	20.70	24.26	3.57	50.21	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	49	TOC	T1901580-073.04 doc	0.7033 ppm	0.0079 ppm	1.1300%	2019/09/27 13:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7089	7.0891	13.54	17.09	3.54	50.18	10:30
2	TOC	0.6977	6.9771	13.47	17.11	3.65	50.22	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	50	TOC	T1901580-074.04 doc	2.2656 ppm	0.0572 ppm	2.5200%	2019/09/27 14:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.3060	23.0601	24.39	27.98	3.59	50.20	10:27
2	TOC	2.2251	22.2513	23.84	27.59	3.75	50.17	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	51	TOC	T1901580-075.04 doc	2.2386 ppm	0.0164 ppm	0.7300%	2019/09/27 14:42

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.2502	22.5017	24.01	27.63	3.62	50.17	10:31
2	TOC	2.2270	22.2704	23.85	27.50	3.65	50.22	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

		Analysis			Std. Dev.		

	Pos	Type	Sample ID	Result (ppmC)	(ppmC)	RSD	Start Time
◈	52	TOC	T1901580-076.04 doc	0.8877 ppm	0.0111 ppm	1.2600%	2019/09/27 15:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8798	8.7980	14.70	18.32	3.62	50.24	10:25
2	TOC	0.8956	8.9556	14.81	18.41	3.59	50.22	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	53	TOC	T1901580-077.04 doc	2.6888 ppm	0.0303 ppm	1.1300%	2019/09/27 15:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.6674	26.6738	26.84	30.30	3.46	50.18	10:27
2	TOC	2.7103	27.1025	27.13	30.59	3.46	50.17	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	54	TOC	T1901580-078.04 doc	2.8607 ppm	0.0199 ppm	0.7000%	2019/09/27 16:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8467	28.4667	28.06	31.64	3.58	50.22	10:27
2	TOC	2.8748	28.7481	28.25	31.85	3.60	50.19	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	55	TOC	T1901580-079.04 doc	3.2227 ppm	0.0353 ppm	1.1000%	2019/09/27 16:35

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2477	32.4768	30.78	34.43	3.65	50.16	10:28
2	TOC	3.1977	31.9773	30.44	34.08	3.64	50.12	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	56	TOC	T1901580-080.04 doc	3.2299 ppm	0.0018 ppm	0.0500%	2019/09/27 17:03

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2287	32.2867	30.65	34.08	3.43	50.14	10:28
2	TOC	3.2312	32.3118	30.67	33.98	3.32	50.13	10:27

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	57	TOC	T1901580-081.04 doc	3.3384 ppm	0.0242 ppm	0.7200%	2019/09/27 17:31

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3555	33.5551	31.51	34.96	3.45	50.23	10:30
2	TOC	3.3213	33.2134	31.28	34.83	3.56	50.20	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.6352 ppm (PASS)	0.0000 ppm	0%	2019/09/27 17:59

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.6352	236.3523	169.90	173.64	3.74	50.20	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/27 18:14

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.21	8.80	3.59	50.23	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/27 18:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	4.89	8.49	3.59	50.26	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	24.3513 ppm (PASS)	0.0000 ppm	0%	2019/09/27 18:43

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.3513	243.5135	174.76	178.42	3.66	50.27	10:35

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	59	TOC	T1901580-082.04 doc	3.2832 ppm	0.0765 ppm	2.3300%	2019/09/27 18:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3372	33.3725	31.39	35.07	3.68	50.28	10:29
2	TOC	3.2291	32.2911	30.65	34.20	3.55	50.31	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	60	TOC	T1901580-083.04 doc	3.3769 ppm	0.0504 ppm	1.4900%	2019/09/27 19:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3412	33.4122	31.41	35.07	3.66	50.32	10:28
2	TOC	3.4125	34.1253	31.90	35.30	3.41	50.34	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	61	TOC	T1901580-084.04 doc	3.3003 ppm	0.0028 ppm	0.0900%	2019/09/27 19:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3023	33.0233	31.15	34.58	3.43	50.33	10:28
2	TOC	3.2984	32.9835	31.12	34.58	3.46	50.35	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	62	TOC	T1901580-085.04 doc	2.3832 ppm	0.0165 ppm	0.6900%	2019/09/27 20:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.3716	23.7156	24.83	28.49	3.65	50.36	10:27
2	TOC	2.3948	23.9484	24.99	28.58	3.59	50.40	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	63	TOC	T1901580-086.04 doc	1.5178 ppm	0.0042 ppm	0.2700%	2019/09/27 20:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5149	15.1490	19.02	22.55	3.53	50.40	10:25
2	TOC	1.5208	15.2079	19.06	22.59	3.53	50.44	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	64	TOC	T1901580-087.04 doc	2.2527 ppm	0.0718 ppm	3.1900%	2019/09/27 21:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.2020	22.0200	23.68	27.22	3.54	50.43	10:27
2	TOC	2.3035	23.0350	24.37	27.91	3.54	50.43	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	65	TOC	T1901580-088.04 doc	1.9667 ppm	0.0290 ppm	1.4700%	2019/09/27 21:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9872	19.8720	22.22	25.89	3.67	50.45	10:27
2	TOC	1.9462	19.4625	21.94	25.47	3.53	50.47	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC)	CAS_salt_010711	CAS_salt_010711

(v1299) (v4) (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	66	TOC	T1901580-089.04 doc	2.1539 ppm	0.0259 ppm	1.2000%	2019/09/27 22:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.1722	21.7224	23.48	26.85	3.37	50.47	10:26
2	TOC	2.1356	21.3556	23.23	26.67	3.44	50.47	10:27

Dilution: 1:10

Blank Contribution: (TC) 8.7330 (IC) (v1299)

Method: CAS_salt_010711 (v4)

Calibration: CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm

From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.3857 ppm (PASS)	0.0000 ppm	0%	2019/09/27 22:43

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.3857	233.8567	168.20	171.82	3.62	50.50	10:28

Completion State: Success - Criteria met.

Success Action: Do Nothing

Method: CAS_salt_010711 (v4)

Calibration: CAS_salt_010711 (v30)

STD Conc - Pos B: 50 ppmC

Sample Type: Check Standard --> CCB

From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/27 22:57

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.33	8.84	3.51	50.51	10:35

Completion State: Success - Criteria met.

Success Action: Do Nothing

Method: CAS_salt_010711 (v4)

Calibration: CAS_salt_010711 (v30)

STD Conc - Pos D: 0 ppmC

Sample Type: Sample

From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	67	TOC	T1901580-090.04 doc	2.1261 ppm	0.0444 ppm	2.0900%	2019/09/27 23:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.1575	21.5751	23.38	26.93	3.55	50.50	10:32
2	TOC	2.0947	20.9475	22.95	26.32	3.37	50.51	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	68	TOC	T1901580-091.06 doc	3.1494 ppm	0.0200 ppm	0.6400%	2019/09/27 23:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.1353	31.3527	30.02	33.58	3.57	50.51	10:27
2	TOC	3.1636	31.6356	30.21	33.77	3.56	50.51	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	69	TOC	T1901580-091.06 ms doc	28.8836 ppm	0.0000 ppm	0.0000%	2019/09/28 00:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	28.8836	288.8358	204.79	208.36	3.57	50.53	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	70	TOC	rb	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/28 00:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.67	9.35	3.69	50.52	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	71	TOC	T1901580-092.06 doc	3.0072 ppm	0.0076 ppm	0.2500%	2019/09/28 00:38

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.0018	30.0180	29.11	32.71	3.60	50.53	10:29
2	TOC	3.0126	30.1255	29.18	32.73	3.55	50.54	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	72	TOC	T1901580-093.04 doc	3.2041 ppm	0.0207 ppm	0.6500%	2019/09/28 01:06

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2188	32.1880	30.58	34.22	3.64	50.55	10:32
2	TOC	3.1895	31.8948	30.38	34.04	3.65	50.53	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	73	TOC	T1901580-094.04 doc	2.9106 ppm	0.0135 ppm	0.4700%	2019/09/28 01:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.9202	29.2018	28.56	32.15	3.59	50.54	10:27
2	TOC	2.9010	29.0103	28.43	32.15	3.72	50.56	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	74	TOC	T1901580-095.04 doc	3.1272 ppm	0.0227 ppm	0.7300%	2019/09/28 02:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.1432	31.4323	30.07	33.56	3.49	50.56	10:28
2	TOC	3.1111	31.1111	29.85	33.45	3.59	50.55	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	75	TOC	T1901580-096.06 doc	3.0090 ppm	0.0379 ppm	1.2600%	2019/09/28 02:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.0358	30.3583	29.34	32.81	3.47	50.57	10:27
2	TOC	2.9822	29.8220	28.98	32.56	3.58	50.56	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.3092 ppm	0.0000 ppm	0%	2019/09/28 02:58

							(PASS)			

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.3092	233.0921	167.68	171.31	3.63	50.57	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/28 03:13

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.36	8.97	3.61	50.55	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v1298	2.2570	1.4920	0.0000	0.0000	0.0000	2019/09/24 13:13	Fusion1 (Fusion1)
v1299	1.0837	0.9200	0.0000	0.0000	0.0000	2019/09/26 14:18	Fusion1 (Fusion1)

Calibrations

Name: CAS_salt_010711 (TOC)

Version:	v30	Calibration curve formula:	TOC: y = 6.788x + 9.463
Ver Creation:	2019/03/05 17:42	r^2 value:	TOC: r^2 = 0.99963
Comment:			
Operator:	Fusion1 (Fusion1)		
Basic Analysis Type	TOC		

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
DI Water	7.8970	0.0000		2019/03/05 16:15
0.500 ppm	11.5280	0.5000		2019/03/05 16:29
1.0 ppm	14.9760	1.0000		2019/03/05 16:44
5.0 ppm	43.6500	5.0000		2019/03/05 16:58
10 ppm	79.6020	10.0000		2019/03/05 17:12
25 ppm	183.3580	25.0000		2019/03/05 17:26
50 ppm	346.3230	50.0000		2019/03/05 17:40

Methods

Name: CAS_salt_010711 (TOC)

Version: v4 Operator: Fusion1 (Fusion1)

Ver Creation: 2019/02/21 17:57

Comment:

Parameter	Value
SampleVolume	10.0 mL
Dilution	1:10
AcidVolume	0.5 ml
ReagentVolume	2.0 ml
UVReactorPrerinse	Off
UVReactorPrerinseVolume	5.0
NumberOfUVReactorPrerinses	1
ICSpargeTime	1.00 mins
DetectorSweepFlow	500 ml/min
PreSpargeTime	2.00 mins
SystemFlow	500 ml/min

Advanced Parameter	Value
NeedleRinseVolume	5.0 ml
VialPrimeVolume	2.0 ml
ICSamplePrimeVolume	2.0 ml
ICSpargeRinseVolume	12.0 ml
BaselineStabilizeTime	0.70 min
DetectorPressureFlow	150 ml/min
SyringeSpeedWaste	10
SyringeSpeedAcid	7
SyringeSpeedReagent	7
SyringeSpeedDIWater	7
NDIRPressurization	60 psig
SyringeSpeedSampleDispense	5
SyringeSpeedSampleAspirate	4
SyringeSpeedUVDispense	5
SyringeSpeedUVAspirate	5
SyringeSpeedICDispense	5
SyringeSpeedICAspirate	5
NDIRPressureStabilize	1.75 min
SampleMixing	Off
SampleMixingCycles	1
SampleMixingVolume	10.0
LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Fusion1 (Fusion1)	Schedule completed	Schedule completed	2019/09/28 03:28

ALS Environmental

StarLIMS Run: 653109, 653111, 653112, 653113

Analysis: DOC/TOC

Method: SM 5310 C, 9060A, 415.1, 9060

CCV: 11-GEN-05-79K 50 ppm LCS: 11-GEN-05-79J 25.0 ppm

ICAL Date: 3/6/19

ICAL ID: 11-GEN-05-76H

ICS ID: 11-GEN-05-78M

ICS TV: 25.0 ppm ICS % R < 1

Spike ID: 11-GEN-05-77J 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 ppm x dilution factor

Sodium Persulfate: 11-GEN-05-80N

21 % H3PO4: 11-GEN-05-80L

Equipment ID: K-TOC-03

PIPETTE ID: 124276B, 129001F, N11314F, Marge

FILTER ID: 16967789

Analyzed By: BCD	Date Analyzed: 9/26/19
Reviewed By:	Date Reviewed: 09/30/19

Case Narrative

Method: 6850
Analysis: Perchlorate
Analysis SOP: LC-MS-CLO4
ALS WO ID(s): 1927216

Client: ALS Laboratories (Houston, TX)
Matrix: Water
ELMS Batch (HBN): 2296 (248804)

General Set Information: There were fifteen field samples in this Work Order. The samples were analyzed for perchlorate.

Method Summary: Each sample was prepared as noted below and analyzed using an Agilent 1100 LC/MSD system in select ion monitoring (SIM) mode at m/z 83 and 85, which corresponds to the loss of one oxygen atom from the perchlorate molecule. ChemStation software was used for instrument control and data analysis. The ion ratio of m/z 83 to 85 was used to positively identify the response peak as perchlorate. Quantitation was performed using the m/z 83 peak area. An internal standard (ISTD) of ^{18}O labeled perchlorate was added to each sample to establish the perchlorate peak retention time and used in quantitation.

Sample Preparation: A 10.0mL aliquot of each sample was transferred into a 15-mL centrifuge tube. 50µL of an ^{18}O labeled perchlorate solution was added to each sample as an internal standard. The samples were then capped, vortexed, and filtered into autosampler vial using Phenex PES membrane 0.45µm Syringe filters.

Holding Times: Holding times were met for all analyses.

Dilutions: Field samples 1927216003/11 were analyzed and reported from 1:10 dilutions. The reporting limits have been adjusted accordingly.

Method QC data: The method blank (LMB 676275) was less than 1/2 the CRDL. The recovery for the LCS (676276) was within acceptable parameters.

MS/MSD Analysis: MS/MSD was performed on samples 1927216009/10 and 1927216013/14 (Client ID's: 16WW29-190918 and 16WW57-190918). 3.0µL of Working Standard Solution Horizon ID 49947 was added to 10.0mL of sample preparation. The spike target was 3.µg/L. The MS/MSD percent recoveries and relative percent difference (RPD) were within the performance limits for samples 1927216009/10. The MS/MSD (1927216013/14) failed QC acceptance criteria for percent recoveries and for the 83/85 ion ratio. The Matrix Spike and Matrix Spike duplicate is reported for the clients' information only. The sample matrix may be inappropriate for the method selected.

Instrument QC: Instrument initial and continuing calibrations were performed in accordance with published procedures.

NC/CAR(s): NA

Sample Calculation: Samples were reported in µg/L. Results were calculated in µg/L by the equation (A)x(B),

where: A = Analyte concentration from the standard curve (µg/L)
B = Dilution performed at time of analysis

Miscellaneous Comments: These samples were analyzed in accordance with the requirements found in the DOD QSM Version 5.1.1. The Reporting Limit Verification Standard (RLVS – 676273) is reported from the analysis of the Laboratory Control Sample (LCS – 676276) at a level of 3.0µg/L. Due to limitations of the Chemstation Software, some of the chromatographic peaks may require manual integrations. A manual integration was performed for one of the Initial Calibration analyses (datafile: 20SEPI03) along with datafiles 30SEPD13/14/17-19. Field samples 1927216002/07/12 had positive results for perchlorate. However, because the 83/85 ion ratio failed, these results were not reported.

Thomas Bosch — Analyst
October 02, 2019 — Date

ANALYTICAL REPORT

Report Date: October 03, 2019

RJ Modashia
ALS Environmental (Houston)
10450 Stancliff Road
Suite 210
Houston, TX 77099

Phone: 281 530-5656

E-mail: RJ.Modashia@ALSGlobal.com

Workorder: **34-1927216**
Project ID: HS19090962
Purchase Order: HS19090962
Project Manager Kevin W. Griffiths

Client Sample ID	Lab ID	Collect Date	Receive Date	Sampling Site
16WW13-190918	1927216001	09/18/19	09/21/19	
16WW48-190918	1927216002	09/18/19	09/21/19	
16WW35-190918	1927216003	09/18/19	09/21/19	
16WW30-190918	1927216004	09/18/19	09/21/19	
16EW06-190918	1927216005	09/18/19	09/21/19	
16WW26-190917	1927216006	09/17/19	09/21/19	
16EW02-190918	1927216007	09/18/19	09/21/19	
16WW29-190918	1927216008	09/18/19	09/21/19	
16WW12-190918	1927216011	09/18/19	09/21/19	
16WW57-190918	1927216012	09/18/19	09/21/19	
16WW26-190917-FD	1927216015	09/18/19	09/21/19	

Client QC ID *	Lab ID	Collect Date	Receive Date	Sampling Site
16WW29-190918MS	1927216009	09/18/19	09/21/19	
16WW29-190918MSD	1927216010	09/18/19	09/21/19	
16WW57-190918MS	1927216013	09/18/19	09/21/19	
16WW57-190918MSD	1927216014	09/18/19	09/21/19	

***Client QC is reported as part of the Quality Control results report, if requested.**

ANALYTICAL REPORT

Workorder: 34-1927216
Client: ALS Environmental (Houston)
Project Manager: Kevin W. Griffiths

Analytical Results

Sample ID: **16WW13-190918** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927216001 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2296 (HBN: 248804) | **%Solids:** NA
Analyzed: 09/30/2019 09:50 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

Sample ID: **16WW48-190918** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927216002 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2296 (HBN: 248804) | **%Solids:** NA
Analyzed: 09/30/2019 10:04 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

Sample ID: **16WW35-190918** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927216003 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2296 (HBN: 248804) | **%Solids:** NA
Analyzed: 09/30/2019 10:17 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	**410**	10	20	40	10	

Sample ID: **16WW30-190918** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927216004 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2296 (HBN: 248804) | **%Solids:** NA
Analyzed: 09/30/2019 10:31 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

ANALYTICAL REPORT

Workorder: 34-1927216
Client: ALS Environmental (Houston)
Project Manager: Kevin W. Griffiths

Analytical Results

Sample ID: **16EW06-190918** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927216005 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2296 (HBN: 248804) | **%Solids:** NA
Analyzed: 09/30/2019 10:45 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	**42**	1.0	2.0	4.0	1	

Sample ID: **16WW26-190917** | Sampling Site: NA | Collected: 09/17/2019
Lab ID: 1927216006 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2296 (HBN: 248804) | **%Solids:** NA
Analyzed: 09/30/2019 10:59 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

Sample ID: **16EW02-190918** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927216007 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2296 (HBN: 248804) | **%Solids:** NA
Analyzed: 09/30/2019 11:13 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

Sample ID: **16WW29-190918** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927216008 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2296 (HBN: 248804) | **%Solids:** NA
Analyzed: 09/30/2019 11:26 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

ANALYTICAL REPORT

Workorder: 34-1927216
Client: ALS Environmental (Houston)
Project Manager: Kevin W. Griffiths

Analytical Results

Sample ID: **16WW12-190918** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927216011 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2296 (HBN: 248804) | **%Solids:** NA
Analyzed: 09/30/2019 12:21 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	**120**	10	20	40	10	

Sample ID: **16WW57-190918** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927216012 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2296 (HBN: 248804) | **%Solids:** NA
Analyzed: 09/30/2019 12:35 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

Sample ID: **16WW26-190917-FD** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927216015 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2296 (HBN: 248804) | **%Solids:** NA
Analyzed: 09/30/2019 13:17 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

Report Authorization (/S/ is an electronic signature that complies with 21 CFR Part 11)

Method	Analyst	Peer Review
EPA 6850, DoD QSM	/S/ Thomas Bosch 10/01/2019 14:24	/S/ Stephen Brose 10/03/2019 10:09

Laboratory Contact Information

ALS Environmental
960 W Levoy Drive
Salt Lake City, Utah 84123

Phone: (801) 266-7700
Email: alslt.lab@ALSGlobal.com
Web: www.alsslc.com

ANALYTICAL REPORT

Workorder: 34-1927216
Client: ALS Environmental (Houston)
Project Manager: Kevin W. Griffiths

General Lab Comments

The results provided in this report relate only to the items tested.
Samples were received in acceptable condition unless otherwise noted.
Samples have not been blank corrected unless otherwise noted.
This test report shall not be reproduced, except in full, without written approval of ALS.

ALS provides professional analytical services for all samples submitted. ALS is not in a position to interpret the data and assumes no responsibility for the quality of the samples submitted.

All quality control samples processed with the samples in this report yielded acceptable results unless otherwise noted.

ALS is accredited for specific fields of testing (scopes) in the following testing sectors. The quality system implemented at ALS conforms to accreditation requirements and is applied to all analytical testing performed by ALS. The following table lists testing sector, accreditation body, accreditation number and website. Please contact these accrediting bodies or your ALS project manager for the current scope of accreditation that applies to your analytical testing.

Testing Sector	Accreditation Body (Standard)	Certificate Number	Website
Environmental	PJLA (DoD ELAP)	L17-506	http://www.pjlabs.com
	PJLA (ISO 17025)	L17-507-R1	http://www.pjlabs.com
	Utah (TNI)	UT00953	http://lams.nelac-institute.org/search
	Iowa (TNI)	IA# 376	http://www.shl.uiowa.edu/labcert/idnr/
	Kansas	E-10416	http://www.kdheks.gov/envlab/disclaimer.html
Industrial Hygiene	AIHA (ISO 17025 & AIHA IHLAP)	101574	http://www.aihaaccreditedlabs.org
	DOECAP-AP	L18-606	http://www.pjlabs.com
	Washington	C596	https://ecology.wa.gov/Regulations-Permits/Permits-certifications/Laboratory-Accreditation
Dietary Supplements	PJLA (ISO 17025)	L17-507-R1	http://www.pjlabs.com

Result Symbol Definitions

MDL = Method Detection Limit, a statistical estimate of method/media/instrument sensitivity.
RL = Reporting Limit, a verified value of method/media/instrument sensitivity.
CRDL = Contract Required Detection Limit
Reg. Limit = Regulatory Limit.
ND = Not Detected, testing result not detected above the MDL or RL.
< Means this testing result is less than the numerical value.
** No result could be reported, see sample comments for details.

Qualifier Symbol Definitions

U = Qualifier indicates that the analyte was not detected above the MDL.
J = Qualifier Indicates that the analyte value is between the MDL and the RL. It is also used to indicate an estimated value for tentatively identified compounds in mass spectrometry where a 1:1 response is assumed.
B = Qualifier indicates that the analyte was detected in the blank.
E = Qualifier indicates that the analyte result exceeds calibration range.
P = Qualifier indicates that the RPD between the two columns is greater than 40%.

Quality Control Sample Batch Report

Analysis Information

Workorder: 1927216

Limits:	Client SOW/Contract Specified	**Preparation:**	NA	**Analysis:**	EPA 6850, DoD QSM
Basis:	DoD QSM	**Batch:**	NA	**Batch:**	ELMS/2296 (HBN: 248804)
		Prepared By:	NA	**Analyzed By:**	Thomas Bosch

Blank

LMB: 676275
Analyzed: 09/30/2019 09:36
Units: ug/L

Analyte	Result	MDL	RL
Perchlorate	ND	1	2.00

Laboratory Control Sample

LCS: 676276
Analyzed: 09/30/2019 09:08
Dilution: 1
Units: ug/L

Analyte	Result	Target	% Rec	QC Limits	
Perchlorate	2.92	3.00	97.4	78.8	123.8

Matrix Spike - Matrix Spike Duplicate

	Sample: 1927216008	MS: 1927216009	MSD: 1927216010
	Analyzed: 09/30/2019 11:26	Analyzed: 09/30/2019 11:40	Analyzed: 09/30/2019 11:54
	Dilution: 1	Dilution: 1	Dilution: 1
	Units: ug/L	Units: ug/L	Units: ug/L

Analyte	Result	Result	Target	% Rec	QC Limits		Result	% Rec	RPD	QC Limits	
Perchlorate	ND	3.47	3	116	78.8	123.8	3.46	115	0.173	0.0	20.0

	Sample: 1927216012	MS: 1927216013	MSD: 1927216014
	Analyzed: 09/30/2019 12:35	Analyzed: 09/30/2019 12:49	Analyzed: 09/30/2019 13:03
	Dilution: 1	Dilution: 1	Dilution: 1
	Units: ug/L	Units: ug/L	Units: ug/L

Analyte	Result	Result	Target	% Rec	QC Limits		Result	% Rec	RPD	QC Limits	
Perchlorate	ND	4.82	3	# 161	78.8	123.8	4.94	# 165	2.48	0.0	20.0

QC Report Authorization (/S/ is an electronic signature that complies with 21 CFR Part 11)

Analyst	Peer Review
/S/ Thomas Bosch	/S/ Stephen Brose
10/02/2019 13:31	10/03/2019 10:09

Symbols and Definitions

- * - Analyte above reporting limit or outside of control limits
- ▲ - Sample result is greater than 4 times the spike added
- ◆ - Sample and Matrix Duplicate less than 5 times the reporting limit
- ● - Result is above the calibration range
- # - The Matrix Spike, Matrix Spike duplicate or Matrix Duplicate is reported for your information only. The sample matrix may be inappropriate for the method selected.

RPD - Relative % Difference (Spike / Spike Duplicate)
ND - Not Detected (U - Qualifier also flags analyte as not detected)
NA - Not Applicable
QC results are not adjusted for moisture correction, where applicable





10450 Stancliff Rd, Ste 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

Subcontract Chain of Custody

18698/#2

SAMPLING STATE: **Texas**

COC ID: **12203**

1927216

SUBCONTRACT TO:

ALS Laboratory Group
960 LeVoy Dr
Salt Lake City, UT 84123

Phone: +1 801 266 7700

CUSTOMER INFORMATION:

Company:	ALS Houston
Contact:	RJ Modashia
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Email:	RJ.Modashia@alsglobal.com
Alternate Contact:	
Email:	

INVOICE INFORMATION:

Company:	ALS Houston
Contact:	Accounts Payable
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Reference:	HS19090962
TSR:	Sonia West

	LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
	ANALYSIS REQUESTED			DUE DATE
1.	**HS19090962-02**	**16WW13-190918**	**Water**	**18 Sep 2019 08:45**
	SUB_Perch-6850			27 Sep 2019
2.	**HS19090962-03**	**16WW48-190918**	**Water**	**18 Sep 2019 17:20**
	SUB_Perch-6850			27 Sep 2019
3.	**HS19090962-04**	**16WW35-190918**	**Water**	**18 Sep 2019 10:55**
	SUB_Perch-6850			27 Sep 2019
4.	**HS19090962-05**	**16WW30-190918**	**Water**	**18 Sep 2019 11:11**
	SUB_Perch-6850			27 Sep 2019
5.	**HS19090962-06**	**16EW06-190918**	**Water**	**18 Sep 2019 13:35**
	SUB_Perch-6850			27 Sep 2019
6.	**HS19090962-07**	**16WW26-190917**	**Water**	**17 Sep 2019 15:53**
	SUB_Perch-6850			27 Sep 2019
7.	**HS19090962-08**	**16EW02-190918**	**Water**	**18 Sep 2019 14:55**
	SUB_Perch-6850			27 Sep 2019
8.	**HS19090962-10**	**16WW29-190918** MS/MSD	**Water**	**18 Sep 2019 12:07**
(3)	SUB_Perch-6850			27 Sep 2019
9.	**HS19090962-11**	**16WW12-190918**	**Water**	**18 Sep 2019 09:59**



Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **12203**

	LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
	ANALYSIS REQUESTED			DUE DATE
	SUB_Perch-6850			27 Sep 2019
10.	**HS19090962-12**	**16WW57-190918** MS/MSD	**Water**	**18 Sep 2019 15:30**
(3)	SUB_Perch-6850			27 Sep 2019
11.	**HS19090962-13**	**16WW26-190917-FD**	**Water**	**18 Sep 2019 15:53**
	SUB_Perch-6850			27 Sep 2019

Comments: Please analyze for the analysis listed above.
Send report to the emails shown above.

QC Level: DOD IV (DoD Data Package)

HS19090962-10&12 MS/MSD

Relinquished By: _____ Date/Time: 9/20/19 1800.

Received By: Meredel Dlew Date/Time: 9/21/19 915

Cooler ID(s): 9810 Temperature(s): 2°

01030250

ALS Environmental

CHAIN-OF-CUSTODY

Project / Job / Task: HS19090962	Split:	Workorder ID: 1927216	Level: ENV_LVL4	Requested Analysis
Client: ALS Environmental (Houston)		Account: 8101	Type: 125Poly	
Comments:			Preservatives	

Item	Collect Date/Time	Sample ID	Lab ID	QC	Matrix	Containers ID(s)	Containers Count	COOL	EPA 6850, DoD QSM
1	09/18/2019 08:45	16WW13-190918	1927216001		Water	A	1		A
2	09/18/2019 17:20	16WW48-190918	1927216002		Water	A	1		A
3	09/18/2019 10:55	16WW35-190918	1927216003		Water	A	1		A
4	09/18/2019 11:11	16WW30-190918	1927216004		Water	A	1		A
5	09/18/2019 13:35	16EW06-190918	1927216005		Water	A	1		A
6	09/17/2019 15:53	16WW26-190917	1927216006		Water	A	1		A
7	09/18/2019 14:55	16EW02-190918	1927216007		Water	A	1		A
8	09/18/2019 12:07	16WW29-190918	1927216008		Water	A	1		A
9	09/18/2019 12:07	16WW29-190918MS	1927216009	MS	Water	A	1		A
10	09/18/2019 12:07	16WW29-190918MSD	1927216010	MSD	Water	A	1		A

ORIGINAL FIELD SAMPLE CHAIN-OF-CUSTODY

Relinquished By: (Signature)	Date / Time	Received By: (Signature)	Reason for Transfer / Storage Location
Waratti, Julie	09/21/2019 09:15	ALS Sample Receiving	Sample Login
Julie Waratti	9/23/19 1600	15C	storage
R.33.1	09-27-19/09:15	T. Bush	CLOA ANALYSIS

SAMPLE PREPARATION / ANALYSIS CHAIN-OF-CUSTODY

Sample Prep / Analysis for: _____ Lab Notebook No.: _____

Prepared / Analyzed by: _____ Date / Time: _____

Relinquished By: (Signature)	Date / Time	Received By: (Signature)	Reason for Transfer / Storage Location

ALS Environmental

CHAIN-OF-CUSTODY

Project / Job / Task: HS19090962	Split:	Workorder ID: 1927216	Level: ENV_LVL4	Requested Analysis
Client: ALS Environmental (Houston)		Account: 8101	Type: 125Poly	
Comments:			Preservatives	
			COOL	
			Containers	

Item	Collect Date/Time	Sample ID	Lab ID	QC	Matrix	ID(s)	Count	EPA 6850, DoD QSM
11	09/18/2019 09:59	16WW12-190918	1927216011		Water	A	1	A
12	09/18/2019 15:30	16WW57-190918	1927216012		Water	A	1	A
13	09/18/2019 15:30	16WW57-190918MS	1927216013	MS	Water	A	1	A
14	09/18/2019 15:30	16WW57-190918MSD	1927216014	MSD	Water	A	1	A
15	09/18/2019 15:53	16WW26-190917-FD	1927216015	FLDDUP	Water	A	1	A
16								
17								
18								
19								
20								

ORIGINAL FIELD SAMPLE CHAIN-OF-CUSTODY

Relinquished By: (Signature)	Date / Time	Received By: (Signature)	Reason for Transfer / Storage Location
Warath, Julie	09/21/2019 09:15	ALS Sample Receiving	Sample Login
Julie Warath	9/23/19 1600	15C	Storage
R-33.1	09-27-19/09:15	T. Bush	CLOH ANALYSIS

SAMPLE PREPARATION / ANALYSIS CHAIN-OF-CUSTODY

Sample Prep / Analysis for: _____ Lab Notebook No.: _____

Prepared / Analyzed by: _____ Date / Time: _____

Relinquished By: (Signature)	Date / Time	Received By: (Signature)	Reason for Transfer / Storage Location

ALS-Salt Lake City-Related Information Report (CRIR)

Cooler or Container Information Checklist (Fill In or Circle)

Client Name: ALS Houston

Project/Task/Site: 1927216

Date/Time of Receipt: 9/21/19 1915

Number of Coolers Received: 1

Condition of Coolers:	Acceptable/Unacceptable	Temperature Control:	Present/Not Included
Cooler Custody Seals:	Present/Absent/NA		
	Intact/Broken/NA	Location Temp Taken:	Control/Between Samples
Container Custody Seals:	Present/Absent/NA		
	Intact/Broken/NA	Are all temperatures within project specific guidelines?	Yes/No/NA
Ice Present:	Yes/No/NA	VOA Headspace Present?	Yes/No/NA
	Frozen/Melted/NA		

pH Check Performed:							
	Metals	Yes/No/NA	Total Phenolics	Yes/No/NA	NO3/NO2	Yes/No/NA
	Cyanide	Yes/No/NA	TPH – 418.1	Yes/No/NA	Oil & Grease	Yes/No/NA
	Sulfide	Yes/No/NA	COD	Yes/No/NA	Total Phosphorous	Yes/No/NA
	Ammonia	Yes/No/NA	TKN	Yes/No/NA	Gross A.B, Gamma Spec	Yes/No/NA

Cooler Received	DCL Cooler No.	Temp.	Cooler Received	DCL Cooler No.	Temp.	Cooler Received	DCL Cooler No.	Temp.
1	C19 01890	2 °C	4	C19	°C	7	C19	°C
2	C19	°C	5	C19	°C	8	C19	°C
3	C19	°C	6	C19	°C	9	C19	°C

Taken By: Meredith Stump (Signature) Meredith Stump (Printed Name) 9/21/2019 (Date)

Client-Related Information

☐ Missing Cooler	☐ Missing Samples/Bottles	☐ Incorrect Preservation	☐ Insufficient Sample Volume
☐ Cooler Conditions	☐ Broken/Leaking Samples	☐ pH Criteria Not Met	☐ Chain of Custody Problems
☐ Missing Paperwork	☐ Incorrect Bottle Type	☐ Residual Chlorine Present	☐ Other:
☐ Missing/Incorrect Bottle Labels	☐ Cooler Temperatures Out of Range	☐ Head Space in Bottles	

Briefly Describe the Problem and the Action Taken:

Client Notified? YES ☐ No ☐

Response Required Within 24 Hours

Project Management

Project Manager Comments:

ALS Project Manager: _____ (Printed Name) Returned to Sample Receipt by: _____ (Signature) Date: _____



Part #:159469-434 RIT2 EXP 05/20 *


ORIGIN ID:SGRA (281) 530-5656
SHIPPING DEPT
ALS LABORATORY GROUP
10450 STANCLIFF RD.
SUITE 210
HOUSTON, TX 77099
UNITED STATES US

SHIP DATE: 20SEP19
ACTWGT: 41.45 LB
CAD: 300130/CAFE3211
DIMS: 26x14x14 IN

BILL THIRD PARTY

TO **SAMPLE RECEIVING**
ALS ENVIRONMENTAL
960 W. LEVOY DRIVE

SALT LAKE CITY UT 84123
(801) 266-7700
REF: HS19090804/860/962/964 - RJ



FedEx Express

J131111080501UN

SATURDAY 12:00P
PRIORITY OVERNIGHT

TRK# 0201 **1251 0289 7452**

XO BTFA

84123
UT-US **SLC**



Batch Worklist

Batch: ELMS/ 2296 **Created:** 9/30/2019 07:44 **Instrument:** **HBN:** 248804

Rule: EPA 6850, DoD QSM Water **Analyst:** T. Bosch **Status:** WP

Workorder: 1927216 [ENV_LVL4]

Pos	Lab ID	Sample ID	Prep Initial	Prep Final	Dust Weight	Type	Mx	Container	Procedure	Mgr	Expire Date	Due Date	Run Date
1	676272	CCV for HBN 248804 [ELMS/2296]				CCV	3		E685041C3Q	5311		10/3/2019	
2	676273	RLVS for HBN 248804 [ELMS/2296				RLVS	3		E685041C3Q	5311		10/3/2019	
3	676274	ICS for HBN 248804 [ELMS/2296]				ICS	3		E6850..D3Q	5311		10/3/2019	
4	676275	LMB for HBN 248804 [ELMS/2296]				LMB	3		E6850Q413Q	5311		10/3/2019	
5	676276	LCS for HBN 248804 [ELMS/2296]				LCS	3		E6850Q413Q	5311		10/3/2019	
6	1927216001	16WW13-190918				SAMPLE	3	1927216001-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
7	1927216002	16WW48-190918				SAMPLE	3	1927216002-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
8	1927216003	16WW35-190918				SAMPLE	3	1927216003-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
9	1927216004	16WW30-190918				SAMPLE	3	1927216004-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
10	1927216005	16EW06-190918				SAMPLE	3	1927216005-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
11	1927216006	16WW26-190917				SAMPLE	3	1927216006-A	E6850Q41.3	5480	10/15/2019	10/3/2019	
12	1927216007	16EW02-190918				SAMPLE	3	1927216007-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
13	1927216008	16WW29-190918				SAMPLE	3	1927216008-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
14	1927216009	16WW29-190918MS				MS	3	1927216009-A	E6850Q413Q	5480		10/3/2019	
15	1927216010	16WW29-190918MSD				MSD	3	1927216010-A	E6850Q413Q	5480		10/3/2019	
16	676277	CCV for HBN 248804 [ELMS/2296]				CCV	3		E685041C3Q	5311		10/3/2019	
17	1927216011	16WW12-190918				SAMPLE	3	1927216011-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
18	1927216012	16WW57-190918				SAMPLE	3	1927216012-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
19	1927216013	16WW57-190918MS				MS	3	1927216013-A	E6850Q413Q	5480		10/3/2019	
20	1927216014	16WW57-190918MSD				MSD	3	1927216014-A	E6850Q413Q	5480		10/3/2019	
21	1927216015	16WW26-190917-FD				FLDDUP	3	1927216015-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
22	676278	CCV for HBN 248804 [ELMS/2296]				CCV	3		E685041C3Q	5311		10/3/2019	

ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Environmental Division

Analytical Documentation

Analyst Write-up

ALS Work Order #'s & Sample #( )'s: 1927216 (001-15)
ELMS Batch/HBN ID: 2296 (248804)
Prep Date: 09/27/2019 Analysis Date: 09/30/2019 Analyst: T. Bosch
Analyte: **Perchlorate** Matrix: **Water** Method: **6850**
Sequence: \\HPCHEM\1\SEQUENCE\CLO4\2019\SEP\30SEP19D.s
Reported DL: **1.0µg/L** Reported LOD: **2.0µg/L** Reported LOQ: **4.0µg/L**

SAMPLE PREPARATION/ANALYSIS:

Water: Samples were prepared by Thomas Bosch. 10.0mL of each sample was pipetted into a 15-mL centrifuge tube, and 50µL of an oxygen-18 labeled perchlorate solution was added as an internal standard. The samples were capped, vortexed, and filtered with Phenex PES membrane 0.45µm Syringe filters prior to analysis.

REAGENTS: Eluent A1: 95% ASTM Type II water (ALS)/5%ACN (B&J Lot DU461-US)/0.1% glacial acetic acid (JT-Baker Lot 122550).
Eluent B1: 95% ACN (B&J Lot DU461-US)/5% ASTM Type II water (ALS)/0.1% glacial acetic acid (JT-Baker Lot 122550).

STANDARDS: Internal Standard Spiking Solution Horizon# 47863. Dilutions of Working Standards (Horizon: 49947/48) used for ICAL, CCV's, RLVS and ICS.

CALIBRATION CURVE: Used curve from 09/20/2019, sequence 20SEP19D.s Offline Quantitation Method: CLO4-DP3.M

INSTRUMENT CONDITIONS: Samples were analyzed with an Agilent 1100 LC/MSD system, in negative SIM mode, monitoring m/z 83, 85, and 89.
Instrument ID: LCMS04 Online Acquisition Method: CLO4-AQN.M Fragmentor: 160 Output Gain: 8 Injection Volume: 30µL
Column: KP-RPPX C8 separator, 250mm Mobile Phase: 70% Eluent A1; 30% Eluent B1 Run time: 12.0min.

FLOW GRADIENT:

Time (min.)	Flow (mL/min)
0	0.65
5.8	0.65
5.9	0.25
10.3	0.25
10.5	0.65
12.0	0.65

QC DATA: 3.0µL of QC Solution Horizon ID 47516 was used for LCS 676276; Target = 3.0µg/L. ASTM type II water was used for LMB 676275.

MS/MSD: The Matrix Spike and duplicate (MS/MSD) were performed on samples 1927216009/10 and 1927216013/14 (Client ID's: 16WW29-190918 and 16WW57-190918). 3.0µl of Working Standard Solution Horizon ID 49947 was added to 10.0mL of sample preparation. Spike target = 3.0µg/L.

COMMENTS:

1) Results reported in µg/L. Field samples 1927216003/11 were analyzed and reported from 1:10 dilutions. The reporting limits have been adjusted accordingly. Field samples 1927216002/07/12 had positive results for perchlorate. However, because the 83/85 ion ratio failed, these results were not reported.
2) All QC, Blank, CCV, and MS/MSD results were within method parameters, except for the following. The MS/MSD (1927216013/14) failed QC acceptance criteria for percent recoveries and for the 83/85 ion ratio. The Matrix Spike and Matrix Spike duplicate is reported for the clients' information only. The sample matrix may be inappropriate for the method selected.
3) Sample data can be viewed at two directories within the ALS system: \\ALSLTWS013\LCMS\LCMS04\2019\SEP\HBN# or through NuGenesis\Tree\PrintData\LCMS\DefaultView.
4) Notebook: \\alsltws013\ORGANIC\BOSCH\LCMS\Perchlorates\Waters\2019\248804-DoD-ALS-Hstn LCMS4 or through \\ALSLTWS013\DATAREVIEW\HBN#
5) The Reporting Limit Verification Standard (RLVS – 676273) is reported from the analysis of the Laboratory Control Sample (LCS – 676276) at a level of 3.0µg/L.
6) Due to limitations of the Chemstation Software, some of the chromatographic peaks require manual integration. Manual Integrations were performed for one of the Initial Calibration analyses (datafile: 20SEPI03) along with datafiles 30SEP19D13/14/17/18/19.

5.5 Chromatography (GC, HPLC and LC/MS) Technical Review

Note: It is the peer reviewer's responsibility to ensure that appropriate criteria are used as defined in the HORIZON PROFILE. The evaluation criteria are prioritized as per Section 2.2 of this SOP. These items must be checked for all projects. The following checklist will be completed by both the analyst and the peer reviewer and scanned into the HBN folder with the raw data.

Chromatography (GC, HPLC, LC/MS) Technical Review Criteria **Batch(es)/SDG:** ELMS: 2296 HBN: 248804 **Sample Set IDs if Applicable:** WO: 1927216	**Analyst Initials**	**Reviewer Initials**
Sample positions on autosampler verified against instrument sequence	TB	NA
Calibration standards analyzed and meets criteria	TB	SB
Standards traceability checked and meets criteria	TB	SB
Standard curve coefficients evaluated and meet criteria	TB	SB
ICVs analyzed and meet acceptance criteria	TB	SB
CCVs analyzed and meet acceptance criteria	TB	SB
Retention Time Windows checked	TB	SB
For method 8081A, Endrin/DDT Breakdown is checked for compliance	—	—
Surrogate recoveries checked and appropriately addressed	—	—
Method Preparation Blanks analyzed and meet acceptance criteria	TB	SB
MSs, MSDs, and/or MDs analyzed and calculations checked; applicable	TB	SB
RLVS analyzed	TB	SB
Preparation and analysis hold times met	TB	SB
Preparation deviations and re-preparations noted when performed	TB	SB
Analysis deviations and re-analyses noted when performed	TB	SB
Sample dilution factors noted on reports	TB	SB
Electronic records in HBN transcription accuracy and completeness	TB	SB
Preparation and analysis calculations checked	TB	SB
NCRs are completed as necessary NC/CAR#_____	TB	SB
Report forms are complete and accurate	TB	SB
Manual integrations checked	TB	SB

STANDARD REPORT

Working Standard - CLO4ISTDWRK

CLO4ISTDWRK		Description - Perchlorate ISTD Wrk 1,000ug/L
Standard: 49946	**Created By:** Thomas Bosch	**Amount:** 25 mL
MFG: ALS/SLC	**Create Date:** 09/23/2019 03:09PM	**Expires:** 09/19/2020
MFG Lot: TNB: 09/20/2019	**Verified By:** Thomas Bosch	**Usable:** Yes
Pipette ID: Not Provided	**Verify Date:**	**Lab Lot:** CLO4ISTDWRK

Pos.	Analyte	Name	Concentration
1	14797-73-0-8385	Perchlorate 83:85 Ratio	1000 ug/L
2	14797-73-0-89	Perchlorate 89	1000 ug/L

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
47863	CLO4ISTDSTK	Perchlorate ISTD Stock	CLO4ISTDSTK	0.25 mL	12/05/2028

STANDARD REPORT

Constituent

Stock Standard - CLO4ISTDSTK

CLO4ISTDSTK — **Description - Perchlorate ISTD Stock**

Standard:	**47863**	**Created By:**	Thomas Bosch	**Amount:**	1 mL
MFG:	Cambridge Isotope	**Create Date:**	05/23/2019 10:05AM	**Expires:**	12/05/2028
MFG Lot:	SDIH-016	**Verified By:**	Thomas Bosch	**Usable:**	Yes
Part ID:	OLM-7310-S	**Verify Date:**		**Lab Lot:**	CLO4ISTDSTK

Pos.	Analyte	Name	Concentration
1	14797-73-0-8385	Perchlorate 83:85 Ratio	100 ug/mL
2	14797-73-0-89	Perchlorate 89	100 ug/mL

STANDARD REPORT

Working Standard - CLO4 WRK

CLO4 WRK — **Description - 6850 WKG Std 100.ug/L**

Standard: 49948
MFG: ALS/SLC
MFG Lot: TNB: 09/20/2019
Pipette ID: Not Provided

Created By: Thomas Bosch
Create Date: 09/20/2019 03:09PM

Amount: 10 mL
Expires: 07/25/2020
Usable: Yes
Lab Lot: CLO4 WRK

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	0.1 ug/mL
2	14797-73-0-8385	Perchlorate 83:85 Ratio	0.1 ug/mL

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
109	ASTM H2O	ASTM Type II Water	LAB 109	9.9 mL	11/07/2025
49947	CLO4 INT	6850 Intermdt AccStd 10.ug/mL	CLO4 INT	0.1 mL	07/25/2020

STANDARD REPORT

Constituent

Stock Standard - CLO4 STOCK

CLO4 STOCK	Description - 6850 Stock AccStd 1,000ug/mL

Standard: 43659
MFG: AccuStandard
MFG Lot: 218065075
Part ID: IC-PER-10X-1

Created By: Thomas Bosch
Create Date: 09/17/2018 09:09AM

Amount: 100 mL
Expires: 07/25/2020
Usable: Yes
Lab Lot: CLO4 STOCK

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	1000 ug/mL
2	14797-73-0-8385	Perchlorate 83:85 Ratio	1000 ug/mL

STANDARD REPORT

Constituent

Solvent Standard - ASTM H2O

ASTM H2O		Description - ASTM Type II Water
Standard: 109	**Created By:** ALS Support (Lims)	**Amount:** 1000 L
MFG: DCL In House	**Create Date:** 10/06/2005 09:10AM	**Expires:** 11/07/2025
MFG Lot: Not Provided		**Usable:** Yes
Part ID: Not Provided		**Lab Lot:** LAB 109

Pos.	Analyte	Name	Concentration
Solvent - Analyte(s) not applicable			

STANDARD REPORT

Constituent

Working Standard - CLO4 INT

CLO4 INT — **Description - 6850 Intermdt AccStd 10.ug/mL**

Standard: 49947
MFG: ALS/SLC
MFG Lot: TNB: 09/20/2019
Pipette ID: Not Provided

Created By: Thomas Bosch
Create Date: 09/23/2019 03:09PM

Amount: 10 mL
Expires: 07/25/2020
Usable: Yes
Lab Lot: CLO4 INT

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	10 ug/mL
2	14797-73-0-8385	Perchlorate 83:85 Ratio	10 ug/mL

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
109	ASTM H2O	ASTM Type II Water	LAB 109	9.9 mL	11/07/2025
43659	CLO4 STOCK	6850 Stock AccStd 1,000ug/mL	CLO4 STOCK	0.1 mL	07/25/2020

STANDARD REPORT

Working Standard - CLO4 QC WRK

CLO4 QC WRK — **Description - 6850 QC WKG STD 100ug/L**

Standard: 47516
MFG: ALS/SLC
MFG Lot: TNB: 05/06/2019
Pipette ID: Not Provided

Created By: Thomas Bosch
Create Date: 05/06/2019 03:05PM

Amount: 10 mL
Expires: 03/31/2020
Usable: Yes
Lab Lot: CLO4 QC WRK 100.ug/L

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	100 ug/L

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
109	ASTM H2O	ASTM Type II Water	LAB 109	9.9 mL	11/07/2025
47515	CLO4 QC INT	6850 QC Intrmdt Std-QC 10ug/mL	CLO4 QC INT 10.ug/mL	0.1 mL	03/31/2020

STANDARD REPORT

Constituent

Solvent Standard - ASTM H2O

ASTM H2O		Description - ASTM Type II Water
Standard: 109	**Created By:** ALS Support (Lims)	**Amount:** 1000 L
MFG: DCL In House	**Create Date:** 10/06/2005 09:10AM	**Expires:** 11/07/2025
MFG Lot: Not Provided		**Usable:** Yes
Part ID: Not Provided		**Lab Lot:** LAB 109

Pos.	Analyte	Name	Concentration
Solvent - Analyte(s) not applicable			

STANDARD REPORT

Constituent

Stock Standard - CLO4 QCSTOCK

CLO4 QCSTOCK	Description - 6850 QC Stock STD 1,000ug/mL

Standard: 36748
MFG: Ultra Scientific
MFG Lot: CP-0860
Part ID: ICC-013

Created By: Thomas Bosch
Create Date: 05/11/2017 01:05PM

Amount: 100 mL
Expires: 03/31/2020
Usable: Yes
Lab Lot: CLO4 QC STOCK

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	1000 ug/mL

STANDARD REPORT

Constituent

Working Standard - CLO4 QC INT

CLO4 QC INT — **Description - 6850 QC Intrmdt Std-QC 10ug/mL**

Standard: 47515
MFG: ALS/SLC
MFG Lot: TNB: 05/06/2019
Pipette ID: Not Provided

Created By: Thomas Bosch
Create Date: 05/06/2019 03:05PM

Amount: 10 mL
Expires: 03/31/2020
Usable: Yes
Lab Lot: CLO4 QC INT 10.ug/mL

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	10 ug/mL

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
109	ASTM H2O	ASTM Type II Water	LAB 109	9.9 mL	11/07/2025
36748	CLO4 QCSTOCK	6850 QC Stock STD 1,000ug/mL	CLO4 QC STOCK	0.1 mL	03/31/2020

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

S 43659

AccuTrace™ Reference Standard

Catalog No: IC-PER-10X-1
Description: Perchlorate Standard
Element: Perchlorate (ClO_4)
SRM: Ind. Std.
Lot: 218065075
Matrix: Water
Hazards: *Refer to SDS for complete safety information*

Signal Word: None

Date Certified: Jun 25, 2018
Expiration: Jul 25, 2020
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)
Included on ISO/IEC 17025 Scope of Accreditation: Yes
Included on ISO 17034 Scope of Accreditation: Yes

Component		SRM #	Prepared Concentration (µg/mL)
ClO_4	Perchlorate	Ind. Std.	1000

The gravimetric uncertainty for this product is ±0.24%.
The final solution was checked against an independent standard to verify its concentration.
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as ASTM Type I 18 megohm deionized water.
All solutions are filtered through a 0.2 µm filter prior to being bottled.
All glassware used in preparation is Class A and calibrated regularly.
All weights are traceable through NIST, Test No. 822-275872-11
All bottles are triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware.
We certify the accuracy of this standard to be ±0.5% of the stated value until its expiration date provided it is kept tightly capped and stored under the conditions stated above.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

AccuStandard

ULTRA SCIENTIFIC
Analytical Solutions

Certificate of Analysis

ISO Guide 34 Reference Material

Product Number: ICC-013
Lot Number: CP-0860

S 36748

Lot Issue Date: 29-Feb 2016
Expiration Date: 31-Mar 2020

Product Name: Perchlorate IC Standard

Description:
This Reference Material (RM) was gravimetrically prepared in accordance with ISO Guide 34 and under ULTRA Scientific's ISO 9001 registered quality system. The neat materials used for this product have been verified by ULTRA's ISO 17025 laboratory and under ULTRA's ISO Guide 34 accreditation. The analyte concentrations were verified by ULTRA's ISO 17025 accredited laboratory. For each analyte, the true value, with its uncertainty value calculated at the 95% confidence level, is reported below.

Analyte	Starting Material	Lot Number	Purity (%)	Calculated Value	True Value	Traceability & Method
perchlorate	potassium perchlorate	RM07987	100	1001 ± 5 µg/mL	976 ± 6 µg/mL	NIST SRM 3141A; ICP-OES

Solvent: water (low TOC, < 50 ppb)

Storage: Store at Room Temperature (15° to 30°C).

Traceability:
Traceability has been established through an unbroken chain of comparisons, each having stated uncertainties. Comparisons are based on appropriate physical or chemical measurements, including gravimetric or volumetric dilution, where the mass or volume of a solution before and after dilution is measured. The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z-540-1, ISO 9001, ISO 17025, and ISO Guide 34. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 819.

Estimation of Uncertainties:
The true value is reported, with its uncertainty value calculated at the 95% confidence level.

Homogeneity:
This RM was formulated and unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Intended Use:
This RM is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods and continuing calibration verification.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening and should be processed without delay for the true value to be valid within the stated uncertainties. Do not pipet from the bottle. Do not return any material removed for pipetting to the bottle. Tightly cap the bottle after removing any material and store according to the instructions noted above.

Hazards:
Refer to the Safety Data Sheet for information regarding this RM.

Expiration of Certification:
The certification of this RM is valid, within the measurement uncertainty specified, until the expiration date specified above, provided the RM is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the RM is damaged, contaminated, or otherwise modified.

ANAB ACCREDITED ACCREDITED REFERENCE MATERIAL PRODUCER
ANAB ACCREDITED ACCREDITED TESTING LABORATORY

ISO 9001 Registered Quality System – TUV USA

ULTRA SCIENTIFIC
Analytical Solutions

Certificate of Analysis

TRIPLE ISO CERTIFICATION ULTRA ISO 17025 • ISO GUIDE 34 • ISO 9001

ISO Guide 34 Reference Material

Product Number: ICC-013
Lot Number: CP-0860

Lot Issue Date: 29-Feb 2016
Expiration Date: 31-Mar 2020

Maintenance of Certification:
The real-time, long term stability of the RM may be monitored over the lifetime of the certification. If substantive changes occur that affect the certification before the expiration of this certificate, ULTRA Scientific will notify the purchaser.

Peter A. King, Ph.D.
VP, Technical Operations

Daniel J. Lamendola
Director of QA/RA

ANAB ACCREDITED ISO 17034 REFERENCE MATERIAL PRODUCER

ANAB ACCREDITED ACCREDITATION TESTING LABORATORY

ISO 9001 Registered Quality System – TUV USA

ALS
250 SMITH STREET • NORTH KINGSTOWN, RHODE ISLAND 02852 • WWW.ULTRASCI.COM

Cambridge Isotope Laboratories, Inc.

Certificate of Analysis

S 47863

Product Name: PERCHLORIC ACID, SODIUM SALT
(Isotopic Label & Enrichment Specification) (18O4, 90%+) 100 UG/ML IN WATER

Lot Number: SDIH-016

Catalog Number: OLM-7310-S

Product Information

Chemical Purity Specification: ≥98%

MW*: 130.44
** For isotopically labeled compounds, MW listed is for the fully enriched product.*

$NaCl^{18}O_4$

Labeled CAS Number: NA

Unlabeled CAS Number: 7601-89-0

Chemical Formula: NaCl*O4

Storage: Store at room temperature away from light and moisture.
Stability: See storage and expiration date.

Certification

Cambridge Isotope Laboratories, Inc. guarantees that this material meets or exceeds the specifications stated. Absolute identity as well as chemical and isotopic purities are assured by the use of unambiguous synthetic routes and multiple chemical analyses whenever possible. Results are representative of QC testing at time of release from Quality Control unless otherwise stated. CIL Certificates of Analysis are occasionally updated with new data following recertification. We recommend checking the website for the latest version.

Volumetric measurements were made with Class A glassware. Gravimetry is traceable to the NIST through calibrated balances and certified, calibrated, standard weights. The calibrations are traceable to the NIST under Test No. 822/270236-04. The calibrations also meet specifications outlined in ISO 9001, ISO/IEC 17025, ANSI/NSCL Z540-1-1994, NCR Document 10CFR50 Appendix B, and applicable subdocuments.

This COA references the bulk catalog number before packaging. The COA also applies to the CIL finished good catalog number . Some possible packaging sizes and their corresponding suffix are -1.2, -1, -0.5, -10, or -0.1.

Approved by: Sashi Sivendran-Basak

Sashi Sivendran-Basak, Ph.D., Quality Review

Quality Control Tests and Results

QC Release Date	12/05/2018
Expiration Date	12/05/2028
Concentration Based on Gravimetry	100.0 ± 1.0 µg/mL (k=2)
Chemical Purity of Neat Material(s)	98%
LC/MS for Concentration	105.4 ± 1.1 µg/mL (k=2)

ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Environmental Division

Raw Data

01030273

Batch Review Method:
C:\HPCHEM\1\METHODS\CLO4-DP3.M

['#' ==> Run has not been reprocessed with Batch Review Method
'*' ==> Run has been saved with batch file]

#	Sample	Location	Inj	SampleType	Run	Perchlorate Area	Perchlorat RT	Perchlorate Amount
#*	676272 CCV@25	Vial 71	1	Control	1	1.56600e6	7.595	26.02108
#*	676276 QC@3.0	Vial 72	1	Control	2	1.96115e5	7.644	2.92087
#*	676274 ICS@3.0	Vial 73	1	Control	3	1.45680e5	7.390	2.81629
#*	676275 LMB	Vial 74	1	Control	4	0.00000	0.000	0.00000
#*	1927216001	Vial 75	1	Sample	5	0.00000	0.000	0.00000
#*	1927216002	Vial 76	1	Sample	6	2.88811e5	6.748	5.75121 NR
#*	1927216003 10X	Vial 77	1	Sample	7	2.28133e6	7.063	407.99148
#*	1927216004	Vial 78	1	Sample	8	0.00000	0.000	0.00000
#*	1927216005	Vial 79	1	Sample	9	2.04676e6	6.340	42.11030
#*	1927216006	Vial 80	1	Sample	10	0.00000	0.000	0.00000
#*	1927216007	Vial 81	1	Sample	11	2.26434e5	6.705	4.60499 NR
#*	1927216008	Vial 82	1	Sample	12	0.00000	0.000	0.00000
#*	1927216009 MS	Vial 83	1	Sample	13	1.18250e5	6.955	3.46729
#*	1927216010 MSD	Vial 84	1	Sample	14	1.20090e5	6.904	3.46127
#*	676277 CCV@25	Vial 71	1	Control	15	1.23242e6	7.640	24.44201
#*	1927216011 10X	Vial 85	1	Sample	16	6.61980e5	7.247	123.77046
#*	1927216012	Vial 86	1	Sample	17	6.13980e4	6.905	1.17967 NR
#*	1927216013 MS	Vial 87	1	Sample	18	2.33237e5	6.575	4.82136
#*	1927216014 MSD	Vial 88	1	Sample	19	2.35404e5	6.609	4.94234
#*	1927216015	Vial 89	1	Sample	20	0.00000	0.000	0.00000
*	676278 CCV@25	Vial 71	1	Control	21	1.24264e6	7.614	24.78286

NR- NOT REPORTED / FAILS 83/85 ION RATIO TB 10.2.19

#	Sample	Location	Inj	SampleType	Run	CLO4-89-ISTD Area	CLO4-89-IS RT	CLO4-89-ISTD Amount
#*	676272 CCV@25	Vial 71	1	Control	1	2.04773e5	7.613	5.00000
#*	676276 QC@3.0	Vial 72	1	Control	2	2.46957e5	7.670	5.00000
#*	676274 ICS@3.0	Vial 73	1	Control	3	1.90155e5	7.412	5.00000
#*	676275 LMB	Vial 74	1	Control	4	2.16188e5	7.678	5.00000
#*	1927216001	Vial 75	1	Sample	5	1.73072e5	7.114	5.00000
#*	1927216002	Vial 76	1	Sample	6	1.84829e5	6.767	5.00000
#*	1927216003 10X	Vial 77	1	Sample	7	1.79251e5	7.082	50.00000
#*	1927216004	Vial 78	1	Sample	8	1.74979e5	7.371	5.00000
#*	1927216005	Vial 79	1	Sample	9	1.55012e5	6.349	5.00000
#*	1927216006	Vial 80	1	Sample	10	1.58772e5	6.958	5.00000
#*	1927216007	Vial 81	1	Sample	11	1.81295e5	6.735	5.00000
#*	1927216008	Vial 82	1	Sample	12	1.13295e5	6.855	5.00000
#*	1927216009 MS	Vial 83	1	Sample	13	1.25674e5	7.005	5.00000
#*	1927216010 MSD	Vial 84	1	Sample	14	1.27849e5	6.965	5.00000
#*	676277 CCV@25	Vial 71	1	Control	15	1.72685e5	7.670	5.00000
#*	1927216011 10X	Vial 85	1	Sample	16	1.92472e5	7.273	50.00000
#*	1927216012	Vial 86	1	Sample	17	1.85346e5	6.895	5.00000
#*	1927216013 MS	Vial 87	1	Sample	18	1.78326e5	6.601	5.00000
#*	1927216014 MSD	Vial 88	1	Sample	19	1.75551e5	6.629	5.00000
#*	1927216015	Vial 89	1	Sample	20	1.53702e5	6.971	5.00000
*	676278 CCV@25	Vial 71	1	Control	21	1.71481e5	7.648	5.00000

#	Sample	Location	Inj	SampleType	Run	CLO4-85 Area	CLO4-85 RT	CLO4-85 Amount
#*	676272 CCV@25	Vial 71	1	Control	1	4.77767e5	7.612	26.04245
#*	676276 QC@3.0	Vial 72	1	Control	2	6.23333e4	7.664	2.95484
#*	676274 ICS@3.0	Vial 73	1	Control	3	5.07831e4	7.406	3.13355
#*	676275 LMB	Vial 74	1	Control	4	0.00000	0.000	0.00000
#*	1927216001	Vial 75	1	Sample	5	0.00000	0.000	0.00000
#*	1927216002	Vial 76	1	Sample	6	6.87489e4	6.763	4.40463
#*	1927216003 10X	Vial 77	1	Sample	7	6.82059e5	7.081	402.85341
#*	1927216004	Vial 78	1	Sample	8	0.00000	0.000	0.00000
#*	1927216005	Vial 79	1	Sample	9	5.51912e5	6.355	38.01171
#*	1927216006	Vial 80	1	Sample	10	0.00000	0.000	0.00000

Batch Report: C:\HPCHEM\1\DATA\30SEP19D\30SEP19S.B

#	Sample	Location	Inj	SampleType	Run	CLO4-85 Area	CLO4-85 RT	CLO4-85 Amount
#*	1927216007	Vial 81	1	Sample	11	4.30990e4	6.725	2.77560
#*	1927216008	Vial 82	1	Sample	12	0.00000	0.000	0.00000
#*	1927216009 MS	Vial 83	1	Sample	13	4.04878e4	6.955	3.80300
#*	1927216010 MSD	Vial 84	1	Sample	14	4.23395e4	6.954	3.91199
#*	676277 CCV@25	Vial 71	1	Control	15	3.73453e5	7.656	24.29674
#*	1927216011 10X	Vial 85	1	Sample	16	2.01335e5	7.268	122.64925
#*	1927216012	Vial 86	1	Sample	17	6506.67236	6.905	2.72099e-1
#*	1927216013 MS	Vial 87	1	Sample	18	4.23561e4	6.571	2.77307
#*	1927216014 MSD	Vial 88	1	Sample	19	4.21995e4	6.612	2.80803
#*	1927216015	Vial 89	1	Sample	20	0.00000	0.000	0.00000
*	676278 CCV@25	Vial 71	1	Control	21	3.80145e5	7.632	24.85402

*** End of Report ***

Sequence: C:\HPCHEM\1\SEQUENCE\CLO4\2019\SEP\30SEP19D.S

Sequence Table:

Method and Injection Info Part:


Line	Location	SampleName		Method	Inj	SampleType	InjVolume	DataFile
1	Vial 71	676272	CCV@25	CLO4-AQN	1	Ctrl Samp		
2	Vial 72	676276	QC@3.0	CLO4-AQN	1	Ctrl Samp		
3	Vial 73	676274	ICS@3.0	CLO4-AQN	1	Ctrl Samp		
4	Vial 74	676275	LMB	CLO4-AQN	1	Ctrl Samp		
5	Vial 75	1927216001		CLO4-AQN	1	Sample		
6	Vial 76	1927216002		CLO4-AQN	1	Sample		
7	Vial 77	1927216003	10X	CLO4-AQN	1	Sample		
8	Vial 78	1927216004		CLO4-AQN	1	Sample		
9	Vial 79	1927216005		CLO4-AQN	1	Sample		
10	Vial 80	1927216006		CLO4-AQN	1	Sample		
11	Vial 81	1927216007		CLO4-AQN	1	Sample		
12	Vial 82	1927216008		CLO4-AQN	1	Sample		
13	Vial 83	1927216009	MS	CLO4-AQN	1	Sample		
14	Vial 84	1927216010	MSD	CLO4-AQN	1	Sample		
15	Vial 71	676277	CCV@25	CLO4-AQN	1	Ctrl Samp		
16	Vial 85	1927216011	10X	CLO4-AQN	1	Sample		
17	Vial 86	1927216012		CLO4-AQN	1	Sample		
18	Vial 87	1927216013	MS	CLO4-AQN	1	Sample		
19	Vial 88	1927216014	MSD	CLO4-AQN	1	Sample		
20	Vial 89	1927216015		CLO4-AQN	1	Sample		
21	Vial 71	676278	CCV@25	CLO4-AQN	1	Ctrl Samp		

Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD01.D Sample Name: 676272 CCV@25

Injection Date:	9/30/2019 08:52:57	Seq Line:	1
Sample Name:	676272 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD01.D Sample Name: 676272 CCV@25

Injection Date:	9/30/2019 08:52:57	Seq Line:	1
Sample Name:	676272 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	25.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.595	PBA	1565998.9	26.0211	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.612	PBA	477766.8	26.0424	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.613	PBA	204773.1	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD02.D Sample Name: 676276 QC@3.0


Injection Date:	9/30/2019 09:08:53	Seq Line:	2
Sample Name:	676276 QC@3.0	Location:	Vial 72
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD02.D Sample Name: 676276 QC@3.0

Injection Date:	9/30/2019 09:08:53	Seq Line:	2
Sample Name:	676276 QC@3.0	Location:	Vial 72
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	3.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.644	PBA	196115.4	2.9209	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.664	PBA	62333.3	2.9548	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.670	PBA	246957.3	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD03.D Sample Name: 676274 ICS@3.0


Injection Date:	9/30/2019 09:22:40	Seq Line:	3
Sample Name:	676274 ICS@3.0	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD03.D Sample Name: 676274 ICS@3.0

Injection Date:	9/30/2019 09:22:40	Seq Line:	3
Sample Name:	676274 ICS@3.0	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	3.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.390	PBA	145680.2	2.8163	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.406	PBA	50783.1	3.1335	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.412	PBA	190155.2	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD04.D Sample Name: 676275 LMB


Injection Date:	9/30/2019 09:36:31	Seq Line:	4
Sample Name:	676275 LMB	Location:	Vial 74
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD04.D Sample Name: 676275 LMB

Injection Date:	9/30/2019 09:36:31	Seq Line:	4
Sample Name:	676275 LMB	Location:	Vial 74
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.678	PBA	216188.0	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD05.D Sample Name: 1927216001


Injection Date:	9/30/2019 09:50:16	Seq Line:	5
Sample Name:	1927216001	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD05.D Sample Name: 1927216001

Injection Date:	9/30/2019 09:50:16	Seq Line:	5
Sample Name:	1927216001	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.114	PBA	173072.1	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD06.D Sample Name: 1927216002


Injection Date:	9/30/2019 10:04:04	Seq Line:	6
Sample Name:	1927216002	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD06.D Sample Name: 1927216002

Injection Date:	9/30/2019 10:04:04	Seq Line:	6
Sample Name:	1927216002	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.748	BBA	288811.3	5.7512	Perchlorate

NOT REPORTED
FAILS ION RATIO

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.763	PBA	68748.9	4.4046	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.767	PBA	184829.5	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD07.D Sample Name: 1927216003 10X


Injection Date:	9/30/2019 10:17:53	Seq Line:	7
Sample Name:	1927216003 10X	Location:	Vial 77
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD07.D Sample Name: 1927216003 10X

Injection Date:	9/30/2019 10:17:53	Seq Line:	7
Sample Name:	1927216003 10X	Location:	Vial 77
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	10.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.063	PBA	2281326.7	407.9915	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.081	PBA	682058.6	402.8534	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.082	BBA	179251.3	50.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD08.D Sample Name: 1927216004


Injection Date:	9/30/2019 10:31:39	Seq Line:	8
Sample Name:	1927216004	Location:	Vial 78
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD08.D Sample Name: 1927216004

Injection Date:	9/30/2019 10:31:39	Seq Line:	8
Sample Name:	1927216004	Location:	Vial 78
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.371	PBA	174978.6	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD09.D Sample Name: 1927216005

Injection Date:	9/30/2019 10:45:27	Seq Line:	9
Sample Name:	1927216005	Location:	Vial 79
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD09.D Sample Name: 1927216005

Injection Date:	9/30/2019 10:45:27	Seq Line:	9
Sample Name:	1927216005	Location:	Vial 79
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.340	PBA	2046757.0	42.1103	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.355	PBA	551912.3	38.0117	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.349	PBA	155012.2	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD10.D Sample Name: 1927216006


Injection Date:	9/30/2019 10:59:16	Seq Line:	10
Sample Name:	1927216006	Location:	Vial 80
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD10.D Sample Name: 1927216006

Injection Date:	9/30/2019 10:59:16	Seq Line:	10
Sample Name:	1927216006	Location:	Vial 80
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.958	PBA	158772.2	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD11.D Sample Name: 1927216007


Injection Date:	9/30/2019 11:13:04	Seq Line:	11
Sample Name:	1927216007	Location:	Vial 81
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD11.D Sample Name: 1927216007

Injection Date:	9/30/2019 11:13:04	Seq Line:	11
Sample Name:	1927216007	Location:	Vial 81
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.705	BBA	226434.1	4.6050	Perchlorate

NOT REPORTED
FAILS 83/85 ION RATIO

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.725	PBA	43099.0	2.7756	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.735	BBA	181295.4	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD12.D Sample Name: 1927216008


Injection Date:	9/30/2019 11:26:49	Seq Line:	12
Sample Name:	1927216008	Location:	Vial 82
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD12.D Sample Name: 1927216008

Injection Date:	9/30/2019 11:26:49	Seq Line:	12
Sample Name:	1927216008	Location:	Vial 82
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.855	BB	113295.4	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD13.D Sample Name: 1927216009 MS


Injection Date:	9/30/2019 11:40:35	Seq Line:	13
Sample Name:	1927216009 MS	Location:	Vial 83
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD13.D Sample Name: 1927216009 MS

Injection Date:	9/30/2019 11:40:35	Seq Line:	13
Sample Name:	1927216009 MS	Location:	Vial 83
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.955	MM	118250.5	3.4673	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.955	MM	40487.8	3.8030	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.005	MF	125673.6	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD14.D Sample Name: 1927216010 MSD


Injection Date:	9/30/2019 11:54:25	Seq Line:	14
Sample Name:	1927216010 MSD	Location:	Vial 84
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD14.D Sample Name: 1927216010 MSD

Injection Date:	9/30/2019 11:54:25	Seq Line:	14
Sample Name:	1927216010 MSD	Location:	Vial 84
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.904	MM	120090.4	3.4613	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.954	MM	42339.5	3.9120	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.965	MF	127849.4	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD15.D Sample Name: 676277 CCV@25


Injection Date:	9/30/2019 12:08:12	Seq Line:	15
Sample Name:	676277 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD15.D Sample Name: 676277 CCV@25

Injection Date:	9/30/2019 12:08:12	Seq Line:	15
Sample Name:	676277 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	25.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.640	PBA	1232417.8	24.4420	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.656	PBA	373453.4	24.2967	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.670	PBA	172684.8	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD16.D Sample Name: 1927216011 10X


Injection Date:	9/30/2019 12:21:59	Seq Line:	16
Sample Name:	1927216011 10X	Location:	Vial 85
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD16.D Sample Name: 1927216011 10X

Injection Date:	9/30/2019 12:21:59	Seq Line:	16
Sample Name:	1927216011 10X	Location:	Vial 85
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	10.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.247	PBA	661979.6	123.7705	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.268	PBA	201335.2	122.6492	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.273	BBA	192472.1	50.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD17.D Sample Name: 1927216012


Injection Date:	9/30/2019 12:35:46	Seq Line:	17
Sample Name:	1927216012	Location:	Vial 86
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD17.D Sample Name: 1927216012

Injection Date:	9/30/2019 12:35:46	Seq Line:	17
Sample Name:	1927216012	Location:	Vial 86
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.905	MM	61398.0	1.1797	Perchlorate

NOT REPORTED
FAILS 83/85 ION RATIO.

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.905	MM	6506.7	0.2721	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.895	BB	185345.9	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD18.D Sample Name: 1927216013 MS

Injection Date:	9/30/2019 12:49:35	Seq Line:	18
Sample Name:	1927216013 MS	Location:	Vial 87
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD18.D Sample Name: 1927216013 MS

Injection Date:	9/30/2019 12:49:35	Seq Line:	18
Sample Name:	1927216013 MS	Location:	Vial 87
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.575	BBA	233237.3	4.8214	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.571	PBA	42356.1	2.7731	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.601	MF	178325.9	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD19.D Sample Name: 1927216014 MSD


Injection Date:	9/30/2019 13:03:22	Seq Line:	19
Sample Name:	1927216014 MSD	Location:	Vial 88
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD19.D Sample Name: 1927216014 MSD

Injection Date:	9/30/2019 13:03:22	Seq Line:	19
Sample Name:	1927216014 MSD	Location:	Vial 88
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.609	BBA	235403.7	4.9423	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.612	PBA	42199.5	2.8080	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.629	MF	175551.4	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD20.D Sample Name: 1927216015

Injection Date:	9/30/2019 13:17:11	Seq Line:	20
Sample Name:	1927216015	Location:	Vial 89
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD20.D Sample Name: 1927216015

Injection Date:	9/30/2019 13:17:11	Seq Line:	20
Sample Name:	1927216015	Location:	Vial 89
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.971	PBA	153701.9	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD21.D Sample Name: 676278 CCV@25


Injection Date:	9/30/2019 13:32:27	Seq Line:	21
Sample Name:	676278 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD21.D Sample Name: 676278 CCV@25

Injection Date:	9/30/2019 13:32:27	Seq Line:	21
Sample Name:	676278 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	25.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.614	PBA	1242642.1	24.7829	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.632	PBA	380145.4	24.8540	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.648	PBA	171481.5	5.0000	CLO4-89-ISTD

*** End of Report ***

ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Environmental Division

Raw Data

Initial Calibration

Calibration Table

Perchlorate

Calib. Data Modified : 9/23/2019 12:20:59 PM

Calculate : Internal Standard
Based on : Peak Area

Rel. Reference Window : 20.000 %
Abs. Reference Window : 0.000 min
Rel. Non-ref. Window : 20.000 %
Abs. Non-ref. Window : 0.000 min
Use Multiplier & Dilution Factor with ISTDs
Uncalibrated Peaks : not reported
Partial Calibration : No recalibration if peaks missing

Curve Type : Quadratic (some peaks differ, see below)
Origin : Ignored (some peaks differ, see below)
Weight : Linear (Amnt) (some peaks differ, see below)

Recalibration Settings:
Average Response : Average all calibrations
Average Retention Time: Floating Average New 75%

Calibration Report Options :
Printout of recalibrations within a sequence:
Calibration Table after Recalibration
Normal Report after Recalibration
If the sequence is done with bracketing:
Results of first cycle (ending previous bracket)

Default Sample ISTD Information (if not set in sample table):

ISTD #	ISTD Amount	Name
1	5.00000	CLO4-89-ISTD

Signal 1: MSD1 83, EIC=82.7:83.7
Signal 2: MSD1 85, EIC=84.7:85.7
Signal 3: MSD1 89, EIC=88.7:89.7

RetTime [min]	Sig	Lvl	Amount	Area	Amt/Area	Ref	Grp	Name
7.750	1	3	1.00000	5.39218e4	1.85454e-5		1	Perchlorate
		4	2.00000	1.32825e5	1.50574e-5			
		5	5.00000	2.76271e5	1.80982e-5			
		6	10.00000	5.61298e5	1.78159e-5			
		7	25.00000	1.51820e6	1.64669e-5			
		8	50.00000	3.31156e6	1.50986e-5			
		9	75.00000	5.23914e6	1.43153e-5			
7.767	3	3	5.00000	2.14568e5	2.33026e-5	+I1		CLO4-89-ISTD
		4	5.00000	2.04758e5	2.44190e-5			
		5	5.00000	2.13407e5	2.34294e-5			
		6	5.00000	2.09246e5	2.38953e-5			
		7	5.00000	2.07403e5	2.41077e-5			
		8	5.00000	2.02929e5	2.46391e-5			
		9	5.00000	1.97933e5	2.52611e-5			
7.778	2	3	1.00000	1.70436e4	5.86732e-5		1	CLO4-85
		4	2.00000	4.20754e4	4.75337e-5			
		5	5.00000	9.24707e4	5.40712e-5			
		6	10.00000	1.68622e5	5.93041e-5			
		7	25.00000	4.63724e5	5.39114e-5			
		8	50.00000	9.95933e5	5.02042e-5			

Method C:\HPCHEM\1\METHODS\CLO4-DP3.M

RetTime [min]	Sig	Lvl	Amount	Area	Amt/Area	Ref	Grp	Name
		9	75.00000	1.58066e6	4.74484e-5			

More compound-specific settings:

Compound: Perchlorate
- Time Window : From 3.581 min To 11.899 min
- Curve Type : Quadratic
- Origin : Ignored
- Calibration Level Weights:/
  - Level 3 : 1
  - Level 4 : 0.5
  - Level 5 : 0.2
  - Level 6 : 0.1
  - Level 7 : 0.04
  - Level 8 : 0.02
  - Level 9 : 0.013333

Compound: CLO4-89-ISTD
- Time Window : From 3.581 min To 11.896 min
- Curve Type : Linear
- Origin : Included
- Calibration Level Weights:/
  - Level 3 : 1
  - Level 4 : 1
  - Level 5 : 1
  - Level 6 : 1
  - Level 7 : 1
  - Level 8 : 1
  - Level 9 : 1


Compound: CLO4-85
- Time Window : From 3.601 min To 11.913 min
- Curve Type : Quadratic
- Origin : Ignored
- Calibration Level Weights:/
  - Level 3 : 1
  - Level 4 : 0.5
  - Level 5 : 0.2
  - Level 6 : 0.1
  - Level 7 : 0.04
  - Level 8 : 0.02
  - Level 9 : 0.013333

Peak Sum Table


No Entries in table

Method C:\HPCHEM\1\METHODS\CLO4-DP3.M


Calibration Curves



Perchlorate at exp. RT: 7.750
MSD1 83, EIC=82.7:83.7
Correlation: 0.99975
Residual Std. Dev.: 0.10284
Formula: $y = ax^2 + bx + c$
a: 3.10463e-2
b: 1.30369
c: 2.19496e-2
x: Amount Ratio
y: Area Ratio
Calibration Level Weights:
Level 3 : 1
Level 4 : 0.5
Level 5 : 0.2
Level 6 : 0.1
Level 7 : 0.04
Level 8 : 0.02
Level 9 : 0.013333



CLO4-89-ISTD at exp. RT: 7.767
MSD1 89, EIC=88.7:89.7
Correlation: 1.00000
Residual Std. Dev.: 0.00000
Formula: $y = mx + b$
m: 1.00000
b: 0.00000
x: Amount Ratio
y: Area Ratio
Calibration Level Weights:
Level 3 : 1
Level 4 : 1
Level 5 : 1
Level 6 : 1
Level 7 : 1
Level 8 : 1
Level 9 : 1



CLO4-85 at exp. RT: 7.778
MSD1 85, EIC=84.7:85.7
Correlation: 0.99969
Residual Std. Dev.: 0.02601
Formula: $y = ax^2 + bx + c$
a: 8.85207e-3
b: 3.99283e-1
c: 1.33505e-2
x: Amount Ratio
y: Area Ratio
Calibration Level Weights:
Level 3 : 1
Level 4 : 0.5
Level 5 : 0.2
Level 6 : 0.1
Level 7 : 0.04
Level 8 : 0.02
Level 9 : 0.013333

Batch Report: C:\HPCHEM\1\DATA\20SEP19I\20SEP19D.B

Batch Review Method:
C:\HPCHEM\1\METHODS\CLO4-DP3.M

['#' ==> Run has not been reprocessed with Batch Review Method
'*' ==> Run has been saved with batch file]

#	Sample	Location	Inj	SampleType	Run	Perchlorate Area	Perchlorat RT	Perchlorate Amount
#*	CLO4@ 1.0ug/L	Vial 73	1	Control	3	5.39218e4	7.750	8.75982e-1
#*	CLO4@ 2.0ug/L	Vial 74	1	Control	4	1.32825e5	7.797	2.37682
#*	CLO4@ 5.0ug/L	Vial 75	1	Control	5	2.76271e5	7.770	4.77237
#*	CLO4@ 10.ug/L	Vial 76	1	Control	6	5.61298e5	7.785	9.75097
#*	CLO4@ 25.ug/L	Vial 77	1	Control	7	1.51820e6	7.741	25.01082
#*	CLO4@ 50.ug/L	Vial 78	1	Control	8	3.31156e6	7.775	50.40300
#*	CLO4@ 75.ug/L	Vial 79	1	Control	9	5.23914e6	7.736	74.79107
#*	ICAL Verf@10ug/L	Vial 80	1	Control	11	5.74879e5	7.756	10.11855

#	Sample	Location	Inj	SampleType	Run	CLO4-89-ISTD Area	CLO4-89-IS RT	CLO4-89-ISTD Amount
#*	CLO4@ 1.0ug/L	Vial 73	1	Control	3	2.14568e5	7.767	5.00000
#*	CLO4@ 2.0ug/L	Vial 74	1	Control	4	2.04758e5	7.816	5.00000
#*	CLO4@ 5.0ug/L	Vial 75	1	Control	5	2.13407e5	7.793	5.00000
#*	CLO4@ 10.ug/L	Vial 76	1	Control	6	2.09246e5	7.798	5.00000
#*	CLO4@ 25.ug/L	Vial 77	1	Control	7	2.07403e5	7.763	5.00000
#*	CLO4@ 50.ug/L	Vial 78	1	Control	8	2.02929e5	7.800	5.00000
#*	CLO4@ 75.ug/L	Vial 79	1	Control	9	1.97933e5	7.765	5.00000
#*	ICAL Verf@10ug/L	Vial 80	1	Control	11	2.06243e5	7.776	5.00000

#	Sample	Location	Inj	SampleType	Run	CLO4-85 Area	CLO4-85 RT	CLO4-85 Amount
#*	CLO4@ 1.0ug/L	Vial 73	1	Control	3	1.70436e4	7.778	8.24488e-1
#*	CLO4@ 2.0ug/L	Vial 74	1	Control	4	4.20754e4	7.805	2.38090
#*	CLO4@ 5.0ug/L	Vial 75	1	Control	5	9.24707e4	7.787	5.14166
#*	CLO4@ 10.ug/L	Vial 76	1	Control	6	1.68622e5	7.781	9.52209
#*	CLO4@ 25.ug/L	Vial 77	1	Control	7	4.63724e5	7.760	25.04916
#*	CLO4@ 50.ug/L	Vial 78	1	Control	8	9.95933e5	7.793	50.14223
#*	CLO4@ 75.ug/L	Vial 79	1	Control	9	1.58066e6	7.758	74.93659
#*	ICAL Verf@10ug/L	Vial 80	1	Control	11	1.71000e5	7.760	9.79043

*** End of Report ***

Sequence: C:\HPCHEM\1\SEQUENCE\CLO4\2019\SEP\20SEP19I.S

Sequence Table:

Method and Injection Info Part:


Line	Location	SampleName	Method	Inj	SampleType	InjVolume	DataFile
1	Vial 71	CLO4@ 0.2ug/L	CLO4-AQN	1	Ctrl Samp		
2	Vial 72	CLO4@ 0.5ug/L	CLO4-AQN	1	Ctrl Samp		
3	Vial 73	CLO4@ 1.0ug/L	CLO4-AQN	1	Ctrl Samp		
4	Vial 74	CLO4@ 2.0ug/L	CLO4-AQN	1	Ctrl Samp		
5	Vial 75	CLO4@ 5.0ug/L	CLO4-AQN	1	Ctrl Samp		
6	Vial 76	CLO4@ 10.ug/L	CLO4-AQN	1	Ctrl Samp		
7	Vial 77	CLO4@ 25.ug/L	CLO4-AQN	1	Ctrl Samp		
8	Vial 78	CLO4@ 50.ug/L	CLO4-AQN	1	Ctrl Samp		
9	Vial 79	CLO4@ 75.ug/L	CLO4-AQN	1	Ctrl Samp		
10	Vial 71	CLO4@ 0.2ug/L	CLO4-AQN	1	Ctrl Samp		
11	Vial 80	ICAL Verf@10ug/L	CLO4-AQN	1	Ctrl Samp		


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI03.D Sample Name: CLO4@ 1.0ug/L

Injection Date:	9/20/2019 09:24:05	Seq Line:	3
Sample Name:	CLO4@ 1.0ug/L	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis






MANUAL RE-INTEGRATION

- ☐ missed peak assignment
- ☐ assigned incorrect name to peak
- ☐ over-integrated peak's area
- ☐ under-integrated peak's area
- ☐ other _____

*initials*_____*date*_____



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI03.D Sample Name: CLO4@ 1.0ug/L

Injection Date:	9/20/2019 09:24:05	Seq Line:	3
Sample Name:	CLO4@ 1.0ug/L	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	1.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.750	PBA	53921.8	0.8760	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.778	MM	17043.6	0.8245	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.767	PBA	214568.1	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI04.D Sample Name: CLO4@ 2.0ug/L

Injection Date:	9/20/2019 09:37:58	Seq Line:	4
Sample Name:	CLO4@ 2.0ug/L	Location:	Vial 74
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI04.D Sample Name: CLO4@ 2.0ug/L

Injection Date:	9/20/2019 09:37:58	Seq Line:	4
Sample Name:	CLO4@ 2.0ug/L	Location:	Vial 74
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	2.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.797	PBA	132825.2	2.3768	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.805	PBA	42075.4	2.3809	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.816	PBA	204758.3	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI05.D Sample Name: CLO4@ 5.0ug/L


Injection Date:	9/20/2019 09:51:49	Seq Line:	5
Sample Name:	CLO4@ 5.0ug/L	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI05.D Sample Name: CLO4@ 5.0ug/L

Injection Date:	9/20/2019 09:51:49	Seq Line:	5
Sample Name:	CLO4@ 5.0ug/L	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	5.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.770	PBA	276270.7	4.7724	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.787	PBA	92470.7	5.1417	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.793	PBA	213407.0	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI06.D Sample Name: CLO4@ 10.ug/L


Injection Date:	9/20/2019 10:05:36	Seq Line:	6
Sample Name:	CLO4@ 10.ug/L	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI06.D Sample Name: CLO4@ 10.ug/L

Injection Date:	9/20/2019 10:05:36	Seq Line:	6
Sample Name:	CLO4@ 10.ug/L	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	10.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.785	PBA	561297.7	9.7510	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.781	PBA	168622.4	9.5221	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.798	PBA	209246.3	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI07.D Sample Name: CLO4@ 25.ug/L


Injection Date:	9/20/2019 10:19:23	Seq Line:	7
Sample Name:	CLO4@ 25.ug/L	Location:	Vial 77
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI07.D Sample Name: CLO4@ 25.ug/L

Injection Date:	9/20/2019 10:19:23	Seq Line:	7
Sample Name:	CLO4@ 25.ug/L	Location:	Vial 77
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	25.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.741	PBA	1518197.9	25.0108	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.760	PBA	463724.0	25.0492	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.763	PBA	207402.8	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI08.D Sample Name: CLO4@ 50.ug/L


Injection Date:	9/20/2019 10:33:18	Seq Line:	8
Sample Name:	CLO4@ 50.ug/L	Location:	Vial 78
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:21:47

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI08.D Sample Name: CLO4@ 50.ug/L

Injection Date:	9/20/2019 10:33:18	Seq Line:	8
Sample Name:	CLO4@ 50.ug/L	Location:	Vial 78
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	50.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.775	PBA	3311559.2	50.4030	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.793	PBA	995933.0	50.1422	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.800	PBA	202929.2	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI09.D Sample Name: CLO4@ 75.ug/L

Injection Date:	9/20/2019 10:47:05	Seq Line:	9
Sample Name:	CLO4@ 75.ug/L	Location:	Vial 79
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI09.D Sample Name: CLO4@ 75.ug/L

Injection Date:	9/20/2019 10:47:05	Seq Line:	9
Sample Name:	CLO4@ 75.ug/L	Location:	Vial 79
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	75.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.736	PBA	5239145.0	74.7911	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.758	PBA	1580664.2	74.9366	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.765	PBA	197932.5	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI11.D Sample Name: ICAL Verf@10ug/L


Injection Date:	9/20/2019 11:14:45	Seq Line:	11
Sample Name:	ICAL Verf@10ug/L	Location:	Vial 80
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI11.D Sample Name: ICAL Verf@10ug/L

Injection Date:	9/20/2019 11:14:45	Seq Line:	11
Sample Name:	ICAL Verf@10ug/L	Location:	Vial 80
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	10.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.756	PBA	574879.4	10.1185	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.760	PBA	171000.4	9.7904	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.776	PBA	206243.3	5.0000	CLO4-89-ISTD

*** End of Report ***

ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Environmental Division

Raw Data


Unmodified

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI03.D Sample Name: CLO4@ 1.0ug/L

Injection Date:	9/20/2019 09:24:05	Seq Line:	3
Sample Name:	CLO4@ 1.0ug/L	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI03.D Sample Name: CLO4@ 1.0ug/L

Injection Date:	9/20/2019 09:24:05	Seq Line:	3
Sample Name:	CLO4@ 1.0ug/L	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	1.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.750	PBA	53921.8	0.8760	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.767	PBA	214568.1	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD13.D Sample Name: 1927216009 MS

Injection Date:	9/30/2019 11:40:35	Seq Line:	13
Sample Name:	1927216009 MS	Location:	Vial 83
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 12:27:01

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD13.D Sample Name: 1927216009 MS

Injection Date:	9/30/2019 11:40:35	Seq Line:	13
Sample Name:	1927216009 MS	Location:	Vial 83
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 12:27:01

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.934	BBA	126608.7	2.3391	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.945	PBA	40368.7	2.3581	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.986	PB	109804.3	0.0000	
8.175	VBA	198249.3	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD14.D Sample Name: 1927216010 MSD

Injection Date:	9/30/2019 11:54:25	Seq Line:	14
Sample Name:	1927216010 MSD	Location:	Vial 84
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 12:27:01

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD14.D Sample Name: 1927216010 MSD

Injection Date:	9/30/2019 11:54:25	Seq Line:	14
Sample Name:	1927216010 MSD	Location:	Vial 84
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 12:27:01

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.903	BBA	121425.1	3.3051	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.932	PBA	42796.4	3.7312	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.965	PB	118620.5	0.0000	
8.165	VBA	135327.0	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD17.D Sample Name: 1927216012

Injection Date:	9/30/2019 12:35:46	Seq Line:	17
Sample Name:	1927216012	Location:	Vial 86
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 12:27:01

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD17.D Sample Name: 1927216012

Injection Date:	9/30/2019 12:35:46	Seq Line:	17
Sample Name:	1927216012	Location:	Vial 86
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 12:27:01

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.877	PBA	59494.6	1.1407	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.895	BB	185345.9	5.0000	CLO4-89-ISTD
8.196	VBA	38813.2	0.0000	


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD18.D Sample Name: 1927216013 MS

Injection Date:	9/30/2019 12:49:35	Seq Line:	18
Sample Name:	1927216013 MS	Location:	Vial 87
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 12:27:01

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD18.D Sample Name: 1927216013 MS

Injection Date:	9/30/2019 12:49:35	Seq Line:	18
Sample Name:	1927216013 MS	Location:	Vial 87
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 12:27:01

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.575	BBA	233237.3	5.5188	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.571	PBA	42356.1	3.1958	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.601	PB	155623.9	5.0000	CLO4-89-ISTD
7.980	VBA	86769.1	0.0000	


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD19.D Sample Name: 1927216014 MSD

Injection Date:	9/30/2019 13:03:22	Seq Line:	19
Sample Name:	1927216014 MSD	Location:	Vial 88
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 12:27:01

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\30SEP19D\30SEPD19.D Sample Name: 1927216014 MSD

Injection Date:	9/30/2019 13:03:22	Seq Line:	19
Sample Name:	1927216014 MSD	Location:	Vial 88
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 12:27:01

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.609	BBA	235403.7	5.5268	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.612	PBA	42199.5	3.1579	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
6.629	BB	156838.8	5.0000	CLO4-89-ISTD
7.985	VBA	69146.4	0.0000	

*** End of Report ***

HS19090962 RSK 175 Raw Data

ALS WO# HS19090962

FID04 -Logbook

Batch: 26730 **Analyst:** Nosa Izekor

Date: 01-24-2017 **Reviewer:**

Method: RSK 175 ICAL **Laboratory:** Houston

Comments: Target Sequence 170124

#	Samp ID	Type	Analyzed	DF	Init Wt/Vol	Final Vol	File ID	Matrix	Status	pH
1	ICAL1	CALIB_1	01-24-2017 09:06 am	1.00	0.00 mL	0.00 mL	001.D	Liquid	Y	NA
2	ICAL2	CALIB_2	01-24-2017 09:30 am	1.00	0.00 mL	0.00 mL	002.D	Liquid	Y	NA
3	ICAL3	CALIB_3	01-24-2017 09:59 am	1.00	0.00 mL	0.00 mL	003.D	Liquid	Y	NA
4	ICAL4	CALIB_4	01-24-2017 10:15 am	1.00	0.00 mL	0.00 mL	004.D	Liquid	Y	NA
5	ICAL5	CALIB_5	01-24-2017 10:39 am	1.00	0.00 mL	0.00 mL	005.D	Liquid	Y	NA
6	ICAL6	CALIB_6	01-24-2017 10:57 am	1.00	0.00 mL	0.00 mL	006.D	Liquid	Y	NA
7	ICAL7	CALIB_7	01-24-2017 11:13 am	1.00	0.00 mL	0.00 mL	007.D	Liquid	Y	NA
8	ICV	METHSPIKI	01-24-2017 12:05 pm	1.00	0.00 mL	0.00 mL	008.D	Liquid	Y	NA
9	LCS-170124	LCS	01-24-2017 12:24 pm	1.00	0.00 mL	0.00 mL	009.D	Liquid	Y	NA
10	LCSD-170124	LCSD	01-24-2017 12:40 pm	1.00	0.00 mL	0.00 mL	010.D	Liquid	Y	NA
11	MBLK-170124	MBLK	01-24-2017 12:57 pm	1.00	0.00 mL	0.00 mL	011.D	Liquid	Y	NA
12	HS17010778-01	SAMP	01-24-2017 01:14 pm	1.00	0.00 mL	0.00 mL	012.D	Liquid	Y	NA
13	HS17010779-01	SAMP	01-24-2017 01:31 pm	1.00	0.00 mL	0.00 mL	013.D	Liquid	Y	NA
14	HS17010779-01DUP	SAMP	01-24-2017 01:47 pm	1.00	0.00 mL	0.00 mL	014.D	Liquid	Y	NA
15	CCV	CCV	01-24-2017 02:01 pm	1.00	0.00 mL	0.00 mL	015.D	Liquid	Y	NA

Chemical	Value
ICAL STD ID	30010700217
ICV STD ID	30010700610

FORM 3
WATER GASES METHOD SPIKE RECOVERY

Lab Name: Contract:

Lab Code: Case No.: SAS No.: SDG No.: HS19090962

Matrix Spike - ENG SC Sample No.: ICV

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMOUNT ()	% REC #	QC. LIMITS REC.
Ethene	16.800	19.106	114	75-125
Methane	9.647	9.591	99	75-125
Ethane	18.043	20.117	111	75-125
Propane	26.463	27.184	103	75-125
N-Butane	34.955	36.314	104	75-125

Column to be used to flag recovery and RPD values with an asterisk
* Values outside of QC limits

COMMENTS:

FORM III GASES

FORM 6
GASES INITIAL CALIBRATION DATA

Lab Name: Contract:

Lab Code: Case No.: SAS No.: SDG No.: HS19090962

Instrument ID: FID-4 Calibration Date(s): 01/24/17 01/24/17

Column: RTX-PLOT ID: 0.53 (mm) Calibration Time(s): 0906 1113

LAB FILE ID: RF10: 001 RF25: 002 RF50: 003
RF100: 004 RF250: 005 RF500: 006

COMPOUND	RF10	RF25	RF50	RF100	RF250	RF500
Ethene	590.504	567.359	564.985	527.151	665.282	428.186
Methane	968.912	978.238	1019.699	880.798	960.713	935.006
Ethane	641.274	670.177	658.908	624.082	808.513	821.648
Propane	500	1279	2602	4785	18436	38286
N-Butane	474	1032	2082	3780	18270	42405

FORM VI GASES

FORM 6
GASES INITIAL CALIBRATION DATA

Lab Name: Contract:

Lab Code: Case No.: SAS No.: SDG No.: HS1909096

Instrument ID: FID-4 Calibration Date(s): 01/24/17 01/24/17

Column: RTX-PLOT ID: 0.53 (mm) Calibration Time(s): 0906 1113

RF1000: 007

COMPOUND	RF1000	CURVE	COEFFICENTS A0	A1	A2	%RSD OR R^2	MA
Ethene	756.854	AVRG		585.760435		17.722	
Methane	1081.580	AVRG		974.992337		6.498	
Ethane	811.824	AVRG		719.489678		12.458	
Propane	96632	2ORDR	0.97326263	1.526e-003	-4.56e-009	0.9990955	0
N-Butane	114164	2ORDR	2.40105031	1.857e-003	-5.73e-009	0.9980163	0

FORM VI GASES

Data File: 001.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\001.D
Lab Smp Id: ICAL1 Client Smp ID: ICAL1
Inj Date : 24-JAN-2017 09:06
Operator : JA Inst ID: FID-4.i
Smp Info : ICAL1;ICAL1;;;
Misc Info :
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 09:06 Cal File: 001.D
Als bottle: 1 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	1.043	1.026	0.017	374	0.38600	0.383(a)
2 Ethene	1.553	1.553	0.000	398	0.67400	0.679(aM)
3 Ethane	1.713	1.720	-0.007	463	0.72200	0.643(aM)
4 Propane	4.073	4.106	-0.033	500	1.05900	1.735
5 N-Butane	7.640	7.686	-0.046	474	1.39800	3.280(M)

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).
M - Compound response manually integrated.


01030359


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\001.D
Date : 24-JAN-2017 09:06
Client ID: ICAL1
Sample Info: ICAL1;ICAL1;;;


Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: JA
Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\001.D
Injection Date: 24-JAN-2017 09:06
Instrument: FID-4.i
Client Sample ID: ICAL1
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
N-Butane
7.840
10.987


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\001.D
Injection Date: 24-JAN-2017 09:06
Instrument: FID-4.i
Client Sample ID: ICAL1
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
N-Butane
7.840
10.987

Data File: 002.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\002.D
Lab Smp Id: ICAL2 Client Smp ID: ICAL2
Inj Date : 24-JAN-2017 09:30
Operator : MA Inst ID: FID-4.i
Smp Info : ICAL2;ICAL2;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 09:30 Cal File: 002.D
Als bottle: 2 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	1.023	1.026	-0.003	944	0.96500	0.968
2 Ethene	1.560	1.553	0.007	956	1.68500	1.632
3 Ethane	1.723	1.720	0.003	1209	1.80400	1.680
4 Propane	4.123	4.106	0.017	1279	2.64600	2.917
5 N-Butane	7.706	7.686	0.020	1032	3.49600	4.311(M)

QC Flag Legend

M - Compound response manually integrated.

01030363

Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\002.D

Page 2

Date : 24-JAN-2017 09:30

Client ID: ICAL2


Instrument: FID-4.i


Sample Info: ICAL2;ICAL2;;;


Operator: MA

Column phase: Rtx-PLOT

Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\002.D
Injection Date: 24-JAN-2017 09:30
Instrument: FID-4.i
Client Sample ID: ICAL2
HP5890 GC Data, FID1A.CH: 0.000 to 11.010 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
N-Butane
7.913
10.973


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\002.D
Injection Date: 24-JAN-2017 09:30
Instrument: FID-4.i
Client Sample ID: ICAL2
HP5890 GC Data, FID1A.CH: 0.000 to 11.010 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
N-Butane
7.913
10.973

Data File: 003.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\003.D
Lab Smp Id: ICAL3 Client Smp ID: ICAL3
Inj Date : 24-JAN-2017 09:59
Operator : MA Inst ID: FID-4.i
Smp Info : ICAL3;ICAL3;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 09:59 Cal File: 003.D
Als bottle: 3 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

					AMOUNTS	
					CAL-AMT	ON-COL
Compounds	RT	EXP RT	DLT RT	RESPONSE	(ug/L)	(ug/L)
1 Methane	1.043	1.026	0.017	1967	1.92900	2.017
2 Ethene	1.570	1.553	0.017	1904	3.37000	3.250
3 Ethane	1.736	1.720	0.016	2378	3.60900	3.305
4 Propane	4.123	4.106	0.017	2602	5.29300	4.912
5 N-Butane	7.703	7.686	0.017	2082	6.99100	6.242(M)

QC Flag Legend

M - Compound response manually integrated.


01030367


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\003.D
Date : 24-JAN-2017 09:59
Client ID: ICAL3
Sample Info: ICAL3;ICAL3;;;


Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: MA
Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\003.D
Injection Date: 24-JAN-2017 09:59
Instrument: FID-4.i
Client Sample ID: ICAL3
Y (x10^3)
2.9
3.0
3.1
3.2
3.3
3.4
3.5
3.6
3.7
3.8
3.9
4.0
4.1
4.2
4.3
4.4
0
1
2
3
4
5
6
7
8
9
10
Min
Methane
Ethene
Ethane
Propane
5.993
N-Butane
7.900
10.950
HP5890 GC Data, FID1A.CH: 0.000 to 10.997 Min


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\003.D
Injection Date: 24-JAN-2017 09:59
Instrument: FID-4.i
Client Sample ID: ICAL3
HP5890 GC Data, FIDiA.CH: 0.000 to 10.997 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
5.993
N-Butane
7.900
10.950

Data File: 004.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\004.D
Lab Smp Id: ICAL4 Client Smp ID: ICAL4
Inj Date : 24-JAN-2017 10:15
Operator : MA Inst ID: FID-4.i
Smp Info : ICAL4;ICAL4;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 4 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	1.033	1.026	0.007	3399	3.85900	3.486
2 Ethene	1.560	1.553	0.007	3553	6.74000	6.065(M)
3 Ethane	1.726	1.720	0.006	4504	7.21700	6.259(M)
4 Propane	4.120	4.106	0.014	4785	10.5850	8.169
5 N-Butane	7.703	7.686	0.017	3780	13.9820	9.339(M)

QC Flag Legend

M - Compound response manually integrated.


01030371


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\004.D
Date : 24-JAN-2017 10:15
Client ID: ICAL4
Sample Info: ICAL4;ICAL4;;;


Instrument: FID-4.i

Operator: MA
Column diameter: 0.53

Column phase: Rtx-PLOT




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\004.D
Injection Date: 24-JAN-2017 10:15
Instrument: FID-4.i
Client Sample ID: ICAL4
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
N-Butane
10.950


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\004.D
Injection Date: 24-JAN-2017 10:15
Instrument: FID-4.i
Client Sample ID: ICAL4
Y (x10^3)
Methane
Ethene
Ethane
Propane
N-Butane
7.897
10.950
Min
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min

Data File: 005.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\005.D
Lab Smp Id: ICAL5 Client Smp ID: ICAL5
Inj Date : 24-JAN-2017 10:39
Operator : MA Inst ID: FID-4.i
Smp Info : ICAL5;ICAL5;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 10:39 Cal File: 005.D
Als bottle: 5 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

					AMOUNTS	
					CAL-AMT	ON-COL
Compounds	RT	EXP RT	DLT RT	RESPONSE	(ug/L)	(ug/L)
1 Methane	1.043	1.026	0.017	9268	9.64700	9.505
2 Ethene	1.570	1.553	0.017	11210	16.8500	19.137
3 Ethane	1.733	1.720	0.013	14588	18.0430	20.275
4 Propane	4.120	4.106	0.014	18436	26.4630	27.554(M)
5 N-Butane	7.700	7.686	0.014	18270	34.9550	34.419(M)

QC Flag Legend

M - Compound response manually integrated.


01030375


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\005.D
Date : 24-JAN-2017 10:39
Client ID: ICAL5
Sample Info: ICAL5;ICAL5;;;


Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: MA
Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\005.D
Injection Date: 24-JAN-2017 10:39
Instrument: FID-4.i
Client Sample ID: ICAL5
HP5890 GC Data, FID1A.CH: 0.000 to 11.003 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
5.967
N-Butane
10.947


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\005.D
Injection Date: 24-JAN-2017 10:39
Instrument: FID-4.i
Client Sample ID: ICAL5
HP5890 GC Data, FID1A.CH: 0.000 to 11.003 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
5.967
N-Butane
7.850
10.947

Data File: 006.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\006.D
Lab Smp Id: ICAL6 Client Smp ID: ICAL6
Inj Date : 24-JAN-2017 10:57
Operator : MA Inst ID: FID-4.i
Smp Info : ICAL6;ICAL6;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 10:57 Cal File: 006.D
Als bottle: 6 Calibration Sample, Level: 6
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	1.023	1.026	-0.003	18040	19.2940	18.502(M)
2 Ethene	1.550	1.553	-0.003	23045	53.8200	39.342(M)
3 Ethane	1.716	1.720	-0.004	29650	36.0860	41.209(M)
4 Propane	4.110	4.106	0.004	38286	52.9260	52.709
5 N-Butane	7.696	7.686	0.010	42405	69.9110	70.848(M)

QC Flag Legend

M - Compound response manually integrated.


01030379

Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\006.D
Date : 24-JAN-2017 10:57
Client ID: ICAL6
Sample Info: ICAL6;ICAL6;;;


Instrument: FID-4.i


Operator: MA
Column diameter: 0.53

Column phase: Rtx-PLOT



Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\006.D
Injection Date: 24-JAN-2017 10:57
Instrument: FID-4.i
Client Sample ID: ICAL6




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\006.D
Injection Date: 24-JAN-2017 10:57
Instrument: FID-4.i
Client Sample ID: ICAL6
HP5890 GC Data, FIDIA.CH: 0.000 to 11.007 Min
Y (x10^4)
Min
0.977
Methane
Ethene
Ethane
Propane
6.007
N-Butane
10.947

Data File: 007.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\007.D
Lab Smp Id: ICAL7 Client Smp ID: ICAL7
Inj Date : 24-JAN-2017 11:13
Operator : MA Inst ID: FID-4.i
Smp Info : ICAL7;ICAL7;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 11:13 Cal File: 007.D
Als bottle: 7 Calibration Sample, Level: 7
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	1.030	1.026	0.004	41736	38.5880	42.806(A)
2 Ethene	1.556	1.553	0.003	51012	67.4000	87.086(AM)
3 Ethane	1.723	1.720	0.003	58591	72.1720	81.434(AM)
4 Propane	4.113	4.106	0.007	96632	105.852	105.852(AM)
5 N-Butane	7.690	7.686	0.004	114164	139.821	139.710

QC Flag Legend

A - Target compound detected but, quantitated amount exceeded maximum amount.
M - Compound response manually integrated.


01030383


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\007.D
Date : 24-JAN-2017 11:13
Client ID: ICAL7
Sample Info: ICAL7;ICAL7;;;


Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: MA
Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\007.D
Injection Date: 24-JAN-2017 11:13
Instrument: FID-4.i
Client Sample ID: ICAL7
Y (x10^4)
Methane
Ethene
Ethane
Propane
N-Butane
10.937
Min
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\007.D
Injection Date: 24-JAN-2017 11:13
Instrument: FID-4.i
Client Sample ID: ICAL7
Y (x10^4)
Methane
Ethene
Ethane
Propane
N-Butane
Min
HP5890 GC Data, FIDiA.CH: 0.000 to 11.007 Min
10.937

Data File: 008.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\008.D
Lab Smp Id: ICV Client Smp ID: ICV
Inj Date : 24-JAN-2017 12:05
Operator : MA Inst ID: FID-4.i
Smp Info : ICV;ICV;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 8 QC Sample: METHSPIKE
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	CONCENTRATIONS FINAL (ug/L)
1 Methane	1.046	1.026	0.020	9352	9.59187	9.591
2 Ethene	1.573	1.553	0.020	11192	19.1068	19.106
3 Ethane	1.736	1.720	0.016	14474	20.1170	20.117
4 Propane	4.116	4.106	0.010	18164	27.1844	27.184
5 N-Butane	7.696	7.686	0.010	19425	36.3149	36.314


01030387


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\008.D
Date : 24-JAN-2017 12:05
Client ID: ICV
Sample Info: ICV;ICV;;;


Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: MA
Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\00B.D
Injection Date: 24-JAN-2017 12:05
Instrument: FID-4.i
Client Sample ID: ICV
HP5890 GC Data, FID1A.CH: 0.000 to 11.010 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
5.963
N-Butane
10.943


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\008.D
Injection Date: 24-JAN-2017 12:05
Instrument: FID-4.i
Client Sample ID: ICV
HP5890 GC Data, FID1A.CH: 0.000 to 11.010 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
5.963
N-Butane
10.943

FID04 -Logbook

Batch: 37666
Date: 09-25-2019
Method: RSK175
Comments: Target sequence 190925

Analyst: Purvi Lad
Reviewer:
Laboratory: Houston

#	Samp ID	Type	Analyzed	DF	Init Wt/Vol	Final Vol	File ID	Matrix	Status	pH
1	RSK-CCV	CCV	09-25-2019 11:40 am	1.00	0.00 mL	0.00 mL	001.D	Liquid	Y	NA
2	LCS-190925	LCS	09-25-2019 12:00 pm	1.00	0.00 mL	0.00 mL	002.D	Liquid	Y	NA
3	LCSD-190925	LCSD	09-25-2019 12:15 pm	1.00	0.00 mL	0.00 mL	003.D	Liquid	Y	NA
4	MBLK-190925	MBLK	09-25-2019 12:26 pm	1.00	0.00 mL	0.00 mL	004.D	Liquid	Y	NA
5	HS19090962-12	SAMP	09-25-2019 12:40 pm	1.00	0.00 mL	0.00 mL	005.D	Liquid	Y	NA
6	HS19090962-12MS	MS	09-25-2019 01:16 pm	1.00	0.00 mL	0.00 mL	006.D	Liquid	Y	NA
7	HS19090962-12MSD	MSD	09-25-2019 01:27 pm	1.00	0.00 mL	0.00 mL	007.D	Liquid	Y	NA
8	HS19090964-04	SAMP	09-25-2019 01:46 pm	1.00	0.00 mL	0.00 mL	008.D	Liquid	Y	NA
9	HS19090964-06	SAMP	09-25-2019 01:58 pm	1.00	0.00 mL	0.00 mL	009.D	Liquid	Y	NA
10	HS19090965-10	SAMP	09-25-2019 02:08 pm	1.00	0.00 mL	0.00 mL	010.D	Liquid	Y	NA
11	RSK-CCV	CCV	09-25-2019 02:17 pm	1.00	0.00 mL	0.00 mL	011.D	Liquid	Y	NA
12	HS19090965-10	SAMP	09-25-2019 02:51 pm	5.00	0.00 mL	0.00 mL	012.D	Liquid	Y	NA
13	HS19091014-02	SAMP	09-25-2019 03:08 pm	1.00	0.00 mL	0.00 mL	013.D	Liquid	Y	NA
14	HS19091014-02	SAMP	09-25-2019 03:26 pm	5.00	0.00 mL	0.00 mL	014.D	Liquid	Y	NA
15	HS19091014-03	SAMP	09-25-2019 03:37 pm	1.00	0.00 mL	0.00 mL	015.D	Liquid	Y	NA
16	RSK-CCV	CCV	09-25-2019 04:24 pm	1.00	0.00 mL	0.00 mL	016.D	Liquid	Y	NA

FORM 2
WATER GASES SURROGATE RECOVERY

Lab Name: Contract:

Lab Code: Case No.: SAS No.: SDG No.: HS19090962

	ENG SC SAMPLE NO.	S1 #	S2 #	S3 #	S4 #	S5 #	S6 #	S7 #	S8 #	TOT OUT
01	LCS-190925									0
02	LCSD-190925									0
03	MBLK-190925									0
04	HS19090962-1									0
05	HS19090962-1									0
06	HS19090962-1									0
07										
08										
09										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
21										
22										
23										
24										
25										
26										
27										
28										

QC LIMITS

Column to be used to flag recovery values
* Values outside of contract required QC limits
D Surrogate diluted out

FORM 7B
GASES CALIBRATION VERIFICATION SUMMARY

Lab Name: Contract:

Lab Code: Case No.: SAS No.: SDG No.: HS19090962

Instrument ID: FID-4 Calibration Date: 09/25/19 Time: 1140

Lab File ID: 001 Init. Calib. Date(s): 01/24/17 01/24/17

Init. Calib. Times: 0906 1113

GC Column: RTX-PLOT ID: 0.53 (mm)

COMPOUND	RRF OR AMOUNT	RRF250.00 OR AMOUNT	MIN RRF	%D OR %DRIFT	MAX %D OR %DRIFT	CURV TYPE
Ethane	719.48900	613.64518	0.01	14.71	20.00	AVRG
Methane	974.99200	961.64611	0.01	1.37	20.00	AVRG
Ethene	585.76000	534.42136	0.01	8.76	20.00	AVRG

FORM VII GASES

FORM 7B
GASES CALIBRATION VERIFICATION SUMMARY

Lab Name: Contract:

Lab Code: Case No.: SAS No.: SDG No.: HS19090962

Instrument ID: FID-4 Calibration Date: 09/25/19 Time: 1417

Lab File ID: 011 Init. Calib. Date(s): 01/24/17 01/24/17

Init. Calib. Times: 0906 1113

GC Column: RTX-PLOT ID: 0.53 (mm)

COMPOUND	RRF OR AMOUNT	RRF250.00 OR AMOUNT	MIN RRF	%D OR %DRIFT	MAX %D OR %DRIFT	CURV TYPE
Ethane	719.48900	613.64518	0.01	14.71	20.00	AVRG
Methane	974.99200	961.64611	0.01	1.37	20.00	AVRG
Ethene	585.76000	534.42136	0.01	8.76	20.00	AVRG

FORM VII GASES

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\001.D
Report Date: 11-Oct-2019 17:59

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\001.D
Lab Smp Id: RSK-CCV Client Smp ID: RSK-CCV
Inj Date : 25-SEP-2019 11:40
Operator : PL Inst ID: FID-4.i
Smp Info : RSK-CCV;RSK-CCV;2;4
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	0.480	0.480	0.000	9208	9.64700	9.444
2 Ethene	0.726	0.723	0.003	10172	16.8500	17.365
3 Ethane	0.806	0.806	0.000	12703	18.0430	17.655


01030395

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\001.D
Date : 25-SEP-2019 11:40
Client ID: RSK-CCV
Sample Info: RSK-CCV;RSK-CCV;2;4

Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: PL
Column diameter: 0.53



Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\002.D Page 1
Report Date: 11-Oct-2019 17:59

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\002.D
Lab Smp Id: LCS-190925 Client Smp ID: LCS-190925
Inj Date : 25-SEP-2019 12:00
Operator : PL Inst ID: FID-4.i
Smp Info : LCS-190925;LCS-190925;3;;LCS
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 2 QC Sample: LCS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

					CONCENTRATIONS	
					ON-COLUMN	FINAL
Compounds	RT	EXP RT	DLT RT	RESPONSE	(ug/L)	(ug/L)
1 Methane	0.480	0.480	0.000	9393	9.63392	9.633
2 Ethene	0.723	0.723	0.000	10140	17.3108	17.310
3 Ethane	0.803	0.806	-0.003	12730	17.6931	17.693


01030397

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\002.D
Date : 25-SEP-2019 12:00
Client ID: LCS-190925
Sample Info: LCS-190925;LCS-190925;3;;LCS

Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: PL
Column diameter: 0.53



Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\003.D Page 1
Report Date: 11-Oct-2019 17:59

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\003.D
Lab Smp Id: LCSD-190925 Client Smp ID: LCSD-190925
Inj Date : 25-SEP-2019 12:15
Operator : PL Inst ID: FID-4.i
Smp Info : LCSD-190925;LCSD-190925;3;;LCSD
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 3 QC Sample: LCSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	CONCENTRATIONS FINAL (ug/L)
1 Methane	0.480	0.480	0.000	8270	8.48212	8.482
2 Ethene	0.723	0.723	0.000	9417	16.0765	16.076
3 Ethane	0.806	0.806	0.000	12032	16.7230	16.722


01030399

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\003.D
Date : 25-SEP-2019 12:15
Client ID: LCSD-190925
Sample Info: LCSD-190925;LCSD-190925;3;;LCSD

Instrument: FID-4.i

Operator: PL
Column diameter: 0.53

Column phase: Rtx-PLOT



Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\004.D Page 1
Report Date: 11-Oct-2019 17:59

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\004.D
Lab Smp Id: MBLK-190925 Client Smp ID: MBLK-190925
Inj Date : 25-SEP-2019 12:26
Operator : PL Inst ID: FID-4.i
Smp Info : MBLK-190925; MBLK-190925;3;;BLANK
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 4 QC Sample: BLANK
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	CONCENTRATIONS FINAL (ug/L)


01030401

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\004.D
Date : 25-SEP-2019 12:26
Client ID: MBLK-190925
Sample Info: MBLK-190925; MBLK-190925;3;;BLANK

Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: PL
Column diameter: 0.53



Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\005.D Page 1
Report Date: 11-Oct-2019 17:59

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\005.D
Lab Smp Id: HS19090962-12 Client Smp ID: HS19090962-12
Inj Date : 25-SEP-2019 12:40
Operator : PL Inst ID: FID-4.i
Smp Info : HS19090962-12; HS19090962-12
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	FINAL (ug/L)
1 Methane	0.483	0.480	0.003	2375	2.43592	2.435
2 Ethene	0.706	0.723	-0.017	692	1.18137	1.181(M)
3 Ethane	0.826	0.806	0.020	177	0.24601	0.246(aM)

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).
M - Compound response manually integrated.


01030403


Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\005.D
Date : 25-SEP-2019 12:40
Client ID: HS19090962-12
Sample Info: HS19090962-12; HS19090962-12


Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: PL
Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\BEFORE2\005.D
Injection Date: 25-SEP-2019 12:40
Instrument: FID-4.i
Client Sample ID: HS190909062-12
HP5890 GC Data, FID1A.CH: 0.000 to 6.000 Min
Y (x10^3)
Min
Methane
Ethene
2.473
2.720
4.697


Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\005.D
Injection Date: 25-SEP-2019 12:40
Instrument: FID-4.i
Client Sample ID: HS19090962-12
HP5890 GC Data, FID1A.CH: 0.000 to 6.000 Min
Y (x10^3)
Min
Methane
0.637
Ethene
Ethane

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\006.D Page 1
Report Date: 11-Oct-2019 17:59

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\006.D
Lab Smp Id: HS19090962-12MS Client Smp ID: HS19090962-12MS
Inj Date : 25-SEP-2019 13:16
Operator : PL Inst ID: FID-4.i
Smp Info : HS19090962-12MS; HS19090962-12MS
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 6 QC Sample: MS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	FINAL (ug/L)
1 Methane	0.483	0.480	0.003	9905	10.1591	10.159
2 Ethene	0.723	0.723	0.000	10905	18.6168	18.616(M)
3 Ethane	0.806	0.806	0.000	13166	18.2991	18.299(M)

QC Flag Legend

M - Compound response manually integrated.


01030407


Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\006.D
Date : 25-SEP-2019 13:16
Client ID: HS19090962-12HS
Sample Info: HS19090962-12HS; HS19090962-12HS


Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: PL
Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\Before\006.D
Injection Date: 25-SEP-2019 13:16
Instrument: FID-4.i
Client Sample ID: HS19090962-12MS
HP5890 GC Data, FID1A.CH: 0.000 to 6.000 Min
Y (x10^3)
Min
Methane
0.723
Ethane
2.380
5.557


Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\006.D
Injection Date: 25-SEP-2019 13:16
Instrument: FID-4.i
Client Sample ID: HS190909062-12MS
HP5890 GC Data, FID1A.CH: 0.000 to 6.000 Min
Y (x10^3)
Min
Methane
0.640
0.687
Ethene
Ethane
2.380
5.557

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\007.D Page 1
Report Date: 11-Oct-2019 17:59

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\007.D
Lab Smp Id: HS19090962-12MSD Client Smp ID: HS19090962-12MSD
Inj Date : 25-SEP-2019 13:27
Operator : PL Inst ID: FID-4.i
Smp Info : HS19090962-12MSD; HS19090962-12MSD
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 7 QC Sample: MSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	FINAL (ug/L)
1 Methane	0.463	0.480	-0.017	9443	9.68520	9.685(M)
2 Ethene	0.706	0.723	-0.017	10914	18.6322	18.632
3 Ethane	0.790	0.806	-0.016	13361	18.5701	18.570

QC Flag Legend

M - Compound response manually integrated.


01030411

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\007.D
Date : 25-SEP-2019 13:27
Client ID: HS19090962-12MSD
Sample Info: HS19090962-12MSD; HS19090962-12MSD


Column phase: Rtx-PLOT


Instrument: FID-4.i

Operator: PL
Column diameter: 0.53



Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\Before\007.D
Injection Date: 25-SEP-2019 13:27
Instrument: FID-4.i
Client Sample ID: HS19090962-12MSD




Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\007.D
Injection Date: 25-SEP-2019 13:27
Instrument: FID-4.i
Client Sample ID: HS19090962-12MSD
Y (x10^3)
Methane
0.620
Ethene
Ethane
2.370
5.547
Min
HP5890 GC Data, FID1A.CH: 0.000 to 6.003 Min

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\011.D
Report Date: 11-Oct-2019 17:59

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\011.D
Lab Smp Id: RSK-CCV Client Smp ID: RSK-CCV
Inj Date : 25-SEP-2019 14:17
Operator : PL Inst ID: FID-4.i
Smp Info : RSK-CCV;RSK-CCV;2;4
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 11 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	0.480	0.480	0.000	9277	9.64700	9.514
2 Ethene	0.723	0.723	0.000	9005	16.8500	15.373
3 Ethane	0.806	0.806	0.000	11072	18.0430	15.388


01030415

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\011.D
Date : 25-SEP-2019 14:17
Client ID: RSK-CCV
Sample Info: RSK-CCV;RSK-CCV;2;4

Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: PL
Column diameter: 0.53



HS19090962 Wet Chem Raw Data

ALS WO# HS19090962

Sequence: 091819
Last Update Operator: alshs.nouser

HS19090962

CD	Name	Comment	Type	Position	Dilution	Level	Instrument Method	ng	Volume [ul]	Status	Inject Time
	STD1	2970209205	Calibration	GA1	1.0000	1	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:08:06 PM -05:00
	STD2		Calibration	GA2	1.0000	2	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:24:42 PM -05:00
	STD3		Calibration	GA3	1.0000	3	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:41:19 PM -05:00
	STD4		Calibration	GA4	1.0000	4	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:57:54 PM -05:00
	STD5		Calibration	GA5	1.0000	5	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 3:14:30 PM -05:00
	STD6	NO2,F MAX 10PPM	Calibration	GB8	1.0000	6	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:37:32 PM -05:00
	ICV	2970209123	Unknown	GA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:54:07 PM -05:00
	ICB		Unknown	GB8	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 7:29:52 PM -05:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 11:54:49 AM -05:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 12:11:24 PM -05:00
	HS19090964-04		Unknown	GA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 1:01:23 PM -05:00
	HS19090964-06		Unknown	GA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 1:17:59 PM -05:00
	HS19090962-12		Unknown	GA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 1:34:38 PM -05:00
	HS19090962-12MS	man.int.NO3 KMU 9/	Unknown	GB1	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 1:51:13 PM -05:00
	HS19090962-12MSD	man.int.NO3 KMU 9/	Unknown	GB2	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 2:07:48 PM -05:00
	CCV		Unknown	BA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 3:29:06 PM -05:00
	CCB		Unknown	BA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 3:45:41 PM -05:00
	WBLKW1-092019		Unknown	GB3	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 4:02:17 PM -05:00
	WLCSW1-092019		Unknown	GB4	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 4:18:52 PM -05:00
	WLCSDW1-092019		Unknown	GB5	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 4:35:31 PM -05:00
	HS19090962-12DF5	9056_W	Unknown	GC2	5.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 5:08:41 PM -05:00
	HS19090962-12MSDF5		Unknown	GC3	5.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 5:25:17 PM -05:00
	HS19090962-12MSDDF5		Unknown	GC4	5.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 5:42:00 PM -05:00
	HS19090962-12DF50		Unknown	GC5	50.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 5:58:35 PM -05:00
	HS19090962-12MSDF50		Unknown	GC6	50.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 6:15:11 PM -05:00
	HS19090962-12MSDDF50		Unknown	GC7	50.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 6:31:46 PM -05:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 6:48:30 PM -05:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 7:05:05 PM -05:00

Sequence: 091819
Injection #6: STD6


Calibration

Peak No.	Peak Name	Cal.Type	Eval.Type	Number of Points	Rel.Std.Dev. %	Coeff.of Determination	C0 (Offset)	C1 (Slope)	C2 (Curve)
1	*Fluoride*	*Lin, WithOffset, 1/*	*Area*	*5*	*10.1532*	*0.99927*	*-0.0056*	*0.3716*	*0.0000*
2	Chloride	Lin, WithOffset, 1/	Area	6	0.2804	1.00000	-0.0135	0.2355	0.0000
3	Nitrite,N	Lin, WithOffset, 1/	Area	5	15.1147	0.99824	0.0003	0.5120	0.0000
4	Bromide	Lin, WithOffset, 1/	Area	6	14.0217	0.99919	-0.0052	0.1009	0.0000
5	Sulfate	Lin, WithOffset, 1/	Area	6	1.1258	0.99999	-0.0022	0.1717	0.0000
6	Nitrate	Lin, WithOffset, 1/	Area	6	2.2249	0.99998	-0.0102	0.5876	0.0000
7	Chlorate	Lin, WithOffset, 1/	Area	6	10.0265	0.99953	-0.0024	0.0944	0.0000
8	Phosphate	Lin, WithOffset, 1/	Area	6	6.6198	0.99981	-0.0110	0.2321	0.0000
Maximum					**15.1147**	1.00000			
Minimum					0.2804	**0.99824**			

1 STD1

Sample Name:	**STD1**	*Injection Volume:*	**5.00**
Vial Number:	**GA1**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:08**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.031	0.0973	0.0973	1.0000
2	5.12	Chloride	BMB	0.105	0.5026	0.5026	1.0000
3	6.12	Nitrite,N	BMB	0.046	0.0893	0.0893	1.0000
4	8.00	Bromide	BMB	0.007	0.1192	0.1192	1.0000
5	8.64	Sulfate	BM	0.084	0.5042	0.5042	1.0000
6	9.10	Nitrate	M	0.051	0.1034	0.1034	1.0000
7	9.58	Chlorate	MB	0.008	0.1143	0.1143	1.0000
8	12.83	Phosphate	BMB	0.014	0.1085	0.1085	1.0000
Total:			**0.000**	**0.346**		**1.64**	

2 *STD2*

Sample Name:	**STD2**	*Injection Volume:*	**5.00**
Vial Number:	**GA2**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:24**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.140	0.3929	0.3929	1.0000
2	5.12	Chloride	BMB	0.456	1.9918	1.9918	1.0000
3	6.12	Nitrite,N	BMB	0.211	0.4119	0.4119	1.0000
4	8.00	Bromide	BMB	0.031	0.3593	0.3593	1.0000
5	8.64	Sulfate	BM	0.337	1.9733	1.9733	1.0000
6	9.10	Nitrate	M	0.220	0.3917	0.3917	1.0000
7	9.58	Chlorate	MB	0.033	0.3704	0.3704	1.0000
8	12.80	Phosphate	BMB	0.078	0.3841	0.3841	1.0000
Total:			**0.000**	**1.506**		**6.28**	

3 STD3

Sample Name:	**STD3**	*Injection Volume:*	**5.00**
Vial Number:	**GA3**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:41**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.758	2.0551	2.0551	1.0000
2	5.12	Chloride	BMB	2.339	9.9888	9.9888	1.0000
3	6.12	Nitrite,N	BMB	1.091	2.1305	2.1305	1.0000
4	8.00	Bromide	BMB	0.182	1.8590	1.8590	1.0000
5	8.61	Sulfate	BM	1.715	10.0007	10.0007	1.0000
6	9.07	Nitrate	M	1.153	1.9792	1.9792	1.0000
7	9.57	Chlorate	MB	0.176	1.8940	1.8940	1.0000
8	12.75	Phosphate	BMB	0.436	1.9269	1.9269	1.0000
Total:			**0.000**	**7.851**		**31.83**	

4 STD4

Sample Name:	**STD4**	*Injection Volume:*	**5.00**
Vial Number:	**GA4**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:57**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.535	4.1457	4.1457	1.0000
2	5.12	Chloride	BMB	4.695	19.9948	19.9948	1.0000
3	6.13	Nitrite,N	BMB	2.133	4.1659	4.1659	1.0000
4	8.00	Bromide	BMB	0.385	3.8642	3.8642	1.0000
5	8.58	Sulfate	BM	3.451	20.1082	20.1082	1.0000
6	9.05	Nitrate	M	2.330	3.9823	3.9823	1.0000
7	9.57	Chlorate	MB	0.365	3.8956	3.8956	1.0000
8	12.69	Phosphate	BMB	0.903	3.9395	3.9395	1.0000
Total:			**0.000**	**15.798**		**64.10**	

5 STD5

Sample Name:	**STD5**	*Injection Volume:*	**5.00**
Vial Number:	**GA5**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 15:14**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.639	9.8090	9.8090	1.0000
2	5.11	Chloride	BMB	11.762	49.9996	49.9996	1.0000
3	6.12	Nitrite,N	BMB	4.968	9.7023	9.7023	1.0000
4	7.98	Bromide	BMB	1.001	9.9786	9.9786	1.0000
5	8.50	Sulfate	BM	8.590	50.0271	50.0271	1.0000
6	8.98	Nitrate	M	5.854	9.9805	9.9805	1.0000
7	9.54	Chlorate	MB	0.939	9.9670	9.9670	1.0000
8	12.57	Phosphate	BMB	2.305	9.9803	9.9803	1.0000
Total:			**0.000**	**39.057**		**159.44**	

6 STD6

Sample Name:	**STD6**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:37**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	6.773	18.2418	18.2418	1.0000
2	5.10	Chloride	BMB	23.542	100.0224	100.0224	1.0000
3	6.11	Nitrite,N	BMB	9.157	17.8850	17.8850	1.0000
4	7.95	Bromide	BM	2.045	20.3197	20.3197	1.0000
5	8.40	Sulfate	M	17.153	99.8863	99.8863	1.0000
6	8.91	Nitrate	M	11.778	20.0629	20.0629	1.0000
7	9.51	Chlorate	MB	1.910	20.2586	20.2586	1.0000
8	12.44	Phosphate	BMB	4.668	20.1606	20.1606	1.0000
Total:			**0.000**	**77.025**		**316.84**	

7 ICV

Sample Name:	**ICV**	*Injection Volume:*	**5.00**
Vial Number:	**GA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:54**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.495	4.0374	4.0374	1.0000
2	5.12	Chloride	BMB	4.681	19.9333	19.9333	1.0000
3	6.13	Nitrite,N	BMB	2.195	4.2858	4.2858	1.0000
4	8.00	Bromide	BMB	0.384	3.8585	3.8585	1.0000
5	8.57	Sulfate	BM	3.469	20.2132	20.2132	1.0000
6	9.05	Nitrate	M	2.340	3.9993	3.9993	1.0000
7	9.57	Chlorate	MB	0.367	3.9104	3.9104	1.0000
8	12.68	Phosphate	BMB	0.911	3.9732	3.9732	1.0000
Total:			**0.000**	**15.841**		**64.21**	

8 ICB

Sample Name:	**ICB**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 19:29**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.11	Chloride	BMB	0.004	0.0748	0.0748	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.63	Sulfate	BMB	0.008	0.0618	0.0618	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.013**		**0.14**	

169 CCV1

Sample Name:	**CCV1**	*Injection Volume:*	**5.00**
Vial Number:	**BA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 11:54**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.639	9.8082	9.8082	1.0000
2	5.10	Chloride	BMB	11.725	49.8435	49.8435	1.0000
3	6.09	Nitrite,N	BMB	4.944	9.6563	9.6563	1.0000
4	7.93	Bromide	BMB	0.987	9.8365	9.8365	1.0000
5	8.47	Sulfate	BM	8.581	49.9789	49.9789	1.0000
6	8.92	Nitrate	M	5.853	9.9791	9.9791	1.0000
7	9.47	Chlorate	MB	0.940	9.9812	9.9812	1.0000
8	12.56	Phosphate	BMB	2.226	9.6394	9.6394	1.0000
Total:			**0.000**	**38.896**		**158.72**	

170 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 12:11**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.09	Chloride	BMB	0.002	0.0677	0.0677	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.61	Sulfate	BMB	0.011	0.0745	0.0745	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.013**		**0.14**	

173 HS19090964-04

Sample Name:	**HS19090964-04**	*Injection Volume:*	**5.00**
Vial Number:	**GA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 13:01**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.034	0.1056	0.1056	1.0000
3	5.08	Chloride	BMB	176.700	750.3727	750.3727	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
5	7.89	Bromide	BM	0.350	3.5224	3.5224	1.0000
6	8.22	Sulfate	MB^	67.409	392.5082	392.5082	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
8	13.08	Phosphate	BMB	0.003	0.0588	0.0588	1.0000
Total:			**0.000**	**244.496**		**1146.57**	

174 HS19090964-06

Sample Name:	**HS19090964-06**	*Injection Volume:*	**5.00**
Vial Number:	**GA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 13:17**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.030	0.0958	0.0958	1.0000
3	5.08	Chloride	BMB	175.536	745.4286	745.4286	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
5	7.89	Bromide	BM	0.346	3.4773	3.4773	1.0000
6	8.22	Sulfate	MB^	66.818	389.0673	389.0673	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
8	13.13	Phosphate	BMB	0.003	0.0599	0.0599	1.0000
Total:			**0.000**	**242.733**		**1138.13**	

175 HS19090962-12

Sample Name:	**HS19090962-12**	*Injection Volume:*	**5.00**
Vial Number:	**GA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 13:34**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.64	Fluoride	BMB	0.037	0.1151	0.1151	1.0000
4	5.07	Chloride	BMB	198.541	843.1149	843.1149	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
6	7.62	Sulfate	BMB*^	354.205	2062.3989	2062.3989	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
8	13.16	Phosphate	BMB	0.011	0.0940	0.0940	1.0000
Total:			**0.000**	**552.795**		**2905.72**	

176 HS19090962-12MS

Sample Name:	**HS19090962-12MS**	*Injection Volume:*	**5.00**
Vial Number:	**GB1**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 13:51**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.65	Fluoride	BMB	0.591	1.6054	1.6054	1.0000
3	5.07	Chloride	BMB	196.329	833.7200	833.7200	1.0000
4	6.07	Nitrite,N	BMB	1.081	2.1110	2.1110	1.0000
6	7.63	Sulfate	BM *^	345.965	2014.4179	2014.4179	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
7	8.96	Nitrate	MB*^	1.163	1.9968	1.9968	1.0000
8	9.49	Chlorate	BMB	0.148	1.5953	1.5953	1.0000
10	13.15	Phosphate	BMB	0.008	0.0841	0.0841	1.0000
Total:			**0.000**	**545.286**		**2855.53**	

177 HS19090962-12MSD

Sample Name:	**HS19090962-12MSD**	*Injection Volume:*	**5.00**
Vial Number:	**GB2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 14:07**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.65	Fluoride	BMB	0.596	1.6195	1.6195	1.0000
3	5.07	Chloride	BMB	196.858	835.9674	835.9674	1.0000
4	6.07	Nitrite,N	BMB	1.091	2.1307	2.1307	1.0000
6	7.63	Sulfate	BM *^	349.195	2033.2248	2033.2248	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
7	8.96	Nitrate	MB*	1.156	1.9855	1.9855	1.0000
8	9.49	Chlorate	BMB	0.149	1.6036	1.6036	1.0000
10	13.16	Phosphate	BMB	0.008	0.0807	0.0807	1.0000
Total:			**0.000**	**549.054**		**2876.61**	

181 CCV

Sample Name:	**CCV**	*Injection Volume:*	**5.00**
Vial Number:	**BA5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 15:29**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.502	4.0563	4.0563	1.0000
3	5.11	Chloride	BMB	4.786	20.3783	20.3783	1.0000
4	6.10	Nitrite,N	BMB	2.150	4.1979	4.1979	1.0000
5	7.94	Bromide	BMB	0.379	3.8089	3.8089	1.0000
6	8.55	Sulfate	BM	3.564	20.7661	20.7661	1.0000
7	8.98	Nitrate	M	2.389	4.0836	4.0836	1.0000
8	9.49	Chlorate	MB	0.375	3.9971	3.9971	1.0000
9	12.74	Phosphate	BMB	0.871	3.8027	3.8027	1.0000
Total:			**0.000**	**16.016**		**65.09**	

182 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 15:45**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.10	Chloride	BMB	0.002	0.0660	0.0660	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.64	Sulfate	BMB	0.003	0.0330	0.0330	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.006**		**0.10**	

183 WBLKW1-092019

Sample Name:	**WBLKW1-092019**	*Injection Volume:*	**5.00**
Vial Number:	**GB3**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 16:02**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.10	Chloride	BMB	0.010	0.1007	0.1007	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.64	Sulfate	BMB	0.013	0.0892	0.0892	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.023**		**0.19**	

184 WLCSW1-092019

Sample Name:	**WLCSW1-092019**	*Injection Volume:*	**5.00**
Vial Number:	**GB4**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 16:18**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.529	4.1305	4.1305	1.0000
3	5.11	Chloride	BMB	4.841	20.6139	20.6139	1.0000
4	6.10	Nitrite,N	BMB	2.184	4.2648	4.2648	1.0000
5	7.94	Bromide	BMB	0.384	3.8604	3.8604	1.0000
6	8.55	Sulfate	BM	3.636	21.1844	21.1844	1.0000
7	8.97	Nitrate	M	2.432	4.1573	4.1573	1.0000
8	9.49	Chlorate	MB	0.383	4.0812	4.0812	1.0000
9	12.74	Phosphate	BMB	0.877	3.8251	3.8251	1.0000
Total:			**0.000**	**16.267**		**66.12**	

185 WLCSDW1-092019

Sample Name:	WLCSDW1-092019	Injection Volume:	5.00
Vial Number:	GB5	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	1.0000
Recording Time:	09/20/2019 16:35	Sample Weight:	1.0000
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.544	4.1706	4.1706	1.0000
2	5.11	Chloride	BMB	4.714	20.0751	20.0751	1.0000
3	6.10	Nitrite,N	BMB	2.136	4.1719	4.1719	1.0000
4	7.94	Bromide	BMB	0.375	3.7696	3.7696	1.0000
5	8.55	Sulfate	BM	3.534	20.5876	20.5876	1.0000
6	8.98	Nitrate	M	2.364	4.0409	4.0409	1.0000
7	9.49	Chlorate	MB	0.369	3.9339	3.9339	1.0000
8	12.74	Phosphate	BMB	0.865	3.7751	3.7751	1.0000
Total:			**0.000**	**15.902**		**64.52**	

187 HS19090962-12DF5

Sample Name:	**HS19090962-12DF5**	*Injection Volume:*	**5.00**
Vial Number:	**GC2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**09/20/2019 17:08**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.007	0.0336	0.1682	5.0000
3	5.09	Chloride	BMB	40.168	170.6214	853.1072	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
5	7.89	Bromide	BM	0.058	0.6315	3.1574	5.0000
6	8.20	Sulfate	MB^	74.003	430.8978	2154.4891	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**114.236**		**3010.92**	

188 HS19090962-12MSDF5

Sample Name:	**HS19090962-12MSDF5**	*Injection Volume:*	**5.00**
Vial Number:	**GC3**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**09/20/2019 17:25**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.655	1.7776	8.8879	5.0000
2	5.09	Chloride	BMB	41.504	176.2955	881.4774	5.0000
3	6.09	Nitrite,N	BMB	1.090	2.1289	10.6446	5.0000
4	7.89	Bromide	BM	0.238	2.4098	12.0492	5.0000
5	8.20	Sulfate	M ^	73.643	428.8036	2144.0181	5.0000
6	8.97	Nitrate	M	1.227	2.1054	10.5272	5.0000
7	9.49	Chlorate	MB	0.182	1.9553	9.7764	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**118.539**		**3077.38**	

189 HS19090962-12MSDDF5

Sample Name:	HS19090962-12MSDDF5	Injection Volume:	5.00
Vial Number:	GC4	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	5.0000
Recording Time:	09/20/2019 17:42	Sample Weight:	1.0000

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.637	1.7300	8.6500	5.0000
3	5.09	Chloride	BMB	41.664	176.9721	884.8607	5.0000
4	6.09	Nitrite,N	BMB	1.090	2.1289	10.6446	5.0000
5	7.89	Bromide	BM	0.238	2.4104	12.0519	5.0000
6	8.20	Sulfate	M ^	74.337	432.8479	2164.2396	5.0000
7	8.97	Nitrate	M	1.243	2.1322	10.6608	5.0000
8	9.49	Chlorate	MB	0.184	1.9737	9.8683	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**119.393**		**3100.98**	

190 HS19090962-12DF50

Sample Name:	**HS19090962-12DF50**	*Injection Volume:*	**5.00**
Vial Number:	**GC5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**50.0000**
Recording Time:	**09/20/2019 17:58**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	50.0000
2	5.11	Chloride	BMB	4.004	17.0596	852.9803	50.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	50.0000
3	7.94	Bromide	BMB	0.005	0.1010	5.0496	50.0000
4	8.54	Sulfate	BMB	7.930	46.1864	2309.3207	50.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	50.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	50.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	50.0000
Total:			**0.000**	**11.939**		**3167.35**	

191 HS19090962-12MSDF50

Sample Name:	**HS19090962-12MSDF50**	*Injection Volume:*	**5.00**
Vial Number:	**GC6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**50.0000**
Recording Time:	**09/20/2019 18:15**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.751	2.0353	101.7647	50.0000
2	5.11	Chloride	BMB	6.231	26.5142	1325.7080	50.0000
3	6.10	Nitrite,N	BMB	1.096	2.1398	106.9910	50.0000
4	7.95	Bromide	BMB	0.179	1.8263	91.3145	50.0000
5	8.52	Sulfate	BM	9.336	54.3752	2718.7601	50.0000
6	8.99	Nitrate	M	1.202	2.0636	103.1781	50.0000
7	9.49	Chlorate	MB	0.184	1.9706	98.5300	50.0000
9	13.00	Phosphate	BMB	0.203	0.9227	46.1329	50.0000
Total:			**0.000**	**19.182**		**4592.38**	

192 HS19090962-12MSDDF50

Sample Name:	**HS19090962-12MSDDF50**	*Injection Volume:*	**5.00**
Vial Number:	**GC7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**50.0000**
Recording Time:	**09/20/2019 18:31**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.716	1.9410	97.0510	50.0000
3	5.11	Chloride	BMB	6.201	26.3883	1319.4157	50.0000
4	6.09	Nitrite,N	BMB	1.092	2.1326	106.6285	50.0000
5	7.94	Bromide	BMB	0.178	1.8158	90.7906	50.0000
6	8.52	Sulfate	BM	9.239	53.8047	2690.2329	50.0000
7	8.99	Nitrate	M	1.190	2.0430	102.1500	50.0000
8	9.49	Chlorate	MB	0.182	1.9583	97.9151	50.0000
10	12.98	Phosphate	BMB	0.229	1.0347	51.7356	50.0000
Total:			0.000	**19.027**		**4555.92**	

193 CCV1

Sample Name:	**CCV1**	*Injection Volume:*	**5.00**
Vial Number:	**BA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 18:48**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	3.632	9.7882	9.7882	1.0000
2	5.10	Chloride	BMB	11.734	49.8813	49.8813	1.0000
3	6.09	Nitrite,N	BMB	4.945	9.6582	9.6582	1.0000
4	7.93	Bromide	BMB	0.984	9.8085	9.8085	1.0000
5	8.47	Sulfate	BM	8.693	50.6283	50.6283	1.0000
6	8.91	Nitrate	M	5.874	10.0143	10.0143	1.0000
7	9.46	Chlorate	MB	0.937	9.9481	9.9481	1.0000
8	12.63	Phosphate	BMB	2.231	9.6603	9.6603	1.0000
Total:			**0.000**	**39.029**		**159.39**	

194 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 19:05**	*Sample Weight:*	**1.0000**

Run Time:



Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.10	Chloride	BMB	0.003	0.0688	0.0688	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.64	Sulfate	BMB	0.021	0.1347	0.1347	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.024**		**0.20**	

HS1909096Z

Report Date: 09/21/2019 : 2:51 PM

PC-TitratION PLUS
Calibration Report

Calibration Record # 2158

Calibration Settings

Calibration ID	PH CAL 4-7-10	Date	09/21/2019
Channel	1	Time	2:51 PM
Probe Type	pH	Temperature	295.61 K 22.46 C
Probe ID	PH ELECTRODE	Analysis Type	Single Line Fit

Calibration Results

Slope	-57.900	CorrCoeff	0.9999
Intercept	3.093	Equation:	Y = (-57.900) X + (3.093)

Calibration Validity True Operator

	Result	Minimum	Maximum
Slope	-57.900	-65.00	-53.00
Intercept	3.093	-100.00	100.00
Correlation Coefficient	0.9999	0.99	1.00

Note: "True" means the calibration was within the specified ranges
"False" means the calibration was NOT within the specified ranges

AIK (A) R# 346725

AIK (B) R# 346726

Calibration Data	Standard	Reading
	4.00	178.46
	7.00	-0.24
	10.00	-168.94

PH 4500 (A) R# 346793

PH 4500 (B) R# 346794

PC-TitratION PLUS by Man-Tech Associates, Inc.

CALRPRTLive1.SRW

Copyright Hinterland Software Ltd.

Report Date: 9/21/2019 : 11:36 PM

PC-TitratION PLUS
Water Analysis Report

Run Number 3622 **Order Number** 20190921-2

SampleID	RunDate	RunTime	Temp	cond (uS)	pH	palk-ppm	talk-ppm	bcarb-ppm	carb-ppm	hydr-ppm	mLs @ 8.3	mLs @ 4.5	mLs @ 4.2
ICV-PH	9/21/2019	3:25 PM	22.60	-1.00	6.04	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
TAP WATER	9/21/2019	3:31 PM	22.70	-1.00	7.91	.00	279.23	279.23	.00	.00	.00	2.66	2.66
WBLKW1-190921	9/21/2019	3:37 PM	22.58	-1.00	5.83	.00	.55	.55	.00	.00	.00	.02	.02
LCS1-190921	9/21/2019	3:45 PM	22.63	-1.00	10.99	560.41	1,081.63	.00	1,042.44	39.19	5.34	10.30	10.30
LCSD1-190921	9/21/2019	3:54 PM	22.72	-1.00	10.99	564.41	1,091.68	.00	1,054.53	37.15	5.38	10.40	10.40
HS19090430-04	9/21/2019	4:02 PM	22.72	-1.00	7.89	.00	619.85	619.85	.00	.00	.00	5.90	5.90
HS19090430-04DUP	9/21/2019	4:09 PM	22.64	-1.00	7.88	.00	621.92	621.92	.00	.00	.00	5.92	5.92
HS19090539-02	9/21/2019	4:17 PM	22.57	-1.00	7.46	.00	995.93	995.93	.00	.00	.00	9.49	9.49
HS19090539-03	9/21/2019	4:27 PM	22.54	-1.00	7.69	.00	1,002.02	1,002.02	.00	.00	.00	9.54	9.54
HS19090539-05	9/21/2019	4:34 PM	22.63	-1.00	7.63	.00	802.51	802.51	.00	.00	.00	7.64	7.64
HS19090539-05DUP	9/21/2019	4:42 PM	22.61	-1.00	7.64	.00	807.96	807.96	.00	.00	.00	7.69	7.69
CCV-PH	9/21/2019	4:45 PM	22.86	-1.00	7.06	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
CCV-ALK	9/21/2019	4:54 PM	22.84	-1.00	10.96	556.73	1,085.02	.00	1,056.59	28.43	5.30	10.33	10.33
DI RINSE	9/21/2019	4:59 PM	22.77	-1.00	5.91	.00	.44	.44	.00	.00	.00	.02	.02
HS19090539-04	9/21/2019	5:07 PM	22.72	-1.00	7.42	.00	1,002.15	1,002.15	.00	.00	.00	9.54	9.54
HS19090539-06	9/21/2019	5:16 PM	22.80	-1.00	7.46	.00	928.25	928.25	.00	.00	.00	8.84	8.84
HS19090539-07	9/21/2019	5:21 PM	22.80	-1.00	5.62	.00	.30	.30	.00	.00	.00	.02	.02
HS19090807-01	9/21/2019	5:28 PM	22.75	-1.00	7.61	.00	343.72	343.72	.00	.00	.00	3.27	3.27
HS19090807-02	9/21/2019	5:34 PM	22.74	-1.00	7.64	.00	316.64	316.64	.00	.00	.00	3.02	3.02
HS19090807-03	9/21/2019	5:41 PM	22.72	-1.00	7.74	.00	313.78	313.78	.00	.00	.00	2.99	2.99
HS19090807-04	9/21/2019	5:47 PM	22.87	-1.00	7.73	.00	340.91	340.91	.00	.00	.00	3.25	3.25
HS19090807-05	9/21/2019	5:52 PM	22.86	-1.00	5.88	.00	.52	.52	.00	.00	.00	.02	.02
HS19090904-01	9/21/2019	5:59 PM	22.77	-1.00	7.76	.00	93.42	93.42	.00	.00	.00	.89	.89
CCV-PH	9/21/2019	6:02 PM	22.72	-1.00	7.06	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
CCV-ALK	9/21/2019	6:10 PM	22.60	-1.00	10.94	552.15	1,086.21	.00	1,068.11	18.10	5.26	10.34	10.34
DI RINSE	9/21/2019	6:15 PM	22.57	-1.00	5.93	.00	.36	.36	.00	.00	.00	.02	.02
HS19090580-02	9/21/2019	6:26 PM	22.52	-1.00	8.24	.00	1,389.15	1,389.15	.00	.00	.00	13.23	13.23

PC-TitratION PLUS by Man-Tech Associates, Inc.

GENERAL RESULTS REPORT.SRW

Copyright Hinterland Software Ltd.

Run Number 3622 **Order Number** 20190921-2

SampleID	RunDate	RunTime	Temp	cond (uS)	pH	palk-ppm	talk-ppm	bcarb-ppm	carb-ppm	hydr-ppm	mLs @ 8.3	mLs @ 4.5	mLs @ 4.2
HS19090580-03	9/21/2019	6:33 PM	22.55	-1.00	7.92	.00	591.10	591.10	.00	.00	.00	5.63	5.63
HS19090580-04	9/21/2019	6:41 PM	22.60	-1.00	7.86	.00	686.16	686.16	.00	.00	.00	6.53	6.53
HS19090835-01DF500	9/21/2019	6:51 PM	22.57	-1.00	11.77	423.52	449.50	.00	51.96	397.54	4.03	4.28	4.28
HS19090835-01DF1000	9/21/2019	6:59 PM	22.54	-1.00	11.56	207.36	225.49	.00	36.26	189.22	1.97	2.15	2.15
HS19090892-01	9/21/2019	7:06 PM	22.42	-1.00	8.67	11.56	290.06	266.94	23.13	.00	.11	2.76	2.76
WBLKW2-190921	9/21/2019	7:11 PM	22.37	-1.00	5.86	.00	.35	.35	.00	.00	.00	.02	.02
WLCS2-190921	9/21/2019	7:20 PM	22.32	-1.00	10.92	548.80	1,083.78	.00	1,069.96	13.82	5.23	10.32	10.32
WLCSD2-190921	9/21/2019	7:30 PM	22.28	-1.00	10.92	546.08	1,092.56	.40	1,092.16	.00	5.20	10.41	10.41
CCV-PH	9/21/2019	7:32 PM	22.22	-1.00	7.06	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
CCV-ALK	9/21/2019	7:41 PM	22.13	-1.00	10.91	551.36	1,093.30	.00	1,083.89	9.41	5.25	10.41	10.41
DI RINSE	9/21/2019	7:46 PM	22.28	-1.00	5.95	.00	.44	.44	.00	.00	.00	.02	.02
HS19090816-04	9/21/2019	7:54 PM	22.28	-1.00	7.51	.00	860.46	860.46	.00	.00	.00	8.19	8.19
HS19090816-04DUP	9/21/2019	8:02 PM	22.23	-1.00	7.46	.00	859.50	859.50	.00	.00	.00	8.19	8.19
HS19090633-01	9/21/2019	8:10 PM	22.16	-1.00	7.82	.00	594.81	594.81	.00	.00	.00	5.66	5.66
HS19090633-02	9/21/2019	8:18 PM	22.13	-1.00	7.66	.00	915.69	915.69	.00	.00	.00	8.72	8.72
HS19090633-03	9/21/2019	8:26 PM	22.10	-1.00	7.89	.00	484.68	484.68	.00	.00	.00	4.62	4.62
HS19090633-04	9/21/2019	8:33 PM	22.03	-1.00	7.58	.00	813.75	813.75	.00	.00	.00	7.75	7.75
HS19090633-05	9/21/2019	8:41 PM	22.08	-1.00	7.51	.00	701.78	701.78	.00	.00	.00	6.68	6.68
HS19090816-01	9/21/2019	8:49 PM	22.20	-1.00	7.56	.00	850.16	850.16	.00	.00	.00	8.10	8.10
HS19090816-02	9/21/2019	8:57 PM	22.14	-1.00	7.46	.00	933.99	933.99	.00	.00	.00	8.90	8.90
CCV-PH	9/21/2019	9:00 PM	22.20	-1.00	7.06	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
CCV-ALK	9/21/2019	9:08 PM	22.13	-1.00	10.88	539.83	1,078.42	.00	1,077.18	1.23	5.14	10.27	10.27
DI RINSE	9/21/2019	9:13 PM	22.10	-1.00	5.92	.00	.53	.53	.00	.00	.00	.02	.02
HS19090816-03	9/21/2019	9:20 PM	22.10	-1.00	7.94	.00	260.19	260.19	.00	.00	.00	2.48	2.48
HS19090805-01	9/21/2019	9:27 PM	22.13	-1.00	8.62	11.58	319.34	296.18	23.16	.00	.11	3.04	3.04
HS19090740-01	9/21/2019	9:35 PM	22.07	-1.00	7.44	.00	656.68	656.68	.00	.00	.00	6.25	6.25
HS19090740-02	9/21/2019	9:42 PM	22.05	-1.00	7.61	.00	639.25	639.25	.00	.00	.00	6.09	6.09
HS19090740-03	9/21/2019	9:49 PM	22.19	-1.00	7.59	.00	584.62	584.62	.00	.00	.00	5.57	5.57
HS19090740-04	9/21/2019	9:56 PM	22.10	-1.00	7.78	.00	588.56	588.56	.00	.00	.00	5.61	5.61
HS19090740-05	9/21/2019	10:04 PM	22.05	-1.00	6.80	.00	761.95	761.95	.00	.00	.00	7.26	7.26

PC-TitratION PLUS by Man-Tech Associates, Inc.

GENERAL RESULTS REPORT SRW

Copyright Hinterland Software, L

Run Number 3622 **Order Number** 20190921-2

SampleID	RunDate	RunTime	Temp	cond (uS)	pH	palk-ppm	talk-ppm	bcarb-ppm	carb-ppm	hydr-ppm	mLs @ 8.3	mLs @ 4.5	mLs @ 4.2
HS19090740-05DUP	9/21/2019	10:11 PM	22.00	-1.00	6.79	.00	764.40	764.40	.00	.00	.00	7.28	7.28
HS19090927-01	9/21/2019	10:17 PM	21.99	-1.00	8.09	.00	161.39	161.39	.00	.00	.00	1.54	1.54
CCV-PH	9/21/2019	10:20 PM	22.07	-1.00	7.05	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
CCV-ALK	9/21/2019	10:29 PM	21.99	-1.00	10.86	543.16	1,096.34	10.03	1,086.31	.00	5.17	10.44	10.44
DI RINSE	9/21/2019	10:33 PM	22.02	-1.00	5.87	.00	.41	.41	.00	.00	.00	.02	.02
HS19090885-04	9/21/2019	10:41 PM	22.16	-1.00	7.57	.00	1,021.74	1,021.74	.00	.00	.00	9.73	9.73
HS19090962-12	9/21/2019	10:47 PM	22.10	-1.00	6.41	.00	132.99	132.99	.00	.00	.00	1.27	1.27
HS19090962-12DUP	9/21/2019	10:53 PM	22.03	-1.00	6.39	.00	134.27	134.27	.00	.00	.00	1.28	1.28
HS19090964-04	9/21/2019	10:58 PM	22.00	-1.00	6.55	.00	93.98	93.98	.00	.00	.00	.90	.90
HS19090964-06	9/21/2019	11:04 PM	22.02	-1.00	6.58	.00	106.86	106.86	.00	.00	.00	1.02	1.02
HS19090980-01	9/21/2019	11:11 PM	21.98	-1.00	7.77	.00	328.40	328.40	.00	.00	.00	3.13	3.13
HS19090988-01	9/21/2019	11:17 PM	21.95	-1.00	7.70	.00	341.10	341.10	.00	.00	.00	3.25	3.25
CCV-PH	9/21/2019	11:19 PM	21.93	-1.00	7.05	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
CCV-ALK	9/21/2019	11:28 PM	21.83	-1.00	10.86	544.62	1,094.45	5.21	1,089.24	.00	5.19	10.42	10.42
DI RINSE	9/21/2019	11:33 PM	22.05	-1.00	5.92	.00	.49	.49	.00	.00	.00	.02	.02

PC-TitratION PLUS by Man-Tech Associates, Inc.

Copyright Hinterland Software Ltd.

HS19090964 LHAAP16 Cover Page

ALS WO# HS19090964

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

HS19090964 LHAAP16 Cover Page
- CoverPage
- HS19090964 LHAAP16 Final
  - CoverLetter
  - Sample Summary
  - CaseNarrative
  - 16WW25-190919
  - 16WW25-190919-FD
  - 16WW49-190919
  - 16WW58-190918
  - 16LHAAP-TB6-190919
  - 16WW58-190918-FD
  - 16WW51-190919
  - Dates Report
  - QC
  - Acronyms
  - Certifications
  - SampleReceiptCheckList
  - COC
  - HS19090964 ALS Salt Lake City 1927220-Combined Report
  - HS19090964 ALS Kelso Sub Data K1908781
- HS19090964 8260

Table of Contents (continued)

HS19090964 Wet Chem Raw Data

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

WorkOrder: HS19090964

LHAAP-16

Aptim Environmental & Infrastucture, Inc.

Susan Huang
2500 City West Blvd., Suite 1700
Houston TX 77042

14-Oct-2019

HS19090964 LHAAP16 Final

ALS WO# HS19090964

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

October 04, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19090964**

Laboratory Results for: **LHAAP-16**

Dear Susan,

ALS Environmental received 7 sample(s) on Sep 19, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19090964

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19090964-01	16WW25-190919	Water		19-Sep-2019 09:30	19-Sep-2019 16:45	☐
HS19090964-02	16WW25-190919-FD	Water		19-Sep-2019 09:30	19-Sep-2019 16:45	☐
HS19090964-03	16WW49-190919	Water		19-Sep-2019 08:35	19-Sep-2019 16:45	☐
HS19090964-04	16WW58-190918	Water		18-Sep-2019 14:08	19-Sep-2019 16:45	☐
HS19090964-05	16LHAAP-TB6-190919	Water	C&G-080519-518	19-Sep-2019 00:00	19-Sep-2019 16:45	☐
HS19090964-06	16WW58-190918-FD	Water		18-Sep-2019 14:08	19-Sep-2019 16:45	☐
HS19090964-07	16WW51-190919	Water		18-Sep-2019 18:00	19-Sep-2019 16:45	☐

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc. **CASE NARRATIVE**
Project: LHAAP-16
Work Order: HS19090964

Work Order Comments

• The analysis for Perchlorate was subcontracted to ALS Salt Lake City, UT. Final report attached.

Work Order Comments

• The analysis for TOC was subcontracted to ALS Environmental in Kelso, WA. Final Report attached.

GC Semivolatiles by Method RSK-175

Batch ID: R346937

• The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

GCMS Volatiles by Method SW8260

Batch ID: R347193,R347232

• The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SW9056

Batch ID: R346732

Sample ID: HS19090962-12MS

• MS and MSD are for an unrelated sample

Batch ID: R346978

• The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SM2320B

Batch ID: R346726

• The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW25-190919
Collection Date: 19-Sep-2019 09:30

ANALYTICAL REPORT
WorkOrder:HS19090964
Lab ID:HS19090964-01
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	27-Sep-2019 17:56
1,1-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 17:56
1,2-Dichloroethane	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 17:56
cis-1,2-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 17:56
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	27-Sep-2019 17:56
Trichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 17:56
Vinyl chloride	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 17:56
Surr: 1,2-Dichloroethane-d4	*83.9*			**0**	*81-118*	*%REC*	*1*	*27-Sep-2019 17:56*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*1*	*27-Sep-2019 17:56*
Surr: Dibromofluoromethane	*90.2*			**0**	*80-119*	*%REC*	*1*	*27-Sep-2019 17:56*
Surr: Toluene-d8	*99.3*			**0**	*89-112*	*%REC*	*1*	*27-Sep-2019 17:56*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW25-190919-FD
Collection Date: 19-Sep-2019 09:30

ANALYTICAL REPORT
WorkOrder:HS19090964
Lab ID:HS19090964-02
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	27-Sep-2019 18:21
1,1-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 18:21
1,2-Dichloroethane	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 18:21
cis-1,2-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 18:21
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	27-Sep-2019 18:21
Trichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 18:21
Vinyl chloride	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 18:21
Surr: 1,2-Dichloroethane-d4	*84.2*			**0**	*81-118*	*%REC*	*1*	*27-Sep-2019 18:21*
Surr: 4-Bromofluorobenzene	*103*			**0**	*85-114*	*%REC*	*1*	*27-Sep-2019 18:21*
Surr: Dibromofluoromethane	*89.6*			**0**	*80-119*	*%REC*	*1*	*27-Sep-2019 18:21*
Surr: Toluene-d8	*97.4*			**0**	*89-112*	*%REC*	*1*	*27-Sep-2019 18:21*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW49-190919
Collection Date: 19-Sep-2019 08:35

ANALYTICAL REPORT
WorkOrder:HS19090964
Lab ID:HS19090964-03
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	27-Sep-2019 14:44
1,1-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 14:44
1,2-Dichloroethane	**0.86**	J	**0.20**	**0.50**	**1.0**	**UG/L**	1	27-Sep-2019 14:44
cis-1,2-Dichloroethene	**130**		**0.20**	**0.50**	**1.0**	**UG/L**	1	27-Sep-2019 14:44
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	27-Sep-2019 14:44
Trichloroethene	**260**		**1.0**	**2.5**	**5.0**	**UG/L**	5	29-Sep-2019 13:31
Vinyl chloride	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 14:44
Surr: 1,2-Dichloroethane-d4	*83.8*			**0**	*81-118*	*%REC*	*1*	*27-Sep-2019 14:44*
Surr: 1,2-Dichloroethane-d4	*94.2*			**0**	*81-118*	*%REC*	*5*	*29-Sep-2019 13:31*
Surr: 4-Bromofluorobenzene	*105*			**0**	*85-114*	*%REC*	*1*	*27-Sep-2019 14:44*
Surr: 4-Bromofluorobenzene	*109*			**0**	*85-114*	*%REC*	*5*	*29-Sep-2019 13:31*
Surr: Dibromofluoromethane	*91.2*			**0**	*80-119*	*%REC*	*1*	*27-Sep-2019 14:44*
Surr: Dibromofluoromethane	*99.9*			**0**	*80-119*	*%REC*	*5*	*29-Sep-2019 13:31*
Surr: Toluene-d8	*97.4*			**0**	*89-112*	*%REC*	*1*	*27-Sep-2019 14:44*
Surr: Toluene-d8	*95.7*			**0**	*89-112*	*%REC*	*5*	*29-Sep-2019 13:31*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW58-190918
Collection Date: 18-Sep-2019 14:08

ANALYTICAL REPORT
WorkOrder:HS19090964
Lab ID:HS19090964-04
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	2.5	U	1.5	2.5	5.0	UG/L	5	29-Sep-2019 15:31
1,1-Dichloroethene	**3.9**	J	**1.0**	**2.5**	**5.0**	**UG/L**	5	29-Sep-2019 15:31
1,2-Dichloroethane	2.5	U	1.0	2.5	5.0	UG/L	5	29-Sep-2019 15:31
cis-1,2-Dichloroethene	**170**		**1.0**	**2.5**	**5.0**	**UG/L**	5	29-Sep-2019 15:31
Methylene chloride	5.0	U	2.0	5.0	10	UG/L	5	29-Sep-2019 15:31
Trichloroethene	**4,300**		**5.0**	**12**	**25**	**UG/L**	25	27-Sep-2019 19:33
Vinyl chloride	2.5	U	1.0	2.5	5.0	UG/L	5	29-Sep-2019 15:31
Surr: 1,2-Dichloroethane-d4	*81.2*			**0**	*81-118*	*%REC*	*25*	*27-Sep-2019 19:33*
Surr: 1,2-Dichloroethane-d4	*96.1*			**0**	*81-118*	*%REC*	*5*	*29-Sep-2019 15:31*
Surr: 4-Bromofluorobenzene	*102*			**0**	*85-114*	*%REC*	*25*	*27-Sep-2019 19:33*
Surr: 4-Bromofluorobenzene	*107*			**0**	*85-114*	*%REC*	*5*	*29-Sep-2019 15:31*
Surr: Dibromofluoromethane	*88.4*			**0**	*80-119*	*%REC*	*25*	*27-Sep-2019 19:33*
Surr: Dibromofluoromethane	*104*			**0**	*80-119*	*%REC*	*5*	*29-Sep-2019 15:31*
Surr: Toluene-d8	*98.5*			**0**	*89-112*	*%REC*	*25*	*27-Sep-2019 19:33*
Surr: Toluene-d8	*93.9*			**0**	*89-112*	*%REC*	*5*	*29-Sep-2019 15:31*
DISSOLVED GASES BY RSK-175		**Method:RSK-175**						Analyst: PVL
Ethane	**0.000332**	J	**0.000144**	**0.000250**	**0.00100**	**mg/L**	1	25-Sep-2019 13:46
Ethene	**0.00151**		**0.000234**	**0.000500**	**0.00100**	**mg/L**	1	25-Sep-2019 13:46
Methane	**0.00362**		**0.000107**	**0.000250**	**0.000500**	**mg/L**	1	25-Sep-2019 13:46
ALKALINITY BY SM2320B		**Method:SM2320B**						Analyst: TH
Alkalinity, Total (As CaCO3)	**94.0**		**5.00**	**5.00**	**5.00**	**mg/L**	1	21-Sep-2019 22:58
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.52**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	20-Sep-2019 13:01
Nitrogen, Nitrate (As N)	0.100	U	0.0300	0.100	0.100	mg/L	1	20-Sep-2019 13:01
Sulfate	**394**		**2.00**	**5.00**	**5.00**	**mg/L**	10	26-Sep-2019 04:18
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 11:55

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16LHAAP-TB6-190919
Collection Date: 19-Sep-2019 00:00

ANALYTICAL REPORT
WorkOrder:HS19090964
Lab ID:HS19090964-05
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	27-Sep-2019 12:44
1,1-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 12:44
1,2-Dichloroethane	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 12:44
cis-1,2-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 12:44
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	27-Sep-2019 12:44
Trichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 12:44
Vinyl chloride	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 12:44
Surr: 1,2-Dichloroethane-d4	*84.1*			**0**	*81-118*	*%REC*	*1*	*27-Sep-2019 12:44*
Surr: 4-Bromofluorobenzene	*99.7*			**0**	*85-114*	*%REC*	*1*	*27-Sep-2019 12:44*
Surr: Dibromofluoromethane	*89.7*			**0**	*80-119*	*%REC*	*1*	*27-Sep-2019 12:44*
Surr: Toluene-d8	*100*			**0**	*89-112*	*%REC*	*1*	*27-Sep-2019 12:44*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW58-190918-FD
Collection Date: 18-Sep-2019 14:08

ANALYTICAL REPORT
WorkOrder:HS19090964
Lab ID:HS19090964-06
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	2.5	U	1.5	2.5	5.0	UG/L	5	29-Sep-2019 15:55
1,1-Dichloroethene	**3.9**	J	**1.0**	**2.5**	**5.0**	**UG/L**	5	29-Sep-2019 15:55
1,2-Dichloroethane	2.5	U	1.0	2.5	5.0	UG/L	5	29-Sep-2019 15:55
cis-1,2-Dichloroethene	**180**		**1.0**	**2.5**	**5.0**	**UG/L**	5	29-Sep-2019 15:55
Methylene chloride	5.0	U	2.0	5.0	10	UG/L	5	29-Sep-2019 15:55
Trichloroethene	**4,100**		**5.0**	**12**	**25**	**UG/L**	25	27-Sep-2019 20:21
Vinyl chloride	2.5	U	1.0	2.5	5.0	UG/L	5	29-Sep-2019 15:55
Surr: 1,2-Dichloroethane-d4	*81.3*			**0**	*81-118*	*%REC*	*25*	*27-Sep-2019 20:21*
Surr: 1,2-Dichloroethane-d4	*92.6*			**0**	*81-118*	*%REC*	*5*	*29-Sep-2019 15:55*
Surr: 4-Bromofluorobenzene	*101*			**0**	*85-114*	*%REC*	*25*	*27-Sep-2019 20:21*
Surr: 4-Bromofluorobenzene	*104*			**0**	*85-114*	*%REC*	*5*	*29-Sep-2019 15:55*
Surr: Dibromofluoromethane	*88.3*			**0**	*80-119*	*%REC*	*25*	*27-Sep-2019 20:21*
Surr: Dibromofluoromethane	*99.2*			**0**	*80-119*	*%REC*	*5*	*29-Sep-2019 15:55*
Surr: Toluene-d8	*98.3*			**0**	*89-112*	*%REC*	*25*	*27-Sep-2019 20:21*
Surr: Toluene-d8	*90.5*			**0**	*89-112*	*%REC*	*5*	*29-Sep-2019 15:55*
DISSOLVED GASES BY RSK-175		**Method:RSK-175**						Analyst: PVL
Ethane	**0.000318**	J	**0.000144**	**0.000250**	**0.00100**	**mg/L**	1	25-Sep-2019 13:58
Ethene	**0.00143**		**0.000234**	**0.000500**	**0.00100**	**mg/L**	1	25-Sep-2019 13:58
Methane	**0.00437**		**0.000107**	**0.000250**	**0.000500**	**mg/L**	1	25-Sep-2019 13:58
ALKALINITY BY SM2320B		**Method:SM2320B**						Analyst: TH
Alkalinity, Total (As CaCO3)	**107**		**5.00**	**10.0**	**5.00**	**mg/L**	1	21-Sep-2019 23:04
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.48**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	20-Sep-2019 13:17
Nitrogen, Nitrate (As N)	0.100	U	0.0300	0.100	0.100	mg/L	1	20-Sep-2019 13:17
Sulfate	**396**		**2.00**	**5.00**	**5.00**	**mg/L**	10	26-Sep-2019 04:34
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 11:55

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW51-190919
Collection Date: 18-Sep-2019 18:00

ANALYTICAL REPORT
WorkOrder:HS19090964
Lab ID:HS19090964-07
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY METHOD 8260C		**Method:SW8260**						Analyst: PC
1,1,2-Trichloroethane	0.50	U	0.30	0.50	1.0	UG/L	1	27-Sep-2019 13:08
1,1-Dichloroethene	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 13:08
1,2-Dichloroethane	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 13:08
cis-1,2-Dichloroethene	**9.1**		**0.20**	**0.50**	**1.0**	**UG/L**	1	27-Sep-2019 13:08
Methylene chloride	1.0	U	0.40	1.0	2.0	UG/L	1	27-Sep-2019 13:08
Trichloroethene	**90**		**0.20**	**0.50**	**1.0**	**UG/L**	1	27-Sep-2019 13:08
Vinyl chloride	0.50	U	0.20	0.50	1.0	UG/L	1	27-Sep-2019 13:08
Surr: 1,2-Dichloroethane-d4	*84.6*			**0**	*81-118*	*%REC*	*1*	*27-Sep-2019 13:08*
Surr: 4-Bromofluorobenzene	*105*			**0**	*85-114*	*%REC*	*1*	*27-Sep-2019 13:08*
Surr: Dibromofluoromethane	*91.0*			**0**	*80-119*	*%REC*	*1*	*27-Sep-2019 13:08*
Surr: Toluene-d8	*97.9*			**0**	*89-112*	*%REC*	*1*	*27-Sep-2019 13:08*
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA	1	04-Oct-2019 09:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090964

DATES REPORT

Sample ID	Client Samp ID	Collection Date	TCLP Date	Prep Date	Analysis Date	DF
Batch ID: R346726 (0)	**Test Name :** ALKALINITY BY SM2320B				**Matrix:** Water	
HS19090964-04	16WW58-190918	18 Sep 2019 14:08			21 Sep 2019 22:58	1
HS19090964-06	16WW58-190918-FD	18 Sep 2019 14:08			21 Sep 2019 23:04	1
Batch ID: R346732 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Water	
HS19090964-04	16WW58-190918	18 Sep 2019 14:08			20 Sep 2019 13:01	1
HS19090964-06	16WW58-190918-FD	18 Sep 2019 14:08			20 Sep 2019 13:17	1
Batch ID: R346937 (0)	**Test Name :** DISSOLVED GASES BY RSK-175				**Matrix:** Water	
HS19090964-04	16WW58-190918	18 Sep 2019 14:08			25 Sep 2019 13:46	1
HS19090964-06	16WW58-190918-FD	18 Sep 2019 14:08			25 Sep 2019 13:58	1
Batch ID: R346978 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Water	
HS19090964-04	16WW58-190918	18 Sep 2019 14:08			26 Sep 2019 04:18	10
HS19090964-06	16WW58-190918-FD	18 Sep 2019 14:08			26 Sep 2019 04:34	10
Batch ID: R347193 (0)	**Test Name :** VOLATILES ORGANICS BY METHOD 8260C				**Matrix:** Water	
HS19090964-01	16WW25-190919	19 Sep 2019 09:30			27 Sep 2019 17:56	1
HS19090964-02	16WW25-190919-FD	19 Sep 2019 09:30			27 Sep 2019 18:21	1
HS19090964-03	16WW49-190919	19 Sep 2019 08:35			27 Sep 2019 14:44	1
HS19090964-04	16WW58-190918	18 Sep 2019 14:08			27 Sep 2019 19:33	25
HS19090964-05	16LHAAP-TB6-190919	19 Sep 2019 00:00			27 Sep 2019 12:44	1
HS19090964-06	16WW58-190918-FD	18 Sep 2019 14:08			27 Sep 2019 20:21	25
HS19090964-07	16WW51-190919	18 Sep 2019 18:00			27 Sep 2019 13:08	1
Batch ID: R347232 (0)	**Test Name :** VOLATILES ORGANICS BY METHOD 8260C				**Matrix:** Water	
HS19090964-03	16WW49-190919	19 Sep 2019 08:35			29 Sep 2019 13:31	5
HS19090964-04	16WW58-190918	18 Sep 2019 14:08			29 Sep 2019 15:31	5
HS19090964-06	16WW58-190918-FD	18 Sep 2019 14:08			29 Sep 2019 15:55	5
Batch ID: R347602 (0)	**Test Name :** SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)				**Matrix:** Water	
HS19090964-01	16WW25-190919	19 Sep 2019 09:30			04 Oct 2019 09:41	1
HS19090964-02	16WW25-190919-FD	19 Sep 2019 09:30			04 Oct 2019 09:41	1
HS19090964-03	16WW49-190919	19 Sep 2019 08:35			04 Oct 2019 09:41	1
HS19090964-04	16WW58-190918	18 Sep 2019 14:08			04 Oct 2019 09:41	1
HS19090964-06	16WW58-190918-FD	18 Sep 2019 14:08			04 Oct 2019 09:41	1
HS19090964-07	16WW51-190919	18 Sep 2019 18:00			04 Oct 2019 09:41	1
Batch ID: R347625 (0)	**Test Name :** SUBCONTRACT ANALYSIS - TOC ANALYSIS				**Matrix:** Water	
HS19090964-04	16WW58-190918	18 Sep 2019 14:08			04 Oct 2019 11:55	1
HS19090964-06	16WW58-190918-FD	18 Sep 2019 14:08			04 Oct 2019 11:55	1

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090964

QC BATCH REPORT

Batch ID: R346937 (0) **Instrument:** FID-4 **Method:** DISSOLVED GASES BY RSK-175

MBLK Sample ID: **MBLK-190925** Units: **mg/L** Analysis Date: **25-Sep-2019 12:26**
Client ID: Run ID: **FID-4_346937** SeqNo: **5267809** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ethane	0.000250	0.00100								U
Ethene	0.000500	0.00100								U
Methane	0.000250	0.000500								U

LCS Sample ID: **LCS-190925** Units: **mg/L** Analysis Date: **25-Sep-2019 12:00**
Client ID: Run ID: **FID-4_346937** SeqNo: **5267807** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ethane	0.0177	0.00100	0.01804	0	98.1	75 - 125				
Ethene	0.0173	0.00100	0.0168	0	103	75 - 125				
Methane	0.00963	0.000500	0.009647	0	99.9	75 - 125				

LCSD Sample ID: **LCSD-190925** Units: **mg/L** Analysis Date: **25-Sep-2019 12:15**
Client ID: Run ID: **FID-4_346937** SeqNo: **5267808** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ethane	0.0167	0.00100	0.01804	0	92.7	75 - 125	0.01769	5.64	30	
Ethene	0.0161	0.00100	0.0168	0	95.7	75 - 125	0.01731	7.39	30	
Methane	0.00848	0.000500	0.009647	0	87.9	75 - 125	0.009634	12.7	30	

MS Sample ID: **HS19090962-12MS** Units: **mg/L** Analysis Date: **25-Sep-2019 13:16**
Client ID: Run ID: **FID-4_346937** SeqNo: **5267870** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ethane	0.0185	0.00100	0.01804	0.0002460	101	75 - 125				
Ethene	0.0195	0.00100	0.0168	0.001181	109	75 - 125				
Methane	0.0102	0.000500	0.009647	0.002443	80.0	75 - 125				

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090964

QC BATCH REPORT

Batch ID: R346937 (0) **Instrument:** FID-4 **Method:** DISSOLVED GASES BY RSK-175

MSD Sample ID: **HS19090962-12MSD** Units: **mg/L** Analysis Date: **25-Sep-2019 13:27**
Client ID: Run ID: **FID-4_346937** SeqNo: **5270103** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ethane	0.0186	0.00100	0.01804	0.0002460	102	75 - 125	0.01853	0.232	30	
Ethene	0.0186	0.00100	0.0168	0.001181	104	75 - 125	0.01948	4.43	30	
Methane	0.00968	0.000500	0.009647	0.002443	75.1	75 - 125	0.01016	4.78	30	

The following samples were analyzed in this batch: HS19090964-04 HS19090964-06

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090964

QC BATCH REPORT

Batch ID: R347193 (0) **Instrument:** VOA6 **Method:** VOLATILES ORGANICS BY METHOD 8260C

MBLK Sample ID: **VBLKW-190927** Units: **UG/L** Analysis Date: **27-Sep-2019 12:20**
Client ID: Run ID: **VOA6_347193** SeqNo: **5273201** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	0.50	1.0								U
1,1-Dichloroethene	0.50	1.0								U
1,2-Dichloroethane	0.50	1.0								U
cis-1,2-Dichloroethene	0.50	1.0								U
Methylene chloride	1.0	2.0								U
Trichloroethene	0.50	1.0								U
Vinyl chloride	0.50	1.0								U
Surr: 1,2-Dichloroethane-d4	*41.29*	*1.0*	*50*	*0*	*82.6*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*50.75*	*1.0*	*50*	*0*	*101*	*85 - 114*				
Surr: Dibromofluoromethane	*44.75*	*1.0*	*50*	*0*	*89.5*	*80 - 119*				
Surr: Toluene-d8	*49.34*	*1.0*	*50*	*0*	*98.7*	*89 - 112*				

LCS Sample ID: **VLCSW-190927** Units: **UG/L** Analysis Date: **27-Sep-2019 11:32**
Client ID: Run ID: **VOA6_347193** SeqNo: **5273200** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	18.91	1.0	20	0	94.5	80 - 119				
1,1-Dichloroethene	18.82	1.0	20	0	94.1	71 - 131				
1,2-Dichloroethane	17.88	1.0	20	0	89.4	73 - 128				
cis-1,2-Dichloroethene	17.62	1.0	20	0	88.1	78 - 123				
Methylene chloride	18.5	2.0	20	0	92.5	74 - 124				
Trichloroethene	18.29	1.0	20	0	91.4	79 - 123				
Vinyl chloride	18.06	1.0	20	0	90.3	58 - 137				
Surr: 1,2-Dichloroethane-d4	*48.59*	*1.0*	*50*	*0*	*97.2*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*53.49*	*1.0*	*50*	*0*	*107*	*85 - 114*				
Surr: Dibromofluoromethane	*50.11*	*1.0*	*50*	*0*	*100*	*80 - 119*				
Surr: Toluene-d8	*48.05*	*1.0*	*50*	*0*	*96.1*	*89 - 112*				

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090964

QC BATCH REPORT

Batch ID: R347193 (0) **Instrument:** VOA6 **Method:** VOLATILES ORGANICS BY METHOD 8260C

MS Sample ID: **HS19090962-10MS** Units: **UG/L** Analysis Date: **27-Sep-2019 15:08**
Client ID: Run ID: **VOA6_347193** SeqNo: **5273208** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	18.87	1.0	20	0	94.3	80 - 119				
1,1-Dichloroethene	17.17	1.0	20	0	85.8	71 - 131				
1,2-Dichloroethane	16.27	1.0	20	0	81.4	73 - 128				
cis-1,2-Dichloroethene	16.64	1.0	20	0	83.2	78 - 123				
Methylene chloride	15.64	2.0	20	0	78.2	74 - 124				
Trichloroethene	20.62	1.0	20	2.663	89.8	79 - 123				
Vinyl chloride	13.68	1.0	20	0	68.4	58 - 137				
Surr: 1,2-Dichloroethane-d4	*42.73*	*1.0*	*50*	*0*	*85.5*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*50.9*	*1.0*	*50*	*0*	*102*	*85 - 114*				
Surr: Dibromofluoromethane	*45.37*	*1.0*	*50*	*0*	*90.7*	*80 - 119*				
Surr: Toluene-d8	*49.06*	*1.0*	*50*	*0*	*98.1*	*89 - 112*				

MSD Sample ID: **HS19090962-10MSD** Units: **UG/L** Analysis Date: **27-Sep-2019 15:32**
Client ID: Run ID: **VOA6_347193** SeqNo: **5273209** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	18.6	1.0	20	0	93.0	80 - 119	18.87	1.45	20	
1,1-Dichloroethene	16.04	1.0	20	0	80.2	71 - 131	17.17	6.81	20	
1,2-Dichloroethane	15.91	1.0	20	0	79.5	73 - 128	16.27	2.26	20	
cis-1,2-Dichloroethene	15.78	1.0	20	0	78.9	78 - 123	16.64	5.31	20	
Methylene chloride	15.13	2.0	20	0	75.6	74 - 124	15.64	3.35	20	
Trichloroethene	19.11	1.0	20	2.663	82.2	79 - 123	20.62	7.61	20	
Vinyl chloride	12.88	1.0	20	0	64.4	58 - 137	13.68	6.03	20	
Surr: 1,2-Dichloroethane-d4	*42.41*	*1.0*	*50*	*0*	*84.8*	*81 - 118*	*42.73*	*0.745*	*20*	
Surr: 4-Bromofluorobenzene	*52.29*	*1.0*	*50*	*0*	*105*	*85 - 114*	*50.9*	*2.69*	*20*	
Surr: Dibromofluoromethane	*45.64*	*1.0*	*50*	*0*	*91.3*	*80 - 119*	*45.37*	*0.581*	*20*	
Surr: Toluene-d8	*48.45*	*1.0*	*50*	*0*	*96.9*	*89 - 112*	*49.06*	*1.25*	*20*	

The following samples were analyzed in this batch:

HS19090964-01	HS19090964-02	HS19090964-03	HS19090964-04
HS19090964-05	HS19090964-06	HS19090964-07	

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090964

QC BATCH REPORT

Batch ID: R347232 (0) **Instrument:** VOA6 **Method:** VOLATILES ORGANICS BY METHOD 8260C

MBLK Sample ID: **VBLKW-190929** Units: **UG/L** Analysis Date: **29-Sep-2019 13:07**
Client ID: Run ID: **VOA6_347232** SeqNo: **5274248** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	0.50	1.0								U
1,1-Dichloroethene	0.50	1.0								U
1,2-Dichloroethane	0.50	1.0								U
cis-1,2-Dichloroethene	0.50	1.0								U
Methylene chloride	1.0	2.0								U
Trichloroethene	0.50	1.0								U
Vinyl chloride	0.50	1.0								U
Surr: 1,2-Dichloroethane-d4	*44.8*	*1.0*	*50*	*0*	*89.6*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*55.75*	*1.0*	*50*	*0*	*111*	*85 - 114*				
Surr: Dibromofluoromethane	*49.34*	*1.0*	*50*	*0*	*98.7*	*80 - 119*				
Surr: Toluene-d8	*50.69*	*1.0*	*50*	*0*	*101*	*89 - 112*				

LCS Sample ID: **VLCSW-190929** Units: **UG/L** Analysis Date: **29-Sep-2019 12:19**
Client ID: Run ID: **VOA6_347232** SeqNo: **5274247** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	19.88	1.0	20	0	99.4	80 - 119				
1,1-Dichloroethene	18.27	1.0	20	0	91.4	71 - 131				
1,2-Dichloroethane	17.9	1.0	20	0	89.5	73 - 128				
cis-1,2-Dichloroethene	18.06	1.0	20	0	90.3	78 - 123				
Methylene chloride	18.68	2.0	20	0	93.4	74 - 124				
Trichloroethene	18.84	1.0	20	0	94.2	79 - 123				
Vinyl chloride	17.03	1.0	20	0	85.2	58 - 137				
Surr: 1,2-Dichloroethane-d4	*46.88*	*1.0*	*50*	*0*	*93.8*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*51.98*	*1.0*	*50*	*0*	*104*	*85 - 114*				
Surr: Dibromofluoromethane	*48.74*	*1.0*	*50*	*0*	*97.5*	*80 - 119*				
Surr: Toluene-d8	*46.12*	*1.0*	*50*	*0*	*92.2*	*89 - 112*				

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090964

QC BATCH REPORT

Batch ID: R347232 (0) **Instrument:** VOA6 **Method:** VOLATILES ORGANICS BY METHOD 8260C

MS Sample ID: **HS19090964-03MS** Units: **UG/L** Analysis Date: **29-Sep-2019 14:19**
Client ID: **16WW49-190919** Run ID: **VOA6_347232** SeqNo: **5274250** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	94.37	5.0	100	0	94.4	80 - 119				
1,1-Dichloroethene	85.6	5.0	100	0	85.6	71 - 131				
1,2-Dichloroethane	85.8	5.0	100	0	85.8	73 - 128				
cis-1,2-Dichloroethene	234.2	5.0	100	147.7	86.5	78 - 123				
Methylene chloride	87.03	10	100	0	87.0	74 - 124				
Trichloroethene	348	5.0	100	259.3	88.6	79 - 123				
Vinyl chloride	64.28	5.0	100	0	64.3	58 - 137				
Surr: 1,2-Dichloroethane-d4	*230*	*5.0*	*250*	*0*	*92.0*	*81 - 118*				
Surr: 4-Bromofluorobenzene	*263.6*	*5.0*	*250*	*0*	*105*	*85 - 114*				
Surr: Dibromofluoromethane	*247.6*	*5.0*	*250*	*0*	*99.0*	*80 - 119*				
Surr: Toluene-d8	*235.5*	*5.0*	*250*	*0*	*94.2*	*89 - 112*				

MSD Sample ID: **HS19090964-03MSD** Units: **UG/L** Analysis Date: **29-Sep-2019 14:43**
Client ID: **16WW49-190919** Run ID: **VOA6_347232** SeqNo: **5274251** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	96.74	5.0	100	0	96.7	80 - 119	94.37	2.48	20	
1,1-Dichloroethene	84.24	5.0	100	0	84.2	71 - 131	85.6	1.6	20	
1,2-Dichloroethane	88.76	5.0	100	0	88.8	73 - 128	85.8	3.39	20	
cis-1,2-Dichloroethene	233.8	5.0	100	147.7	86.2	78 - 123	234.2	0.148	20	
Methylene chloride	87.96	10	100	0	88.0	74 - 124	87.03	1.06	20	
Trichloroethene	340.6	5.0	100	259.3	81.3	79 - 123	348	2.13	20	
Vinyl chloride	63.61	5.0	100	0	63.6	58 - 137	64.28	1.04	20	
Surr: 1,2-Dichloroethane-d4	*242.7*	*5.0*	*250*	*0*	*97.1*	*81 - 118*	*230*	*5.37*	*20*	
Surr: 4-Bromofluorobenzene	*263.8*	*5.0*	*250*	*0*	*106*	*85 - 114*	*263.6*	*0.0826*	*20*	
Surr: Dibromofluoromethane	*252.3*	*5.0*	*250*	*0*	*101*	*80 - 119*	*247.6*	*1.88*	*20*	
Surr: Toluene-d8	*234.6*	*5.0*	*250*	*0*	*93.8*	*89 - 112*	*235.5*	*0.394*	*20*	

The following samples were analyzed in this batch: HS19090964-03 HS19090964-04 HS19090964-06

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090964

QC BATCH REPORT

Batch ID: R346726 (0) **Instrument:** ManTech01 **Method:** ALKALINITY BY SM2320B

MBLK Sample ID: **WBLKW2-190921** Units: **mg/L** Analysis Date: **21-Sep-2019 19:11**
Client ID: Run ID: **ManTech01_346726** SeqNo: **5263383** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Total (As CaCO3)	5.00	5.00								U

LCS Sample ID: **WLCS2-190921** Units: **mg/L** Analysis Date: **21-Sep-2019 19:20**
Client ID: Run ID: **ManTech01_346726** SeqNo: **5263384** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Total (As CaCO3)	1084	5.00	1000	0	108	85 - 115				

LCSD Sample ID: **WLCSD2-190921** Units: **mg/L** Analysis Date: **21-Sep-2019 19:30**
Client ID: Run ID: **ManTech01_346726** SeqNo: **5263385** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Total (As CaCO3)	1093	5.00	1000	0	109	85 - 115	1084	0.807	20	

DUP Sample ID: **HS19090962-12DUP** Units: **mg/L** Analysis Date: **21-Sep-2019 22:53**
Client ID: Run ID: **ManTech01_346726** SeqNo: **5263409** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Total (As CaCO3)	134.3	5.00					133	0.958	20	

DUP Sample ID: **HS19090740-05DUP** Units: **mg/L** Analysis Date: **21-Sep-2019 22:11**
Client ID: Run ID: **ManTech01_346726** SeqNo: **5263404** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Alkalinity, Total (As CaCO3)	764.4	5.00					762	0.321	20	

The following samples were analyzed in this batch: HS19090964-04 HS19090964-06

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090964

QC BATCH REPORT

Batch ID: R346732 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-092019** Units: **mg/L** Analysis Date: **20-Sep-2019 16:02**
Client ID: Run ID: **ICS-Integrion_346732** SeqNo: **5263511** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U
Nitrogen, Nitrate (As N)	0.100	0.100								U

LCS Sample ID: **WLCSW1-092019** Units: **mg/L** Analysis Date: **20-Sep-2019 16:18**
Client ID: Run ID: **ICS-Integrion_346732** SeqNo: **5263512** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.86	0.100	4	0	96.5	80 - 120				
Nitrogen, Nitrate (As N)	4.157	0.100	4	0	104	80 - 120				

LCSD Sample ID: **WLCSDW1-092019** Units: **mg/L** Analysis Date: **20-Sep-2019 16:35**
Client ID: Run ID: **ICS-Integrion_346732** SeqNo: **5263513** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.77	0.100	4	0	94.2	80 - 120	3.86	2.38	20	
Nitrogen, Nitrate (As N)	4.041	0.100	4	0	101	80 - 120	4.157	2.84	20	

MS Sample ID: **HS19090962-12MS** Units: **mg/L** Analysis Date: **20-Sep-2019 18:15**
Client ID: Run ID: **ICS-Integrion_346732** SeqNo: **5263518** PrepDate: DF: **50**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	91.32	5.00	100	5.05	86.3	80 - 120				
Nitrogen, Nitrate (As N)	103.2	5.00	100	0	103	80 - 120				

MS Sample ID: **HS19090962-12MS** Units: **mg/L** Analysis Date: **20-Sep-2019 13:51**
Client ID: Run ID: **ICS-Integrion_346732** SeqNo: **5263507** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100	2	0	0	80 - 120				S U
Nitrogen, Nitrate (As N)	1.997	0.100	2	0	99.8	80 - 120				

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090964

QC BATCH REPORT

Batch ID: R346732 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MS Sample ID: **HS19090962-12MS** Units: **mg/L** Analysis Date: **20-Sep-2019 17:25**
Client ID: Run ID: **ICS-Integrion_346732** SeqNo: **5263515** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	12.05	0.500	10	3.158	88.9	80 - 120				
Nitrogen, Nitrate (As N)	10.53	0.500	10	0	105	80 - 120				

MSD Sample ID: **HS19090962-12MSD** Units: **mg/L** Analysis Date: **20-Sep-2019 17:42**
Client ID: Run ID: **ICS-Integrion_346732** SeqNo: **5263516** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	12.05	0.500	10	3.158	88.9	80 - 120	12.05	0.0249	20	
Nitrogen, Nitrate (As N)	10.66	0.500	10	0	107	80 - 120	10.53	1.26	20	

MSD Sample ID: **HS19090962-12MSD** Units: **mg/L** Analysis Date: **20-Sep-2019 18:31**
Client ID: Run ID: **ICS-Integrion_346732** SeqNo: **5263519** PrepDate: DF: **50**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	90.79	5.00	100	5.05	85.7	80 - 120	91.32	0.577	20	
Nitrogen, Nitrate (As N)	102.2	5.00	100	0	102	80 - 120	103.2	1	20	

MSD Sample ID: **HS19090962-12MSD** Units: **mg/L** Analysis Date: **20-Sep-2019 14:07**
Client ID: Run ID: **ICS-Integrion_346732** SeqNo: **5263508** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100	2	0	0	80 - 120	0	0	20	S U
Nitrogen, Nitrate (As N)	1.986	0.100	2	0	99.3	80 - 120	1.997	0.568	20	

The following samples were analyzed in this batch: HS19090964-04 HS19090964-06

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19090964

QC BATCH REPORT

Batch ID: R346978 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW2-092519** Units: **mg/L** Analysis Date: **26-Sep-2019 00:25**
Client ID: Run ID: **ICS-Integrion_346978** SeqNo: **5268869** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	0.500	0.500								U

LCS Sample ID: **WLCSW2-092519** Units: **mg/L** Analysis Date: **26-Sep-2019 00:42**
Client ID: Run ID: **ICS-Integrion_346978** SeqNo: **5268870** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	20.25	0.500	20	0	101	80 - 120				

LCSD Sample ID: **WLCSDW2-092519** Units: **mg/L** Analysis Date: **26-Sep-2019 00:58**
Client ID: Run ID: **ICS-Integrion_346978** SeqNo: **5268871** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	20.08	0.500	20	0	100	80 - 120	20.25	0.834	20	

MS Sample ID: **HS19090511-02MS** Units: **mg/L** Analysis Date: **26-Sep-2019 01:48**
Client ID: Run ID: **ICS-Integrion_346978** SeqNo: **5268874** PrepDate: DF: **20**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	1377	10.0	200	1197	90.1	80 - 120				O

MSD Sample ID: **HS19090511-02MSD** Units: **mg/L** Analysis Date: **26-Sep-2019 02:05**
Client ID: Run ID: **ICS-Integrion_346978** SeqNo: **5268875** PrepDate: DF: **20**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sulfate	1365	10.0	200	1197	84.3	80 - 120	1377	0.841	20	O

The following samples were analyzed in this batch: HS19090964-04 HS19090964-06

ALS Houston, US Date: 04-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19090964**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-141	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 04-Oct-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19090964
Date/Time Received: **19-Sep-2019 16:45**
Received by: **AC**

Checklist completed by: *Asad Chaudhry* eSignature 20-Sep-2019 Date
Reviewed by: *RJ Modashia* eSignature 20-Sep-2019 Date

Matrices: **Water**
Carrier name: **Client**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☐	No ☑	
Chain of custody agrees with sample labels?	Yes ☐	No ☑	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	1.5c, 0.8c C/UC	IR 25
Cooler(s)/Kit(s):	43260, 44953	
Date/Time sample(s) sent to storage:	09/19/2019 19:00	

Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			


Login Notes: Received extra samples, not on COC. "16WW58-FD-091819" & "16WW51-091819". Logged in for analysis.

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:



APTIM

REVISED

COC ID: LHAAP16-SEPT2019-ALSHT-1909-

TURNAROUND TIME: Normal RUSH: Page 1 of

PROJECT/CLIENT INFO

Facility Name: Longhorn

Project Number:

City: Marshall

Code: 75670

Country: USA

Project Manager:

LABORATORY

City: Houston

Postal Code: 77099

Phone Number: 281 575 2

HS19090964

Aptim Environmental & Infrastucture, Inc.

LHAAP-16

SAMPLE DETAILS

ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS	VOCs in Water by 8260B (see required VOCs below)	Perchlorate in Water by 6850	Alkalinity (SM2320B)	Anions by IC300 (see required anions below)	Dissolved Gases (methane, ethane, and ethene) by RSK-175	TOC by SM5310C	
16MW25-190919						9/19/19	930			X	X					
16MW25-190919-FD						9/19/19	930			X	X					
16MW49-190919						9/19/19	835			X	X					
16MW58-190919						9/19/19	1405			X	X	X	X	X	X	
16LHAAP-126-190919						9/19/19	1645			X						
Set 9/23/19 16MW50-190919-FD						9/19/19				X	X	X	X	X	X	
16MW51-190919						9/16/19				X	X					

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS

RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	9/19/19 0930		
	9/19/19 1645	AC ALS	9/19/19 16:45

44455

44705

APTIM

COC ID: LHAAP16-SEPT2019-ALSHT-1909-9

TURNAROUND TIME: normal

RUSH:

Page 1 of 1

PROJECT/CLIENT INFO

Facility Name	Longhorn AAP
Project Number	501032
	LHAAP-16
Address	1203-B East Grand Avenue
	PMB 202
City	Marshall
State	TX
Postal Code	75670
Country	USA
Phone Number	713.243.7264
Project Manager	Praveen Srivastav

LABORATORY

Lab Name	ALS Labo
Lab Contact	RJ Modas
Email	RJ.Modasl
Address	10450 Sta
City	Houston
Postal Code	77099
Phone Number	281.575.2

HS19090964

Aptim Environmental & Infrastucture, Inc.

LHAAP-16

SAMPLE DETAILS

ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS	Containers and Preservative	3x40 ml VOA, HCL	1x125 ml HPDE, Ice	1x250 ml HPDE, Ice	3x40 ml VOA, HCL	2x40 ml VOA, H2SO4	
									VOCs in Water by 8260B (see required VOCs below)		Perchlorate in Water by 6850	Alkalinity (SM2320B)	Anions by E300.0 (see required anions below)	Dissolved Gases (methane, ethane, and ethene) by RSK-175	TOC by (SM5310C)	E300
16WW25-190919						9/19/19	930		X		X					X
16WW25-190919-FD						9/19/19	930		X		X					
16WW49-190919						9/19/19	835		X		X					
16WW58-190919						9/19/19	1400		X		X	X	X	X	X	
16LHAAP-TB6-190919						9/19/19	1400		X							

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS

Select list VOC's (TCE, cis-1,2-DCE, 1,1-DCE, 1,2-DCA, 1,1,2-TCA, VC & methylene chloride

Required anions are: (1) bromide for sample 16WW49; and (2) nitrate, sulfate and bromide for samples 16WW57 and 16WW58

RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	9/19/19 0840		
	9/19/19 1645	AC ALS	9/19/19 16:45

4/C
1-2
IR#25
CFo.c AC
~~44953~~
44705

1017609

44705

eurofins

Custody

DATE

SIGNATURE

Seal

AC

9/20/19

eurofins

1017609

Case Narrative

Method: 6850
Analysis: Perchlorate
Analysis SOP: LC-MS-CLO4
ALS WO ID(s): 1927220; 1927568; 1927591; 1927596

Client: ALS Laboratories (Houston, TX)
Matrix: Water
ELMS Batch (HBN): 2298 (248917)

General Set Information: There were eleven field samples in these Work Orders. The samples were analyzed for perchlorate.

Method Summary: Each sample was prepared as noted below and analyzed using an Agilent 1100 LC/MSD system in select ion monitoring (SIM) mode at m/z 83 and 85, which corresponds to the loss of one oxygen atom from the perchlorate molecule. ChemStation software was used for instrument control and data analysis. The ion ratio of m/z 83 to 85 was used to positively identify the response peak as perchlorate. Quantitation was performed using the m/z 83 peak area. An internal standard (ISTD) of ^{18}O labeled perchlorate was added to each sample to establish the perchlorate peak retention time and used in quantitation.

Sample Preparation: A 10.0mL aliquot of each sample was transferred into a 15-mL centrifuge tube. 50µL of an ^{18}O labeled perchlorate solution was added to each sample as an internal standard. The samples were then capped, vortexed, and filtered into autosampler vial using Phenex PES membrane 0.45µm Syringe filters.

Holding Times: Holding times were met for all analyses.

Dilutions: Field sample 1927568001 was analyzed and reported from 1:1,000 dilution. The reporting limit has been adjusted accordingly.

Method QC data: The method blank (LMB 676591) was less than 1/2 the CRDL. The recovery for the LCS (676592) was within acceptable parameters.

MS/MSD Analysis: MS/MSD was performed on samples 1927220005/06 (Client ID: 16WW58-190918). 3.0µL of Working Standard Solution Horizon ID 49947 was added to 10.0mL of sample preparation. The spike target was 3.µg/L. The MS/MSD percent recoveries and relative percent difference (RPD) were within the performance limits.

Instrument QC: Instrument initial and continuing calibrations were performed in accordance with published procedures.

NC/CAR(s): NA

Sample Calculation: Samples were reported in µg/L. Results were calculated in µg/L by the equation (A)x(B),

where: A = Analyte concentration from the standard curve (µg/L)
B = Dilution performed at time of analysis

Miscellaneous Comments: These samples were analyzed in accordance with the requirements found in the DOD QSM Version 5.1.1. The Reporting Limit Verification Standard (RLVS – 676589) is reported from the analysis of the Laboratory Control Sample (LCS – 676592) at a level of 3.0µg/L. Due to limitations of the Chemstation Software, some of the chromatographic peaks may require manual integrations. A manual integration was performed for one of the Initial Calibration analyses (datafile: 20SEPI03) along with datafiles 01OCTD02/05/06. Samples 1927220001/02 failed the 50-150% method requirement for ISTD recoveries. These samples were re-prepped, re-analyzed and reported.

Thomas Bosch October 03, 2019
Analyst Date

ANALYTICAL REPORT

Report Date: October 03, 2019

RJ Modashia
ALS Environmental (Houston)
10450 Stancliff Road
Suite 210
Houston, TX 77099

Phone: 281 530-5656

E-mail: RJ.Modashia@ALSGlobal.com

Workorder: **34-1927220**
Project ID: HS19090964
Purchase Order: HS19090964
Project Manager Kevin W. Griffiths

Client Sample ID	Lab ID	Collect Date	Receive Date	Sampling Site
16WW25-190919	1927220001	09/19/19	09/21/19	
16WW25-190919-FD	1927220002	09/19/19	09/21/19	
16WW49-190919	1927220003	09/19/19	09/21/19	
16WW58-190918	1927220004	09/18/19	09/21/19	
16WW58-190918-FD	1927220007	09/18/19	09/21/19	
16WW51-190919	1927220008	09/18/19	09/21/19	

Client QC ID *	Lab ID	Collect Date	Receive Date	Sampling Site
16WW58-190918MS	1927220005	09/18/19	09/21/19	
16WW58-190918MSD	1927220006	09/18/19	09/21/19	

***Client QC is reported as part of the Quality Control results report, if requested.**

ANALYTICAL REPORT

Workorder: 34-1927220
Client: ALS Environmental (Houston)
Project Manager: Kevin W. Griffiths

Analytical Results

Sample ID: **16WW25-190919** | Sampling Site: NA | Collected: 09/19/2019
Lab ID: 1927220001 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2298 (HBN: 248917) | **%Solids:** NA
Analyzed: 10/01/2019 13:49 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

Sample ID: **16WW25-190919-FD** | Sampling Site: NA | Collected: 09/19/2019
Lab ID: 1927220002 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2298 (HBN: 248917) | **%Solids:** NA
Analyzed: 10/01/2019 14:09 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

Sample ID: **16WW49-190919** | Sampling Site: NA | Collected: 09/19/2019
Lab ID: 1927220003 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2298 (HBN: 248917) | **%Solids:** NA
Analyzed: 10/01/2019 12:05 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

Sample ID: **16WW58-190918** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927220004 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2298 (HBN: 248917) | **%Solids:** NA
Analyzed: 10/01/2019 12:19 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

ANALYTICAL REPORT

Workorder: 34-1927220
Client: ALS Environmental (Houston)
Project Manager: Kevin W. Griffiths

Analytical Results

Sample ID: **16WW58-190918-FD** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927220007 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2298 (HBN: 248917) | **%Solids:** NA
Analyzed: 10/01/2019 13:00 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

Sample ID: **16WW51-190919** | Sampling Site: NA | Collected: 09/18/2019
Lab ID: 1927220008 | Media: 125 mL Nalgene | Received: 09/21/2019
Matrix: Water | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Water | **Instrument ID:** LCMS04
Batch: ELMS/2298 (HBN: 248917) | **%Solids:** NA
Analyzed: 10/01/2019 13:14 | **Report Basis:** Wet

Analyte	Result (ug/L)	DL (ug/L)	LOD (ug/L)	LOQ (ug/L)	Dilution	Qual
Perchlorate	ND	1.0	2.0	4.0	1	U

Comments

Quality Control: **EPA 6850, DoD QSM - (HBN: 248917)**

Field sample 1927568001 was analyzed and reported from 1:1,000 dilution. The reporting limit has been adjusted accordingly.

Report Authorization (/S/ is an electronic signature that complies with 21 CFR Part 11)

Method	Analyst	Peer Review
EPA 6850, DoD QSM	/S/ Thomas Bosch 10/03/2019 09:55	/S/ Stephen Brose 10/03/2019 13:30

Laboratory Contact Information

ALS Environmental
960 W Levoy Drive
Salt Lake City, Utah 84123

Phone: (801) 266-7700
Email: alslt.lab@ALSGlobal.com
Web: www.alsslc.com

ANALYTICAL REPORT

Workorder: 34-1927220
Client: ALS Environmental (Houston)
Project Manager: Kevin W. Griffiths

General Lab Comments

The results provided in this report relate only to the items tested.
Samples were received in acceptable condition unless otherwise noted.
Samples have not been blank corrected unless otherwise noted.
This test report shall not be reproduced, except in full, without written approval of ALS.

ALS provides professional analytical services for all samples submitted. ALS is not in a position to interpret the data and assumes no responsibility for the quality of the samples submitted.

All quality control samples processed with the samples in this report yielded acceptable results unless otherwise noted.

ALS is accredited for specific fields of testing (scopes) in the following testing sectors. The quality system implemented at ALS conforms to accreditation requirements and is applied to all analytical testing performed by ALS. The following table lists testing sector, accreditation body, accreditation number and website. Please contact these accrediting bodies or your ALS project manager for the current scope of accreditation that applies to your analytical testing.

Testing Sector	Accreditation Body (Standard)	Certificate Number	Website
Environmental	PJLA (DoD ELAP)	L17-506	http://www.pjlabs.com
	PJLA (ISO 17025)	L17-507-R1	http://www.pjlabs.com
	Utah (TNI)	UT00953	http://lams.nelac-institute.org/search
	Iowa (TNI)	IA# 376	http://www.shl.uiowa.edu/labcert/idnr/
	Kansas	E-10416	http://www.kdheks.gov/envlab/disclaimer.html
Industrial Hygiene	AIHA (ISO 17025 & AIHA IHLAP)	101574	http://www.aihaaccreditedlabs.org
	DOECAP-AP	L18-606	http://www.pjlabs.com
	Washington	C596	https://ecology.wa.gov/Regulations-Permits/Permits-certifications/Laboratory-Accreditation
Dietary Supplements	PJLA (ISO 17025)	L17-507-R1	http://www.pjlabs.com

Result Symbol Definitions

MDL = Method Detection Limit, a statistical estimate of method/media/instrument sensitivity.
RL = Reporting Limit, a verified value of method/media/instrument sensitivity.
CRDL = Contract Required Detection Limit
Reg. Limit = Regulatory Limit.
ND = Not Detected, testing result not detected above the MDL or RL.
< Means this testing result is less than the numerical value.
** No result could be reported, see sample comments for details.

Qualifier Symbol Definitions

U = Qualifier indicates that the analyte was not detected above the MDL.
J = Qualifier Indicates that the analyte value is between the MDL and the RL. It is also used to indicate an estimated value for tentatively identified compounds in mass spectrometry where a 1:1 response is assumed.
B = Qualifier indicates that the analyte was detected in the blank.
E = Qualifier indicates that the analyte result exceeds calibration range.
P = Qualifier indicates that the RPD between the two columns is greater than 40%.

Quality Control Sample Batch Report

Analysis Information

Workorder: 1927220

Limits:	Client SOW/Contract Specified	**Preparation:**	NA	**Analysis:**	EPA 6850, DoD QSM
Basis:	DoD QSM	**Batch:**	NA	**Batch:**	ELMS/2298 (HBN: 248917)
		Prepared By:	NA	**Analyzed By:**	Thomas Bosch

Blank

LMB: 676591
Analyzed: 10/01/2019 11:23
Units: ug/L

Analyte	Result	MDL	RL
Perchlorate	ND	1	2.00

Laboratory Control Sample

LCS: 676592
Analyzed: 10/01/2019 10:56
Dilution: 1
Units: ug/L

Analyte	Result	Target	% Rec	QC Limits	
Perchlorate	3.01	3.00	100	78.8	123.8

Matrix Spike - Matrix Spike Duplicate

Sample:	1927220004	**MS:**	1927220005	**MSD:**	1927220006
Analyzed:	10/01/2019 12:19	**Analyzed:**	10/01/2019 12:32	**Analyzed:**	10/01/2019 12:46
Dilution:	1	**Dilution:**	1	**Dilution:**	1
Units:	ug/L	**Units:**	ug/L	**Units:**	ug/L

Analyte	Result	Result	Target	% Rec	QC Limits		Result	% Rec	RPD	QC Limits	
Perchlorate	ND	2.94	3	97.8	78.8	123.8	2.93	97.7	0.157	0.0	20.0

Comments

Field sample 1927568001 was analyzed and reported from 1:1,000 dilution. The reporting limit has been adjusted accordingly.

QC Report Authorization (/S/ is an electronic signature that complies with 21 CFR Part 11)

Analyst	Peer Review
/S/ Thomas Bosch	/S/ Stephen Brose
10/03/2019 11:24	10/03/2019 13:30

Symbols and Definitions

- * - Analyte above reporting limit or outside of control limits
- ▲ - Sample result is greater than 4 times the spike added
- ◆ - Sample and Matrix Duplicate less than 5 times the reporting limit
- ● - Result is above the calibration range
- # - The Matrix Spike, Matrix Spike duplicate or Matrix Duplicate is reported for your information only. The sample matrix may be inappropriate for the method selected.

RPD - Relative % Difference (Spike / Spike Duplicate)
ND - Not Detected (U - Qualifier also flags analyte as not detected)
NA - Not Applicable
QC results are not adjusted for moisture correction, where applicable





10450 Stancliff Rd, Ste 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

Subcontract Chain of Custody

18698/#2

SAMPLING STATE: **Texas**

COC ID: **12204**

SUBCONTRACT TO:

1927226

ALS Laboratory Group
960 LeVoy Dr
Salt Lake City, UT 84123

Phone: +1 801 266 7700

CUSTOMER INFORMATION:

Company:	ALS Houston
Contact:	RJ Modashia
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Email:	RJ.Modashia@alsglobal.com
Alternate Contact:	
Email:	

INVOICE INFORMATION:

Company:	ALS Houston
Contact:	Accounts Payable
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Reference:	HS19090964
TSR:	Sonia West

	LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
	ANALYSIS REQUESTED			DUE DATE
1.	**HS19090964-01**	**16WW25-190919**	**Water**	**19 Sep 2019 09:30**
	SUB_Perch-6850			27 Sep 2019
2.	**HS19090964-02**	**16WW25-190919-FD**	**Water**	**19 Sep 2019 09:30**
	SUB_Perch-6850			27 Sep 2019
3.	**HS19090964-03**	**16WW49-190919**	**Water**	**19 Sep 2019 08:35**
	SUB_Perch-6850			27 Sep 2019
4.	**HS19090964-04**	**16WW58-190918** MS/MSD	**Water**	**18 Sep 2019 14:08**
	SUB_Perch-6850			27 Sep 2019
5.	**HS19090964-06**	**16WW58-190918-FD**	**Water**	**18 Sep 2019 14:08**
	SUB_Perch-6850			27 Sep 2019
6.	**HS19090964-07**	**16WW51-190919**	**Water**	**18 Sep 2019 18:00**
	SUB_Perch-6850			27 Sep 2019

Comments: Please analyze for the analysis listed above.
Send report to the emails shown above.

QC Level: DOD IV (DoD Data Package)

HS19090964-04&06 MS/MSD
KS as per RJ

Subcontract Chain of Custody

SAMPLING STATE: **Texas**

COC ID: **12204**

Relinquished By: _____ Date/Time: 9/20/19 1800

Received By: _____ Date/Time: _____

Cooler ID(s): _____ Temperature(s): _____

ALS-Salt Lake City-Related Information Report (CRIR)

Cooler or Container Information Checklist (Fill In or Circle)

Client Name: ALS Houston

Project/Task/Site: 1927226

Date/Time of Receipt: 9/21/19 1915

Number of Coolers Received: 1

Condition of Coolers:	Acceptable/Unacceptable	Temperature Control:	Present/Not Included
Cooler Custody Seals:	Present/Absent/NA Intact/Broken/NA	Location Temp Taken:	Control/Between Samples
Container Custody Seals:	Present/Absent/NA Intact/Broken/NA	Are all temperatures within project specific guidelines?	Yes/No/NA
Ice Present:	Yes/No/NA Frozen/Melted/NA	VOA Headspace Present?	Yes/No/NA

pH Check Performed:							
	Metals	Yes/No/NA	Total Phenolics	Yes/No/NA	NO3/NO2	Yes/No/NA
	Cyanide	Yes/No/NA	TPH – 418.1	Yes/No/NA	Oil & Grease	Yes/No/NA
	Sulfide	Yes/No/NA	COD	Yes/No/NA	Total Phosphorous	Yes/No/NA
	Ammonia	Yes/No/NA	TKN	Yes/No/NA	Gross A.B, Gamma Spec	Yes/No/NA

Cooler Received	DCL Cooler No.	Temp.	Cooler Received	DCL Cooler No.	Temp.	Cooler Received	DCL Cooler No.	Temp.
1	C19 01890	2 °C	4	C19	°C	7	C19	°C
2	C19	°C	5	C19	°C	8	C19	°C
3	C19	°C	6	C19	°C	9	C19	°C

Taken By: Meredith Stump (Signature) Meredith Stump (Printed Name) 9/21/2019 (Date)

Client-Related Information

☐ Missing Cooler	☐ Missing Samples/Bottles	☐ Incorrect Preservation	☐ Insufficient Sample Volume
☐ Cooler Conditions	☐ Broken/Leaking Samples	☐ pH Criteria Not Met	☐ Chain of Custody Problems
☐ Missing Paperwork	☐ Incorrect Bottle Type	☐ Residual Chlorine Present	☐ Other:
☐ Missing/Incorrect Bottle Labels	☐ Cooler Temperatures Out of Range	☐ Head Space in Bottles	

Briefly Describe the Problem and the Action Taken:


Client Notified? Yes ☐ No ☐

Response Required Within 24 Hours

Project Management

Project Manager Comments:

ALS Project Manager: _____ (Printed Name) Returned to Sample Receipt by: _____ (Signature) Date: _____



Part # 159469-434 RIT2 EXP 05/20 •

ORIGIN ID:SGRA (281) 530-5656
SHIPPING DEPT
ALS LABORATORY GROUP
10450 STANCLIFF RD
SUITE 210
HOUSTON, TX 77099
UNITED STATES US

SHIP DATE: 20SEP19
ACTWGT: 41.45 LB
CAD: 300130/CAFE3211
DIMS: 26x14x14 IN

BILL THIRD PARTY

TO SAMPLE RECEIVING
ALS ENVIRONMENTAL
960 W. LEVOY DRIVE

SALT LAKE CITY UT 84123
(801) 266-7700
REF: HS19090804/860/962/964 - RJ

FedEx Express

SATURDAY 12:00P
PRIORITY OVERNIGHT

TRK# 0201 1251 0289 7452

XO BTFA

84123
UT-US SLC

01030494

ALS Environmental
CHAIN-OF-CUSTODY

Project / Job / Task: HS19090964	*Split:*	**Workorder ID:** 1927220	Level: ENV_LVL4
Client: ALS Environmental (Houston)		**Account:** 8101	Type: 125Poly
Comments:			Preservatives: COOL

Item	Collect Date/Time	Sample ID	Lab ID	QC	Matrix	Containers ID(s)	Containers Count	Requested Analysis: EPA 6850, DoD QSM
1	09/19/2019 09:30	16WW25-190919	1927220001		Water	A	1	A
2	09/19/2019 09:30	16WW25-190919-FD	1927220002	FLDDUP	Water	A	1	A
3	09/19/2019 08:35	16WW49-190919	1927220003		Water	A	2	A
4	09/18/2019 14:08	16WW58-190918	1927220004		Water	A	1	A
5	09/18/2019 14:08	16WW58-190918MS	1927220005	MS	Water	A	1	A
6	09/18/2019 14:08	16WW58-190918MSD	1927220006	MSD	Water	A	1	A
7	09/18/2019 14:08	16WW58-190918-FD	1927220007	FLDDUP	Water	A	1	A
8	09/18/2019 18:00	16WW51-190919	1927220008		Water	A	1	A
9								
10								

ORIGINAL FIELD SAMPLE CHAIN-OF-CUSTODY

Relinquished By: (Signature)	Date / Time	Received By: (Signature)	Reason for Transfer / Storage Location
Warath, Julie	09/21/2019 09:15	ALS Sample Receiving	Sample Login
[signature] 9/23/19 1600		15B	Storage
R.33.1	09.30.19/10:00	T. Bosch	CLOA Analysis

SAMPLE PREPARATION / ANALYSIS CHAIN-OF-CUSTODY

Sample Prep / Analysis for: _____ Lab Notebook No.: _____

Prepared / Analyzed by: _____ Date / Time: _____

Relinquished By: (Signature)	Date / Time	Received By: (Signature)	Reason for Transfer / Storage Location

Batch Worklist

Batch: ELMS/ 2298 **Created:** 10/1/2019 10:29 **Instrument:** **HBN:** 248917

Rule: EPA 6850, DoD QSM Water **Analyst:** T. Bosch **Status:** WP

Workorder: 1927220 [ENV_LVL4]
Workorder: 1927568 [ENV_LVL4]
Workorder: 1927591 [ENV_LVL4]
Workorder: 1927596 [ENV_LVL4]

Pos	Lab ID	Sample ID	Prep Initial	Prep Final	Dust Weight	Type	Mx	Container	Procedure	Mgr	Expire Date	Due Date	Run Date
1	676588	CCV for HBN 248917 [ELMS/2298]				CCV	3		E685041C3Q	5311		10/3/2019	
2	676589	RLVS for HBN 248917 [ELMS/2298				RLVS	3		E685041C3Q	5311		10/3/2019	
3	676590	ICS for HBN 248917 [ELMS/2298]				ICS	3		E6850..D3Q	5311		10/3/2019	
4	676591	LMB for HBN 248917 [ELMS/2298]				LMB	3		E6850Q413Q	5311		10/3/2019	
5	676592	LCS for HBN 248917 [ELMS/2298]				LCS	3		E6850Q413Q	5311		10/3/2019	
6	1927220001	16WW25-190919				SAMPLE	3	1927220001-A	E6850Q41.3	5480	10/17/2019	10/3/2019	
7	1927220002	16WW25-190919-FD				FLDDUP	3	1927220002-A	E6850Q41.3	5480	10/17/2019	10/3/2019	
8	1927220003	16WW49-190919				SAMPLE	3	1927220003-A	E6850Q41.3	5480	10/17/2019	10/3/2019	
9	1927220004	16WW58-190918				SAMPLE	3	1927220004-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
10	1927220005	16WW58-190918MS				MS	3	1927220005-A	E6850Q413Q	5480		10/3/2019	
11	1927220006	16WW58-190918MSD				MSD	3	1927220006-A	E6850Q413Q	5480		10/3/2019	
12	1927220007	16WW58-190918-FD				FLDDUP	3	1927220007-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
13	1927220008	16WW51-190919				SAMPLE	3	1927220008-A	E6850Q41.3	5480	10/16/2019	10/3/2019	
14	1927568001	LH18/24-SP140_092419				SAMPLE	3	1927568001-A	E6850Q41.3	5480	10/22/2019	10/9/2019	
15	1927591001	LH18/24-SP650_092419_AIX				SAMPLE	3	1927591001-A	E6850Q41.3	5480	10/22/2019	10/9/2019	
16	676593	CCV for HBN 248917 [ELMS/2298]				CCV	3		E685041C3Q	5311		10/3/2019	
17	1927596001	LH18/24-SP650_092419				SAMPLE	3	1927596001-A	E6850Q41.3	5480	10/22/2019	10/9/2019	
18	676594	CCV for HBN 248917 [ELMS/2298]				CCV	3		E685041C3Q	5311		10/3/2019	



ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Environmental Division

Analytical Documentation

Analyst Write-up

ALS Work Order #'s & Sample #( )'s: 1927220 (001-08); 1927568 (001); 1927591 (001); 1927596 (001)
ELMS Batch/HBN ID: 2296 (248804)
Prep Date: 09/30/2019 Analysis Date: 10/01/2019 Analyst: T. Bosch
Analyte: **Perchlorate** Matrix: **Water** Method: **6850**
Sequence: \\HPCHEM\1\SEQUENCE\CLO4\2019\OCT\01OCT19D.s
Reported DL: **1.0µg/L** Reported LOD: **2.0µg/L** Reported LOQ: **4.0µg/L**

SAMPLE PREPARATION/ANALYSIS:

Water: Samples were prepared by Thomas Bosch. 10.0mL of each sample was pipetted into a 15-mL centrifuge tube, and 50µL of an oxygen-18 labeled perchlorate solution was added as an internal standard. The samples were capped, vortexed, and filtered with Phenex PES membrane 0.45µm Syringe filters prior to analysis.

REAGENTS: Eluent A1: 95% ASTM Type II water (ALS)/5%ACN (B&J Lot DU461-US)/0.1% glacial acetic acid (JT-Baker Lot 122550).
Eluent B1: 95% ACN (B&J Lot DU461-US)/5% ASTM Type II water (ALS)/0.1% glacial acetic acid (JT-Baker Lot 122550).

STANDARDS: Internal Standard Spiking Solution Horizon# 47863. Dilutions of Working Standards (Horizon: 49947/48) used for ICAL, CCV's, RLVS and ICS.

CALIBRATION CURVE: Used curve from 09/20/2019, sequence 20SEP19D.s Offline Quantitation Method: CLO4-DP3.M

INSTRUMENT CONDITIONS: Samples were analyzed with an Agilent 1100 LC/MSD system, in negative SIM mode, monitoring m/z 83, 85, and 89.
Instrument ID: LCMS04 Online Acquisition Method: CLO4-AQN.M Fragmentor: 160 Output Gain: 8 Injection Volume: 30µL
Column: KP-RPPX C8 separator, 250mm Mobile Phase: 70% Eluent A1; 30% Eluent B1 Run time: 12.0min.

FLOW GRADIENT:

Time (min.)	Flow (mL/min)
0	0.65
5.8	0.65
5.9	0.25
10.3	0.25
10.5	0.65
12.0	0.65

QC DATA: 3.0µL of QC Solution Horizon ID 47516 was used for LCS 676592; Target = 3.0µg/L. ASTM type II water was used for LMB 676591.

MS/MSD: The Matrix Spike and duplicate (MS/MSD) was performed on samples 1927220005/06 (Client ID's: 16WW58-190918). 3.0µl of Working Standard Solution Horizon ID 49947 was added to 10.0mL of sample preparation. Spike target = 3.0µg/L.

COMMENTS:

1) Results reported in µg/L. Field sample 1927568001 was analyzed and reported from 1:1,000 dilution. The reporting limit has been adjusted accordingly. Samples 1927220001/02 failed the 50-150% method requirement for ISTD recoveries. These samples were re-prepped, re-analyzed and reported.
2) All QC, Blank, CCV, and MS/MSD results were within method parameters.
3) Sample data can be viewed at two directories within the ALS system: \\ALSLTWS013\LCMS\LCMS04\2019\OCT\HBN# or through NuGenesis\Tree\PrintData\LCMS\DefaultView.
4) Notebook: \\alsltws013\ORGANIC\BOSCH\LCMS\Perchlorates\Waters\2019\248917-DoD-ALS-Hstn LCMS4 or through \\ALSLTWS013\DATAREVIEW\HBN#
5) The Reporting Limit Verification Standard (RLVS – 676589) is reported from the analysis of the Laboratory Control Sample (LCS – 676592) at a level of 3.0µg/L.
6) Due to limitations of the Chemstation Software, some of the chromatographic peaks require manual integration. Manual Integrations were performed for one of the Initial Calibration analyses (datafile: 20SEPI03) along with datafiles 01OCT19D02/05/06.

5.5 Chromatography (GC, HPLC and LC/MS) Technical Review

Note: It is the peer reviewer's responsibility to ensure that appropriate criteria are used as defined in the HORIZON PROFILE. The evaluation criteria are prioritized as per Section 2.2 of this SOP. These items must be checked for all projects. The following checklist will be completed by both the analyst and the peer reviewer and scanned into the HBN folder with the raw data.

Chromatography (GC, HPLC, LC/MS) Technical Review Criteria **Batch(es)/SDG:** ELMS. 2298 HBN. 248917 **Sample Set IDs if Applicable:** WO's 1927220/1927568 1927591 / 1927596	**Analyst Initials**	**Reviewer Initials**
Sample positions on autosampler verified against instrument sequence	TB	NA
Calibration standards analyzed and meets criteria	TB	SB
Standards traceability checked and meets criteria	TB	SB
Standard curve coefficients evaluated and meet criteria	TB	SB
ICVs analyzed and meet acceptance criteria	TB	SB
CCVs analyzed and meet acceptance criteria	TB	SB
Retention Time Windows checked	TB	SB
For method 8081A, Endrin/DDT Breakdown is checked for compliance	—	—
Surrogate recoveries checked and appropriately addressed	—	—
Method Preparation Blanks analyzed and meet acceptance criteria	TB	SB
MSs, MSDs, and/or MDs analyzed and calculations checked; applicable	TB	SB
RLVS analyzed	TB	SB
Preparation and analysis hold times met	TB	SB
Preparation deviations and re-preparations noted when performed	TB	SB
Analysis deviations and re-analyses noted when performed	TB	SB
Sample dilution factors noted on reports	TB	SB
Electronic records in HBN transcription accuracy and completeness	TB	SB
Preparation and analysis calculations checked	TB	SB
NCRs are completed as necessary NC/CAR#_____	TB	SB
Report forms are complete and accurate	TB	SB
Manual integrations checked	TB	SB

STANDARD REPORT

Working Standard - CLO4ISTDWRK

CLO4ISTDWRK		Description - Perchlorate ISTD Wrk 1,000ug/L
Standard: 49946	**Created By:** Thomas Bosch	**Amount:** 25 mL
MFG: ALS/SLC	**Create Date:** 09/23/2019 03:09PM	**Expires:** 09/19/2020
MFG Lot: TNB: 09/20/2019	**Verified By:** Thomas Bosch	**Usable:** Yes
Pipette ID: Not Provided	**Verify Date:**	**Lab Lot:** CLO4ISTDWRK

Pos.	Analyte	Name	Concentration
1	14797-73-0-8385	Perchlorate 83:85 Ratio	1000 ug/L
2	14797-73-0-89	Perchlorate 89	1000 ug/L

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
47863	CLO4ISTDSTK	Perchlorate ISTD Stock	CLO4ISTDSTK	0.25 mL	12/05/2028

STANDARD REPORT

Constituent

Stock Standard - CLO4ISTDSTK

CLO4ISTDSTK — **Description - Perchlorate ISTD Stock**

Standard: 47863
MFG: Cambridge Isotope
MFG Lot: SDIH-016
Part ID: OLM-7310-S

Created By: Thomas Bosch
Create Date: 05/23/2019 10:05AM
Verified By: Thomas Bosch
Verify Date:

Amount: 1 mL
Expires: 12/05/2028
Usable: Yes
Lab Lot: CLO4ISTDSTK

Pos.	Analyte	Name	Concentration
1	14797-73-0-8385	Perchlorate 83:85 Ratio	100 ug/mL
2	14797-73-0-89	Perchlorate 89	100 ug/mL

STANDARD REPORT

Working Standard - CLO4 WRK

CLO4 WRK — **Description - 6850 WKG Std 100.ug/L**

Standard: 49948
MFG: ALS/SLC
MFG Lot: TNB: 09/20/2019
Pipette ID: Not Provided

Created By: Thomas Bosch
Create Date: 09/20/2019 03:09PM

Amount: 10 mL
Expires: 07/25/2020
Usable: Yes
Lab Lot: CLO4 WRK

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	0.1 ug/mL
2	14797-73-0-8385	Perchlorate 83:85 Ratio	0.1 ug/mL

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
109	ASTM H2O	ASTM Type II Water	LAB 109	9.9 mL	11/07/2025
49947	CLO4 INT	6850 Intermdt AccStd 10.ug/mL	CLO4 INT	0.1 mL	07/25/2020

STANDARD REPORT

Constituent

Stock Standard - CLO4 STOCK

CLO4 STOCK	Description - 6850 Stock AccStd 1,000ug/mL

Standard: 43659
MFG: AccuStandard
MFG Lot: 218065075
Part ID: IC-PER-10X-1

Created By: Thomas Bosch
Create Date: 09/17/2018 09:09AM

Amount: 100 mL
Expires: 07/25/2020
Usable: Yes
Lab Lot: CLO4 STOCK

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	1000 ug/mL
2	14797-73-0-8385	Perchlorate 83:85 Ratio	1000 ug/mL

STANDARD REPORT

Constituent

Solvent Standard - ASTM H2O

ASTM H2O		Description - ASTM Type II Water
Standard: 109	**Created By:** ALS Support (Lims)	**Amount:** 1000 L
MFG: DCL In House	**Create Date:** 10/06/2005 09:10AM	**Expires:** 11/07/2025
MFG Lot: Not Provided		**Usable:** Yes
Part ID: Not Provided		**Lab Lot:** LAB 109

Pos.	Analyte	Name	Concentration
Solvent - Analyte(s) not applicable			

STANDARD REPORT

Constituent

Working Standard - CLO4 INT

CLO4 INT — **Description - 6850 Intermdt AccStd 10.ug/mL**

Standard: 49947
MFG: ALS/SLC
MFG Lot: TNB: 09/20/2019
Pipette ID: Not Provided

Created By: Thomas Bosch
Create Date: 09/23/2019 03:09PM

Amount: 10 mL
Expires: 07/25/2020
Usable: Yes
Lab Lot: CLO4 INT

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	10 ug/mL
2	14797-73-0-8385	Perchlorate 83:85 Ratio	10 ug/mL

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
109	ASTM H2O	ASTM Type II Water	LAB 109	9.9 mL	11/07/2025
43659	CLO4 STOCK	6850 Stock AccStd 1,000ug/mL	CLO4 STOCK	0.1 mL	07/25/2020

STANDARD REPORT

Working Standard - CLO4 QC WRK

CLO4 QC WRK — **Description - 6850 QC WKG STD 100ug/L**

Standard: 47516
MFG: ALS/SLC
MFG Lot: TNB: 05/06/2019
Pipette ID: Not Provided

Created By: Thomas Bosch
Create Date: 05/06/2019 03:05PM

Amount: 10 mL
Expires: 03/31/2020
Usable: Yes
Lab Lot: CLO4 QC WRK 100.ug/L

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	100 ug/L

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
109	ASTM H2O	ASTM Type II Water	LAB 109	9.9 mL	11/07/2025
47515	CLO4 QC INT	6850 QC Intrmdt Std-QC 10ug/mL	CLO4 QC INT 10.ug/mL	0.1 mL	03/31/2020

STANDARD REPORT

Constituent

Solvent Standard - ASTM H2O

ASTM H2O		Description - ASTM Type II Water
Standard: 109	**Created By:** ALS Support (Lims)	**Amount:** 1000 L
MFG: DCL In House	**Create Date:** 10/06/2005 09:10AM	**Expires:** 11/07/2025
MFG Lot: Not Provided		**Usable:** Yes
Part ID: Not Provided		**Lab Lot:** LAB 109

Pos.	Analyte	Name	Concentration
Solvent - Analyte(s) not applicable			

STANDARD REPORT

Constituent

Stock Standard - CLO4 QCSTOCK

CLO4 QCSTOCK	Description - 6850 QC Stock STD 1,000ug/mL

Standard: 36748
MFG: Ultra Scientific
MFG Lot: CP-0860
Part ID: ICC-013

Created By: Thomas Bosch
Create Date: 05/11/2017 01:05PM

Amount: 100 mL
Expires: 03/31/2020
Usable: Yes
Lab Lot: CLO4 QC STOCK

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	1000 ug/mL

STANDARD REPORT

Constituent

Working Standard - CLO4 QC INT

CLO4 QC INT — **Description - 6850 QC Intrmdt Std-QC 10ug/mL**

Standard: 47515
MFG: ALS/SLC
MFG Lot: TNB: 05/06/2019
Pipette ID: Not Provided

Created By: Thomas Bosch
Create Date: 05/06/2019 03:05PM

Amount: 10 mL
Expires: 03/31/2020
Usable: Yes
Lab Lot: CLO4 QC INT 10.ug/mL

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	10 ug/mL

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
109	ASTM H2O	ASTM Type II Water	LAB 109	9.9 mL	11/07/2025
36748	CLO4 QCSTOCK	6850 QC Stock STD 1,000ug/mL	CLO4 QC STOCK	0.1 mL	03/31/2020

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

S 43659

AccuTrace™ Reference Standard

Catalog No: IC-PER-10X-1
Description: Perchlorate Standard
Element: Perchlorate (ClO_4)
SRM: Ind. Std.
Lot: 218065075
Matrix: Water
Hazards: *Refer to SDS for complete safety information*

Signal Word: None

Date Certified: Jun 25, 2018
Expiration: Jul 25, 2020
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)
Included on ISO/IEC 17025 Scope of Accreditation: Yes
Included on ISO 17034 Scope of Accreditation: Yes

Component		SRM #	Prepared Concentration (µg/mL)
ClO_4	Perchlorate	Ind. Std.	1000

AccuStandard

The gravimetric uncertainty for this product is ±0.24%.
The final solution was checked against an independent standard to verify its concentration.
We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as ASTM Type I 18 megohm deionized water.
All solutions are filtered through a 0.2 µm filter prior to being bottled.
All glassware used in preparation is Class A and calibrated regularly.
All weights are traceable through NIST, Test No. 822-275872-11
All bottles are triple rinsed with deionized water prior to use.
Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware.
We certify the accuracy of this standard to be ±0.5% of the stated value until its expiration date provided it is kept tightly capped and stored under the conditions stated above.

Certified By: Meigan O'Leary
Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 5/18

ULTRA SCIENTIFIC
Analytical Solutions

Certificate of Analysis

ISO Guide 34 Reference Material

Product Number: ICC-013
Lot Number: CP-0860

S 36748

Lot Issue Date: 29-Feb 2016
Expiration Date: 31-Mar 2020

Product Name: Perchlorate IC Standard

Description:
This Reference Material (RM) was gravimetrically prepared in accordance with ISO Guide 34 and under ULTRA Scientific's ISO 9001 registered quality system. The neat materials used for this product have been verified by ULTRA's ISO 17025 laboratory and under ULTRA's ISO Guide 34 accreditation. The analyte concentrations were verified by ULTRA's ISO 17025 accredited laboratory. For each analyte, the true value, with its uncertainty value calculated at the 95% confidence level, is reported below.

Analyte	Starting Material	Lot Number	Purity (%)	Calculated Value	True Value	Traceability & Method
perchlorate	potassium perchlorate	RM07987	100	1001 ± 5 µg/mL	976 ± 6 µg/mL	NIST SRM 3141A; ICP-OES

Solvent: water (low TOC, < 50 ppb)

Storage: Store at Room Temperature (15° to 30°C).

Traceability:
Traceability has been established through an unbroken chain of comparisons, each having stated uncertainties. Comparisons are based on appropriate physical or chemical measurements, including gravimetric or volumetric dilution, where the mass or volume of a solution before and after dilution is measured. The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z-540-1, ISO 9001, ISO 17025, and ISO Guide 34. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 819.

Estimation of Uncertainties:
The true value is reported, with its uncertainty value calculated at the 95% confidence level.

Homogeneity:
This RM was formulated and unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Intended Use:
This RM is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods and continuing calibration verification.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening and should be processed without delay for the true value to be valid within the stated uncertainties. Do not pipet from the bottle. Do not return any material removed for pipetting to the bottle. Tightly cap the bottle after removing any material and store according to the instructions noted above.

Hazards:
Refer to the Safety Data Sheet for information regarding this RM.

Expiration of Certification:
The certification of this RM is valid, within the measurement uncertainty specified, until the expiration date specified above, provided the RM is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the RM is damaged, contaminated, or otherwise modified.

ANAB ACCREDITED ISO GUIDE 34 REFERENCE MATERIAL PRODUCER
ANAB ACCREDITED ACCREDITED TESTING LABORATORY

ISO 9001 Registered Quality System – TUV USA

ULTRA SCIENTIFIC
Analytical Solutions

Certificate of Analysis

TRIPLE ISO CERTIFICATION ULTRA ISO 17025 ISO GUIDE 34 ISO 9001

ISO Guide 34 Reference Material

Product Number: ICC-013
Lot Number: CP-0860

Lot Issue Date: 29-Feb 2016
Expiration Date: 31-Mar 2020

Maintenance of Certification:
The real-time, long term stability of the RM may be monitored over the lifetime of the certification. If substantive changes occur that affect the certification before the expiration of this certificate, ULTRA Scientific will notify the purchaser.

Peter A. King, Ph.D.
VP, Technical Operations

Daniel J. Lamendola
Director of QA/RA

ANAB ACCREDITED ISO 17034 REFERENCE MATERIAL PRODUCER

ANAB ACCREDITED ISO/IEC 17025 TESTING LABORATORY

Cambridge Isotope Laboratories, Inc.

Certificate of Analysis

S 47863

Product Name: (Isotopic Label & Enrichment Specification) PERCHLORIC ACID, SODIUM SALT (18O4, 90%+) 100 UG/ML IN WATER

Lot Number: SDIH-016

Catalog Number: OLM-7310-S

Product Information

Chemical Purity Specification:	≥ 98%
MW*: * *For isotopically labeled compounds, MW listed is for the fully enriched product.*	130.44
Labeled CAS Number:	NA
Unlabeled CAS Number:	7601-89-0
Chemical Formula:	NaCl*O4
Storage:	Store at room temperature away from light and moisture.
Stability:	See storage and expiration date.

$NaCl^{18}O_4$

Certification

Cambridge Isotope Laboratories, Inc. guarantees that this material meets or exceeds the specifications stated. Absolute identity as well as chemical and isotopic purities are assured by the use of unambiguous synthetic routes and multiple chemical analyses whenever possible. Results are representative of QC testing at time of release from Quality Control unless otherwise stated. CIL Certificates of Analysis are occasionally updated with new data following recertification. We recommend checking the website for the latest version.

Volumetric measurements were made with Class A glassware. Gravimetry is traceable to the NIST through calibrated balances and certified, calibrated, standard weights. The calibrations are traceable to the NIST under Test No. 822/270236-04. The calibrations also meet specifications outlined in ISO 9001, ISO/IEC 17025, ANSI/NSCL Z540-1-1994, NCR Document 10CFR50 Appendix B, and applicable subdocuments.

This COA references the bulk catalog number before packaging. The COA also applies to the CIL finished good catalog number . Some possible packaging sizes and their corresponding suffix are -1.2, -1, -0.5, -10, or -0.1.

Approved by: Sashi Sivendran-Basak

Sashi Sivendran-Basak, Ph.D., Quality Review

Quality Control Tests and Results

QC Release Date	12/05/2018
Expiration Date	12/05/2028
Concentration Based on Gravimetry	100.0 ± 1.0 µg/mL (k=2)
Chemical Purity of Neat Material(s)	98%
LC/MS for Concentration	105.4 ± 1.1 µg/mL (k=2)

ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Environmental Division

Raw Data

Batch Report: C:\HPCHEM\1\DATA\01OCT19D\01OCT19S.B

Batch Review Method:
C:\HPCHEM\1\METHODS\CLO4-DP3.M

['#' ==> Run has not been reprocessed with Batch Review Method
'*' ==> Run has been saved with batch file]

#	Sample	Location	Inj	SampleType	Run	Perchlorate Area	Perchlorat RT	Perchlorate Amount
#*	676588 CCV@25	Vial 71	1	Control	1	1.54525e6	7.598	25.01921
#*	676592 QC@3.0	Vial 72	1	Control	2	1.95090e5	7.638	3.01143
#*	676590 ICS@3.0	Vial 73	1	Control	3	1.58401e5	7.470	2.89276
#*	676591 LMB	Vial 74	1	Control	4	0.00000	0.000	0.00000
#*	1927220001	Vial 75	1	Sample	5	0.00000	0.000	0.00000
#*	1927220002	Vial 76	1	Sample	6	0.00000	0.000	0.00000
#*	1927220003	Vial 77	1	Sample	7	0.00000	0.000	0.00000
#*	1927220004	Vial 78	1	Sample	8	0.00000	0.000	0.00000
#*	1927220005 MS	Vial 79	1	Sample	9	1.24857e5	7.081	2.93501
#*	1927220006 MSD	Vial 80	1	Sample	10	1.25081e5	7.109	2.93042
#*	1927220007	Vial 81	1	Sample	11	0.00000	0.000	0.00000
#*	1927220008	Vial 82	1	Sample	12	0.00000	0.000	0.00000
#*	1927220001 RE	Vial 86	1	Sample	13	0.00000	0.000	0.00000
#*	1927220002 RE	Vial 87	1	Sample	14	0.00000	0.000	0.00000
#*	676593 CCV@25	Vial 71	1	Control	15	1.16163e6	7.635	24.36237
#*	1927568001 1K	Vial 83	1	Sample	16	7.34459e5	7.710	1.48902e4
#*	1927591001	Vial 84	1	Sample	17	0.00000	0.000	0.00000
#*	1927596001	Vial 85	1	Sample	18	0.00000	0.000	0.00000
#*	676594 CCV@25	Vial 71	1	Control	19	1.23687e6	7.622	25.30819

#	Sample	Location	Inj	SampleType	Run	CLO4-89-ISTD Area	CLO4-89-IS RT	CLO4-89-ISTD Amount
#*	676588 CCV@25	Vial 71	1	Control	1	2.11020e5	7.618	5.00000
#*	676592 QC@3.0	Vial 72	1	Control	2	2.38378e5	7.665	5.00000
#*	676590 ICS@3.0	Vial 73	1	Control	3	2.01376e5	7.487	5.00000
#*	676591 LMB	Vial 74	1	Control	4	2.07694e5	7.734	5.00000
#*	1927220001	Vial 75	1	Sample	5	4.33588e5	7.953	5.00000
#*	1927220002	Vial 76	1	Sample	6	4.80845e5	7.953	5.00000
#*	1927220003	Vial 77	1	Sample	7	1.29768e5	7.177	5.00000
#*	1927220004	Vial 78	1	Sample	8	1.55844e5	7.141	5.00000
#*	1927220005 MS	Vial 79	1	Sample	9	1.56479e5	7.113	5.00000
#*	1927220006 MSD	Vial 80	1	Sample	10	1.57002e5	7.138	5.00000
#*	1927220007	Vial 81	1	Sample	11	1.53526e5	7.105	5.00000
#*	1927220008	Vial 82	1	Sample	12	1.25991e5	7.173	5.00000
#*	1927220001 RE	Vial 86	1	Sample	13	2.84559e5	7.943	5.00000
#*	1927220002 RE	Vial 87	1	Sample	14	2.52777e5	7.981	5.00000
#*	676593 CCV@25	Vial 71	1	Control	15	1.63352e5	7.642	5.00000
#*	1927568001 1K	Vial 83	1	Sample	16	1.75719e5	7.734	5000.00000
#*	1927591001	Vial 84	1	Sample	17	1.54254e5	7.342	5.00000
#*	1927596001	Vial 85	1	Sample	18	1.53002e5	7.317	5.00000
#*	676594 CCV@25	Vial 71	1	Control	19	1.66780e5	7.660	5.00000

#	Sample	Location	Inj	SampleType	Run	CLO4-85 Area	CLO4-85 RT	CLO4-85 Amount
#*	676588 CCV@25	Vial 71	1	Control	1	4.70692e5	7.614	24.99478
#*	676592 QC@3.0	Vial 72	1	Control	2	6.47386e4	7.668	3.18858
#*	676590 ICS@3.0	Vial 73	1	Control	3	5.51383e4	7.474	3.21571
#*	676591 LMB	Vial 74	1	Control	4	0.00000	0.000	0.00000
#*	1927220001	Vial 75	1	Sample	5	0.00000	0.000	0.00000
#*	1927220002	Vial 76	1	Sample	6	0.00000	0.000	0.00000
#*	1927220003	Vial 77	1	Sample	7	0.00000	0.000	0.00000
#*	1927220004	Vial 78	1	Sample	8	0.00000	0.000	0.00000
#*	1927220005 MS	Vial 79	1	Sample	9	4.29875e4	7.108	3.22679
#*	1927220006 MSD	Vial 80	1	Sample	10	4.26524e4	7.129	3.18966

Batch Report: C:\HPCHEM\1\DATA\01OCT19D\01OCT19S.B

#	Sample	Location	Inj	SampleType	Run	CLO4-85 Area	CLO4-85 RT	CLO4-85 Amount
#*	1927220007	Vial 81	1	Sample	11	0.00000	0.000	0.00000
#*	1927220008	Vial 82	1	Sample	12	0.00000	0.000	0.00000
#*	1927220001 RE	Vial 86	1	Sample	13	0.00000	0.000	0.00000
#*	1927220002 RE	Vial 87	1	Sample	14	0.00000	0.000	0.00000
#*	676593 CCV@25	Vial 71	1	Control	15	3.50571e5	7.646	24.12639
#*	1927568001 1K	Vial 83	1	Sample	16	2.20256e5	7.727	1.45858e4
#*	1927591001	Vial 84	1	Sample	17	0.00000	0.000	0.00000
#*	1927596001	Vial 85	1	Sample	18	0.00000	0.000	0.00000
#*	676594 CCV@25	Vial 71	1	Control	19	3.71181e5	7.641	24.94374

*** End of Report ***

Sequence: C:\HPCHEM\1\SEQUENCE\CLO4\2019\OCT\01OCT19D.S

Sequence Table:

Method and Injection Info Part:


Line	Location	SampleName	Method	Inj	SampleType	InjVolume	DataFile
1	Vial 71	676588 CCV@25	CLO4-AQN	1	Ctrl Samp		
2	Vial 72	676592 QC@3.0	CLO4-AQN	1	Ctrl Samp		
3	Vial 73	676590 ICS@3.0	CLO4-AQN	1	Ctrl Samp		
4	Vial 74	676591 LMB	CLO4-AQN	1	Ctrl Samp		
5	Vial 75	1927220001	CLO4-AQN	1	Sample		
6	Vial 76	1927220002	CLO4-AQN	1	Sample		
7	Vial 77	1927220003	CLO4-AQN	1	Sample		
8	Vial 78	1927220004	CLO4-AQN	1	Sample		
9	Vial 79	1927220005 MS	CLO4-AQN	1	Sample		
10	Vial 80	1927220006 MSD	CLO4-AQN	1	Sample		
11	Vial 81	1927220007	CLO4-AQN	1	Sample		
12	Vial 82	1927220008	CLO4-AQN	1	Sample		
13	Vial 86	1927220001 RE	CLO4-AQN	1	Sample		
14	Vial 87	1927220002 RE	CLO4-AQN	1	Sample		
15	Vial 71	676593 CCV@25	CLO4-AQN	1	Ctrl Samp		
16	Vial 83	1927568001 1K	CLO4-AQN	1	Sample		
17	Vial 84	1927591001	CLO4-AQN	1	Sample		
18	Vial 85	1927596001	CLO4-AQN	1	Sample		
19	Vial 71	676594 CCV@25	CLO4-AQN	1	Ctrl Samp		


Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD01.D Sample Name: 676588 CCV@25


Injection Date:	10/01/2019 10:42:23	Seq Line:	1
Sample Name:	676588 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD01.D Sample Name: 676588 CCV@25

Injection Date:	10/01/2019 10:42:23	Seq Line:	1
Sample Name:	676588 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	25.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.598	BB S	1545248.1	25.0192	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.614	BB S	470692.3	24.9948	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.618	PB S	211020.1	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD02.D Sample Name: 676592 QC@3.0

Injection Date:	10/01/2019 10:56:09	Seq Line:	2
Sample Name:	676592 QC@3.0	Location:	Vial 72
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD02.D Sample Name: 676592 QC@3.0

Injection Date:	10/01/2019 10:56:09	Seq Line:	2
Sample Name:	676592 QC@3.0	Location:	Vial 72
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	3.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.638	BB S	195089.7	3.0114	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.668	MM	64738.6	3.1886	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.665	PB S	238378.3	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD03.D Sample Name: 676590 ICS@3.0

Injection Date:	10/01/2019 11:09:58	Seq Line:	3
Sample Name:	676590 ICS@3.0	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD03.D Sample Name: 676590 ICS@3.0

Injection Date:	10/01/2019 11:09:58	Seq Line:	3
Sample Name:	676590 ICS@3.0	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	3.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.470	BB S	158401.3	2.8928	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.474	BB S	55138.3	3.2157	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.487	PB S	201376.3	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD04.D Sample Name: 676591 LMB


Injection Date:	10/01/2019 11:23:50	Seq Line:	4
Sample Name:	676591 LMB	Location:	Vial 74
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD04.D Sample Name: 676591 LMB

Injection Date:	10/01/2019 11:23:50	Seq Line:	4
Sample Name:	676591 LMB	Location:	Vial 74
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.734	PB S	207693.8	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD05.D Sample Name: 1927220001

Injection Date:	10/01/2019 11:37:35	Seq Line:	5
Sample Name:	1927220001	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD05.D Sample Name: 1927220001

Injection Date:	10/01/2019 11:37:35	Seq Line:	5
Sample Name:	1927220001	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.953	MM	433588.3	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD06.D Sample Name: 1927220002

Injection Date:	10/01/2019 11:51:24	Seq Line:	6
Sample Name:	1927220002	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD06.D Sample Name: 1927220002

Injection Date:	10/01/2019 11:51:24	Seq Line:	6
Sample Name:	1927220002	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.953	MM	480844.6	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD07.D Sample Name: 1927220003

Injection Date:	10/01/2019 12:05:17	Seq Line:	7
Sample Name:	1927220003	Location:	Vial 77
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD07.D Sample Name: 1927220003

Injection Date:	10/01/2019 12:05:17	Seq Line:	7
Sample Name:	1927220003	Location:	Vial 77
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.177	BBA	129768.3	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD08.D Sample Name: 1927220004

Injection Date:	10/01/2019 12:19:05	Seq Line:	8
Sample Name:	1927220004	Location:	Vial 78
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD08.D Sample Name: 1927220004

Injection Date:	10/01/2019 12:19:05	Seq Line:	8
Sample Name:	1927220004	Location:	Vial 78
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.141	BBA	155843.6	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD09.D Sample Name: 1927220005 MS

Injection Date:	10/01/2019 12:32:51	Seq Line:	9
Sample Name:	1927220005 MS	Location:	Vial 79
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD09.D Sample Name: 1927220005 MS

Injection Date:	10/01/2019 12:32:51	Seq Line:	9
Sample Name:	1927220005 MS	Location:	Vial 79
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.081	PBA	124857.0	2.9350	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.108	PBA	42987.5	3.2268	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.113	BBA	156479.1	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD10.D Sample Name: 1927220006 MSD


Injection Date:	10/01/2019 12:46:41	Seq Line:	10
Sample Name:	1927220006 MSD	Location:	Vial 80
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD10.D Sample Name: 1927220006 MSD

Injection Date:	10/01/2019 12:46:41	Seq Line:	10
Sample Name:	1927220006 MSD	Location:	Vial 80
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.109	PBA	125081.4	2.9304	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.129	PBA	42652.4	3.1897	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.138	BBA	157002.2	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD11.D Sample Name: 1927220007

Injection Date:	10/01/2019 13:00:30	Seq Line:	11
Sample Name:	1927220007	Location:	Vial 81
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD11.D Sample Name: 1927220007

Injection Date:	10/01/2019 13:00:30	Seq Line:	11
Sample Name:	1927220007	Location:	Vial 81
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.105	BBA	153526.1	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD12.D Sample Name: 1927220008

Injection Date:	10/01/2019 13:14:17	Seq Line:	12
Sample Name:	1927220008	Location:	Vial 82
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD12.D Sample Name: 1927220008

Injection Date:	10/01/2019 13:14:17	Seq Line:	12
Sample Name:	1927220008	Location:	Vial 82
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.173	PBA	125991.0	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD13.D Sample Name: 1927220001 RE

Injection Date:	10/01/2019 13:49:07	Seq Line:	13
Sample Name:	1927220001 RE	Location:	Vial 86
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD13.D Sample Name: 1927220001 RE

Injection Date:	10/01/2019 13:49:07	Seq Line:	13
Sample Name:	1927220001 RE	Location:	Vial 86
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.943	VBA	284558.6	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD14.D Sample Name: 1927220002 RE

Injection Date:	10/01/2019 14:09:00	Seq Line:	14
Sample Name:	1927220002 RE	Location:	Vial 87
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD14.D Sample Name: 1927220002 RE

Injection Date:	10/01/2019 14:09:00	Seq Line:	14
Sample Name:	1927220002 RE	Location:	Vial 87
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.981	VBA	252777.4	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD15.D Sample Name: 676593 CCV@25

Injection Date:	10/01/2019 14:22:50	Seq Line:	15
Sample Name:	676593 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD15.D Sample Name: 676593 CCV@25

Injection Date:	10/01/2019 14:22:50	Seq Line:	15
Sample Name:	676593 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	25.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.635	PBA	1161631.1	24.3624	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.646	PBA	350571.0	24.1264	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.642	PBA	163352.1	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD16.D Sample Name: 1927568001 1K

Injection Date:	10/01/2019 14:36:36	Seq Line:	16
Sample Name:	1927568001 1K	Location:	Vial 83
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD16.D Sample Name: 1927568001 1K

Injection Date:	10/01/2019 14:36:36	Seq Line:	16
Sample Name:	1927568001 1K	Location:	Vial 83
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1000.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.710	PBA	734459.3	14890.2051	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.727	PBA	220255.9	14585.8174	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.734	PBA	175719.3	5000.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD17.D Sample Name: 1927591001

Injection Date:	10/01/2019 14:50:25	Seq Line:	17
Sample Name:	1927591001	Location:	Vial 84
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD17.D Sample Name: 1927591001

Injection Date:	10/01/2019 14:50:25	Seq Line:	17
Sample Name:	1927591001	Location:	Vial 84
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.342	BBA	154253.7	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD18.D Sample Name: 1927596001


Injection Date:	10/01/2019 15:04:19	Seq Line:	18
Sample Name:	1927596001	Location:	Vial 85
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD18.D Sample Name: 1927596001

Injection Date:	10/01/2019 15:04:19	Seq Line:	18
Sample Name:	1927596001	Location:	Vial 85
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.317	BBA	153001.9	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD19.D Sample Name: 676594 CCV@25


Injection Date:	10/01/2019 15:18:13	Seq Line:	19
Sample Name:	676594 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD19.D Sample Name: 676594 CCV@25

Injection Date:	10/01/2019 15:18:13	Seq Line:	19
Sample Name:	676594 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 08:05:58

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	25.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.622	PBA	1236865.2	25.3082	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.641	PBA	371181.1	24.9437	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.660	PBA	166779.7	5.0000	CLO4-89-ISTD

*** End of Report ***

ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Environmental Division

Raw Data

Initial Calibration

Method C:\HPCHEM\1\METHODS\CLO4-DP3.M

Calibration Table

Perchlorate

Calib. Data Modified : 9/23/2019 12:20:59 PM

Calculate : Internal Standard
Based on : Peak Area

Rel. Reference Window : 20.000 %
Abs. Reference Window : 0.000 min
Rel. Non-ref. Window : 20.000 %
Abs. Non-ref. Window : 0.000 min
Use Multiplier & Dilution Factor with ISTDs
Uncalibrated Peaks : not reported
Partial Calibration : No recalibration if peaks missing

Curve Type : Quadratic (some peaks differ, see below)
Origin : Ignored (some peaks differ, see below)
Weight : Linear (Amnt) (some peaks differ, see below)

Recalibration Settings:
Average Response : Average all calibrations
Average Retention Time: Floating Average New 75%

Calibration Report Options :
Printout of recalibrations within a sequence:
Calibration Table after Recalibration
Normal Report after Recalibration
If the sequence is done with bracketing:
Results of first cycle (ending previous bracket)

Default Sample ISTD Information (if not set in sample table):

ISTD #	ISTD Amount	Name
1	5.00000	CLO4-89-ISTD

Signal 1: MSD1 83, EIC=82.7:83.7
Signal 2: MSD1 85, EIC=84.7:85.7
Signal 3: MSD1 89, EIC=88.7:89.7

RetTime [min]	Sig	Lvl	Amount	Area	Amt/Area	Ref	Grp	Name
7.750	1	3	1.00000	5.39218e4	1.85454e-5		1	Perchlorate
		4	2.00000	1.32825e5	1.50574e-5			
		5	5.00000	2.76271e5	1.80982e-5			
		6	10.00000	5.61298e5	1.78159e-5			
		7	25.00000	1.51820e6	1.64669e-5			
		8	50.00000	3.31156e6	1.50986e-5			
		9	75.00000	5.23914e6	1.43153e-5			
7.767	3	3	5.00000	2.14568e5	2.33026e-5	+I1		CLO4-89-ISTD
		4	5.00000	2.04758e5	2.44190e-5			
		5	5.00000	2.13407e5	2.34294e-5			
		6	5.00000	2.09246e5	2.38953e-5			
		7	5.00000	2.07403e5	2.41077e-5			
		8	5.00000	2.02929e5	2.46391e-5			
		9	5.00000	1.97933e5	2.52611e-5			
7.778	2	3	1.00000	1.70436e4	5.86732e-5		1	CLO4-85
		4	2.00000	4.20754e4	4.75337e-5			
		5	5.00000	9.24707e4	5.40712e-5			
		6	10.00000	1.68622e5	5.93041e-5			
		7	25.00000	4.63724e5	5.39114e-5			
		8	50.00000	9.95933e5	5.02042e-5			

Method C:\HPCHEM\1\METHODS\CLO4-DP3.M

RetTime [min]	Sig	Lvl	Amount	Area	Amt/Area	Ref	Grp	Name
		9	75.00000	1.58066e6	4.74484e-5			

More compound-specific settings:

Compound: Perchlorate
- Time Window : From 3.581 min To 11.899 min
- Curve Type : Quadratic
- Origin : Ignored
- Calibration Level Weights:/
  - Level 3 : 1
  - Level 4 : 0.5
  - Level 5 : 0.2
  - Level 6 : 0.1
  - Level 7 : 0.04
  - Level 8 : 0.02
  - Level 9 : 0.013333

Compound: CLO4-89-ISTD
- Time Window : From 3.581 min To 11.896 min
- Curve Type : Linear
- Origin : Included
- Calibration Level Weights:/
  - Level 3 : 1
  - Level 4 : 1
  - Level 5 : 1
  - Level 6 : 1
  - Level 7 : 1
  - Level 8 : 1
  - Level 9 : 1


Compound: CLO4-85
- Time Window : From 3.601 min To 11.913 min
- Curve Type : Quadratic
- Origin : Ignored
- Calibration Level Weights:/
  - Level 3 : 1
  - Level 4 : 0.5
  - Level 5 : 0.2
  - Level 6 : 0.1
  - Level 7 : 0.04
  - Level 8 : 0.02
  - Level 9 : 0.013333

Peak Sum Table


No Entries in table

Method C:\HPCHEM\1\METHODS\CLO4-DP3.M


Calibration Curves



Perchlorate at exp. RT: 7.750
MSD1 83, EIC=82.7:83.7
Correlation: 0.99975
Residual Std. Dev.: 0.10284
Formula: $y = ax^2 + bx + c$
a: 3.10463e-2
b: 1.30369
c: 2.19496e-2
x: Amount Ratio
y: Area Ratio
Calibration Level Weights:
Level 3 : 1
Level 4 : 0.5
Level 5 : 0.2
Level 6 : 0.1
Level 7 : 0.04
Level 8 : 0.02
Level 9 : 0.013333



CLO4-89-ISTD at exp. RT: 7.767
MSD1 89, EIC=88.7:89.7
Correlation: 1.00000
Residual Std. Dev.: 0.00000
Formula: $y = mx + b$
m: 1.00000
b: 0.00000
x: Amount Ratio
y: Area Ratio
Calibration Level Weights:
Level 3 : 1
Level 4 : 1
Level 5 : 1
Level 6 : 1
Level 7 : 1
Level 8 : 1
Level 9 : 1



CLO4-85 at exp. RT: 7.778
MSD1 85, EIC=84.7:85.7
Correlation: 0.99969
Residual Std. Dev.: 0.02601
Formula: $y = ax^2 + bx + c$
a: 8.85207e-3
b: 3.99283e-1
c: 1.33505e-2
x: Amount Ratio
y: Area Ratio
Calibration Level Weights:
Level 3 : 1
Level 4 : 0.5
Level 5 : 0.2
Level 6 : 0.1
Level 7 : 0.04
Level 8 : 0.02
Level 9 : 0.013333

Batch Report: C:\HPCHEM\1\DATA\20SEP19I\20SEP19D.B

Batch Review Method:
C:\HPCHEM\1\METHODS\CLO4-DP3.M

['#' ==> Run has not been reprocessed with Batch Review Method
'*' ==> Run has been saved with batch file]

#	Sample	Location	Inj	SampleType	Run	Perchlorate Area	Perchlorat RT	Perchlorate Amount
#*	CLO4@ 1.0ug/L	Vial 73	1	Control	3	5.39218e4	7.750	8.75982e-1
#*	CLO4@ 2.0ug/L	Vial 74	1	Control	4	1.32825e5	7.797	2.37682
#*	CLO4@ 5.0ug/L	Vial 75	1	Control	5	2.76271e5	7.770	4.77237
#*	CLO4@ 10.ug/L	Vial 76	1	Control	6	5.61298e5	7.785	9.75097
#*	CLO4@ 25.ug/L	Vial 77	1	Control	7	1.51820e6	7.741	25.01082
#*	CLO4@ 50.ug/L	Vial 78	1	Control	8	3.31156e6	7.775	50.40300
#*	CLO4@ 75.ug/L	Vial 79	1	Control	9	5.23914e6	7.736	74.79107
#*	ICAL Verf@10ug/L	Vial 80	1	Control	11	5.74879e5	7.756	10.11855

#	Sample	Location	Inj	SampleType	Run	CLO4-89-ISTD Area	CLO4-89-IS RT	CLO4-89-ISTD Amount
#*	CLO4@ 1.0ug/L	Vial 73	1	Control	3	2.14568e5	7.767	5.00000
#*	CLO4@ 2.0ug/L	Vial 74	1	Control	4	2.04758e5	7.816	5.00000
#*	CLO4@ 5.0ug/L	Vial 75	1	Control	5	2.13407e5	7.793	5.00000
#*	CLO4@ 10.ug/L	Vial 76	1	Control	6	2.09246e5	7.798	5.00000
#*	CLO4@ 25.ug/L	Vial 77	1	Control	7	2.07403e5	7.763	5.00000
#*	CLO4@ 50.ug/L	Vial 78	1	Control	8	2.02929e5	7.800	5.00000
#*	CLO4@ 75.ug/L	Vial 79	1	Control	9	1.97933e5	7.765	5.00000
#*	ICAL Verf@10ug/L	Vial 80	1	Control	11	2.06243e5	7.776	5.00000

#	Sample	Location	Inj	SampleType	Run	CLO4-85 Area	CLO4-85 RT	CLO4-85 Amount
#*	CLO4@ 1.0ug/L	Vial 73	1	Control	3	1.70436e4	7.778	8.24488e-1
#*	CLO4@ 2.0ug/L	Vial 74	1	Control	4	4.20754e4	7.805	2.38090
#*	CLO4@ 5.0ug/L	Vial 75	1	Control	5	9.24707e4	7.787	5.14166
#*	CLO4@ 10.ug/L	Vial 76	1	Control	6	1.68622e5	7.781	9.52209
#*	CLO4@ 25.ug/L	Vial 77	1	Control	7	4.63724e5	7.760	25.04916
#*	CLO4@ 50.ug/L	Vial 78	1	Control	8	9.95933e5	7.793	50.14223
#*	CLO4@ 75.ug/L	Vial 79	1	Control	9	1.58066e6	7.758	74.93659
#*	ICAL Verf@10ug/L	Vial 80	1	Control	11	1.71000e5	7.760	9.79043

*** End of Report ***

Sequence: C:\HPCHEM\1\SEQUENCE\CLO4\2019\SEP\20SEP19I.S

Sequence Table:

Method and Injection Info Part:


Line	Location	SampleName	Method	Inj	SampleType	InjVolume	DataFile
1	Vial 71	CLO4@ 0.2ug/L	CLO4-AQN	1	Ctrl Samp		
2	Vial 72	CLO4@ 0.5ug/L	CLO4-AQN	1	Ctrl Samp		
3	Vial 73	CLO4@ 1.0ug/L	CLO4-AQN	1	Ctrl Samp		
4	Vial 74	CLO4@ 2.0ug/L	CLO4-AQN	1	Ctrl Samp		
5	Vial 75	CLO4@ 5.0ug/L	CLO4-AQN	1	Ctrl Samp		
6	Vial 76	CLO4@ 10.ug/L	CLO4-AQN	1	Ctrl Samp		
7	Vial 77	CLO4@ 25.ug/L	CLO4-AQN	1	Ctrl Samp		
8	Vial 78	CLO4@ 50.ug/L	CLO4-AQN	1	Ctrl Samp		
9	Vial 79	CLO4@ 75.ug/L	CLO4-AQN	1	Ctrl Samp		
10	Vial 71	CLO4@ 0.2ug/L	CLO4-AQN	1	Ctrl Samp		
11	Vial 80	ICAL Verf@10ug/L	CLO4-AQN	1	Ctrl Samp		

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI03.D Sample Name: CLO4@ 1.0ug/L

Injection Date:	9/20/2019 09:24:05	Seq Line:	3
Sample Name:	CLO4@ 1.0ug/L	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI03.D Sample Name: CLO4@ 1.0ug/L

Injection Date:	9/20/2019 09:24:05	Seq Line:	3
Sample Name:	CLO4@ 1.0ug/L	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	1.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.750	PBA	53921.8	0.8760	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.778	MM	17043.6	0.8245	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.767	PBA	214568.1	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI04.D Sample Name: CLO4@ 2.0ug/L


Injection Date:	9/20/2019 09:37:58	Seq Line:	4
Sample Name:	CLO4@ 2.0ug/L	Location:	Vial 74
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI04.D Sample Name: CLO4@ 2.0ug/L

Injection Date:	9/20/2019 09:37:58	Seq Line:	4
Sample Name:	CLO4@ 2.0ug/L	Location:	Vial 74
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	2.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.797	PBA	132825.2	2.3768	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.805	PBA	42075.4	2.3809	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.816	PBA	204758.3	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI05.D Sample Name: CLO4@ 5.0ug/L

Injection Date:	9/20/2019 09:51:49	Seq Line:	5
Sample Name:	CLO4@ 5.0ug/L	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI05.D Sample Name: CLO4@ 5.0ug/L

Injection Date:	9/20/2019 09:51:49	Seq Line:	5
Sample Name:	CLO4@ 5.0ug/L	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	5.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.770	PBA	276270.7	4.7724	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.787	PBA	92470.7	5.1417	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.793	PBA	213407.0	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI06.D Sample Name: CLO4@ 10.ug/L


Injection Date:	9/20/2019 10:05:36	Seq Line:	6
Sample Name:	CLO4@ 10.ug/L	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI06.D Sample Name: CLO4@ 10.ug/L

Injection Date:	9/20/2019 10:05:36	Seq Line:	6
Sample Name:	CLO4@ 10.ug/L	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	10.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.785	PBA	561297.7	9.7510	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.781	PBA	168622.4	9.5221	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.798	PBA	209246.3	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI07.D Sample Name: CLO4@ 25.ug/L

Injection Date:	9/20/2019 10:19:23	Seq Line:	7
Sample Name:	CLO4@ 25.ug/L	Location:	Vial 77
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI07.D Sample Name: CLO4@ 25.ug/L

Injection Date:	9/20/2019 10:19:23	Seq Line:	7
Sample Name:	CLO4@ 25.ug/L	Location:	Vial 77
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	25.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.741	PBA	1518197.9	25.0108	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.760	PBA	463724.0	25.0492	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.763	PBA	207402.8	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI08.D Sample Name: CLO4@ 50.ug/L


Injection Date:	9/20/2019 10:33:18	Seq Line:	8
Sample Name:	CLO4@ 50.ug/L	Location:	Vial 78
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI08.D Sample Name: CLO4@ 50.ug/L

Injection Date:	9/20/2019 10:33:18	Seq Line:	8
Sample Name:	CLO4@ 50.ug/L	Location:	Vial 78
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	50.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.775	PBA	3311559.2	50.4030	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.793	PBA	995933.0	50.1422	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.800	PBA	202929.2	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI09.D Sample Name: CLO4@ 75.ug/L


Injection Date:	9/20/2019 10:47:05	Seq Line:	9
Sample Name:	CLO4@ 75.ug/L	Location:	Vial 79
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI09.D Sample Name: CLO4@ 75.ug/L

Injection Date:	9/20/2019 10:47:05	Seq Line:	9
Sample Name:	CLO4@ 75.ug/L	Location:	Vial 79
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	75.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.736	PBA	5239145.0	74.7911	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.758	PBA	1580664.2	74.9366	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.765	PBA	197932.5	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI11.D Sample Name: ICAL Verf@10ug/L


Injection Date:	9/20/2019 11:14:45	Seq Line:	11
Sample Name:	ICAL Verf@10ug/L	Location:	Vial 80
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI11.D Sample Name: ICAL Verf@10ug/L

Injection Date:	9/20/2019 11:14:45	Seq Line:	11
Sample Name:	ICAL Verf@10ug/L	Location:	Vial 80
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	10.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.756	PBA	574879.4	10.1185	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.760	PBA	171000.4	9.7904	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.776	PBA	206243.3	5.0000	CLO4-89-ISTD

*** End of Report ***



ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Environmental Division

Raw Data


Unmodified


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI03.D Sample Name: CLO4@ 1.0ug/L


Injection Date:	9/20/2019 09:24:05	Seq Line:	3
Sample Name:	CLO4@ 1.0ug/L	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI03.D Sample Name: CLO4@ 1.0ug/L

Injection Date:	9/20/2019 09:24:05	Seq Line:	3
Sample Name:	CLO4@ 1.0ug/L	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	1.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.750	PBA	53921.8	0.8760	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.767	PBA	214568.1	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD02.D Sample Name: 676592 QC@3.0

Injection Date:	10/01/2019 10:56:09	Seq Line:	2
Sample Name:	676592 QC@3.0	Location:	Vial 72
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 09:16:52

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD02.D Sample Name: 676592 QC@3.0

Injection Date:	10/01/2019 10:56:09	Seq Line:	2
Sample Name:	676592 QC@3.0	Location:	Vial 72
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 09:16:52

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	3.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.638	BB S	195089.7	3.0114	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.665	PB S	238378.3	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD05.D Sample Name: 1927220001

Injection Date:	10/01/2019 11:37:35	Seq Line:	5
Sample Name:	1927220001	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 09:16:52

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD05.D Sample Name: 1927220001

Injection Date:	10/01/2019 11:37:35	Seq Line:	5
Sample Name:	1927220001	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 09:16:52

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
5.968	PB S	100244.2	0.0000	
6.843	BB T	116415.9	0.0000	
7.942	PBAT	488651.6	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD06.D Sample Name: 1927220002

Injection Date:	10/01/2019 11:51:24	Seq Line:	6
Sample Name:	1927220002	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 10/2/2019 09:16:52

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\01OCT19D\01OCTD06.D Sample Name: 1927220002

Injection Date:	10/01/2019 11:51:24	Seq Line:	6
Sample Name:	1927220002	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	10/2/2019 09:16:52

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
5.969	PB S	94987.9	0.0000	
6.837	BB T	106969.7	0.0000	
7.945	PBAT	520312.7	5.0000	CLO4-89-ISTD

*** End of Report ***

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

September 30, 2019

Analytical Report for Service Request No: K1908781

RJ Modashia
ALS Laboratory Group
10450 Stancliff Road
Suite 210
Houston, TX 77099-4338

RE: HS19090964

Dear RJ,

Enclosed are the results of the sample(s) submitted to our laboratory September 21, 2019
For your reference, these analyses have been assigned our service request number **K1908781.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3350. You may also contact me via email at Kelley.Lovejoy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Kelley Lovejoy

Kelley Lovejoy
Project Manager

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

Acronyms
Qualifiers
State Certifications, Accreditations, And Licenses
Case Narrative
Chain of Custody
General Chemistry
Raw Data
    General Chemistry

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable. See case narrative.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Case Narrative

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: ALS Environmental - US
Project: HS19090964
Sample Matrix: Water

Service Request: K1908781
Date Received: 09/21/2019

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier level IV requested by the client.

Sample Receipt:

Two water samples were received for analysis at ALS Environmental on 09/21/2019. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by Kelley Lovejoy Date 09/30/2019

Chain of Custody

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

10450 Stancliff Rd, Ste 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

K1908781

Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **12205**

SUBCONTRACT TO:

ALS Environmental Kelso
1317 S. 13th Avenue
Kelso, WA 98626

Phone: +1 360 501 3312

CUSTOMER INFORMATION:

Company:	ALS Houston
Contact:	RJ Modashia
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Email:	RJ.Modashia@alsglobal.com
Alternate Contact:	
Email:	

INVOICE INFORMATION:

Company:	ALS Houston
Contact:	Accounts Payable
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Reference:	HS19090964
TSR:	Sonia West

	LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
	ANALYSIS REQUESTED			DUE DATE
1.	**HS19090964-04**	**16WW58-190918**	**Water**	**18 Sep 2019 14:08**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			27 Sep 2019
2.	**HS19090964-06**	**16WW58-190918-FD**	**Water**	**18 Sep 2019 14:08**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			27 Sep 2019

Comments: Please analyze for the analysis listed above.
Send report to the emails shown above.

QC Level: DOD IV (DoD Data Package)

HS19090964-04&06 MS/MSD

Relinquished By: _____ Date/Time: 9/20/19 1800.

Received By: _____ Date/Time: 9.21.19 0915

Cooler ID(s): _____ Temperature(s): _____

RIGHT SOLUTIONS | RIGHT PARTNER

PC KL

Cooler Receipt and Preservation Form

Client ALS Houston Service Request K19 08781

Received: 9-21-19 Opened: 9-21-19 By: NP Unloaded: 9-21-19 By: NP

1. Samples were received via? *USPS* (*Fed Ex*) *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other* _____ *NA*
3. Were custody seals on coolers? NA (Y) N If yes, how many and where? 2 Sides
   If present, were custody seals intact? (Y) N If present, were they signed and dated? (Y) N

Raw Cooler Temp	Corrected Cooler Temp	Raw Temp Blank	Corrected Temp Blank	Corr. Factor	Thermometer ID	Cooler/COC ID NA	Tracking Number NA	Filed
0.0	0.0	1.1	1.1	0.0	374	12205	1251 0289 7485	

4. Packing material: *Inserts* (*Baggies*) (*Bubble Wrap*) *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____
5. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
6. Were samples received in good condition (temperature, unbroken)? *Indicate in the table below.* NA (Y) N
   If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*
7. Were all sample labels complete (i.e analysis, preservation, etc.)? NA (Y) N
8. Did all sample labels and tags agree with custody papers? *Indicate major discrepancies in the table on page 2.* NA (Y) N
9. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N
10. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA (Y) N
11. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
12. Was C12/Res negative? (NA) Y N

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Out of Temp	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, & Resolutions: _____

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	ALS Environmental - US	**Service Request:**	K1908781
Project:	HS19090964	**Date Collected:**	09/18/19
Sample Matrix:	Water	**Date Received:**	09/21/19
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Carbon, Total Organic

Sample Name	Lab Code	Result	LOQ	LOD	MDL	Dil.	Date Analyzed	Q
16WW58-190918	K1908781-001	**4.21**	0.50	0.20	0.07	1	09/26/19 16:43	
16WW58-190918-FD	K1908781-002	**4.27**	0.50	0.20	0.07	1	09/26/19 17:40	
Method Blank	K1908781-MB	ND U	0.50	0.20	0.07	1	09/26/19 15:02	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1908781
Project	HS19090964	**Date Collected:**	09/18/19
Sample Matrix:	Water	**Date Received:**	09/21/19
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Replicate Sample Summary
Carbon, Total Organic

Sample Name:	Lab Code:	LOQ	LOD	MDL	Sample Result	Duplicate Result	Average	RPD	RPD Limit	Date Analyzed
16WW58-190918	K1908781-001DUP	0.50	0.20	0.07	4.21	4.09	4.15	3	10	09/26/19
16WW58-190918-FD	K1908781-002DUP	0.50	0.20	0.07	4.27	4.08	4.17	5	10	09/26/19

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1908781
Project:	HS19090964	**Date Collected:**	09/18/19
Sample Matrix:	Water	**Date Received:**	09/21/19
		Date Analyzed:	09/26/19
		Date Extracted:	NA

Matrix Spike Summary
Carbon, Total Organic

Sample Name:	16WW58-190918	**Units:**	mg/L
Lab Code:	K1908781-001	**Basis:**	NA
Analysis Method:	SM 5310 C		
Prep Method:	None		

Matrix Spike
K1908781-001MS

Analyte Name	Sample Result	Result	Spike Amount	% Rec	% Rec Limits
Carbon, Total Organic	4.21	27.3	25.0	92	83-117

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1908781
Project:	HS19090964	**Date Collected:**	09/18/19
Sample Matrix:	Water	**Date Received:**	09/21/19
		Date Analyzed:	09/26/19
		Date Extracted:	NA

Matrix Spike Summary
Carbon, Total Organic

Sample Name:	16WW58-190918-FD	**Units:**	mg/L
Lab Code:	K1908781-002	**Basis:**	NA
Analysis Method:	SM 5310 C		
Prep Method:	None		

Matrix Spike
K1908781-002MS

Analyte Name	Sample Result	Result	Spike Amount	% Rec	% Rec Limits
Carbon, Total Organic	4.27	27.4	25.0	93	83-117

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1908781
Project:	HS19090964	**Date Analyzed:**	09/26/19
Sample Matrix:	Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	653109

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1908781-LCS	24.8	25.0	99	83-117

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:** K1908781
Project: HS19090964

Continuing Calibration Verification (CCV) Summary

Carbon, Total Organic

Analysis Method: SM 5310 C **Units:** mg/L

	Analysis Lot	Lab Code	Date Analyzed	True Value	Measured Value	Percent Recovery	Acceptance Limits
CCV1	653109	KQ1913846-09	09/26/19 14:33	25.0	24.0	96	90-110
CCV2	653109	KQ1913846-10	09/26/19 18:08	25.0	23.9	95	90-110
CCV3	653109	KQ1913846-11	09/26/19 22:25	25.0	23.8	95	90-110

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:**K1908781
Project: HS19090964

Continuing Calibration Blank (CCB) Summary
Carbon, Total Organic

Analysis Method: SM 5310 C **Units:**mg/L

	Analysis Lot	Lab Code	Date Analyzed	LOQ	LOD	MDL	Result	Q
CCB1	653109	KQ1913846-12	09/26/19 14:47	0.50	0.20	0.07	ND	U
CCB2	653109	KQ1913846-13	09/26/19 18:23	0.50	0.20	0.07	ND	U
CCB3	653109	KQ1913846-14	09/26/19 22:39	0.50	0.20	0.07	ND	U

Raw Data

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

Work Request # Original ( ) KP1908789, 8781, 8618, T1901580
Tier: IV IV I IV
Date Analyzed: 9/26/19
Analyst: BCD
Analysis: TOC/DOC
Run # TOC: 653109 DOC: 653111, 653112, 653113

DATA QUALITY REPORT
INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1.	Is the method name and number correct and appropriate?	yes/no/NA
2.	Holding times met for all analyses and for all samples?	yes/no/NA
3.	Are calculations correct?	yes/no/NA
4.	Is the reporting basis correct? (Dry Weight)	yes/no/NA
5.	All quality control criteria met?	yes/no
6.	Is the calibration curve correlation coefficient ≥ 0.995?	yes/no/NA
7.	MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency?	yes/no/NA
8.	Are ICVs, CCVs, and CCBs all within acceptance limits?	yes/no/NA
9.	Are results for methods blanks all ND?	yes/no/NA
10.	Are all QC samples within acceptance criteria? (LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.)	yes/no/NA
11.	Are all exceptions explained?	yes/no/NA
12.	Have all applicable service requests been reviewed?	yes/no/NA
13.	Are all samples labeled correctly?	yes/no/NA
14.	Have all instructions on the service request been followed? (e.g. Special MRLs, QC on a specific sample, Form V)	yes/no/NA
15.	Are detection limits and units reported correctly?	yes/no/NA
16.	Is the unused space on the benchsheet crossed out?	yes/no/NA
17.	Was analysis turned in by the due date? (n-2) (If not record SR#)	yes/no/NA

COMMENTS: T1901580-67/67d, 64/64d report a high %RPD. However, these samples are less than 5x the MDL.

Final Approved by: _____ Date: 09/30/19

DQREPORT

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653109 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1908780-001	Carbon, Total Organic	N/A		Water	10.90 mg/L	10 mL	10.9 mg/L	1	0.07	0.50			9/26/19 15:46:00	Y	IV
K1908781-001	Carbon, Total Organic	N/A		Water	4.21 mg/L	10 mL	4.21 mg/L	1	0.07	0.50			9/26/19 16:43:00	Y	IV
K1908781-002	Carbon, Total Organic	N/A		Water	4.27 mg/L	10 mL	4.27 mg/L	1	0.07	0.50			9/26/19 17:40:00	Y	IV
KQ1913846-01	Carbon, Total Organic	MS	K1908780-001	Water	32.59 mg/L	10 mL	32.6 mg/L	1	0.07	0.50	87		9/26/19 16:14:00	N	IV
KQ1913846-02	Carbon, Total Organic	MS	K1908781-002	Water	27.42 mg/L	10 mL	27.4 mg/L	1	0.07	0.50	93		9/26/19 18:38:00	N	IV
KQ1913846-03	Carbon, Total Organic	MS	K1908781-001	Water	27.26 mg/L	10 mL	27.3 mg/L	1	0.07	0.50	92		9/26/19 17:11:00	N	IV
KQ1913846-04	Carbon, Total Organic	DUP	K1908781-002	Water	4.08 mg/L	10 mL	4.08 mg/L	1	0.07	0.50		5	9/26/19 17:40:00	N	IV
KQ1913846-05	Carbon, Total Organic	DUP	K1908780-001	Water	10.45 mg/L	10 mL	10.5 mg/L	1	0.07	0.50		4	9/26/19 15:46:00	N	IV
KQ1913846-06	Carbon, Total Organic	DUP	K1908781-001	Water	4.09 mg/L	10 mL	4.09 mg/L	1	0.07	0.50		3	9/26/19 16:43:00	N	IV
KQ1913846-07	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 15:02:00	N	IV
KQ1913846-08	Carbon, Total Organic	LCS		Water	24.84 mg/L	10 mL	24.8 mg/L	1	0.07	0.50	99		9/26/19 15:17:00	N	IV
KQ1913846-09	Carbon, Total Organic	CCV		Water	24.05 mg/L	10 mL	24.0 mg/L	1					9/26/19 14:33:00	N	IV
KQ1913846-10	Carbon, Total Organic	CCV		Water	23.87 mg/L	10 mL	23.9 mg/L	1					9/26/19 18:08:00	N	IV
KQ1913846-11	Carbon, Total Organic	CCV		Water	23.83 mg/L	10 mL	23.8 mg/L	1					9/26/19 22:25:00	N	IV
KQ1913846-12	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 14:47:00	N	IV
KQ1913846-13	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 18:23:00	N	IV
KQ1913846-14	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 22:39:00	N	IV

09/30/19

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653111 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1908618-001	Carbon, Dissolved Organic (DOC)	N/A		Water	11.43 mg/L	10 mL	11.4 mg/L	1	0.07	0.50			9/26/19 19:22:00	N	I
KQ1913850-01	Carbon, Dissolved Organic (DOC)	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 22:54:00	N	I
KQ1913850-02	Carbon, Dissolved Organic (DOC)	LCS		Water	24.26 mg/L	10 mL	24.3 mg/L	1	0.07	0.50	97		9/26/19 23:09:00	N	I
KQ1913850-03	Carbon, Dissolved Organic (DOC)	MS	T1901580-046	Water	29.38 mg/L	10 mL	29.4 mg/L	1	0.07	0.50	104		9/26/19 22:10:00	N	IV
KQ1913850-04	Carbon, Dissolved Organic (DOC)	DUP	T1901580-060	Water	2.81 mg/L	10 mL	2.81 mg/L	1	0.07	0.50		1	9/27/19 05:58:00	N	IV
KQ1913850-05	Carbon, Dissolved Organic (DOC)	DUP	T1901580-059	Water	2.32 mg/L	10 mL	2.32 mg/L	1	0.07	0.50		<1	9/27/19 05:30:00	N	IV
KQ1913850-06	Carbon, Dissolved Organic (DOC)	DUP	T1901580-058	Water	2.51 mg/L	10 mL	2.51 mg/L	1	0.07	0.50		<1	9/27/19 05:02:00	N	IV
KQ1913850-07	Carbon, Dissolved Organic (DOC)	DUP	T1901580-057	Water	0.89 mg/L	10 mL	0.89 mg/L	1	0.07	0.50		2	9/27/19 04:34:00	N	IV
KQ1913850-08	Carbon, Dissolved Organic (DOC)	DUP	T1901580-056	Water	2.15 mg/L	10 mL	2.15 mg/L	1	0.07	0.50		<1	9/27/19 04:05:00	N	IV
KQ1913850-09	Carbon, Dissolved Organic (DOC)	DUP	T1901580-055	Water	0.80 mg/L	10 mL	0.80 mg/L	1	0.07	0.50		10	9/27/19 03:37:00	N	IV
KQ1913850-10	Carbon, Dissolved Organic (DOC)	DUP	T1901580-054	Water	1.90 mg/L	10 mL	1.90 mg/L	1	0.07	0.50		3	9/27/19 02:40:00	N	IV
KQ1913850-11	Carbon, Dissolved Organic (DOC)	DUP	T1901580-053	Water	0.80 mg/L	10 mL	0.80 mg/L	1	0.07	0.50		<1	9/27/19 02:12:00	N	IV
KQ1913850-12	Carbon, Dissolved Organic (DOC)	DUP	T1901580-052	Water	1.68 mg/L	10 mL	1.68 mg/L	1	0.07	0.50		2	9/27/19 01:44:00	N	IV
KQ1913850-13	Carbon, Dissolved Organic (DOC)	DUP	T1901580-051	Water	1.59 mg/L	10 mL	1.59 mg/L	1	0.07	0.50		4	9/27/19 01:16:00	N	IV
KQ1913850-14	Carbon, Dissolved Organic (DOC)	DUP	T1901580-050	Water	3.22 mg/L	10 mL	3.22 mg/L	1	0.07	0.50		<1	9/27/19 00:48:00	N	IV
KQ1913850-15	Carbon, Dissolved Organic (DOC)	DUP	T1901580-049	Water	3.21 mg/L	10 mL	3.21 mg/L	1	0.07	0.50		2	9/27/19 00:19:00	N	IV
KQ1913850-16	Carbon, Dissolved Organic (DOC)	DUP	T1901580-048	Water	3.20 mg/L	10 mL	3.20 mg/L	1	0.07	0.50		<1	9/26/19 23:51:00	N	IV
KQ1913850-17	Carbon, Dissolved Organic (DOC)	DUP	T1901580-047	Water	3.18 mg/L	10 mL	3.18 mg/L	1	0.07	0.50		2	9/26/19 23:23:00	N	IV
KQ1913850-18	Carbon, Dissolved Organic (DOC)	DUP	T1901580-046	Water	3.31 mg/L	10 mL	3.31 mg/L	1	0.07	0.50		1	9/26/19 21:42:00	N	IV
KQ1913850-19	Carbon, Dissolved Organic (DOC)	DUP	T1901580-045	Water	3.17 mg/L	10 mL	3.17 mg/L	1	0.07	0.50		<1	9/26/19 21:14:00	N	IV
KQ1913850-20	Carbon, Dissolved Organic (DOC)	DUP	T1901580-044	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	9/26/19 20:46:00	N	IV
KQ1913850-21	Carbon, Dissolved Organic (DOC)	DUP	T1901580-043	Water	2.35 mg/L	10 mL	2.35 mg/L	1	0.07	0.50		2	9/26/19 20:18:00	N	IV
KQ1913850-22	Carbon, Dissolved Organic (DOC)	DUP	T1901580-042	Water	2.69 mg/L	10 mL	2.69 mg/L	1	0.07	0.50		2	9/26/19 19:50:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

09/30/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653111 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1913850-23	Carbon, Dissolved Organic (DOC)	DUP	K1908618-001	Water	11.37 mg/L	10 mL	11.4 mg/L	1	0.07	0.50		<1	9/26/19 19:22:00	N	I
KQ1913850-24	Carbon, Dissolved Organic (DOC)	CCV		Water	23.87 mg/L	10 mL	23.9 mg/L	1					9/26/19 18:08:00	N	I
KQ1913850-25	Carbon, Dissolved Organic (DOC)	CCV		Water	23.83 mg/L	10 mL	23.8 mg/L	1					9/26/19 22:25:00	N	I
KQ1913850-26	Carbon, Dissolved Organic (DOC)	CCV		Water	23.73 mg/L	10 mL	23.7 mg/L	1					9/27/19 03:08:00	N	I
KQ1913850-27	Carbon, Dissolved Organic (DOC)	CCV		Water	23.47 mg/L	10 mL	23.5 mg/L	1					9/27/19 08:05:00	N	I
KQ1913850-28	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 18:23:00	N	I
KQ1913850-29	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 22:39:00	N	I
KQ1913850-30	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 03:22:00	N	I
KQ1913850-31	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 08:20:00	N	I
T1901580-042	Carbon, Dissolved Organic (DOC)	N/A		Water	2.74 mg/L	10 mL	2.74 mg/L	1	0.07	0.50			9/26/19 19:50:00	N	IV
T1901580-043	Carbon, Dissolved Organic (DOC)	N/A		Water	2.39 mg/L	10 mL	2.39 mg/L	1	0.07	0.50			9/26/19 20:18:00	N	IV
T1901580-044	Carbon, Dissolved Organic (DOC)	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/26/19 20:46:00	N	IV
T1901580-045	Carbon, Dissolved Organic (DOC)	N/A		Water	3.20 mg/L	10 mL	3.20 mg/L	1	0.07	0.50			9/26/19 21:14:00	N	IV
T1901580-046	Carbon, Dissolved Organic (DOC)	N/A		Water	3.26 mg/L	10 mL	3.26 mg/L	1	0.07	0.50			9/26/19 21:42:00	N	IV
T1901580-047	Carbon, Dissolved Organic (DOC)	N/A		Water	3.26 mg/L	10 mL	3.26 mg/L	1	0.07	0.50			9/26/19 23:23:00	N	IV
T1901580-048	Carbon, Dissolved Organic (DOC)	N/A		Water	3.20 mg/L	10 mL	3.20 mg/L	1	0.07	0.50			9/26/19 23:51:00	N	IV
T1901580-049	Carbon, Dissolved Organic (DOC)	N/A		Water	3.14 mg/L	10 mL	3.14 mg/L	1	0.07	0.50			9/27/19 00:19:00	N	IV
T1901580-050	Carbon, Dissolved Organic (DOC)	N/A		Water	3.22 mg/L	10 mL	3.22 mg/L	1	0.07	0.50			9/27/19 00:48:00	N	IV
T1901580-051	Carbon, Dissolved Organic (DOC)	N/A		Water	1.53 mg/L	10 mL	1.53 mg/L	1	0.07	0.50			9/27/19 01:16:00	N	IV
T1901580-052	Carbon, Dissolved Organic (DOC)	N/A		Water	1.64 mg/L	10 mL	1.64 mg/L	1	0.07	0.50			9/27/19 01:44:00	N	IV
T1901580-053	Carbon, Dissolved Organic (DOC)	N/A		Water	0.79 mg/L	10 mL	0.79 mg/L	1	0.07	0.50			9/27/19 02:12:00	N	IV
T1901580-054	Carbon, Dissolved Organic (DOC)	N/A		Water	1.96 mg/L	10 mL	1.96 mg/L	1	0.07	0.50			9/27/19 02:40:00	N	IV
T1901580-055	Carbon, Dissolved Organic (DOC)	N/A		Water	0.88 mg/L	10 mL	0.88 mg/L	1	0.07	0.50			9/27/19 03:37:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653111 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
T1901580-056	Carbon, Dissolved Organic (DOC)	N/A		Water	2.14 mg/L	10 mL	2.14 mg/L	1	0.07	0.50			9/27/19 04:05:00	N	IV
T1901580-057	Carbon, Dissolved Organic (DOC)	N/A		Water	0.91 mg/L	10 mL	0.91 mg/L	1	0.07	0.50			9/27/19 04:34:00	N	IV
T1901580-058	Carbon, Dissolved Organic (DOC)	N/A		Water	2.49 mg/L	10 mL	2.49 mg/L	1	0.07	0.50			9/27/19 05:02:00	N	IV
T1901580-059	Carbon, Dissolved Organic (DOC)	N/A		Water	2.32 mg/L	10 mL	2.32 mg/L	1	0.07	0.50			9/27/19 05:30:00	N	IV
T1901580-060	Carbon, Dissolved Organic (DOC)	N/A		Water	2.85 mg/L	10 mL	2.85 mg/L	1	0.07	0.50			9/27/19 05:58:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653112 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1913851-01	Carbon, Dissolved Organic (DOC)	MS	T1901580-063	Water	27.05 mg/L	10 mL	27.0 mg/L	1	0.07	0.50	98		9/27/19 07:50:00	N	IV
KQ1913851-02	Carbon, Dissolved Organic (DOC)	DUP	T1901580-080	Water	3.23 mg/L	10 mL	3.23 mg/L	1	0.07	0.50		<1	9/27/19 17:03:00	N	IV
KQ1913851-03	Carbon, Dissolved Organic (DOC)	DUP	T1901580-079	Water	3.20 mg/L	10 mL	3.20 mg/L	1	0.07	0.50		2	9/27/19 16:35:00	N	IV
KQ1913851-04	Carbon, Dissolved Organic (DOC)	DUP	T1901580-078	Water	2.87 mg/L	10 mL	2.87 mg/L	1	0.07	0.50		<1	9/27/19 16:07:00	N	IV
KQ1913851-05	Carbon, Dissolved Organic (DOC)	DUP	T1901580-077	Water	2.71 mg/L	10 mL	2.71 mg/L	1	0.07	0.50		2	9/27/19 15:39:00	N	IV
KQ1913851-06	Carbon, Dissolved Organic (DOC)	DUP	T1901580-076	Water	0.90 mg/L	10 mL	0.90 mg/L	1	0.07	0.50		2	9/27/19 15:10:00	N	IV
KQ1913851-07	Carbon, Dissolved Organic (DOC)	DUP	T1901580-075	Water	2.23 mg/L	10 mL	2.23 mg/L	1	0.07	0.50		1	9/27/19 14:42:00	N	IV
KQ1913851-08	Carbon, Dissolved Organic (DOC)	DUP	T1901580-074	Water	2.23 mg/L	10 mL	2.23 mg/L	1	0.07	0.50		4	9/27/19 14:14:00	N	IV
KQ1913851-09	Carbon, Dissolved Organic (DOC)	DUP	T1901580-073	Water	0.70 mg/L	10 mL	0.70 mg/L	1	0.07	0.50		2	9/27/19 13:46:00	N	IV
KQ1913851-10	Carbon, Dissolved Organic (DOC)	DUP	T1901580-072	Water	1.76 mg/L	10 mL	1.76 mg/L	1	0.07	0.50		5	9/27/19 13:18:00	N	IV
KQ1913851-11	Carbon, Dissolved Organic (DOC)	DUP	T1901580-071	Water	0.62 mg/L	10 mL	0.62 mg/L	1	0.07	0.50		<1	9/27/19 12:20:00	N	IV
KQ1913851-12	Carbon, Dissolved Organic (DOC)	DUP	T1901580-070	Water	1.19 mg/L	10 mL	1.19 mg/L	1	0.07	0.50		5	9/27/19 11:52:00	N	IV
KQ1913851-13	Carbon, Dissolved Organic (DOC)	DUP	T1901580-069	Water	0.59 mg/L	10 mL	0.59 mg/L	1	0.07	0.50		2	9/27/19 11:24:00	N	IV
KQ1913851-14	Carbon, Dissolved Organic (DOC)	DUP	T1901580-068	Water	1.01 mg/L	10 mL	1.01 mg/L	1	0.07	0.50		8	9/27/19 10:56:00	N	IV
KQ1913851-15	Carbon, Dissolved Organic (DOC)	DUP	T1901580-067	Water	0.45 mg/L	10 mL	0.45 mg/L J	1	0.07	0.50		16*	9/27/19 10:28:00	N	IV
KQ1913851-16	Carbon, Dissolved Organic (DOC)	DUP	T1901580-066	Water	0.75 mg/L	10 mL	0.75 mg/L	1	0.07	0.50		<1	9/27/19 10:00:00	N	IV
KQ1913851-17	Carbon, Dissolved Organic (DOC)	DUP	T1901580-065	Water	0.46 mg/L	10 mL	0.46 mg/L J	1	0.07	0.50		NC	9/27/19 09:32:00	N	IV
KQ1913851-18	Carbon, Dissolved Organic (DOC)	DUP	T1901580-064	Water	0.61 mg/L	10 mL	0.61 mg/L	1	0.07	0.50		19*	9/27/19 09:04:00	N	IV
KQ1913851-19	Carbon, Dissolved Organic (DOC)	DUP	T1901580-063	Water	2.70 mg/L	10 mL	2.70 mg/L	1	0.07	0.50		2	9/27/19 07:22:00	N	IV
KQ1913851-20	Carbon, Dissolved Organic (DOC)	DUP	T1901580-062	Water	2.80 mg/L	10 mL	2.80 mg/L	1	0.07	0.50		2	9/27/19 06:54:00	N	IV
KQ1913851-21	Carbon, Dissolved Organic (DOC)	DUP	T1901580-061	Water	2.41 mg/L	10 mL	2.41 mg/L	1	0.07	0.50		3	9/27/19 06:26:00	N	IV
KQ1913851-22	Carbon, Dissolved Organic (DOC)	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 08:34:00	N	IV
KQ1913851-23	Carbon, Dissolved Organic (DOC)	LCS		Water	24.09 mg/L	10 mL	24.1 mg/L	1	0.07	0.50	96		9/27/19 08:49:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

09/30/19

Printed 9/28/19 15:52

Results Summary

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653112 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1913851-24	Carbon, Dissolved Organic (DOC)	CCV		Water	23.73 mg/L	10 mL	23.7 mg/L	1					9/27/19 03:08:00	N	IV
KQ1913851-25	Carbon, Dissolved Organic (DOC)	CCV		Water	23.47 mg/L	10 mL	23.5 mg/L	1					9/27/19 08:05:00	N	IV
KQ1913851-26	Carbon, Dissolved Organic (DOC)	CCV		Water	24.13 mg/L	10 mL	24.1 mg/L	1					9/27/19 12:49:00	N	IV
KQ1913851-27	Carbon, Dissolved Organic (DOC)	CCV		Water	23.64 mg/L	10 mL	23.6 mg/L	1					9/27/19 17:59:00	N	IV
KQ1913851-29	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 03:22:00	N	IV
KQ1913851-30	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 08:20:00	N	IV
KQ1913851-31	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 13:03:00	N	IV
KQ1913851-32	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 18:14:00	N	IV
T1901580-061	Carbon, Dissolved Organic (DOC)	N/A		Water	2.34 mg/L	10 mL	2.34 mg/L	1	0.07	0.50			9/27/19 06:26:00	N	IV
T1901580-062	Carbon, Dissolved Organic (DOC)	N/A		Water	2.85 mg/L	10 mL	2.85 mg/L	1	0.07	0.50			9/27/19 06:54:00	N	IV
T1901580-063	Carbon, Dissolved Organic (DOC)	N/A		Water	2.64 mg/L	10 mL	2.64 mg/L	1	0.07	0.50			9/27/19 07:22:00	N	IV
T1901580-064	Carbon, Dissolved Organic (DOC)	N/A		Water	0.73 mg/L	10 mL	0.73 mg/L	1	0.07	0.50			9/27/19 09:04:00	N	IV
T1901580-065	Carbon, Dissolved Organic (DOC)	N/A		Water	0.46 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 09:32:00	N	IV
T1901580-066	Carbon, Dissolved Organic (DOC)	N/A		Water	0.74 mg/L	10 mL	0.74 mg/L	1	0.07	0.50			9/27/19 10:00:00	N	IV
T1901580-067	Carbon, Dissolved Organic (DOC)	N/A		Water	0.53 mg/L	10 mL	0.53 mg/L	1	0.07	0.50			9/27/19 10:28:00	N	IV
T1901580-068	Carbon, Dissolved Organic (DOC)	N/A		Water	0.93 mg/L	10 mL	0.93 mg/L	1	0.07	0.50			9/27/19 10:56:00	N	IV
T1901580-069	Carbon, Dissolved Organic (DOC)	N/A		Water	0.60 mg/L	10 mL	0.60 mg/L	1	0.07	0.50			9/27/19 11:24:00	N	IV
T1901580-070	Carbon, Dissolved Organic (DOC)	N/A		Water	1.12 mg/L	10 mL	1.12 mg/L	1	0.07	0.50			9/27/19 11:52:00	N	IV
T1901580-071	Carbon, Dissolved Organic (DOC)	N/A		Water	0.61 mg/L	10 mL	0.61 mg/L	1	0.07	0.50			9/27/19 12:20:00	N	IV
T1901580-072	Carbon, Dissolved Organic (DOC)	N/A		Water	1.85 mg/L	10 mL	1.85 mg/L	1	0.07	0.50			9/27/19 13:18:00	N	IV
T1901580-073	Carbon, Dissolved Organic (DOC)	N/A		Water	0.71 mg/L	10 mL	0.71 mg/L	1	0.07	0.50			9/27/19 13:46:00	N	IV
T1901580-074	Carbon, Dissolved Organic (DOC)	N/A		Water	2.31 mg/L	10 mL	2.31 mg/L	1	0.07	0.50			9/27/19 14:14:00	N	IV
T1901580-075	Carbon, Dissolved Organic (DOC)	N/A		Water	2.25 mg/L	10 mL	2.25 mg/L	1	0.07	0.50			9/27/19 14:42:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653112 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
T1901580-076	Carbon, Dissolved Organic (DOC)	N/A		Water	0.88 mg/L	10 mL	0.88 mg/L	1	0.07	0.50			9/27/19 15:10:00	N	IV
T1901580-077	Carbon, Dissolved Organic (DOC)	N/A		Water	2.67 mg/L	10 mL	2.67 mg/L	1	0.07	0.50			9/27/19 15:39:00	N	IV
T1901580-078	Carbon, Dissolved Organic (DOC)	N/A		Water	2.85 mg/L	10 mL	2.85 mg/L	1	0.07	0.50			9/27/19 16:07:00	N	IV
T1901580-079	Carbon, Dissolved Organic (DOC)	N/A		Water	3.25 mg/L	10 mL	3.25 mg/L	1	0.07	0.50			9/27/19 16:35:00	N	IV
T1901580-080	Carbon, Dissolved Organic (DOC)	N/A		Water	3.23 mg/L	10 mL	3.23 mg/L	1	0.07	0.50			9/27/19 17:03:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653113 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1913852-01	Carbon, Dissolved Organic (DOC)	MS	T1901580-091	Water	28.88 mg/L	10 mL	28.9 mg/L	1	0.07	0.50	103		9/28/19 00:08:00	N	IV
KQ1913852-02	Carbon, Dissolved Organic (DOC)	DUP	T1901580-096	Water	2.98 mg/L	10 mL	2.98 mg/L	1	0.07	0.50		2	9/28/19 02:30:00	N	IV
KQ1913852-03	Carbon, Dissolved Organic (DOC)	DUP	T1901580-095	Water	3.11 mg/L	10 mL	3.11 mg/L	1	0.07	0.50		1	9/28/19 02:02:00	N	IV
KQ1913852-04	Carbon, Dissolved Organic (DOC)	DUP	T1901580-094	Water	2.90 mg/L	10 mL	2.90 mg/L	1	0.07	0.50		<1	9/28/19 01:34:00	N	IV
KQ1913852-05	Carbon, Dissolved Organic (DOC)	DUP	T1901580-093	Water	3.19 mg/L	10 mL	3.19 mg/L	1	0.07	0.50		<1	9/28/19 01:06:00	N	IV
KQ1913852-06	Carbon, Dissolved Organic (DOC)	DUP	T1901580-092	Water	3.01 mg/L	10 mL	3.01 mg/L	1	0.07	0.50		<1	9/28/19 00:38:00	N	IV
KQ1913852-07	Carbon, Dissolved Organic (DOC)	DUP	T1901580-091	Water	3.16 mg/L	10 mL	3.16 mg/L	1	0.07	0.50		<1	9/27/19 23:40:00	N	IV
KQ1913852-08	Carbon, Dissolved Organic (DOC)	DUP	T1901580-090	Water	2.09 mg/L	10 mL	2.09 mg/L	1	0.07	0.50		3	9/27/19 23:12:00	N	IV
KQ1913852-09	Carbon, Dissolved Organic (DOC)	DUP	T1901580-089	Water	2.14 mg/L	10 mL	2.14 mg/L	1	0.07	0.50		2	9/27/19 22:15:00	N	IV
KQ1913852-10	Carbon, Dissolved Organic (DOC)	DUP	T1901580-088	Water	1.95 mg/L	10 mL	1.95 mg/L	1	0.07	0.50		2	9/27/19 21:46:00	N	IV
KQ1913852-11	Carbon, Dissolved Organic (DOC)	DUP	T1901580-087	Water	2.30 mg/L	10 mL	2.30 mg/L	1	0.07	0.50		5	9/27/19 21:18:00	N	IV
KQ1913852-12	Carbon, Dissolved Organic (DOC)	DUP	T1901580-086	Water	1.52 mg/L	10 mL	1.52 mg/L	1	0.07	0.50		<1	9/27/19 20:50:00	N	IV
KQ1913852-13	Carbon, Dissolved Organic (DOC)	DUP	T1901580-085	Water	2.39 mg/L	10 mL	2.39 mg/L	1	0.07	0.50		<1	9/27/19 20:22:00	N	IV
KQ1913852-14	Carbon, Dissolved Organic (DOC)	DUP	T1901580-084	Water	3.30 mg/L	10 mL	3.30 mg/L	1	0.07	0.50		<1	9/27/19 19:54:00	N	IV
KQ1913852-15	Carbon, Dissolved Organic (DOC)	DUP	T1901580-083	Water	3.41 mg/L	10 mL	3.41 mg/L	1	0.07	0.50		2	9/27/19 19:26:00	N	IV
KQ1913852-16	Carbon, Dissolved Organic (DOC)	DUP	T1901580-082	Water	3.23 mg/L	10 mL	3.23 mg/L	1	0.07	0.50		3	9/27/19 18:58:00	N	IV
KQ1913852-17	Carbon, Dissolved Organic (DOC)	DUP	T1901580-081	Water	3.32 mg/L	10 mL	3.32 mg/L	1	0.07	0.50		1	9/27/19 17:31:00	N	IV
KQ1913852-18	Carbon, Dissolved Organic (DOC)	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 18:28:00	N	IV
KQ1913852-19	Carbon, Dissolved Organic (DOC)	LCS		Water	24.35 mg/L	10 mL	24.4 mg/L	1	0.07	0.50	97		9/27/19 18:43:00	N	IV
KQ1913852-20	Carbon, Dissolved Organic (DOC)	CCV		Water	24.13 mg/L	10 mL	24.1 mg/L	1					9/27/19 12:49:00	N	IV
KQ1913852-21	Carbon, Dissolved Organic (DOC)	CCV		Water	23.64 mg/L	10 mL	23.6 mg/L	1					9/27/19 17:59:00	N	IV
KQ1913852-22	Carbon, Dissolved Organic (DOC)	CCV		Water	23.39 mg/L	10 mL	23.4 mg/L	1					9/27/19 22:43:00	N	IV
KQ1913852-23	Carbon, Dissolved Organic (DOC)	CCV		Water	23.31 mg/L	10 mL	23.3 mg/L	1					9/28/19 02:58:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

09/30/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 653113 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1913852-24	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 13:03:00	N	IV
KQ1913852-25	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 18:14:00	N	IV
KQ1913852-26	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/27/19 22:57:00	N	IV
KQ1913852-27	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			9/28/19 03:13:00	N	IV
T1901580-081	Carbon, Dissolved Organic (DOC)	N/A		Water	3.36 mg/L	10 mL	3.36 mg/L	1	0.07	0.50			9/27/19 17:31:00	N	IV
T1901580-082	Carbon, Dissolved Organic (DOC)	N/A		Water	3.34 mg/L	10 mL	3.34 mg/L	1	0.07	0.50			9/27/19 18:58:00	N	IV
T1901580-083	Carbon, Dissolved Organic (DOC)	N/A		Water	3.34 mg/L	10 mL	3.34 mg/L	1	0.07	0.50			9/27/19 19:26:00	N	IV
T1901580-084	Carbon, Dissolved Organic (DOC)	N/A		Water	3.30 mg/L	10 mL	3.30 mg/L	1	0.07	0.50			9/27/19 19:54:00	N	IV
T1901580-085	Carbon, Dissolved Organic (DOC)	N/A		Water	2.37 mg/L	10 mL	2.37 mg/L	1	0.07	0.50			9/27/19 20:22:00	N	IV
T1901580-086	Carbon, Dissolved Organic (DOC)	N/A		Water	1.51 mg/L	10 mL	1.51 mg/L	1	0.07	0.50			9/27/19 20:50:00	N	IV
T1901580-087	Carbon, Dissolved Organic (DOC)	N/A		Water	2.20 mg/L	10 mL	2.20 mg/L	1	0.07	0.50			9/27/19 21:18:00	N	IV
T1901580-088	Carbon, Dissolved Organic (DOC)	N/A		Water	1.99 mg/L	10 mL	1.99 mg/L	1	0.07	0.50			9/27/19 21:46:00	N	IV
T1901580-089	Carbon, Dissolved Organic (DOC)	N/A		Water	2.17 mg/L	10 mL	2.17 mg/L	1	0.07	0.50			9/27/19 22:15:00	N	IV
T1901580-090	Carbon, Dissolved Organic (DOC)	N/A		Water	2.16 mg/L	10 mL	2.16 mg/L	1	0.07	0.50			9/27/19 23:12:00	N	IV
T1901580-091	Carbon, Dissolved Organic (DOC)	N/A		Water	3.14 mg/L	10 mL	3.14 mg/L	1	0.07	0.50			9/27/19 23:40:00	N	IV
T1901580-092	Carbon, Dissolved Organic (DOC)	N/A		Water	3.00 mg/L	10 mL	3.00 mg/L	1	0.07	0.50			9/28/19 00:38:00	N	IV
T1901580-093	Carbon, Dissolved Organic (DOC)	N/A		Water	3.22 mg/L	10 mL	3.22 mg/L	1	0.07	0.50			9/28/19 01:06:00	N	IV
T1901580-094	Carbon, Dissolved Organic (DOC)	N/A		Water	2.92 mg/L	10 mL	2.92 mg/L	1	0.07	0.50			9/28/19 01:34:00	N	IV
T1901580-095	Carbon, Dissolved Organic (DOC)	N/A		Water	3.14 mg/L	10 mL	3.14 mg/L	1	0.07	0.50			9/28/19 02:02:00	N	IV
T1901580-096	Carbon, Dissolved Organic (DOC)	N/A		Water	3.04 mg/L	10 mL	3.04 mg/L	1	0.07	0.50			9/28/19 02:30:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

TOC: 653109
DOC: 653111,
653112,
653113

Schedule: 9262019

Version: 5
Instrument: Fusion1
Last Saved by: Fusion1 (Fusion1)
Last Saved on: 2019/09/26 14:18 - Thursday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Blank)	Blank	Reagent/Acid Blank		1	True	Ready
D	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
1	Sample	MB1	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
2	Sample	ICS	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
3	Sample	K1908780-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
4	Sample	K1908780-001.01 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
5	Sample	rb	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
6	Sample	K1908781-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
7	Sample	K1908781-001.01 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
8	Sample	rb	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
9	Sample	K1908781-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
10	Sample	K1908781-002.01 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
11	Sample	rb	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
12	Sample	fb	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
13	Sample	k1908618-1 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
14	Sample	T1901580-042.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
15	Sample	T1901580-043.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
16	Sample	T1901580-044.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
17	Sample	T1901580-045.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
18	Sample	T1901580-046.06 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
19	Sample	T1901580-046.06 ms doc	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
20	Sample	MB2	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
21	Sample	T1901580-047.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
22	Sample	T1901580-048.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
23	Sample	T1901580-049.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
24	Sample	T1901580-050.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
25	Sample	T1901580-051.06 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
26	Sample	T1901580-052.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
27	Sample	T1901580-053.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
28	Sample	T1901580-054.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
29	Sample	T1901580-055.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
30	Sample	T1901580-056.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
31	Sample	T1901580-057.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
32	Sample	T1901580-058.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
33	Sample	T1901580-059.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
34	Sample	T1901580-060.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
35	Sample	T1901580-061.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
36	Sample	T1901580-062.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
37	Sample	T1901580-063.05 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
38	Sample	T1901580-063.05 ms doc	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready

09/30/19

Schedule: 9262019

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
39	Sample	MB3	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
40	Sample	T1901580-064.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
41	Sample	T1901580-065.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
42	Sample	T1901580-066.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
43	Sample	T1901580-067.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
44	Sample	T1901580-068.05 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
45	Sample	T1901580-069.05 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
46	Sample	T1901580-070.05 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
47	Sample	T1901580-071.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
48	Sample	T1901580-072.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
49	Sample	T1901580-073.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
50	Sample	T1901580-074.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
51	Sample	T1901580-075.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
52	Sample	T1901580-076.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
53	Sample	T1901580-077.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
54	Sample	T1901580-078.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
55	Sample	T1901580-079.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
56	Sample	T1901580-080.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
57	Sample	T1901580-081.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
58	Sample	MB4	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
59	Sample	T1901580-082.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
60	Sample	T1901580-083.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
61	Sample	T1901580-084.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
62	Sample	T1901580-085.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
63	Sample	T1901580-086.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
64	Sample	T1901580-087.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
65	Sample	T1901580-088.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
66	Sample	T1901580-089.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
67	Sample	T1901580-090.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
68	Sample	T1901580-091.06 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
69	Sample	T1901580-091.06 ms doc	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
70	Sample	rb	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
71	Sample	T1901580-092.06 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
72	Sample	T1901580-093.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
73	Sample	T1901580-094.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
74	Sample	T1901580-095.04 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
75	Sample	T1901580-096.06 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
					False	

Fusion Report - 9262019
Thursday, September 26, 2019 12:37 PM

(View - Reps, Unused Reps, Meta-Data, Signature, History)
Printed on 2019/09/28 08:47 - Saturday

Report Summary Information

Company Location:	Gen Chem Lab		
Schedule Name:	9262019	Engine Version:	1.1.5.1
Instrument Name:	Fusion1	Firmware Version:	1.2.0696
Report Version:	1 of 1	Connection:	RS232 COM1
Report Creation by Operators (schedule version):	Fusion1 (Fusion1) (v2) Fusion1 (Fusion1) (v3) Fusion1 (Fusion1) (v4) Fusion1 (Fusion1) (v5)		
Comment:			

09/30/19

Report Results

Sample Type: Clean — From Schedule Version 2

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/09/26 12:37

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	13.14	16.79	3.65	49.73	05:25
2	TC Clean	8.74	12.32	3.59	50.04	04:04
3	TC Clean	4.64	8.22	3.58	50.08	03:50
4	TC Clean	3.02	6.49	3.47	50.09	03:49

Sample Type: Clean — From Schedule Version 2

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/09/26 12:59

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	1.03	4.58	3.56	49.72	05:13
2	TC Clean	9.28	12.97	3.69	50.07	04:01
3	TC Clean	3.50	7.22	3.72	50.09	03:48

4	TC Clean	2.13	5.64	3.51	50.02	03:54

Sample Type: Clean From Schedule Version 3

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/09/26 13:22

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	8.52	11.95	3.43	49.75	05:24
2	TC Clean	5.19	8.77	3.58	50.05	04:05
3	TC Clean	2.80	6.46	3.66	50.09	03:50
4	TC Clean	1.78	5.40	3.62	50.05	03:56

Sample Type: Blank (Creating v1299) From Schedule Version 4

	Pos	Analysis Type	Sample ID	Start Time
◈	(blank)		Reagent/Acid Blank	2019/09/26 13:44

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	10.78	14.36	3.58	49.75	05:22
2	TC Clean	5.36	8.94	3.58	50.06	04:01
3	TC Clean	3.23	6.83	3.59	50.06	03:42
4	TC Clean	1.99	5.80	3.81	50.10	03:49
5	Reagent Blank	3.25	6.96	3.71	50.03	05:04
6	Acid Blank	0.92	4.60	3.68	49.92	05:32

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	D	TOC	RB	0.5217 ppm	0.0000 ppm	0.0000%	2019/09/26 14:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5217	5.2166	12.27	15.92	3.65	50.11	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.0485 ppm (PASS)	0.0000 ppm	0%	2019/09/26 14:33

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.0485	240.4846	172.70	176.21	3.51	50.22	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/26 14:47

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	6.98	10.59	3.61	50.25	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	1	TOC	MB1	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 15:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.25	9.74	3.48	50.20	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	24.8388 ppm (PASS)	0.0000 ppm	0%	2019/09/26 15:17

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.8388	248.3883	178.07	181.82	3.75	50.26	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	2	TOC	ICS	0.0992 ppm	0.0000 ppm	0.0000%	2019/09/26 15:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0992	0.9915	9.41	13.18	3.77	50.27	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	3	TOC	K1908780-001.01	10.6789 ppm	0.3175 ppm	2.9700%	2019/09/26 15:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	10.9035	109.0346	82.74	86.33	3.58	50.25	10:30
2	TOC	10.4544	104.5443	79.70	83.19	3.49	50.30	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	4	TOC	K1908780-001.01 ms	32.5859 ppm	0.0000 ppm	0.0000%	2019/09/26 16:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	32.5859	325.8588	229.92	233.49	3.57	50.32	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	5	TOC	rb	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 16:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.30	9.75	3.45	50.27	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC)	CAS_salt_010711	CAS_salt_010711

(v1299) (v4) (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	6	TOC	K1908781-001.01	4.1457 ppm	0.0854 ppm	2.0600%	2019/09/26 16:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.2061	42.0614	37.28	40.95	3.66	50.30	10:27
2	TOC	4.0853	40.8534	36.46	40.05	3.58	50.27	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	7	TOC	K1908781-001.01 ms	27.2625 ppm	0.0000 ppm	0.0000%	2019/09/26 17:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	27.2625	272.6247	193.79	197.44	3.65	50.26	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	8	TOC	rb	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 17:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.91	9.51	3.60	50.32	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	9	TOC	K1908781-002.01	4.1727 ppm	0.1375 ppm	3.3000%	2019/09/26 17:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.2699	42.6993	37.72	41.38	3.66	50.30	10:26
2	TOC	4.0755	40.7547	36.40	39.93	3.53	50.31	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.8733 ppm	0.0000 ppm	0%	2019/09/26 18:08

							(PASS)			

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8733	238.7329	171.51	175.12	3.61	50.35	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/26 18:23

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.49	9.18	3.69	50.28	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	10	TOC	K1908781-002.01 ms	27.4195 ppm	0.0000 ppm	0.0000%	2019/09/26 18:38

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	27.4195	274.1951	194.86	198.39	3.53	50.32	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	11	TOC	rb	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 18:53

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.39	8.96	3.57	50.28	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	12	TOC	fb	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 19:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.15	8.61	3.45	50.24	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	13	TOC	k1908618-1 doc	11.3985 ppm	0.0454 ppm	0.4000%	2019/09/26 19:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	11.4306	114.3057	86.32	89.86	3.54	50.20	10:26
2	TOC	11.3663	113.6634	85.89	89.64	3.75	50.18	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	14	TOC	T1901580-042.04 doc	2.7172 ppm	0.0335 ppm	1.2300%	2019/09/26 19:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.7409	27.4089	27.34	31.02	3.69	50.16	10:29
2	TOC	2.6935	26.9346	27.02	30.61	3.59	50.17	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	15	TOC	T1901580-043.04 doc	2.3677 ppm	0.0295 ppm	1.2500%	2019/09/26 20:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.3885	23.8850	24.95	28.33	3.38	50.14	10:29
2	TOC	2.3468	23.4681	24.66	28.20	3.54	50.16	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	16	TOC	T1901580-044.04 doc	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 20:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.16	9.61	3.45	50.15	10:32
2	TOC	0.0000	0.0000	6.03	9.52	3.49	50.15	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	17	TOC	T1901580-045.04 doc	3.1883 ppm	0.0215 ppm	0.6700%	2019/09/26 21:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2035	32.0348	30.48	34.01	3.54	50.16	10:25
2	TOC	3.1731	31.7313	30.27	33.76	3.49	50.16	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	18	TOC	T1901580-046.06 doc	3.2843 ppm	0.0334 ppm	1.0200%	2019/09/26 21:42

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2606	32.6064	30.87	34.29	3.42	50.15	10:28
2	TOC	3.3079	33.0793	31.19	34.58	3.40	50.15	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	19	TOC	T1901580-046.06 ms doc	29.3793 ppm	0.0000 ppm	0.0000%	2019/09/26 22:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	29.3793	293.7931	208.16	211.59	3.43	50.16	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.8262 ppm (PASS)	0.0000 ppm	0%	2019/09/26 22:25

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8262	238.2615	171.19	174.87	3.68	50.18	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/26 22:39

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.92	9.64	3.73	50.17	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	20	TOC	MB2	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/26 22:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	4.86	8.66	3.81	50.18	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	24.2630 ppm (PASS)	0.0000 ppm	0%	2019/09/26 23:09

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.2630	242.6296	174.16	177.74	3.58	50.17	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	21	TOC	T1901580-047.04 doc	3.2183 ppm	0.0549 ppm	1.7100%	2019/09/26 23:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2571	32.5710	30.84	34.57	3.73	50.19	10:25

2	TOC	3.1795	31.7947	30.32	33.86	3.55	50.20	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	22	TOC	T1901580-048.04 doc	3.1974 ppm	0.0016 ppm	0.0500%	2019/09/26 23:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.1985	31.9847	30.44	33.94	3.49	50.20	10:27
2	TOC	3.1963	31.9626	30.43	34.21	3.78	50.19	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	23	TOC	T1901580-049.04 doc	3.1742 ppm	0.0552 ppm	1.7400%	2019/09/27 00:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.1351	31.3512	30.01	33.61	3.59	50.20	10:29
2	TOC	3.2132	32.1320	30.54	34.02	3.48	50.21	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	24	TOC	T1901580-050.04 doc	3.2210 ppm	0.0002 ppm	0.0100%	2019/09/27 00:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2212	32.2116	30.60	34.04	3.44	50.22	10:28
2	TOC	3.2209	32.2086	30.60	34.28	3.68	50.22	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	25	TOC	T1901580-051.06 doc	1.5612 ppm	0.0449 ppm	2.8800%	2019/09/27 01:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5295	15.2948	19.12	22.66	3.54	50.27	10:31
2	TOC	1.5930	15.9298	19.55	23.09	3.54	50.26	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◆	26	TOC	T1901580-052.04 doc	1.6600 ppm	0.0227 ppm	1.3700%	2019/09/27 01:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6439	16.4395	19.89	23.34	3.45	50.28	10:27
2	TOC	1.6761	16.7606	20.11	23.70	3.59	50.31	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	27	TOC	T1901580-053.04 doc	0.7946 ppm	0.0035 ppm	0.4500%	2019/09/27 02:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7921	7.9214	14.11	17.59	3.48	50.31	10:28
2	TOC	0.7972	7.9715	14.14	17.60	3.46	50.32	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	28	TOC	T1901580-054.04 doc	1.9312 ppm	0.0381 ppm	1.9700%	2019/09/27 02:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9582	19.5818	22.02	25.65	3.62	50.35	10:28
2	TOC	1.9043	19.0426	21.66	25.32	3.66	50.36	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.7261 ppm (PASS)	0.0000 ppm	0%	2019/09/27 03:08

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.7261	237.2612	170.51	174.03	3.51	50.38	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

			Concentration			Min / Max				

	Pos	BAT	(ppm)	Dil	Sample ID	(% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/27 03:22

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.61	9.21	3.60	50.39	10:34

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)
STD Conc - Pos D: 0 ppmC

Sample Type: Sample — From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	29	TOC	T1901580-055.04 doc	0.8421 ppm	0.0604 ppm	7.1700%	2019/09/27 03:37

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8848	8.8481	14.74	18.24	3.51	50.40	10:26
2	TOC	0.7994	7.9936	14.16	17.89	3.73	50.41	10:29

Dilution: 1:10
Blank Contribution: (TC) 8.7330 (IC) (v1299)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	30	TOC	T1901580-056.04 doc	2.1449 ppm	0.0139 ppm	0.6500%	2019/09/27 04:05

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.1351	21.3511	23.23	26.69	3.46	50.44	10:31
2	TOC	2.1547	21.5471	23.36	26.88	3.52	50.43	10:27

Dilution: 1:10
Blank Contribution: (TC) 8.7330 (IC) (v1299)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	31	TOC	T1901580-057.04 doc	0.9001 ppm	0.0134 ppm	1.4900%	2019/09/27 04:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9096	9.0956	14.91	18.27	3.36	50.47	10:28
2	TOC	0.8906	8.9055	14.78	18.18	3.40	50.48	10:29

Dilution: 1:10
Blank Contribution: (TC) 8.7330 (IC) (v1299)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	32	TOC	T1901580-058.04 doc	2.5001 ppm	0.0159 ppm	0.6400%	2019/09/27 05:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.4888	24.8883	25.63	29.15	3.52	50.49	10:28
2	TOC	2.5114	25.1137	25.78	29.36	3.58	50.50	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	33	TOC	T1901580-059.04 doc	2.3192 ppm	0.0028 ppm	0.1200%	2019/09/27 05:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.3172	23.1720	24.46	28.02	3.56	50.50	10:25
2	TOC	2.3212	23.2118	24.49	28.07	3.58	50.49	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	34	TOC	T1901580-060.04 doc	2.8313 ppm	0.0293 ppm	1.0300%	2019/09/27 05:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8520	28.5197	28.09	31.50	3.41	50.51	10:27
2	TOC	2.8106	28.1058	27.81	31.29	3.48	50.51	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	35	TOC	T1901580-061.04 doc	2.3749 ppm	0.0451 ppm	1.9000%	2019/09/27 06:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.3430	23.4298	24.64	28.33	3.70	50.50	10:29
2	TOC	2.4068	24.0677	25.07	28.64	3.57	50.52	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	36	TOC	T1901580-062.04 doc	2.8271 ppm	0.0360 ppm	1.2700%	2019/09/27 06:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8526	28.5256	28.10	31.72	3.62	50.51	10:27
2	TOC	2.8016	28.0159	27.75	31.30	3.55	50.51	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC)	CAS_salt_010711	CAS_salt_010711

(v1299) (v4) (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	37	TOC	T1901580-063.05 doc	2.6698 ppm	0.0370 ppm	1.3900%	2019/09/27 07:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.6437	26.4366	26.68	30.23	3.56	50.52	10:31
2	TOC	2.6960	26.9596	27.03	30.50	3.46	50.50	10:27

Dilution: 1:10
Blank Contribution: (TC) 8.7330 (IC) (v1299)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	38	TOC	T1901580-063.05 ms doc	27.0484 ppm	0.0000 ppm	0.0000%	2019/09/27 07:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	27.0484	270.4841	192.34	195.94	3.60	50.47	10:36

Dilution: 1:10
Blank Contribution: (TC) 8.7330 (IC) (v1299)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm — From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.4673 ppm (PASS)	0.0000 ppm	0%	2019/09/27 08:05

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.4673	234.6728	168.76	172.31	3.55	50.51	10:32

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)
STD Conc - Pos B: 50 ppmC

Sample Type: Check Standard --> CCB — From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/27 08:20

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.65	9.15	3.50	50.47	10:28

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample — From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	39	TOC	MB3	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/27 08:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	4.97	8.39	3.41	50.47	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS — From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	24.0856 ppm (PASS)	0.0000 ppm	0%	2019/09/27 08:49

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.0856	240.8558	172.95	176.60	3.65	50.46	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample — From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	40	TOC	T1901580-064.04 doc	0.6699 ppm	0.0892 ppm	13.3100%	2019/09/27 09:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7329	7.3292	13.71	17.28	3.57	50.45	10:28
2	TOC	0.6068	6.0682	12.85	16.36	3.51	50.43	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	41	TOC	T1901580-065.04 doc	0.4597 ppm	0.0005 ppm	0.1100%	2019/09/27 09:32

Rep	Base	ppm	µg	Adjusted	NDIR (Abs)	Baseline	Pressure	Run

#	Analysis Type			(Abs)		(Abs)	(psig)	Time
1	TOC	0.4601	4.6008	11.86	15.49	3.63	50.45	10:27
2	TOC	0.4593	4.5935	11.85	15.50	3.65	50.44	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	42	TOC	T1901580-066.04 doc	0.7479 ppm	0.0047 ppm	0.6300%	2019/09/27 10:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7446	7.4456	13.79	17.48	3.70	50.38	10:31
2	TOC	0.7512	7.5119	13.83	17.52	3.69	50.39	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	43	TOC	T1901580-067.04 doc	0.4893 ppm	0.0568 ppm	11.6000%	2019/09/27 10:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5295	5.2947	12.33	15.98	3.65	50.36	10:30
2	TOC	0.4492	4.4918	11.78	15.67	3.89	50.33	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	44	TOC	T1901580-068.05 doc	0.9681 ppm	0.0536 ppm	5.5400%	2019/09/27 10:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9302	9.3018	15.05	18.62	3.57	50.34	10:26
2	TOC	1.0061	10.0605	15.56	19.04	3.48	50.33	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	45	TOC	T1901580-069.05 doc	0.5941 ppm	0.0102 ppm	1.7200%	2019/09/27 11:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6014	6.0136	12.82	16.37	3.56	50.30	10:27
2	TOC	0.5869	5.8693	12.72	16.16	3.45	50.30	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.1246	11.2465	16.37	19.94	3.57	50.28	10:28
2	TOC	1.1876	11.8755	16.79	20.41	3.62	50.33	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	47	TOC	T1901580-071.04 doc	0.6137 ppm	0.0026 ppm	0.4200%	2019/09/27 12:20

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6118	6.1182	12.89	16.56	3.67	50.27	10:31
2	TOC	0.6155	6.1551	12.91	16.44	3.53	50.26	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.1317 ppm (PASS)	0.0000 ppm	0%	2019/09/27 12:49

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.1317	241.3169	173.27	176.86	3.60	50.24	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/27 13:03

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.72	9.31	3.59	50.35	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D

Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	48	TOC	T1901580-072.04 doc	1.8056 ppm	0.0607 ppm	3.3600%	2019/09/27 13:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.8486	18.4858	21.28	24.93	3.65	50.24	10:26
2	TOC	1.7627	17.6269	20.70	24.26	3.57	50.21	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	49	TOC	T1901580-073.04 doc	0.7033 ppm	0.0079 ppm	1.1300%	2019/09/27 13:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7089	7.0891	13.54	17.09	3.54	50.18	10:30
2	TOC	0.6977	6.9771	13.47	17.11	3.65	50.22	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	50	TOC	T1901580-074.04 doc	2.2656 ppm	0.0572 ppm	2.5200%	2019/09/27 14:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.3060	23.0601	24.39	27.98	3.59	50.20	10:27
2	TOC	2.2251	22.2513	23.84	27.59	3.75	50.17	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	51	TOC	T1901580-075.04 doc	2.2386 ppm	0.0164 ppm	0.7300%	2019/09/27 14:42

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.2502	22.5017	24.01	27.63	3.62	50.17	10:31
2	TOC	2.2270	22.2704	23.85	27.50	3.65	50.22	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

		Analysis			Std. Dev.		

	Pos	Type	Sample ID	Result (ppmC)	(ppmC)	RSD	Start Time
◈	52	TOC	T1901580-076.04 doc	0.8877 ppm	0.0111 ppm	1.2600%	2019/09/27 15:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8798	8.7980	14.70	18.32	3.62	50.24	10:25
2	TOC	0.8956	8.9556	14.81	18.41	3.59	50.22	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	53	TOC	T1901580-077.04 doc	2.6888 ppm	0.0303 ppm	1.1300%	2019/09/27 15:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.6674	26.6738	26.84	30.30	3.46	50.18	10:27
2	TOC	2.7103	27.1025	27.13	30.59	3.46	50.17	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	54	TOC	T1901580-078.04 doc	2.8607 ppm	0.0199 ppm	0.7000%	2019/09/27 16:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8467	28.4667	28.06	31.64	3.58	50.22	10:27
2	TOC	2.8748	28.7481	28.25	31.85	3.60	50.19	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	55	TOC	T1901580-079.04 doc	3.2227 ppm	0.0353 ppm	1.1000%	2019/09/27 16:35

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2477	32.4768	30.78	34.43	3.65	50.16	10:28
2	TOC	3.1977	31.9773	30.44	34.08	3.64	50.12	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	56	TOC	T1901580-080.04 doc	3.2299 ppm	0.0018 ppm	0.0500%	2019/09/27 17:03

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2287	32.2867	30.65	34.08	3.43	50.14	10:28
2	TOC	3.2312	32.3118	30.67	33.98	3.32	50.13	10:27

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	57	TOC	T1901580-081.04 doc	3.3384 ppm	0.0242 ppm	0.7200%	2019/09/27 17:31

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3555	33.5551	31.51	34.96	3.45	50.23	10:30
2	TOC	3.3213	33.2134	31.28	34.83	3.56	50.20	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.6352 ppm (PASS)	0.0000 ppm	0%	2019/09/27 17:59

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.6352	236.3523	169.90	173.64	3.74	50.20	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/27 18:14

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.21	8.80	3.59	50.23	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/27 18:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	4.89	8.49	3.59	50.26	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	24.3513 ppm (PASS)	0.0000 ppm	0%	2019/09/27 18:43

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.3513	243.5135	174.76	178.42	3.66	50.27	10:35

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	59	TOC	T1901580-082.04 doc	3.2832 ppm	0.0765 ppm	2.3300%	2019/09/27 18:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3372	33.3725	31.39	35.07	3.68	50.28	10:29
2	TOC	3.2291	32.2911	30.65	34.20	3.55	50.31	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	60	TOC	T1901580-083.04 doc	3.3769 ppm	0.0504 ppm	1.4900%	2019/09/27 19:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3412	33.4122	31.41	35.07	3.66	50.32	10:28
2	TOC	3.4125	34.1253	31.90	35.30	3.41	50.34	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	61	TOC	T1901580-084.04 doc	3.3003 ppm	0.0028 ppm	0.0900%	2019/09/27 19:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3023	33.0233	31.15	34.58	3.43	50.33	10:28
2	TOC	3.2984	32.9835	31.12	34.58	3.46	50.35	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	62	TOC	T1901580-085.04 doc	2.3832 ppm	0.0165 ppm	0.6900%	2019/09/27 20:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.3716	23.7156	24.83	28.49	3.65	50.36	10:27
2	TOC	2.3948	23.9484	24.99	28.58	3.59	50.40	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	63	TOC	T1901580-086.04 doc	1.5178 ppm	0.0042 ppm	0.2700%	2019/09/27 20:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5149	15.1490	19.02	22.55	3.53	50.40	10:25
2	TOC	1.5208	15.2079	19.06	22.59	3.53	50.44	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	64	TOC	T1901580-087.04 doc	2.2527 ppm	0.0718 ppm	3.1900%	2019/09/27 21:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.2020	22.0200	23.68	27.22	3.54	50.43	10:27
2	TOC	2.3035	23.0350	24.37	27.91	3.54	50.43	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	65	TOC	T1901580-088.04 doc	1.9667 ppm	0.0290 ppm	1.4700%	2019/09/27 21:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9872	19.8720	22.22	25.89	3.67	50.45	10:27
2	TOC	1.9462	19.4625	21.94	25.47	3.53	50.47	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC)	CAS_salt_010711	CAS_salt_010711

(v1299) (v4) (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	66	TOC	T1901580-089.04 doc	2.1539 ppm	0.0259 ppm	1.2000%	2019/09/27 22:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.1722	21.7224	23.48	26.85	3.37	50.47	10:26
2	TOC	2.1356	21.3556	23.23	26.67	3.44	50.47	10:27

Dilution: 1:10

Blank Contribution: (TC) 8.7330 (IC) (v1299)

Method: CAS_salt_010711 (v4)

Calibration: CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm — From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.3857 ppm (PASS)	0.0000 ppm	0%	2019/09/27 22:43

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.3857	233.8567	168.20	171.82	3.62	50.50	10:28

Completion State: Success - Criteria met.

Success Action: Do Nothing

Method: CAS_salt_010711 (v4)

Calibration: CAS_salt_010711 (v30)

STD Conc - Pos B: 50 ppmC

Sample Type: Check Standard --> CCB — From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/27 22:57

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.33	8.84	3.51	50.51	10:35

Completion State: Success - Criteria met.

Success Action: Do Nothing

Method: CAS_salt_010711 (v4)

Calibration: CAS_salt_010711 (v30)

STD Conc - Pos D: 0 ppmC

Sample Type: Sample — From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	67	TOC	T1901580-090.04 doc	2.1261 ppm	0.0444 ppm	2.0900%	2019/09/27 23:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.1575	21.5751	23.38	26.93	3.55	50.50	10:32
2	TOC	2.0947	20.9475	22.95	26.32	3.37	50.51	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	68	TOC	T1901580-091.06 doc	3.1494 ppm	0.0200 ppm	0.6400%	2019/09/27 23:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.1353	31.3527	30.02	33.58	3.57	50.51	10:27
2	TOC	3.1636	31.6356	30.21	33.77	3.56	50.51	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	69	TOC	T1901580-091.06 ms doc	28.8836 ppm	0.0000 ppm	0.0000%	2019/09/28 00:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	28.8836	288.8358	204.79	208.36	3.57	50.53	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	70	TOC	rb	0.0000 ppm	0.0000 ppm	0.0000%	2019/09/28 00:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.67	9.35	3.69	50.52	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	71	TOC	T1901580-092.06 doc	3.0072 ppm	0.0076 ppm	0.2500%	2019/09/28 00:38

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.0018	30.0180	29.11	32.71	3.60	50.53	10:29
2	TOC	3.0126	30.1255	29.18	32.73	3.55	50.54	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	72	TOC	T1901580-093.04 doc	3.2041 ppm	0.0207 ppm	0.6500%	2019/09/28 01:06

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2188	32.1880	30.58	34.22	3.64	50.55	10:32
2	TOC	3.1895	31.8948	30.38	34.04	3.65	50.53	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	73	TOC	T1901580-094.04 doc	2.9106 ppm	0.0135 ppm	0.4700%	2019/09/28 01:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.9202	29.2018	28.56	32.15	3.59	50.54	10:27
2	TOC	2.9010	29.0103	28.43	32.15	3.72	50.56	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	74	TOC	T1901580-095.04 doc	3.1272 ppm	0.0227 ppm	0.7300%	2019/09/28 02:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.1432	31.4323	30.07	33.56	3.49	50.56	10:28
2	TOC	3.1111	31.1111	29.85	33.45	3.59	50.55	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	75	TOC	T1901580-096.06 doc	3.0090 ppm	0.0379 ppm	1.2600%	2019/09/28 02:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.0358	30.3583	29.34	32.81	3.47	50.57	10:27
2	TOC	2.9822	29.8220	28.98	32.56	3.58	50.56	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7330 (IC) (v1299)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.3092 ppm	0.0000 ppm	0%	2019/09/28 02:58

							(PASS)			

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.3092	233.0921	167.68	171.31	3.63	50.57	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/09/28 03:13

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.36	8.97	3.61	50.55	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v1298	2.2570	1.4920	0.0000	0.0000	0.0000	2019/09/24 13:13	Fusion1 (Fusion1)
v1299	1.0837	0.9200	0.0000	0.0000	0.0000	2019/09/26 14:18	Fusion1 (Fusion1)

Calibrations

Name: CAS_salt_010711 (TOC)

Version:	v30	Calibration curve formula:	TOC: y = 6.788x + 9.463
Ver Creation:	2019/03/05 17:42	r^2 value:	TOC: r^2 = 0.99963
Comment:			
Operator:	Fusion1 (Fusion1)		
Basic Analysis Type	TOC		

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
DI Water	7.8970	0.0000		2019/03/05 16:15
0.500 ppm	11.5280	0.5000		2019/03/05 16:29
1.0 ppm	14.9760	1.0000		2019/03/05 16:44
5.0 ppm	43.6500	5.0000		2019/03/05 16:58
10 ppm	79.6020	10.0000		2019/03/05 17:12
25 ppm	183.3580	25.0000		2019/03/05 17:26
50 ppm	346.3230	50.0000		2019/03/05 17:40

Methods

Name: CAS_salt_010711 (TOC)

Version: v4 Operator: Fusion1 (Fusion1)

Ver Creation: 2019/02/21 17:57

Comment:

Parameter	Value
SampleVolume	10.0 mL
Dilution	1:10
AcidVolume	0.5 ml
ReagentVolume	2.0 ml
UVReactorPrerinse	Off
UVReactorPrerinseVolume	5.0
NumberOfUVReactorPrerinses	1
ICSpargeTime	1.00 mins
DetectorSweepFlow	500 ml/min
PreSpargeTime	2.00 mins
SystemFlow	500 ml/min

Advanced Parameter	Value
NeedleRinseVolume	5.0 ml
VialPrimeVolume	2.0 ml
ICSamplePrimeVolume	2.0 ml
ICSpargeRinseVolume	12.0 ml
BaselineStabilizeTime	0.70 min
DetectorPressureFlow	150 ml/min
SyringeSpeedWaste	10
SyringeSpeedAcid	7
SyringeSpeedReagent	7
SyringeSpeedDIWater	7
NDIRPressurization	60 psig
SyringeSpeedSampleDispense	5
SyringeSpeedSampleAspirate	4
SyringeSpeedUVDispense	5
SyringeSpeedUVAspirate	5
SyringeSpeedICDispense	5
SyringeSpeedICAspirate	5
NDIRPressureStabilize	1.75 min
SampleMixing	Off
SampleMixingCycles	1
SampleMixingVolume	10.0
LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Fusion1 (Fusion1)	Schedule completed	Schedule completed	2019/09/28 03:28

ALS Environmental

StarLIMS Run: 653109, 653111, 653112, 653113

Analysis: DOC/TOC

Method: SM 5310 C, 9060A, 415.1, 9060

CCV: 11-GEN-05-79K 50 ppm LCS: 11-GEN-05-79J 25.0 ppm

ICAL Date: 3/6/19

ICAL ID: 11-GEN-05-76H

ICS ID: 11-GEN-05-78M

ICS TV: 25.0 ppm ICS % R < 1

Spike ID: 11-GEN-05-77J 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 ppm x dilution factor

Sodium Persulfate: 11-GEN-05-80N

21 % H3PO4: 11-GEN-05-80L

Equipment ID: K-TOC-03

PIPETTE ID: 124276B, 129001F, N11314F, Marge

FILTER ID: 16967789

Analyzed By: BCP	Date Analyzed: 9/26/19
Reviewed By:	Date Reviewed: 09/30/19

HS19090964 8260

ALS WO# HS19090964

FID04 -Logbook

Batch: 26730 **Analyst:** Nosa Izekor

Date: 01-24-2017 **Reviewer:**

Method: RSK 175 ICAL **Laboratory:** Houston

Comments: Target Sequence 170124

#	Samp ID	Type	Analyzed	DF	Init Wt/Vol	Final Vol	File ID	Matrix	Status	pH
1	ICAL1	CALIB_1	01-24-2017 09:06 am	1.00	0.00 mL	0.00 mL	001.D	Liquid	Y	NA
2	ICAL2	CALIB_2	01-24-2017 09:30 am	1.00	0.00 mL	0.00 mL	002.D	Liquid	Y	NA
3	ICAL3	CALIB_3	01-24-2017 09:59 am	1.00	0.00 mL	0.00 mL	003.D	Liquid	Y	NA
4	ICAL4	CALIB_4	01-24-2017 10:15 am	1.00	0.00 mL	0.00 mL	004.D	Liquid	Y	NA
5	ICAL5	CALIB_5	01-24-2017 10:39 am	1.00	0.00 mL	0.00 mL	005.D	Liquid	Y	NA
6	ICAL6	CALIB_6	01-24-2017 10:57 am	1.00	0.00 mL	0.00 mL	006.D	Liquid	Y	NA
7	ICAL7	CALIB_7	01-24-2017 11:13 am	1.00	0.00 mL	0.00 mL	007.D	Liquid	Y	NA
8	ICV	METHSPIKI	01-24-2017 12:05 pm	1.00	0.00 mL	0.00 mL	008.D	Liquid	Y	NA
9	LCS-170124	LCS	01-24-2017 12:24 pm	1.00	0.00 mL	0.00 mL	009.D	Liquid	Y	NA
10	LCSD-170124	LCSD	01-24-2017 12:40 pm	1.00	0.00 mL	0.00 mL	010.D	Liquid	Y	NA
11	MBLK-170124	MBLK	01-24-2017 12:57 pm	1.00	0.00 mL	0.00 mL	011.D	Liquid	Y	NA
12	HS17010778-01	SAMP	01-24-2017 01:14 pm	1.00	0.00 mL	0.00 mL	012.D	Liquid	Y	NA
13	HS17010779-01	SAMP	01-24-2017 01:31 pm	1.00	0.00 mL	0.00 mL	013.D	Liquid	Y	NA
14	HS17010779-01DUP	SAMP	01-24-2017 01:47 pm	1.00	0.00 mL	0.00 mL	014.D	Liquid	Y	NA
15	CCV	CCV	01-24-2017 02:01 pm	1.00	0.00 mL	0.00 mL	015.D	Liquid	Y	NA

Chemical	Value
ICAL STD ID	30010700217
ICV STD ID	30010700610

FORM 3
WATER GASES METHOD SPIKE RECOVERY

Lab Name: Contract:

Lab Code: Case No.: SAS No.: SDG No.: HS19090964

Matrix Spike - ENG SC Sample No.: ICV

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMOUNT ()	% REC #	QC. LIMITS REC.
Ethene	16.800	19.106	114	75-125
Methane	9.647	9.591	99	75-125
Ethane	18.043	20.117	111	75-125
Propane	26.463	27.184	103	75-125
N-Butane	34.955	36.314	104	75-125

Column to be used to flag recovery and RPD values with an asterisk
* Values outside of QC limits

COMMENTS:

FORM 6
GASES INITIAL CALIBRATION DATA

Lab Name: Contract:

Lab Code: Case No.: SAS No.: SDG No.: HS19090964

Instrument ID: FID-4 Calibration Date(s): 01/24/17 01/24/17

Column: RTX-PLOT ID: 0.53 (mm) Calibration Time(s): 0906 1113

LAB FILE ID: RF10: 001 RF25: 002 RF50: 003
RF100: 004 RF250: 005 RF500: 006

COMPOUND	RF10	RF25	RF50	RF100	RF250	RF500
Ethene	590.504	567.359	564.985	527.151	665.282	428.186
Methane	968.912	978.238	1019.699	880.798	960.713	935.006
Ethane	641.274	670.177	658.908	624.082	808.513	821.648
Propane	500	1279	2602	4785	18436	38286
N-Butane	474	1032	2082	3780	18270	42405

FORM 6
GASES INITIAL CALIBRATION DATA

Lab Name: Contract:

Lab Code: Case No.: SAS No.: SDG No.: HS1909096

Instrument ID: FID-4 Calibration Date(s): 01/24/17 01/24/17

Column: RTX-PLOT ID: 0.53 (mm) Calibration Time(s): 0906 1113

RF1000: 007

COMPOUND	RF1000	CURVE	COEFFICENTS A0	A1	A2	%RSD OR R^2	MA
Ethene	756.854	AVRG		585.760435		17.722	
Methane	1081.580	AVRG		974.992337		6.498	
Ethane	811.824	AVRG		719.489678		12.458	
Propane	96632	2ORDR	0.97326263	1.526e-003	-4.56e-009	0.9990955	0
N-Butane	114164	2ORDR	2.40105031	1.857e-003	-5.73e-009	0.9980163	0

Data File: 001.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\001.D
Lab Smp Id: ICAL1 Client Smp ID: ICAL1
Inj Date : 24-JAN-2017 09:06
Operator : JA Inst ID: FID-4.i
Smp Info : ICAL1;ICAL1;;;
Misc Info :
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 09:06 Cal File: 001.D
Als bottle: 1 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	1.043	1.026	0.017	374	0.38600	0.383(a)
2 Ethene	1.553	1.553	0.000	398	0.67400	0.679(aM)
3 Ethane	1.713	1.720	-0.007	463	0.72200	0.643(aM)
4 Propane	4.073	4.106	-0.033	500	1.05900	1.735
5 N-Butane	7.640	7.686	-0.046	474	1.39800	3.280(M)

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).
M - Compound response manually integrated.

01030653

Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\001.D

Date : 24-JAN-2017 09:06

Client ID: ICAL1


Instrument: FID-4.i


Sample Info: ICAL1;ICAL1;;;


Operator: JA

Column phase: Rtx-PLOT

Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\001.D
Injection Date: 24-JAN-2017 09:06
Instrument: FID-4.i
Client Sample ID: ICAL1
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
N-Butane
7.840
10.987


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\001.D
Injection Date: 24-JAN-2017 09:06
Instrument: FID-4.i
Client Sample ID: ICAL1
Y (x10^3)
3.2
3.3
3.4
3.5
3.6
3.7
3.8
3.9
4.0
4.1
4.2
4.3
4.4
4.5
0
1
2
3
4
5
6
7
8
9
10
11
Min
Methane
Ethene
Ethane
Propane
N-Butane
7.840
10.967
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min

Data File: 002.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\002.D
Lab Smp Id: ICAL2 Client Smp ID: ICAL2
Inj Date : 24-JAN-2017 09:30
Operator : MA Inst ID: FID-4.i
Smp Info : ICAL2;ICAL2;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 09:30 Cal File: 002.D
Als bottle: 2 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	1.023	1.026	-0.003	944	0.96500	0.968
2 Ethene	1.560	1.553	0.007	956	1.68500	1.632
3 Ethane	1.723	1.720	0.003	1209	1.80400	1.680
4 Propane	4.123	4.106	0.017	1279	2.64600	2.917
5 N-Butane	7.706	7.686	0.020	1032	3.49600	4.311(M)

QC Flag Legend

M - Compound response manually integrated.


01030657


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\002.D
Date : 24-JAN-2017 09:30
Client ID: ICAL2
Sample Info: ICAL2;ICAL2;;;


Instrument: FID-4.i

Operator: MA
Column diameter: 0.53

Column phase: Rtx-PLOT




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\002.D
Injection Date: 24-JAN-2017 09:30
Instrument: FID-4.i
Client Sample ID: ICAL2
HP5890 GC Data, FID1A.CH: 0.000 to 11.010 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
N-Butane
7.913
10.973


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\002.D
Injection Date: 24-JAN-2017 09:30
Instrument: FID-4.i
Client Sample ID: ICAL2
HP5890 GC Data, FID1A.CH: 0.000 to 11.010 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
N-Butane
7.913
10.973

Data File: 003.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\003.D
Lab Smp Id: ICAL3 Client Smp ID: ICAL3
Inj Date : 24-JAN-2017 09:59
Operator : MA Inst ID: FID-4.i
Smp Info : ICAL3;ICAL3;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 09:59 Cal File: 003.D
Als bottle: 3 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	1.043	1.026	0.017	1967	1.92900	2.017
2 Ethene	1.570	1.553	0.017	1904	3.37000	3.250
3 Ethane	1.736	1.720	0.016	2378	3.60900	3.305
4 Propane	4.123	4.106	0.017	2602	5.29300	4.912
5 N-Butane	7.703	7.686	0.017	2082	6.99100	6.242(M)

QC Flag Legend

M - Compound response manually integrated.

01030661

Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\003.D

Page 2

Date : 24-JAN-2017 09:59

Client ID: ICAL3


Instrument: FID-4.i

Sample Info: ICAL3;ICAL3;;;


Operator: MA


Column phase: Rtx-PLOT

Column diameter: 0.53



01030662


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\003.D
Injection Date: 24-JAN-2017 09:59
Instrument: FID-4.i
Client Sample ID: ICAL3
HP5890 GC Data, FID1A.CH: 0.000 to 10.997 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
5.993
N-Butane
7.900
10.950


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\003.D
Injection Date: 24-JAN-2017 09:59
Instrument: FID-4.i
Client Sample ID: ICAL3
Y (x10^3)
Methane
Ethene
Ethane
Propane
5.993
N-Butane
7.900
10.950
Min
HP5890 GC Data, FID1A.CH: 0.000 to 10.997 Min

Data File: 004.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\004.D
Lab Smp Id: ICAL4 Client Smp ID: ICAL4
Inj Date : 24-JAN-2017 10:15
Operator : MA Inst ID: FID-4.i
Smp Info : ICAL4;ICAL4;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 4 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	1.033	1.026	0.007	3399	3.85900	3.486
2 Ethene	1.560	1.553	0.007	3553	6.74000	6.065(M)
3 Ethane	1.726	1.720	0.006	4504	7.21700	6.259(M)
4 Propane	4.120	4.106	0.014	4785	10.5850	8.169
5 N-Butane	7.703	7.686	0.017	3780	13.9820	9.339(M)

QC Flag Legend

M - Compound response manually integrated.

01030665

Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\004.D

Date : 24-JAN-2017 10:15

Client ID: ICAL4


Instrument: FID-4.i

Sample Info: ICAL4;ICAL4;;;


Operator: MA

Column phase: Rtx-PLOT


Column diameter: 0.53



01030666


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\004.D
Injection Date: 24-JAN-2017 10:15
Instrument: FID-4.i
Client Sample ID: ICAL4
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
N-Butane
10.950

01030667


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\004.D
Injection Date: 24-JAN-2017 10:15
Instrument: FID-4.i
Client Sample ID: ICAL4
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
N-Butane
7.897
10.950

Data File: 005.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\005.D
Lab Smp Id: ICAL5 Client Smp ID: ICAL5
Inj Date : 24-JAN-2017 10:39
Operator : MA Inst ID: FID-4.i
Smp Info : ICAL5;ICAL5;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 10:39 Cal File: 005.D
Als bottle: 5 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	1.043	1.026	0.017	9268	9.64700	9.505
2 Ethene	1.570	1.553	0.017	11210	16.8500	19.137
3 Ethane	1.733	1.720	0.013	14588	18.0430	20.275
4 Propane	4.120	4.106	0.014	18436	26.4630	27.554(M)
5 N-Butane	7.700	7.686	0.014	18270	34.9550	34.419(M)

QC Flag Legend

M - Compound response manually integrated.


01030669


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\005.D
Date : 24-JAN-2017 10:39
Client ID: ICAL5
Sample Info: ICAL5;ICAL5;;;


Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: MA
Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\005.D
Injection Date: 24-JAN-2017 10:39
Instrument: FID-4.i
Client Sample ID: ICAL5
HP5890 GC Data, FID1A.CH: 0.000 to 11.003 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
5.967
N-Butane
10.947


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\005.D
Injection Date: 24-JAN-2017 10:39
Instrument: FID-4.i
Client Sample ID: ICAL5
HP5890 GC Data, FID1A.CH: 0.000 to 11.003 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
5.967
N-Butane
7.850
10.947

Data File: 006.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\006.D
Lab Smp Id: ICAL6 Client Smp ID: ICAL6
Inj Date : 24-JAN-2017 10:57
Operator : MA Inst ID: FID-4.i
Smp Info : ICAL6;ICAL6;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 10:57 Cal File: 006.D
Als bottle: 6 Calibration Sample, Level: 6
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	ON-COL (ug/L)
1 Methane	1.023	1.026	-0.003	18040	19.2940	18.502(M)
2 Ethene	1.550	1.553	-0.003	23045	53.8200	39.342(M)
3 Ethane	1.716	1.720	-0.004	29650	36.0860	41.209(M)
4 Propane	4.110	4.106	0.004	38286	52.9260	52.709
5 N-Butane	7.696	7.686	0.010	42405	69.9110	70.848(M)

QC Flag Legend

M - Compound response manually integrated.

01030673

Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\006.D

Date : 24-JAN-2017 10:57

Client ID: ICAL6


Instrument: FID-4.i


Sample Info: ICAL6;ICAL6;;;


Operator: MA

Column phase: Rtx-PLOT

Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\006.D
Injection Date: 24-JAN-2017 10:57
Instrument: FID-4.i
Client Sample ID: ICAL6
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min
Y (x10^4)
Min
0.977
Methane
Ethene
Ethane
Propane
6.007
N-Butane
10.947


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\006.D
Injection Date: 24-JAN-2017 10:57
Instrument: FID-4.i
Client Sample ID: ICAL6
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min
Y (x10^4)
Min
0.977
Methane
Ethene
Ethane
Propane
6.007
N-Butane
10.947

Data File: 007.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\007.D
Lab Smp Id: ICAL7 Client Smp ID: ICAL7
Inj Date : 24-JAN-2017 11:13
Operator : MA Inst ID: FID-4.i
Smp Info : ICAL7;ICAL7;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 11:13 Cal File: 007.D
Als bottle: 7 Calibration Sample, Level: 7
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	1.030	1.026	0.004	41736	38.5880	42.806(A)
2 Ethene	1.556	1.553	0.003	51012	67.4000	87.086(AM)
3 Ethane	1.723	1.720	0.003	58591	72.1720	81.434(AM)
4 Propane	4.113	4.106	0.007	96632	105.852	105.852(AM)
5 N-Butane	7.690	7.686	0.004	114164	139.821	139.710

QC Flag Legend

A - Target compound detected but, quantitated amount exceeded maximum amount.
M - Compound response manually integrated.


01030677


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\007.D
Date : 24-JAN-2017 11:13
Client ID: ICAL7
Sample Info: ICAL7;ICAL7;;;


Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: MA
Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\007.D
Injection Date: 24-JAN-2017 11:13
Instrument: FID-4.i
Client Sample ID: ICAL7
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min
Y (x10^4)
Min
Methane
Ethene
Ethane
Propane
N-Butane
10.937


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\007.D
Injection Date: 24-JAN-2017 11:13
Instrument: FID-4.i
Client Sample ID: ICAL7
HP5890 GC Data, FID1A.CH: 0.000 to 11.007 Min
Y (x10^4)
Min
Methane
Ethene
Ethane
Propane
N-Butane
10.937

Data File: 008.D
Report Date: 11-Oct-2019 18:19

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\008.D
Lab Smp Id: ICV Client Smp ID: ICV
Inj Date : 24-JAN-2017 12:05
Operator : MA Inst ID: FID-4.i
Smp Info : ICV;ICV;;;
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\RSKNI2.m
Meth Date : 22-Aug-2019 16:39 Purvi.lad Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 8 QC Sample: METHSPIKE
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: stdNI2.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	FINAL (ug/L)
1 Methane	1.046	1.026	0.020	9352	9.59187	9.591
2 Ethene	1.573	1.553	0.020	11192	19.1068	19.106
3 Ethane	1.736	1.720	0.016	14474	20.1170	20.117
4 Propane	4.116	4.106	0.010	18164	27.1844	27.184
5 N-Butane	7.696	7.686	0.010	19425	36.3149	36.314


01030681


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\008.D
Date : 24-JAN-2017 12:05
Client ID: ICV
Sample Info: ICV;ICV;;;


Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: MA
Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\BEFORE\008.D
Injection Date: 24-JAN-2017 12:05
Instrument: FID-4.i
Client Sample ID: ICV
HP5890 GC Data, FID1A.CH: 0.000 to 11.010 Min
Y (x10^3)
Min
Methane
Ethene
Ethane
Propane
5.963
N-Butane
10.943


Data File: \\nahstws005\Target\chem\FID-4.i\2017-ICAL\170124.b\008.D
Injection Date: 24-JAN-2017 12:05
Instrument: FID-4.i
Client Sample ID: ICV
Y (x10^3)
Methane
Ethene
Ethane
Propane
5.963
N-Butane
10.943
Min
HP5890 GC Data, FID1A.CH: 0.000 to 11.010 Min

FID04 -Logbook

Batch: 37666
Date: 09-25-2019
Method: RSK175
Comments: Target sequence 190925

Analyst: Purvi Lad
Reviewer:
Laboratory: Houston

#	Samp ID	Type	Analyzed	DF	Init Wt/Vol	Final Vol	File ID	Matrix	Status	pH
1	RSK-CCV	CCV	09-25-2019 11:40 am	1.00	0.00 mL	0.00 mL	001.D	Liquid	Y	NA
2	LCS-190925	LCS	09-25-2019 12:00 pm	1.00	0.00 mL	0.00 mL	002.D	Liquid	Y	NA
3	LCSD-190925	LCSD	09-25-2019 12:15 pm	1.00	0.00 mL	0.00 mL	003.D	Liquid	Y	NA
4	MBLK-190925	MBLK	09-25-2019 12:26 pm	1.00	0.00 mL	0.00 mL	004.D	Liquid	Y	NA
5	HS19090962-12	SAMP	09-25-2019 12:40 pm	1.00	0.00 mL	0.00 mL	005.D	Liquid	Y	NA
6	HS19090962-12MS	MS	09-25-2019 01:16 pm	1.00	0.00 mL	0.00 mL	006.D	Liquid	Y	NA
7	HS19090962-12MSD	MSD	09-25-2019 01:27 pm	1.00	0.00 mL	0.00 mL	007.D	Liquid	Y	NA
8	HS19090964-04	SAMP	09-25-2019 01:46 pm	1.00	0.00 mL	0.00 mL	008.D	Liquid	Y	NA
9	HS19090964-06	SAMP	09-25-2019 01:58 pm	1.00	0.00 mL	0.00 mL	009.D	Liquid	Y	NA
10	HS19090965-10	SAMP	09-25-2019 02:08 pm	1.00	0.00 mL	0.00 mL	010.D	Liquid	Y	NA
11	RSK-CCV	CCV	09-25-2019 02:17 pm	1.00	0.00 mL	0.00 mL	011.D	Liquid	Y	NA
12	HS19090965-10	SAMP	09-25-2019 02:51 pm	5.00	0.00 mL	0.00 mL	012.D	Liquid	Y	NA
13	HS19091014-02	SAMP	09-25-2019 03:08 pm	1.00	0.00 mL	0.00 mL	013.D	Liquid	Y	NA
14	HS19091014-02	SAMP	09-25-2019 03:26 pm	5.00	0.00 mL	0.00 mL	014.D	Liquid	Y	NA
15	HS19091014-03	SAMP	09-25-2019 03:37 pm	1.00	0.00 mL	0.00 mL	015.D	Liquid	Y	NA
16	RSK-CCV	CCV	09-25-2019 04:24 pm	1.00	0.00 mL	0.00 mL	016.D	Liquid	Y	NA

FORM 2
WATER GASES SURROGATE RECOVERY

Lab Name: Contract:

Lab Code: Case No.: SAS No.: SDG No.: HS19090964

	ENG SC SAMPLE NO.	S1 #	S2 #	S3 #	S4 #	S5 #	S6 #	S7 #	S8 #	TOT OUT
01	LCS-190925									0
02	LCSD-190925									0
03	MBLK-190925									0
04	HS19090964-0									0
05	HS19090964-0									0
06										
07										
08										
09										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
21										
22										
23										
24										
25										
26										
27										
28										

QC LIMITS

Column to be used to flag recovery values
* Values outside of contract required QC limits
D Surrogate diluted out

FORM 7B
GASES CALIBRATION VERIFICATION SUMMARY

Lab Name: Contract:

Lab Code: Case No.: SAS No.: SDG No.: HS19090964

Instrument ID: FID-4 Calibration Date: 09/25/19 Time: 1140

Lab File ID: 001 Init. Calib. Date(s): 01/24/17 01/24/17

Init. Calib. Times: 0906 1113

GC Column: RTX-PLOT ID: 0.53 (mm)

COMPOUND	RRF OR AMOUNT	RRF250.00 OR AMOUNT	MIN RRF	%D OR %DRIFT	MAX %D OR %DRIFT	CURV TYPE
Ethane	719.48900	613.64518	0.01	14.71	20.00	AVRG
Methane	974.99200	961.64611	0.01	1.37	20.00	AVRG
Ethene	585.76000	534.42136	0.01	8.76	20.00	AVRG

FORM 7B
GASES CALIBRATION VERIFICATION SUMMARY

Lab Name: Contract:

Lab Code: Case No.: SAS No.: SDG No.: HS19090964

Instrument ID: FID-4 Calibration Date: 09/25/19 Time: 1417

Lab File ID: 011 Init. Calib. Date(s): 01/24/17 01/24/17

Init. Calib. Times: 0906 1113

GC Column: RTX-PLOT ID: 0.53 (mm)

COMPOUND	RRF OR AMOUNT	RRF250.00 OR AMOUNT	MIN RRF	%D OR %DRIFT	MAX %D OR %DRIFT	CURV TYPE
Ethane	719.48900	613.64518	0.01	14.71	20.00	AVRG
Methane	974.99200	961.64611	0.01	1.37	20.00	AVRG
Ethene	585.76000	534.42136	0.01	8.76	20.00	AVRG

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\001.D Page 1
Report Date: 11-Oct-2019 18:03

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\001.D
Lab Smp Id: RSK-CCV Client Smp ID: RSK-CCV
Inj Date : 25-SEP-2019 11:40
Operator : PL Inst ID: FID-4.i
Smp Info : RSK-CCV;RSK-CCV;2;4
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	ON-COL (ug/L)
1 Methane	0.480	0.480	0.000	9208	9.64700	9.444
2 Ethene	0.726	0.723	0.003	10172	16.8500	17.365
3 Ethane	0.806	0.806	0.000	12703	18.0430	17.655


01030689

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\001.D
Date : 25-SEP-2019 11:40
Client ID: RSK-CCV
Sample Info: RSK-CCV;RSK-CCV;2;4

Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: PL
Column diameter: 0.53



Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\002.D Page 1
Report Date: 11-Oct-2019 18:03

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\002.D
Lab Smp Id: LCS-190925 Client Smp ID: LCS-190925
Inj Date : 25-SEP-2019 12:00
Operator : PL Inst ID: FID-4.i
Smp Info : LCS-190925;LCS-190925;3;;LCS
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 2 QC Sample: LCS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	CONCENTRATIONS FINAL (ug/L)
1 Methane	0.480	0.480	0.000	9393	9.63392	9.633
2 Ethene	0.723	0.723	0.000	10140	17.3108	17.310
3 Ethane	0.803	0.806	-0.003	12730	17.6931	17.693

01030691

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\002.D

Date : 25-SEP-2019 12:00

Client ID: LCS-190925


Instrument: FID-4.i

Sample Info: LCS-190925;LCS-190925;3;;LCS

Operator: PL

Column phase: Rtx-PLOT

Column diameter: 0.53



Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\003.D Page 1
Report Date: 11-Oct-2019 18:03

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\003.D
Lab Smp Id: LCSD-190925 Client Smp ID: LCSD-190925
Inj Date : 25-SEP-2019 12:15
Operator : PL Inst ID: FID-4.i
Smp Info : LCSD-190925;LCSD-190925;3;;LCSD
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 3 QC Sample: LCSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	CONCENTRATIONS FINAL (ug/L)
1 Methane	0.480	0.480	0.000	8270	8.48212	8.482
2 Ethene	0.723	0.723	0.000	9417	16.0765	16.076
3 Ethane	0.806	0.806	0.000	12032	16.7230	16.722

01030693

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\003.D

Date : 25-SEP-2019 12:15

Client ID: LCSD-190925


Instrument: FID-4.i

Sample Info: LCSD-190925;LCSD-190925;3;;LCSD

Operator: PL

Column phase: Rtx-PLOT

Column diameter: 0.53



Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\004.D
Report Date: 11-Oct-2019 18:03

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\004.D
Lab Smp Id: MBLK-190925 Client Smp ID: MBLK-190925
Inj Date : 25-SEP-2019 12:26
Operator : PL Inst ID: FID-4.i
Smp Info : MBLK-190925; MBLK-190925;3;;BLANK
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 4 QC Sample: BLANK
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	CONCENTRATIONS FINAL (ug/L)

01030695

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\004.D

Date : 25-SEP-2019 12:26

Client ID: MBLK-190925


Instrument: FID-4.i

Sample Info: MBLK-190925; MBLK-190925;3;;BLANK

Operator: PL

Column phase: Rtx-PLOT

Column diameter: 0.53



Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\006.D Page 1
Report Date: 11-Oct-2019 18:03

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\006.D
Lab Smp Id: HS19090962-12MS Client Smp ID: HS19090962-12MS
Inj Date : 25-SEP-2019 13:16
Operator : PL Inst ID: FID-4.i
Smp Info : HS19090962-12MS; HS19090962-12MS
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 6 QC Sample: MS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	CONCENTRATIONS FINAL (ug/L)
1 Methane	0.483	0.480	0.003	9905	10.1591	10.159
2 Ethene	0.723	0.723	0.000	10905	18.6168	18.616(M)
3 Ethane	0.806	0.806	0.000	13166	18.2991	18.299(M)

QC Flag Legend

M - Compound response manually integrated.


01030697


Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\006.D
Date : 25-SEP-2019 13:16
Client ID: HS19090962-12MS
Sample Info: HS19090962-12MS; HS19090962-12MS


Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: PL
Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\Before\006.D
Injection Date: 25-SEP-2019 13:16
Instrument: FID-4.i
Client Sample ID: HS19090962-12MS
HP5890 GC Data, FID1A.CH: 0.000 to 6.000 Min
Y (x10^3)
Min
Methane
0.723
Ethane
2.380
5.557


Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\006.D
Injection Date: 25-SEP-2019 13:16
Instrument: FID-4.i
Client Sample ID: HS19090962-12MS
Y (x10^3)
Methane
0.640
0.687
Ethene
Ethane
2.380
5.557
Min
HP5890 GC Data, FID1A.CH: 0.000 to 6.000 Min

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\007.D Page 1
Report Date: 11-Oct-2019 18:03

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\007.D
Lab Smp Id: HS19090962-12MSD Client Smp ID: HS19090962-12MSD
Inj Date : 25-SEP-2019 13:27
Operator : PL Inst ID: FID-4.i
Smp Info : HS19090962-12MSD; HS19090962-12MSD
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 7 QC Sample: MSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	CONCENTRATIONS FINAL (ug/L)
1 Methane	0.463	0.480	-0.017	9443	9.68520	9.685 (M)
2 Ethene	0.706	0.723	-0.017	10914	18.6322	18.632
3 Ethane	0.790	0.806	-0.016	13361	18.5701	18.570

QC Flag Legend

M - Compound response manually integrated.

01030701

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\007.D

Date : 25-SEP-2019 13:27

Client ID: HS19090962-12MSD


Instrument: FID-4.i


Sample Info: HS19090962-12MSD; HS19090962-12MSD


Operator: PL

Column phase: Rtx-PLOT

Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\Before\007.D
Injection Date: 25-SEP-2019 13:27
Instrument: FID-4.i
Client Sample ID: HS190909962-12MSD
HP5890 GC Data, FIDiA.CH: 0.000 to 6.003 Min
Y (x10^3)
Min
Methane
0.707
Ethane
2.370
3.457
5.547


Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\007.D
Injection Date: 25-SEP-2019 13:27
Instrument: FID-4.i
Client Sample ID: HS190909962-12MSD
HP5890 GC Data, FID1A.CH: 0.000 to 6.003 Min
Y (x10^3)
Min
Methane
0.620
Ethene
Ethane
2.370
5.547

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\008.D Page 1
Report Date: 11-Oct-2019 18:03

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\008.D
Lab Smp Id: HS19090964-04 Client Smp ID: HS19090964-04
Inj Date : 25-SEP-2019 13:46
Operator : PL Inst ID: FID-4.i
Smp Info : HS19090964-04; HS19090964-04
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 8
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	FINAL (ug/L)
1 Methane	0.483	0.480	0.003	3529	3.61952	3.619(M)
2 Ethene	0.720	0.723	-0.003	886	1.51256	1.512(M)
3 Ethane	0.820	0.806	0.014	239	0.33218	0.332(aM)

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).
M - Compound response manually integrated.


01030705


Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\008.D
Date : 25-SEP-2019 13:46
Client ID: HS19090964-04
Sample Info: HS19090964-04; HS19090964-04

Instrument: FID-4.i

Operator: PL
Column diameter: 0.53


Column phase: Rtx-PLOT




Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\Before\008.D
Injection Date: 25-SEP-2019 13:46
Instrument: FID-4.i
Client Sample ID: HS190909964-04
HP5890 GC Data, FID1A.CH: 0.000 to 6.000 Min
Y (x10^3)
Min
Methane
Ethane
2.390
2.910
3.823
5.477

01030707

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\008.D
Injection Date: 25-SEP-2019 13:46
Instrument: FID-4.i
Client Sample ID: HS19090964-04



Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\009.D
Report Date: 11-Oct-2019 18:03

ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\009.D
Lab Smp Id: HS19090964-06 Client Smp ID: HS19090964-06
Inj Date : 25-SEP-2019 13:58
Operator : PL Inst ID: FID-4.i
Smp Info : HS19090964-06; HS19090964-06
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 9
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COLUMN (ug/L)	CONCENTRATIONS FINAL (ug/L)
1 Methane	0.483	0.480	0.003	4256	4.36516	4.365
2 Ethene	0.716	0.723	-0.007	837	1.42891	1.428(M)
3 Ethane	0.830	0.806	0.024	229	0.31828	0.318(aM)

QC Flag Legend

a - Target compound detected but, quantitated amount
Below Limit Of Quantitation(BLOQ).
M - Compound response manually integrated.


01030709


Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\009.D
Date : 25-SEP-2019 13:58
Client ID: HS19090964-06
Sample Info: HS19090964-06; HS19090964-06

Column phase: Rtx-PLOT

Instrument: FID-4.i


Operator: PL
Column diameter: 0.53




Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\Before\009.D
Injection Date: 25-SEP-2019 13:58
Instrument: FID-4.i
Client Sample ID: HS1909090964-06
HP5890 GC Data, FID1A.CH: 0.000 to 6.003 Min
Y (x10^3)
Methane
Ethane
1.020
2.410
2.907
3.550
Min

01030711

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\009.D
Injection Date: 25-SEP-2019 13:58
Instrument: FID-4.i
Client Sample ID: HS19090964-06



ALS Laboratory Group

Dissolved Gases Analysis

Data file : \\nahstws005\Target\chem\FID-4.i\190925.b\011.D
Lab Smp Id: RSK-CCV Client Smp ID: RSK-CCV
Inj Date : 25-SEP-2019 14:17
Operator : PL Inst ID: FID-4.i
Smp Info : RSK-CCV;RSK-CCV;2;4
Misc Info : ;1;0;1
Comment :
Method : \\nahstws005\Target\chem\FID-4.i\190925.b\RSKNI3.m
Meth Date : 11-Oct-2019 17:45 FID-4.i Quant Type: ESTD
Cal Date : 24-JAN-2017 10:15 Cal File: 004.D
Als bottle: 11 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: RSK175.sub
Target Version: 4.14

Concentration Formula: Amt * DF * CpndVariable
Cpnd Variable Local Compound Variable

Compounds	RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/L)	AMOUNTS ON-COL (ug/L)
1 Methane	0.480	0.480	0.000	9277	9.64700	9.514
2 Ethene	0.723	0.723	0.000	9005	16.8500	15.373
3 Ethane	0.806	0.806	0.000	11072	18.0430	15.388


01030713

Data File: \\nahstws005\Target\chem\FID-4.i\190925.b\011.D
Date : 25-SEP-2019 14:17
Client ID: RSK-CCV
Sample Info: RSK-CCV;RSK-CCV;2;4

Column phase: Rtx-PLOT

Instrument: FID-4.i

Operator: PL
Column diameter: 0.53

























HS19090964 Wet Chem Raw Data

ALS WO# HS19090964

Sequence: 091819
Last Update Operator: alshs.nouser

HS19090964

CD	Name	Comment	Type	Position	Dilution	Level	Instrument Method	ng	Volume [ul]	Status	Inject Time
	STD1	2970209205	Calibration	GA1	1.0000	1	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:08:06 PM -05:00
	STD2		Calibration	GA2	1.0000	2	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:24:42 PM -05:00
	STD3		Calibration	GA3	1.0000	3	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:41:19 PM -05:00
	STD4		Calibration	GA4	1.0000	4	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:57:54 PM -05:00
	STD5		Calibration	GA5	1.0000	5	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 3:14:30 PM -05:00
	STD6	NO2,F MAX 10PPM	Calibration	GB8	1.0000	6	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:37:32 PM -05:00
	ICV	2970209123	Unknown	GA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:54:07 PM -05:00
	ICB		Unknown	GB8	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 7:29:52 PM -05:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 11:54:49 AM -05:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 12:11:24 PM -05:00
	HS19090964-04		Unknown	GA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 1:01:23 PM -05:00
	HS19090964-06		Unknown	GA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 1:17:59 PM -05:00
	HS19090962-12		Unknown	GA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 1:34:38 PM -05:00
	HS19090962-12MS	man.int.NO3 KMU 9/	Unknown	GB1	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 1:51:13 PM -05:00
	HS19090962-12MSD	man.int.NO3 KMU 9/	Unknown	GB2	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 2:07:48 PM -05:00
	CCV		Unknown	BA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 3:29:06 PM -05:00
	CCB		Unknown	BA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 3:45:41 PM -05:00
	WBLKW1-092019		Unknown	GB3	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 4:02:17 PM -05:00
	WLCSW1-092019		Unknown	GB4	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 4:18:52 PM -05:00
	WLCSDW1-092019		Unknown	GB5	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 4:35:31 PM -05:00
	HS19090962-12DF5	9056_W	Unknown	GC2	5.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 5:08:41 PM -05:00
	HS19090962-12MSDF5		Unknown	GC3	5.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 5:25:17 PM -05:00
	HS19090962-12MSDDF5		Unknown	GC4	5.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 5:42:00 PM -05:00
	HS19090962-12DF50		Unknown	GC5	50.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 5:58:35 PM -05:00
	HS19090962-12MSDF50		Unknown	GC6	50.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 6:15:11 PM -05:00
	HS19090962-12MSDDF50		Unknown	GC7	50.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 6:31:46 PM -05:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 6:48:30 PM -05:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/20/2019 7:05:05 PM -05:00


Sequence: 091819
Injection #6: STD6

Calibration

Peak No.	Peak Name	Cal.Type	Eval.Type	Number of Points	Rel.Std.Dev. %	Coeff.of Determination	C0 (Offset)	C1 (Slope)	C2 (Curve)
1	*Fluoride*	*Lin, WithOffset, 1/*	*Area*	*5*	*10.1532*	*0.99927*	*-0.0056*	*0.3716*	*0.0000*
2	Chloride	Lin, WithOffset, 1/	Area	6	0.2804	1.00000	-0.0135	0.2355	0.0000
3	Nitrite,N	Lin, WithOffset, 1/	Area	5	15.1147	0.99824	0.0003	0.5120	0.0000
4	Bromide	Lin, WithOffset, 1/	Area	6	14.0217	0.99919	-0.0052	0.1009	0.0000
5	Sulfate	Lin, WithOffset, 1/	Area	6	1.1258	0.99999	-0.0022	0.1717	0.0000
6	Nitrate	Lin, WithOffset, 1/	Area	6	2.2249	0.99998	-0.0102	0.5876	0.0000
7	Chlorate	Lin, WithOffset, 1/	Area	6	10.0265	0.99953	-0.0024	0.0944	0.0000
8	Phosphate	Lin, WithOffset, 1/	Area	6	6.6198	0.99981	-0.0110	0.2321	0.0000
Maximum					**15.1147**	1.00000			
Minimum					0.2804	**0.99824**			

1 STD1

Sample Name:	**STD1**	*Injection Volume:*	**5.00**
Vial Number:	**GA1**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:08**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.031	0.0973	0.0973	1.0000
2	5.12	Chloride	BMB	0.105	0.5026	0.5026	1.0000
3	6.12	Nitrite,N	BMB	0.046	0.0893	0.0893	1.0000
4	8.00	Bromide	BMB	0.007	0.1192	0.1192	1.0000
5	8.64	Sulfate	BM	0.084	0.5042	0.5042	1.0000
6	9.10	Nitrate	M	0.051	0.1034	0.1034	1.0000
7	9.58	Chlorate	MB	0.008	0.1143	0.1143	1.0000
8	12.83	Phosphate	BMB	0.014	0.1085	0.1085	1.0000
Total:			**0.000**	**0.346**		**1.64**	

2 STD2

Sample Name:	**STD2**	*Injection Volume:*	**5.00**
Vial Number:	**GA2**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:24**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.140	0.3929	0.3929	1.0000
2	5.12	Chloride	BMB	0.456	1.9918	1.9918	1.0000
3	6.12	Nitrite,N	BMB	0.211	0.4119	0.4119	1.0000
4	8.00	Bromide	BMB	0.031	0.3593	0.3593	1.0000
5	8.64	Sulfate	BM	0.337	1.9733	1.9733	1.0000
6	9.10	Nitrate	M	0.220	0.3917	0.3917	1.0000
7	9.58	Chlorate	MB	0.033	0.3704	0.3704	1.0000
8	12.80	Phosphate	BMB	0.078	0.3841	0.3841	1.0000
Total:			**0.000**	**1.506**		**6.28**	

3 STD3

Sample Name:	**STD3**	*Injection Volume:*	**5.00**
Vial Number:	**GA3**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:41**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.758	2.0551	2.0551	1.0000
2	5.12	Chloride	BMB	2.339	9.9888	9.9888	1.0000
3	6.12	Nitrite,N	BMB	1.091	2.1305	2.1305	1.0000
4	8.00	Bromide	BMB	0.182	1.8590	1.8590	1.0000
5	8.61	Sulfate	BM	1.715	10.0007	10.0007	1.0000
6	9.07	Nitrate	M	1.153	1.9792	1.9792	1.0000
7	9.57	Chlorate	MB	0.176	1.8940	1.8940	1.0000
8	12.75	Phosphate	BMB	0.436	1.9269	1.9269	1.0000
Total:			**0.000**	**7.851**		**31.83**	

4 STD4

Sample Name:	**STD4**	*Injection Volume:*	**5.00**
Vial Number:	**GA4**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:57**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.535	4.1457	4.1457	1.0000
2	5.12	Chloride	BMB	4.695	19.9948	19.9948	1.0000
3	6.13	Nitrite,N	BMB	2.133	4.1659	4.1659	1.0000
4	8.00	Bromide	BMB	0.385	3.8642	3.8642	1.0000
5	8.58	Sulfate	BM	3.451	20.1082	20.1082	1.0000
6	9.05	Nitrate	M	2.330	3.9823	3.9823	1.0000
7	9.57	Chlorate	MB	0.365	3.8956	3.8956	1.0000
8	12.69	Phosphate	BMB	0.903	3.9395	3.9395	1.0000
Total:			**0.000**	**15.798**		**64.10**	

5 STD5

Sample Name:	**STD5**	*Injection Volume:*	**5.00**
Vial Number:	**GA5**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 15:14**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.639	9.8090	9.8090	1.0000
2	5.11	Chloride	BMB	11.762	49.9996	49.9996	1.0000
3	6.12	Nitrite,N	BMB	4.968	9.7023	9.7023	1.0000
4	7.98	Bromide	BMB	1.001	9.9786	9.9786	1.0000
5	8.50	Sulfate	BM	8.590	50.0271	50.0271	1.0000
6	8.98	Nitrate	M	5.854	9.9805	9.9805	1.0000
7	9.54	Chlorate	MB	0.939	9.9670	9.9670	1.0000
8	12.57	Phosphate	BMB	2.305	9.9803	9.9803	1.0000
Total:			**0.000**	**39.057**		**159.44**	

6 STD6

Sample Name:	**STD6**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:37**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	6.773	18.2418	18.2418	1.0000
2	5.10	Chloride	BMB	23.542	100.0224	100.0224	1.0000
3	6.11	Nitrite,N	BMB	9.157	17.8850	17.8850	1.0000
4	7.95	Bromide	BM	2.045	20.3197	20.3197	1.0000
5	8.40	Sulfate	M	17.153	99.8863	99.8863	1.0000
6	8.91	Nitrate	M	11.778	20.0629	20.0629	1.0000
7	9.51	Chlorate	MB	1.910	20.2586	20.2586	1.0000
8	12.44	Phosphate	BMB	4.668	20.1606	20.1606	1.0000
Total:			**0.000**	**77.025**		**316.84**	

7 ICV

Sample Name:	**ICV**	*Injection Volume:*	**5.00**
Vial Number:	**GA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:54**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.495	4.0374	4.0374	1.0000
2	5.12	Chloride	BMB	4.681	19.9333	19.9333	1.0000
3	6.13	Nitrite,N	BMB	2.195	4.2858	4.2858	1.0000
4	8.00	Bromide	BMB	0.384	3.8585	3.8585	1.0000
5	8.57	Sulfate	BM	3.469	20.2132	20.2132	1.0000
6	9.05	Nitrate	M	2.340	3.9993	3.9993	1.0000
7	9.57	Chlorate	MB	0.367	3.9104	3.9104	1.0000
8	12.68	Phosphate	BMB	0.911	3.9732	3.9732	1.0000
Total:			**0.000**	**15.841**		**64.21**	

8 ICB

Sample Name:	**ICB**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 19:29**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.11	Chloride	BMB	0.004	0.0748	0.0748	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.63	Sulfate	BMB	0.008	0.0618	0.0618	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.013**		**0.14**	

169 CCV1

Sample Name:	**CCV1**	*Injection Volume:*	**5.00**
Vial Number:	**BA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 11:54**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.639	9.8082	9.8082	1.0000
2	5.10	Chloride	BMB	11.725	49.8435	49.8435	1.0000
3	6.09	Nitrite,N	BMB	4.944	9.6563	9.6563	1.0000
4	7.93	Bromide	BMB	0.987	9.8365	9.8365	1.0000
5	8.47	Sulfate	BM	8.581	49.9789	49.9789	1.0000
6	8.92	Nitrate	M	5.853	9.9791	9.9791	1.0000
7	9.47	Chlorate	MB	0.940	9.9812	9.9812	1.0000
8	12.56	Phosphate	BMB	2.226	9.6394	9.6394	1.0000
Total:			**0.000**	**38.896**		**158.72**	

170 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 12:11**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.09	Chloride	BMB	0.002	0.0677	0.0677	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.61	Sulfate	BMB	0.011	0.0745	0.0745	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.013**		**0.14**	

173 HS19090964-04

Sample Name:	**HS19090964-04**	*Injection Volume:*	**5.00**
Vial Number:	**GA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 13:01**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.034	0.1056	0.1056	1.0000
3	5.08	Chloride	BMB	176.700	750.3727	750.3727	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
5	7.89	Bromide	BM	0.350	3.5224	3.5224	1.0000
6	8.22	Sulfate	MB^	67.409	392.5082	392.5082	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
8	13.08	Phosphate	BMB	0.003	0.0588	0.0588	1.0000
Total:			**0.000**	**244.496**		**1146.57**	

174 HS19090964-06

Sample Name:	**HS19090964-06**	*Injection Volume:*	**5.00**
Vial Number:	**GA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 13:17**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.030	0.0958	0.0958	1.0000
3	5.08	Chloride	BMB	175.536	745.4286	745.4286	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
5	7.89	Bromide	BM	0.346	3.4773	3.4773	1.0000
6	8.22	Sulfate	MB^	66.818	389.0673	389.0673	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
8	13.13	Phosphate	BMB	0.003	0.0599	0.0599	1.0000
Total:			**0.000**	**242.733**		**1138.13**	

175 HS19090962-12

Sample Name:	**HS19090962-12**	*Injection Volume:*	**5.00**
Vial Number:	**GA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 13:34**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.64	Fluoride	BMB	0.037	0.1151	0.1151	1.0000
4	5.07	Chloride	BMB	198.541	843.1149	843.1149	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
6	7.62	Sulfate	BMB*^	354.205	2062.3989	2062.3989	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
8	13.16	Phosphate	BMB	0.011	0.0940	0.0940	1.0000
Total:			**0.000**	**552.795**		**2905.72**	

176 HS19090962-12MS

Sample Name:	**HS19090962-12MS**	*Injection Volume:*	**5.00**
Vial Number:	**GB1**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 13:51**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.65	Fluoride	BMB	0.591	1.6054	1.6054	1.0000
3	5.07	Chloride	BMB	196.329	833.7200	833.7200	1.0000
4	6.07	Nitrite,N	BMB	1.081	2.1110	2.1110	1.0000
6	7.63	Sulfate	BM *^	345.965	2014.4179	2014.4179	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
7	8.96	Nitrate	MB*^	1.163	1.9968	1.9968	1.0000
8	9.49	Chlorate	BMB	0.148	1.5953	1.5953	1.0000
10	13.15	Phosphate	BMB	0.008	0.0841	0.0841	1.0000
Total:			**0.000**	**545.286**		**2855.53**	

177 HS19090962-12MSD

Sample Name:	**HS19090962-12MSD**	*Injection Volume:*	**5.00**
Vial Number:	**GB2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 14:07**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.65	Fluoride	BMB	0.596	1.6195	1.6195	1.0000
3	5.07	Chloride	BMB	196.858	835.9674	835.9674	1.0000
4	6.07	Nitrite,N	BMB	1.091	2.1307	2.1307	1.0000
6	7.63	Sulfate	BM *^	349.195	2033.2248	2033.2248	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
7	8.96	Nitrate	MB*	1.156	1.9855	1.9855	1.0000
8	9.49	Chlorate	BMB	0.149	1.6036	1.6036	1.0000
10	13.16	Phosphate	BMB	0.008	0.0807	0.0807	1.0000
Total:			**0.000**	**549.054**		**2876.61**	

181 CCV

Sample Name:	**CCV**	*Injection Volume:*	**5.00**
Vial Number:	**BA5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 15:29**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.502	4.0563	4.0563	1.0000
3	5.11	Chloride	BMB	4.786	20.3783	20.3783	1.0000
4	6.10	Nitrite,N	BMB	2.150	4.1979	4.1979	1.0000
5	7.94	Bromide	BMB	0.379	3.8089	3.8089	1.0000
6	8.55	Sulfate	BM	3.564	20.7661	20.7661	1.0000
7	8.98	Nitrate	M	2.389	4.0836	4.0836	1.0000
8	9.49	Chlorate	MB	0.375	3.9971	3.9971	1.0000
9	12.74	Phosphate	BMB	0.871	3.8027	3.8027	1.0000
Total:			**0.000**	**16.016**		**65.09**	

182 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 15:45**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.10	Chloride	BMB	0.002	0.0660	0.0660	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.64	Sulfate	BMB	0.003	0.0330	0.0330	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.006**		**0.10**	

183 WBLKW1-092019

Sample Name:	**WBLKW1-092019**	*Injection Volume:*	**5.00**
Vial Number:	**GB3**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 16:02**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.10	Chloride	BMB	0.010	0.1007	0.1007	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.64	Sulfate	BMB	0.013	0.0892	0.0892	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.023**		**0.19**	

184 WLCSW1-092019

Sample Name:	**WLCSW1-092019**	*Injection Volume:*	**5.00**
Vial Number:	**GB4**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 16:18**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.529	4.1305	4.1305	1.0000
3	5.11	Chloride	BMB	4.841	20.6139	20.6139	1.0000
4	6.10	Nitrite,N	BMB	2.184	4.2648	4.2648	1.0000
5	7.94	Bromide	BMB	0.384	3.8604	3.8604	1.0000
6	8.55	Sulfate	BM	3.636	21.1844	21.1844	1.0000
7	8.97	Nitrate	M	2.432	4.1573	4.1573	1.0000
8	9.49	Chlorate	MB	0.383	4.0812	4.0812	1.0000
9	12.74	Phosphate	BMB	0.877	3.8251	3.8251	1.0000
Total:			**0.000**	**16.267**		**66.12**	

185 WLCSDW1-092019

Sample Name:	**WLCSDW1-092019**	*Injection Volume:*	**5.00**
Vial Number:	**GB5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/20/2019 16:35**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.544	4.1706	4.1706	1.0000
2	5.11	Chloride	BMB	4.714	20.0751	20.0751	1.0000
3	6.10	Nitrite,N	BMB	2.136	4.1719	4.1719	1.0000
4	7.94	Bromide	BMB	0.375	3.7696	3.7696	1.0000
5	8.55	Sulfate	BM	3.534	20.5876	20.5876	1.0000
6	8.98	Nitrate	M	2.364	4.0409	4.0409	1.0000
7	9.49	Chlorate	MB	0.369	3.9339	3.9339	1.0000
8	12.74	Phosphate	BMB	0.865	3.7751	3.7751	1.0000
Total:			**0.000**	**15.902**		**64.52**	

187 HS19090962-12DF5

Sample Name:	**HS19090962-12DF5**	*Injection Volume:*	**5.00**
Vial Number:	**GC2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**09/20/2019 17:08**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.007	0.0336	0.1682	5.0000
3	5.09	Chloride	BMB	40.168	170.6214	853.1072	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
5	7.89	Bromide	BM	0.058	0.6315	3.1574	5.0000
6	8.20	Sulfate	MB^	74.003	430.8978	2154.4891	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**114.236**		**3010.92**	

188 HS19090962-12MSDF5

Sample Name:	**HS19090962-12MSDF5**	*Injection Volume:*	**5.00**
Vial Number:	**GC3**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**09/20/2019 17:25**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.655	1.7776	8.8879	5.0000
2	5.09	Chloride	BMB	41.504	176.2955	881.4774	5.0000
3	6.09	Nitrite,N	BMB	1.090	2.1289	10.6446	5.0000
4	7.89	Bromide	BM	0.238	2.4098	12.0492	5.0000
5	8.20	Sulfate	M ^	73.643	428.8036	2144.0181	5.0000
6	8.97	Nitrate	M	1.227	2.1054	10.5272	5.0000
7	9.49	Chlorate	MB	0.182	1.9553	9.7764	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**118.539**		**3077.38**	

189 HS19090962-12MSDDF5

Sample Name:	HS19090962-12MSDDF5	Injection Volume:	5.00
Vial Number:	GC4	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	5.0000
Recording Time:	09/20/2019 17:42	Sample Weight:	1.0000
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.637	1.7300	8.6500	5.0000
3	5.09	Chloride	BMB	41.664	176.9721	884.8607	5.0000
4	6.09	Nitrite,N	BMB	1.090	2.1289	10.6446	5.0000
5	7.89	Bromide	BM	0.238	2.4104	12.0519	5.0000
6	8.20	Sulfate	M ^	74.337	432.8479	2164.2396	5.0000
7	8.97	Nitrate	M	1.243	2.1322	10.6608	5.0000
8	9.49	Chlorate	MB	0.184	1.9737	9.8683	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**119.393**		**3100.98**	

190 HS19090962-12DF50

Sample Name:	**HS19090962-12DF50**	*Injection Volume:*	**5.00**
Vial Number:	**GC5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**50.0000**
Recording Time:	**09/20/2019 17:58**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	50.0000
2	5.11	Chloride	BMB	4.004	17.0596	852.9803	50.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	50.0000
3	7.94	Bromide	BMB	0.005	0.1010	5.0496	50.0000
4	8.54	Sulfate	BMB	7.930	46.1864	2309.3207	50.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	50.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	50.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	50.0000
Total:			**0.000**	**11.939**		**3167.35**	

191 HS19090962-12MSDF50

Sample Name:	**HS19090962-12MSDF50**	*Injection Volume:*	**5.00**
Vial Number:	**GC6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**50.0000**
Recording Time:	**09/20/2019 18:15**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.751	2.0353	101.7647	50.0000
2	5.11	Chloride	BMB	6.231	26.5142	1325.7080	50.0000
3	6.10	Nitrite,N	BMB	1.096	2.1398	106.9910	50.0000
4	7.95	Bromide	BMB	0.179	1.8263	91.3145	50.0000
5	8.52	Sulfate	BM	9.336	54.3752	2718.7601	50.0000
6	8.99	Nitrate	M	1.202	2.0636	103.1781	50.0000
7	9.49	Chlorate	MB	0.184	1.9706	98.5300	50.0000
9	13.00	Phosphate	BMB	0.203	0.9227	46.1329	50.0000
Total:			**0.000**	**19.182**		**4592.38**	

192 HS19090962-12MSDDF50

Sample Name:	**HS19090962-12MSDDF50**	*Injection Volume:*	**5.00**
Vial Number:	**GC7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**50.0000**
Recording Time:	**09/20/2019 18:31**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.716	1.9410	97.0510	50.0000
3	5.11	Chloride	BMB	6.201	26.3883	1319.4157	50.0000
4	6.09	Nitrite,N	BMB	1.092	2.1326	106.6285	50.0000
5	7.94	Bromide	BMB	0.178	1.8158	90.7906	50.0000
6	8.52	Sulfate	BM	9.239	53.8047	2690.2329	50.0000
7	8.99	Nitrate	M	1.190	2.0430	102.1500	50.0000
8	9.49	Chlorate	MB	0.182	1.9583	97.9151	50.0000
10	12.98	Phosphate	BMB	0.229	1.0347	51.7356	50.0000
Total:			**0.000**	**19.027**		**4555.92**	

194 CCB

Sample Name:	CCB	Injection Volume:	5.00
Vial Number:	BA8	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	1.0000
Recording Time:	09/20/2019 19:05	Sample Weight:	1.0000
Run Time:			



Integration Results






No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.10	Chloride	BMB	0.003	0.0688	0.0688	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.64	Sulfate	BMB	0.021	0.1347	0.1347	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.024**		**0.20**	

Sequence: 092519
Last Update Operator: alshs.nouser

HS19090964

CD	Name	Comment	Type	Position	Dilution	Level	Instrument Method	Processing	Volume [ul]	Status	Inject Time
	STD1	2970209205	Calibration	GA1	1.0000	1	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:08:06 PM -05:00
	STD2		Calibration	GA2	1.0000	2	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:24:42 PM -05:00
	STD3		Calibration	GA3	1.0000	3	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:41:19 PM -05:00
	STD4		Calibration	GA4	1.0000	4	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:57:54 PM -05:00
	STD5		Calibration	GA5	1.0000	5	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 3:14:30 PM -05:00
	STD6	NO2,F MAX 10PPM	Calibration	GB8	1.0000	6	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:37:32 PM -05:00
	ICV	2970209123	Unknown	GA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:54:07 PM -05:00
	ICB		Unknown	GB8	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 7:29:52 PM -05:00
	CCV		Unknown	BA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/25/2019 11:52:16 PM -05:00
	CCB		Unknown	BA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 12:08:51 AM -05:00
	WBLKW2-092519	9056_W	Unknown	GA1	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 12:25:32 AM -05:00
	WLCSW2-092519		Unknown	GA2	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 12:42:08 AM -05:00
	WLCSDW2-092519	DUE 26TH	Unknown	GA3	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 12:58:47 AM -05:00
	HS19090511-01DF20		Unknown	GA4	20.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 1:15:23 AM -05:00
	HS19090511-02DF20		Unknown	GA5	20.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 1:31:59 AM -05:00
	HS19090511-02MSDF20		Unknown	GA6	20.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 1:48:34 AM -05:00
	HS19090511-02MSDDF20		Unknown	GA7	20.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 2:05:13 AM -05:00
	HS19090511-03DF40		Unknown	GA8	40.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 2:21:48 AM -05:00
	HS19090511-04DF20		Unknown	GB1	20.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 2:38:23 AM -05:00
	HS19090511-05DF20		Unknown	GB2	20.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 2:54:58 AM -05:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 3:11:39 AM -05:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 3:28:15 AM -05:00
	HS19090511-06DF20		Unknown	GB3	20.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 3:44:52 AM -05:00
	HS19090511-07DF40		Unknown	GB4	40.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 4:01:27 AM -05:00
	HS19090964-04DF10		Unknown	GB5	10.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 4:18:06 AM -05:00
	HS19090964-06DF10		Unknown	GB6	10.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 4:34:43 AM -05:00
	HS19090847-01DF10		Unknown	GB7	10.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 4:51:18 AM -05:00
	HS19090617-01DF10		Unknown	GB8	10.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 5:07:53 AM -05:00
	HS19090617-02DF50		Unknown	GC1	50.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 5:24:34 AM -05:00
	HS19090617-03DF20		Unknown	GC2	20.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 5:41:09 AM -05:00
	HS19090617-04DF100		Unknown	GC3	100.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 5:57:44 AM -05:00
	HS19090617-05DF50		Unknown	GC4	50.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 6:14:19 AM -05:00
	CCV		Unknown	BA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 6:31:00 AM -05:00
	CCB		Unknown	BA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 6:47:35 AM -05:00

Sequence: 092519
Last Update Operator: alshs.nouser

CD	Name	Comment	Type	Position	Dilution	Level	Instrument Method	ng	Volume [ul]	Status	Inject Time
	HS19090617-06DF50		Unknown	GC5	50.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 7:04:11 AM -05:00
	HS19090617-07DF50		Unknown	GC6	50.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 7:20:46 AM -05:00
	HS19090617-08DF20		Unknown	GC7	20.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 7:37:24 AM -05:00
	HS19090617-09DF20		Unknown	GC8	20.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 7:54:00 AM -05:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 10:02:04 AM -05:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	9/26/2019 10:18:40 AM -05:00

Sequence: 092519
Injection #6: STD6


Calibration

Peak No.	Peak Name	Cal.Type	Eval.Type	Number of Points	Rel.Std.Dev. %	Coeff.of Determination	C0 (Offset)	C1 (Slope)	C2 (Curve)
1	*Fluoride*	*Lin, WithOffset, 1/*	*Area*	*5*	*10.1532*	*0.99927*	*-0.0056*	*0.3716*	*0.0000*
2	Chloride	Lin, WithOffset, 1/	Area	6	0.2804	1.00000	-0.0135	0.2355	0.0000
3	Nitrite,N	Lin, WithOffset, 1/	Area	5	15.1147	0.99824	0.0003	0.5120	0.0000
4	Bromide	Lin, WithOffset, 1/	Area	6	14.0217	0.99919	-0.0052	0.1009	0.0000
5	Sulfate	Lin, WithOffset, 1/	Area	6	1.1258	0.99999	-0.0022	0.1717	0.0000
6	Nitrate	Lin, WithOffset, 1/	Area	6	2.2249	0.99998	-0.0102	0.5876	0.0000
7	Chlorate	Lin, WithOffset, 1/	Area	6	10.0265	0.99953	-0.0024	0.0944	0.0000
8	Phosphate	Lin, WithOffset, 1/	Area	6	6.6198	0.99981	-0.0110	0.2321	0.0000
Maximum					**15.1147**	1.00000			
Minimum					0.2804	**0.99824**			

1 STD1

Sample Name:	**STD1**	*Injection Volume:*	**5.00**
Vial Number:	**GA1**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:08**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.031	0.0973	0.0973	1.0000
2	5.12	Chloride	BMB	0.105	0.5026	0.5026	1.0000
3	6.12	Nitrite,N	BMB	0.046	0.0893	0.0893	1.0000
4	8.00	Bromide	BMB	0.007	0.1192	0.1192	1.0000
5	8.64	Sulfate	BM	0.084	0.5042	0.5042	1.0000
6	9.10	Nitrate	M	0.051	0.1034	0.1034	1.0000
7	9.58	Chlorate	MB	0.008	0.1143	0.1143	1.0000
8	12.83	Phosphate	BMB	0.014	0.1085	0.1085	1.0000
Total:			**0.000**	**0.346**		**1.64**	

2 *STD2*

Sample Name:	**STD2**	*Injection Volume:*	**5.00**
Vial Number:	**GA2**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:24**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.140	0.3929	0.3929	1.0000
2	5.12	Chloride	BMB	0.456	1.9918	1.9918	1.0000
3	6.12	Nitrite,N	BMB	0.211	0.4119	0.4119	1.0000
4	8.00	Bromide	BMB	0.031	0.3593	0.3593	1.0000
5	8.64	Sulfate	BM	0.337	1.9733	1.9733	1.0000
6	9.10	Nitrate	M	0.220	0.3917	0.3917	1.0000
7	9.58	Chlorate	MB	0.033	0.3704	0.3704	1.0000
8	12.80	Phosphate	BMB	0.078	0.3841	0.3841	1.0000
Total:			**0.000**	**1.506**		**6.28**	

3 STD3

Sample Name:	**STD3**	*Injection Volume:*	**5.00**
Vial Number:	**GA3**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:41**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.758	2.0551	2.0551	1.0000
2	5.12	Chloride	BMB	2.339	9.9888	9.9888	1.0000
3	6.12	Nitrite,N	BMB	1.091	2.1305	2.1305	1.0000
4	8.00	Bromide	BMB	0.182	1.8590	1.8590	1.0000
5	8.61	Sulfate	BM	1.715	10.0007	10.0007	1.0000
6	9.07	Nitrate	M	1.153	1.9792	1.9792	1.0000
7	9.57	Chlorate	MB	0.176	1.8940	1.8940	1.0000
8	12.75	Phosphate	BMB	0.436	1.9269	1.9269	1.0000
Total:			**0.000**	**7.851**		**31.83**	

4 STD4

Sample Name:	**STD4**	*Injection Volume:*	**5.00**
Vial Number:	**GA4**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:57**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.535	4.1457	4.1457	1.0000
2	5.12	Chloride	BMB	4.695	19.9948	19.9948	1.0000
3	6.13	Nitrite,N	BMB	2.133	4.1659	4.1659	1.0000
4	8.00	Bromide	BMB	0.385	3.8642	3.8642	1.0000
5	8.58	Sulfate	BM	3.451	20.1082	20.1082	1.0000
6	9.05	Nitrate	M	2.330	3.9823	3.9823	1.0000
7	9.57	Chlorate	MB	0.365	3.8956	3.8956	1.0000
8	12.69	Phosphate	BMB	0.903	3.9395	3.9395	1.0000
Total:			**0.000**	**15.798**		**64.10**	

5 STD5

Sample Name:	**STD5**	*Injection Volume:*	**5.00**
Vial Number:	**GA5**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 15:14**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.639	9.8090	9.8090	1.0000
2	5.11	Chloride	BMB	11.762	49.9996	49.9996	1.0000
3	6.12	Nitrite,N	BMB	4.968	9.7023	9.7023	1.0000
4	7.98	Bromide	BMB	1.001	9.9786	9.9786	1.0000
5	8.50	Sulfate	BM	8.590	50.0271	50.0271	1.0000
6	8.98	Nitrate	M	5.854	9.9805	9.9805	1.0000
7	9.54	Chlorate	MB	0.939	9.9670	9.9670	1.0000
8	12.57	Phosphate	BMB	2.305	9.9803	9.9803	1.0000
Total:			**0.000**	**39.057**		**159.44**	

6 STD6

Sample Name:	**STD6**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:37**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	6.773	18.2418	18.2418	1.0000
2	5.10	Chloride	BMB	23.542	100.0224	100.0224	1.0000
3	6.11	Nitrite,N	BMB	9.157	17.8850	17.8850	1.0000
4	7.95	Bromide	BM	2.045	20.3197	20.3197	1.0000
5	8.40	Sulfate	M	17.153	99.8863	99.8863	1.0000
6	8.91	Nitrate	M	11.778	20.0629	20.0629	1.0000
7	9.51	Chlorate	MB	1.910	20.2586	20.2586	1.0000
8	12.44	Phosphate	BMB	4.668	20.1606	20.1606	1.0000
Total:			**0.000**	**77.025**		**316.84**	

7 ICV

Sample Name:	**ICV**	*Injection Volume:*	**5.00**
Vial Number:	**GA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:54**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.495	4.0374	4.0374	1.0000
2	5.12	Chloride	BMB	4.681	19.9333	19.9333	1.0000
3	6.13	Nitrite,N	BMB	2.195	4.2858	4.2858	1.0000
4	8.00	Bromide	BMB	0.384	3.8585	3.8585	1.0000
5	8.57	Sulfate	BM	3.469	20.2132	20.2132	1.0000
6	9.05	Nitrate	M	2.340	3.9993	3.9993	1.0000
7	9.57	Chlorate	MB	0.367	3.9104	3.9104	1.0000
8	12.68	Phosphate	BMB	0.911	3.9732	3.9732	1.0000
Total:			**0.000**	**15.841**		**64.21**	

8 ICB

Sample Name:	**ICB**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 19:29**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.11	Chloride	BMB	0.004	0.0748	0.0748	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.63	Sulfate	BMB	0.008	0.0618	0.0618	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.013**		**0.14**	

45 CCV

Sample Name:	**CCV**	*Injection Volume:*	**5.00**
Vial Number:	**BA5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/25/2019 23:52**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.521	4.1071	4.1071	1.0000
3	5.11	Chloride	BMB	4.796	20.4234	20.4234	1.0000
4	6.10	Nitrite,N	BMB	2.170	4.2379	4.2379	1.0000
5	7.95	Bromide	BMB	0.384	3.8558	3.8558	1.0000
6	8.59	Sulfate	BM	3.526	20.5418	20.5418	1.0000
7	8.98	Nitrate	M	2.387	4.0803	4.0803	1.0000
8	9.49	Chlorate	MB	0.373	3.9800	3.9800	1.0000
9	12.74	Phosphate	BMB	0.884	3.8555	3.8555	1.0000
Total:			**0.000**	**16.041**		**65.08**	

46 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/26/2019 00:08**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.10	Chloride	BMB	0.002	0.0677	0.0677	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.002**		**0.07**	

47 WBLKW2-092519

Sample Name:	**WBLKW2-092519**	*Injection Volume:*	**5.00**
Vial Number:	**GA1**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/26/2019 00:25**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.10	Chloride	BMB	0.003	0.0702	0.0702	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.003**		**0.07**	

48 WLCSW2-092519

Sample Name:	**WLCSW2-092519**	*Injection Volume:*	**5.00**
Vial Number:	**GA2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/26/2019 00:42**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.491	4.0264	4.0264	1.0000
3	5.11	Chloride	BMB	4.665	19.8667	19.8667	1.0000
4	6.10	Nitrite,N	BMB	2.187	4.2705	4.2705	1.0000
5	7.94	Bromide	BMB	0.375	3.7671	3.7671	1.0000
6	8.58	Sulfate	BM	3.476	20.2496	20.2496	1.0000
7	8.97	Nitrate	M	2.343	4.0047	4.0047	1.0000
8	9.49	Chlorate	MB	0.368	3.9225	3.9225	1.0000
9	12.73	Phosphate	BMB	0.873	3.8076	3.8076	1.0000
Total:			**0.000**	**15.776**		**63.92**	

49 WLCSDW2-092519

Sample Name:	**WLCSDW2-092519**	*Injection Volume:*	**5.00**
Vial Number:	**GA3**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/26/2019 00:58**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.482	4.0024	4.0024	1.0000
3	5.11	Chloride	BMB	4.639	19.7553	19.7553	1.0000
4	6.10	Nitrite,N	BMB	2.181	4.2588	4.2588	1.0000
5	7.94	Bromide	BMB	0.375	3.7705	3.7705	1.0000
6	8.58	Sulfate	BM	3.447	20.0814	20.0814	1.0000
7	8.97	Nitrate	M	2.329	3.9821	3.9821	1.0000
8	9.49	Chlorate	MB	0.367	3.9176	3.9176	1.0000
9	12.73	Phosphate	BMB	0.879	3.8371	3.8371	1.0000
Total:			**0.000**	**15.700**		**63.61**	

51 HS19090511-02DF20

Sample Name:	**HS19090511-02DF20**	*Injection Volume:*	**5.00**
Vial Number:	**GA5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**20.0000**
Recording Time:	**09/26/2019 01:31**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.005	0.0275	0.5491	20.0000
3	5.11	Chloride	BMB	10.605	45.0899	901.7987	20.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	20.0000
4	7.94	Bromide	BMB	0.017	0.2210	4.4193	20.0000
5	8.53	Sulfate	BMB	10.273	59.8285	1196.5704	20.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	20.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	20.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	20.0000
Total:			**0.000**	**20.900**		**2103.34**	

52 HS19090511-02MSDF20

Sample Name:	**HS19090511-02MSDF20**	*Injection Volume:*	**5.00**
Vial Number:	**GA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**20.0000**
Recording Time:	**09/26/2019 01:48**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.743	2.0147	40.2932	20.0000
3	5.10	Chloride	BMB	12.759	54.2373	1084.7461	20.0000
4	6.09	Nitrite,N	BMB	1.107	2.1617	43.2342	20.0000
5	7.94	Bromide	BMB	0.196	1.9931	39.8615	20.0000
6	8.51	Sulfate	BM	11.820	68.8346	1376.6921	20.0000
7	8.98	Nitrate	M	1.165	2.0008	40.0162	20.0000
8	9.49	Chlorate	M	0.175	1.8819	37.6389	20.0000
10	12.82	Phosphate	BMB	0.375	1.6640	33.2803	20.0000
Total:			**0.000**	**28.341**		**2695.76**	

53 HS19090511-02MSDDF20

Sample Name:	HS19090511-02MSDDF20	Injection Volume:	5.00
Vial Number:	GA7	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	20.0000
Recording Time:	09/26/2019 02:05	Sample Weight:	1.0000
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.735	1.9929	39.8576	20.0000
3	5.10	Chloride	BMB	12.677	53.8861	1077.7227	20.0000
4	6.09	Nitrite,N	BMB	1.100	2.1472	42.9448	20.0000
5	7.94	Bromide	BMB	0.194	1.9781	39.5622	20.0000
6	8.51	Sulfate	BM	11.721	68.2581	1365.1626	20.0000
7	8.98	Nitrate	M	1.156	1.9847	39.6934	20.0000
8	9.49	Chlorate	M	0.175	1.8760	37.5200	20.0000
10	12.82	Phosphate	BMB	0.376	1.6659	33.3184	20.0000
Total:			**0.000**	**28.133**		**2675.78**	

57 CCV1

Sample Name:	**CCV1**	*Injection Volume:*	**5.00**
Vial Number:	**BA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/26/2019 03:11**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.476	9.3703	9.3703	1.0000
3	5.10	Chloride	BMB	11.463	48.7317	48.7317	1.0000
4	6.09	Nitrite,N	BMB	5.008	9.7799	9.7799	1.0000
5	7.93	Bromide	BMB	0.984	9.8018	9.8018	1.0000
6	8.50	Sulfate	BM	8.401	48.9283	48.9283	1.0000
7	8.91	Nitrate	M	5.801	9.8913	9.8913	1.0000
8	9.46	Chlorate	MB	0.933	9.9095	9.9095	1.0000
9	12.63	Phosphate	BMB	2.225	9.6335	9.6335	1.0000
Total:			**0.000**	**38.291**		**156.05**	

58 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/26/2019 03:28**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.10	Chloride	BMB	0.003	0.0707	0.0707	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.003**		**0.07**	

63 *HS19090847-01DF10*

Sample Name:	**HS19090847-01DF10**	*Injection Volume:*	**5.00**
Vial Number:	**GB7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**10.0000**
Recording Time:	**09/26/2019 04:51**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	10.0000
3	5.10	Chloride	BMB	14.261	60.6132	606.1318	10.0000
4	6.09	Nitrite,N	BMB	0.035	0.0683	0.6830	10.0000
5	7.92	Bromide	BMB	0.003	0.0789	0.7887	10.0000
6	8.60	Sulfate	BM	3.668	21.3695	213.6954	10.0000
7	9.00	Nitrate	MB	0.025	0.0604	0.6039	10.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	10.0000
8	12.89	Phosphate	BMB	0.030	0.1773	1.7731	10.0000
Total:			**0.000**	**18.022**		**823.68**	

69 CCV

Sample Name:	**CCV**	*Injection Volume:*	**5.00**
Vial Number:	**BA5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**09/26/2019 06:31**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.518	4.0998	4.0998	1.0000
3	5.11	Chloride	BMB	4.800	20.4387	20.4387	1.0000
4	6.10	Nitrite,N	BMB	2.171	4.2396	4.2396	1.0000
5	7.94	Bromide	BMB	0.384	3.8614	3.8614	1.0000
6	8.58	Sulfate	BM	3.533	20.5826	20.5826	1.0000
7	8.97	Nitrate	M	2.396	4.0953	4.0953	1.0000
8	9.48	Chlorate	MB	0.376	4.0086	4.0086	1.0000
9	12.74	Phosphate	BMB	0.878	3.8306	3.8306	1.0000
Total:			**0.000**	**16.056**		**65.16**	

70 CCB

Sample Name:	CCB	Injection Volume:	5.00
Vial Number:	BA6	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	1.0000
Recording Time:	09/26/2019 06:47	Sample Weight:	1.0000
Run Time:			



Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.10	Chloride	BMB	0.003	0.0684	0.0684	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.003**		**0.07**	

HS19090964

Report Date: 09/21/2019 : 2:51

PC-TitratION PLUS

Calibration Report

Calibration Record # 2158

Calibration Settings

Calibration ID	PH CAL 4-7-10	Date	09/21/2019
Channel	1	Time	2:51 PM
Probe Type	pH	Temperature	295.61 K 22.46 C
Probe ID	PH ELECTRODE	Analysis Type	Single Line Fit

Calibration Results

Slope	-57.900	CorrCoeff	0.9999
Intercept	3.093	Equation: Y = (-57.900) X + (3.093)	

Calibration Validity True Operator

	Result	Minimum	Maximum
Slope	-57.900	-65.00	-53.00
Intercept	3.093	-100.00	100.00
Correlation Coefficient	0.9999	0.99	1.00

Note: "True" means the calibration was within the specified ranges
"False" means the calibration was NOT within the specified ranges

AIK (A) R# 346725

AIK (B) R# 346726

Calibration Data	Standard	Reading
	4.00	178.46
	7.00	-0.24
	10.00	-168.94

PH 4502 (A) R# 346793

PH 4500 (B) R# 346794

PC-TitratION PLUS by Man-Tech Associates, Inc.

CALRPRTLive1.SRW

Copyright Hinterland Software Ltd.

Report Date: 9/21/2019 : 11:36 PM

PC-TitratION PLUS
Water Analysis Report

Run Number 3622 **Order Number** 20190921-2

SampleID	RunDate	RunTime	Temp	cond (uS)	pH	palk-ppm	talk-ppm	bcarb-ppm	carb-ppm	hydr-ppm	mLs @ 8.3	mLs @ 4.5	mLs @ 4.2
ICV-PH	9/21/2019	3:25 PM	22.60	-1.00	6.04	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
TAP WATER	9/21/2019	3:31 PM	22.70	-1.00	7.91	.00	279.23	279.23	.00	.00	.00	2.66	2.66
WBLKW1-190921	9/21/2019	3:37 PM	22.58	-1.00	5.83	.00	.55	.55	.00	.00	.00	.02	.02
LCS1-190921	9/21/2019	3:45 PM	22.63	-1.00	10.99	560.41	1,081.63	.00	1,042.44	39.19	5.34	10.30	10.30
LCSD1-190921	9/21/2019	3:54 PM	22.72	-1.00	10.99	564.41	1,091.68	.00	1,054.53	37.15	5.38	10.40	10.40
HS19090430-04	9/21/2019	4:02 PM	22.72	-1.00	7.89	.00	619.85	619.85	.00	.00	.00	5.90	5.90
HS19090430-04DUP	9/21/2019	4:09 PM	22.64	-1.00	7.88	.00	621.92	621.92	.00	.00	.00	5.92	5.92
HS19090539-02	9/21/2019	4:17 PM	22.57	-1.00	7.46	.00	995.93	995.93	.00	.00	.00	9.49	9.49
HS19090539-03	9/21/2019	4:27 PM	22.54	-1.00	7.69	.00	1,002.02	1,002.02	.00	.00	.00	9.54	9.54
HS19090539-05	9/21/2019	4:34 PM	22.63	-1.00	7.63	.00	802.51	802.51	.00	.00	.00	7.64	7.64
HS19090539-05DUP	9/21/2019	4:42 PM	22.61	-1.00	7.64	.00	807.96	807.96	.00	.00	.00	7.69	7.69
CCV-PH	9/21/2019	4:45 PM	22.86	-1.00	7.06	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
CCV-ALK	9/21/2019	4:54 PM	22.84	-1.00	10.96	556.73	1,085.02	.00	1,056.59	28.43	5.30	10.33	10.33
DI RINSE	9/21/2019	4:59 PM	22.77	-1.00	5.91	.00	.44	.44	.00	.00	.00	.02	.02
HS19090539-04	9/21/2019	5:07 PM	22.72	-1.00	7.42	.00	1,002.15	1,002.15	.00	.00	.00	9.54	9.54
HS19090539-06	9/21/2019	5:16 PM	22.80	-1.00	7.46	.00	928.25	928.25	.00	.00	.00	8.84	8.84
HS19090539-07	9/21/2019	5:21 PM	22.80	-1.00	5.62	.00	.30	.30	.00	.00	.00	.02	.02
HS19090807-01	9/21/2019	5:28 PM	22.75	-1.00	7.61	.00	343.72	343.72	.00	.00	.00	3.27	3.27
HS19090807-02	9/21/2019	5:34 PM	22.74	-1.00	7.64	.00	316.64	316.64	.00	.00	.00	3.02	3.02
HS19090807-03	9/21/2019	5:41 PM	22.72	-1.00	7.74	.00	313.78	313.78	.00	.00	.00	2.99	2.99
HS19090807-04	9/21/2019	5:47 PM	22.87	-1.00	7.73	.00	340.91	340.91	.00	.00	.00	3.25	3.25
HS19090807-05	9/21/2019	5:52 PM	22.86	-1.00	5.88	.00	.52	.52	.00	.00	.00	.02	.02
HS19090904-01	9/21/2019	5:59 PM	22.77	-1.00	7.76	.00	93.42	93.42	.00	.00	.00	.89	.89
CCV-PH	9/21/2019	6:02 PM	22.72	-1.00	7.06	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
CCV-ALK	9/21/2019	6:10 PM	22.60	-1.00	10.94	552.15	1,086.21	.00	1,068.11	18.10	5.26	10.34	10.34
DI RINSE	9/21/2019	6:15 PM	22.57	-1.00	5.93	.00	.36	.36	.00	.00	.00	.02	.02
HS19090580-02	9/21/2019	6:26 PM	22.52	-1.00	8.24	.00	1,389.15	1,389.15	.00	.00	.00	13.23	13.23

PC-TitratION PLUS by Man-Tech Associates, Inc.

GENERAL RESULTS REPORT.SRW

Copyright Hinterland Software Ltd

Run Number 3622 **Order Number** 20190921-2

SampleID	RunDate	RunTime	Temp	cond (uS)	pH	palk-ppm	talk-ppm	bcarb-ppm	carb-ppm	hydr-ppm	mLs @ 8.3	mLs @ 4.5	mLs @ 4.2
HS19090580-03	9/21/2019	6:33 PM	22.55	-1.00	7.92	.00	591.10	591.10	.00	.00	.00	5.63	5.63
HS19090580-04	9/21/2019	6:41 PM	22.60	-1.00	7.86	.00	686.16	686.16	.00	.00	.00	6.53	6.53
HS19090835-01DF500	9/21/2019	6:51 PM	22.57	-1.00	11.77	423.52	449.50	.00	51.96	397.54	4.03	4.28	4.28
HS19090835-01DF1000	9/21/2019	6:59 PM	22.54	-1.00	11.56	207.36	225.49	.00	36.26	189.22	1.97	2.15	2.15
HS19090892-01	9/21/2019	7:06 PM	22.42	-1.00	8.67	11.56	290.06	266.94	23.13	.00	.11	2.76	2.76
WBLKW2-190921	9/21/2019	7:11 PM	22.37	-1.00	5.86	.00	.35	.35	.00	.00	.00	.02	.02
WLCS2-190921	9/21/2019	7:20 PM	22.32	-1.00	10.92	548.80	1,083.78	.00	1,069.96	13.82	5.23	10.32	10.32
WLCSD2-190921	9/21/2019	7:30 PM	22.28	-1.00	10.92	546.08	1,092.56	.40	1,092.16	.00	5.20	10.41	10.41
CCV-PH	9/21/2019	7:32 PM	22.22	-1.00	7.06	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
CCV-ALK	9/21/2019	7:41 PM	22.13	-1.00	10.91	551.36	1,093.30	.00	1,083.89	9.41	5.25	10.41	10.41
DI RINSE	9/21/2019	7:46 PM	22.28	-1.00	5.95	.00	.44	.44	.00	.00	.00	.02	.02
HS19090816-04	9/21/2019	7:54 PM	22.28	-1.00	7.51	.00	860.46	860.46	.00	.00	.00	8.19	8.19
HS19090816-04DUP	9/21/2019	8:02 PM	22.23	-1.00	7.46	.00	859.50	859.50	.00	.00	.00	8.19	8.19
HS19090633-01	9/21/2019	8:10 PM	22.16	-1.00	7.82	.00	594.81	594.81	.00	.00	.00	5.66	5.66
HS19090633-02	9/21/2019	8:18 PM	22.13	-1.00	7.66	.00	915.69	915.69	.00	.00	.00	8.72	8.72
HS19090633-03	9/21/2019	8:26 PM	22.10	-1.00	7.89	.00	484.68	484.68	.00	.00	.00	4.62	4.62
HS19090633-04	9/21/2019	8:33 PM	22.03	-1.00	7.58	.00	813.75	813.75	.00	.00	.00	7.75	7.75
HS19090633-05	9/21/2019	8:41 PM	22.08	-1.00	7.51	.00	701.78	701.78	.00	.00	.00	6.68	6.68
HS19090816-01	9/21/2019	8:49 PM	22.20	-1.00	7.56	.00	850.16	850.16	.00	.00	.00	8.10	8.10
HS19090816-02	9/21/2019	8:57 PM	22.14	-1.00	7.46	.00	933.99	933.99	.00	.00	.00	8.90	8.90
CCV-PH	9/21/2019	9:00 PM	22.20	-1.00	7.06	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
CCV-ALK	9/21/2019	9:08 PM	22.13	-1.00	10.88	539.83	1,078.42	.00	1,077.18	1.23	5.14	10.27	10.27
DI RINSE	9/21/2019	9:13 PM	22.10	-1.00	5.92	.00	.53	.53	.00	.00	.00	.02	.02
HS19090816-03	9/21/2019	9:20 PM	22.10	-1.00	7.94	.00	260.19	260.19	.00	.00	.00	2.48	2.48
HS19090805-01	9/21/2019	9:27 PM	22.13	-1.00	8.62	11.58	319.34	296.18	23.16	.00	.11	3.04	3.04
HS19090740-01	9/21/2019	9:35 PM	22.07	-1.00	7.44	.00	656.68	656.68	.00	.00	.00	6.25	6.25
HS19090740-02	9/21/2019	9:42 PM	22.05	-1.00	7.61	.00	639.25	639.25	.00	.00	.00	6.09	6.09
HS19090740-03	9/21/2019	9:49 PM	22.19	-1.00	7.59	.00	584.62	584.62	.00	.00	.00	5.57	5.57
HS19090740-04	9/21/2019	9:56 PM	22.10	-1.00	7.78	.00	588.56	588.56	.00	.00	.00	5.61	5.61
HS19090740-05	9/21/2019	10:04 PM	22.05	-1.00	6.80	.00	761.95	761.95	.00	.00	.00	7.26	7.26

PC-TitratION PLUS by Man-Tech Associates, Inc.
GENERAL RESULTS REPORT.SRW
Copyright Hinterland Software Ltd.

Run Number 3622 **Order Number** 20190921-2

SampleID	RunDate	RunTime	Temp	cond (uS)	pH	palk-ppm	talk-ppm	bcarb-ppm	carb-ppm	hydr-ppm	mLs @ 8.3	mLs @ 4.5	mLs @ 4.2
HS19090740-05DUP	9/21/2019	10:11 PM	22.00	-1.00	6.79	.00	764.40	764.40	.00	.00	.00	7.28	7.28
HS19090927-01	9/21/2019	10:17 PM	21.99	-1.00	8.09	.00	161.39	161.39	.00	.00	.00	1.54	1.54
CCV-PH	9/21/2019	10:20 PM	22.07	-1.00	7.05	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
CCV-ALK	9/21/2019	10:29 PM	21.99	-1.00	10.86	543.16	1,096.34	10.03	1,086.31	.00	5.17	10.44	10.44
DI RINSE	9/21/2019	10:33 PM	22.02	-1.00	5.87	.00	.41	.41	.00	.00	.00	.02	.02
HS19090885-04	9/21/2019	10:41 PM	22.16	-1.00	7.57	.00	1,021.74	1,021.74	.00	.00	.00	9.73	9.73
HS19090962-12	9/21/2019	10:47 PM	22.10	-1.00	6.41	.00	132.99	132.99	.00	.00	.00	1.27	1.27
HS19090962-12DUP	9/21/2019	10:53 PM	22.03	-1.00	6.39	.00	134.27	134.27	.00	.00	.00	1.28	1.28
HS19090964-04	9/21/2019	10:58 PM	22.00	-1.00	6.55	.00	93.98	93.98	.00	.00	.00	.90	.90
HS19090964-06	9/21/2019	11:04 PM	22.02	-1.00	6.58	.00	106.86	106.86	.00	.00	.00	1.02	1.02
HS19090980-01	9/21/2019	11:11 PM	21.98	-1.00	7.77	.00	328.40	328.40	.00	.00	.00	3.13	3.13
HS19090988-01	9/21/2019	11:17 PM	21.95	-1.00	7.70	.00	341.10	341.10	.00	.00	.00	3.25	3.25
CCV-PH	9/21/2019	11:19 PM	21.93	-1.00	7.05	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
CCV-ALK	9/21/2019	11:28 PM	21.83	-1.00	10.86	544.62	1,094.45	5.21	1,089.24	.00	5.19	10.42	10.42
DI RINSE	9/21/2019	11:33 PM	22.05	-1.00	5.92	.00	.49	.49	.00	.00	.00	.02	.02

Copyright Hinterland Software Ltd.

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

October 22, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19101170**

Laboratory Results for: **LHAAP-16**

Dear Susan,

ALS Environmental received 2 sample(s) on Oct 19, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: DAYNA.FISHER
RJ Modashia
Project Manager

ALS Houston, US Date: 22-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19101170

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19101170-01	16EW07-191018	GW		18-Oct-2019 17:55	19-Oct-2019 09:05	☐
HS19101170-02	16EW05-191018	GW		18-Oct-2019 18:00	19-Oct-2019 09:05	☐

ALS Houston, US Date: 22-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19101170

CASE NARRATIVE

WetChemistry by Method SW9056

Batch ID: R348818

Sample ID: 16EW05-191018 (HS19101170-02)

- The reporting limit is elevated due to dilution for high concentrations of non-target analytes. (Bromide)

ALS Houston, US

Date: 22-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: LHAAP-16

WorkOrder:HS19101170

Sample ID: 16EW07-191018

Lab ID:HS19101170-01

Collection Date: 18-Oct-2019 17:55

Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.37**		**0.150**	**0.500**	**0.500**	**mg/L**	5	21-Oct-2019 13:46

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 22-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: LHAAP-16

WorkOrder:HS19101170

Sample ID: 16EW05-191018

Lab ID:HS19101170-02

Collection Date: 18-Oct-2019 18:00

Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A	**Method:SW9056**							Analyst: KMU
Bromide	**3.92**	J	**1.50**	**5.00**	**5.00**	**mg/L**	50	21-Oct-2019 13:13

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 22-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101170

DATES REPORT

Sample ID	Client Samp ID	Collection Date	TCLP Date	Prep Date	Analysis Date	DF
Batch ID: R348818 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** GW	
HS19101170-01	16EW07-191018	18 Oct 2019 17:55			21 Oct 2019 13:46	5
HS19101170-02	16EW05-191018	18 Oct 2019 18:00			21 Oct 2019 13:13	50

ALS Houston, US Date: 22-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101170

QC BATCH REPORT

Batch ID: R348818 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-102119** Units: **mg/L** Analysis Date: **21-Oct-2019 12:06**
Client ID: Run ID: **ICS-Integrion_348818** SeqNo: **5307099** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-102119** Units: **mg/L** Analysis Date: **21-Oct-2019 12:23**
Client ID: Run ID: **ICS-Integrion_348818** SeqNo: **5307100** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.796	0.100	4	0	94.9	80 - 120				

LCSD Sample ID: **WLCSDW1-102119** Units: **mg/L** Analysis Date: **21-Oct-2019 12:40**
Client ID: Run ID: **ICS-Integrion_348818** SeqNo: **5307101** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.788	0.100	4	0	94.7	80 - 120	3.796	0.198	20	

MS Sample ID: **HS19101168-01MS** Units: **mg/L** Analysis Date: **21-Oct-2019 16:15**
Client ID: Run ID: **ICS-Integrion_348818** SeqNo: **5307110** PrepDate: DF: **2**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.301	0.200	4	0	82.5	80 - 120				

MSD Sample ID: **HS19101168-01MSD** Units: **mg/L** Analysis Date: **21-Oct-2019 16:32**
Client ID: Run ID: **ICS-Integrion_348818** SeqNo: **5307111** PrepDate: DF: **2**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.298	0.200	4	0	82.4	80 - 120	3.301	0.0909	20	

The following samples were analyzed in this batch: HS19101170-01 HS19101170-02

ALS Houston, US Date: 22-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19101170**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

ALS Houston, US Date: 22-Oct-19

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-141	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 22-Oct-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19101170
Date/Time Received: **19-Oct-2019 09:05**
Received by: **AC**

Checklist completed by: *Asad Chaudhry* eSignature 19-Oct-2019 Date
Reviewed by: *RJ Modashia* eSignature 20-Oct-2019 Date

Matrices: **GW**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☐	No ☑	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	0.7c C/UC	IR 25
Cooler(s)/Kit(s):	44696	
Date/Time sample(s) sent to storage:	10/19/2019 11:00	

Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☑
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑

pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-Bromide-ALSHT-191018 TURNAROUND TIME: 24 hr TAT RUSH: 24 hr TAT Page 1 of 1

PROJECT/CLIENT INFO				LABORATORY					
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			FedInvoices @aptim.com	
Project Number	501032			Lab Contact	RJ Modashia				
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Susan.Huang@aptim.com	
Address	1203-B East Grand Avenue			Address	10450 Stanecliff Rd., Suite 210			Susan Huang	
	PMB 202							4005 Port Chicago Hwy	
City	Marshall	State	TX	City	Houston	State	TX	Concord	State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	94520	Country USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656				
Project Manager	Praveen Srivastav								

HS19101170

Aptim Environmental & Infrastucture, Inc.

LHAAP-16

SAMPLE DETAILS									ANALYSIS REQUESTED		
									Containers and Preservative	1-250 ml HDPE, Ice	
Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS	Bromide by SW9056	
16EW07-191018	16EW07				GW	10/18/2019	1755	1		1	
16EW05-191018	16EW05				GW	10/18/2019	1800	1		1	

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	APTIM	10-18-19/1850	ALC	10/19/19 09:05

44696 etc.

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Date:
Name:
Company:

CUSTODY SEAL
Time:

Seal Broken By:
Date:

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

CUSTODY SEAL
Date:
Time:
Name:
Company:

Seal Broken By:
Date:

RMA:

FedEx
Express

FedEx
TRK# 4809 7836 7947
0221

SATURDAY 12:00F
PRIORITY OVERNIGHT

XO SGRA

77099
TX-US IAH

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

October 24, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19101343**

Laboratory Results for: **LHAAP-16**

Dear Susan,

ALS Environmental received 2 sample(s) on Oct 23, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: DAYNA.FISHER
RJ Modashia
Project Manager

ALS Houston, US Date: 24-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19101343

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19101343-01	16EW06-191022	GW		22-Oct-2019 12:45	23-Oct-2019 08:50	☐
HS19101343-02	16EW08-191022	GW		22-Oct-2019 12:50	23-Oct-2019 08:50	☐

ALS Houston, US Date: 24-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19101343

CASE NARRATIVE

WetChemistry by Method SW9056

Batch ID: R349016

Sample ID: HS19101360-08MS

- MS and MSD are for an unrelated sample (Bromide)

ALS Houston, US

Date: 24-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: LHAAP-16

WorkOrder:HS19101343

Sample ID: 16EW06-191022

Lab ID:HS19101343-01

Collection Date: 22-Oct-2019 12:45

Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: A01
Bromide	**2.99**		**0.600**	**2.00**	**2.00**	**mg/L**	20	24-Oct-2019 10:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 24-Oct-19

ANALYTICAL REPORT

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16EW08-191022
Collection Date: 22-Oct-2019 12:50

WorkOrder:HS19101343
Lab ID:HS19101343-02
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A	**Method:SW9056**							Analyst: A01
Bromide	**20.6**		**0.150**	**0.500**	**0.500**	**mg/L**	5	24-Oct-2019 08:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 24-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101343

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R349016 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** GW	
HS19101343-01	16EW06-191022	22 Oct 2019 12:45			24 Oct 2019 10:04	20
HS19101343-02	16EW08-191022	22 Oct 2019 12:50			24 Oct 2019 08:27	5

ALS Houston, US Date: 24-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101343

QC BATCH REPORT

Batch ID: R349016 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-102319** Units: **mg/L** Analysis Date: **23-Oct-2019 18:20**
Client ID: Run ID: **ICS-Integrion_349016** SeqNo: **5311633** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-102319** Units: **mg/L** Analysis Date: **23-Oct-2019 18:37**
Client ID: Run ID: **ICS-Integrion_349016** SeqNo: **5311634** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.747	0.100	4	0	93.7	80 - 120				

LCSD Sample ID: **WLCSDW1-102319** Units: **mg/L** Analysis Date: **23-Oct-2019 18:53**
Client ID: Run ID: **ICS-Integrion_349016** SeqNo: **5311635** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.742	0.100	4	0	93.6	80 - 120	3.747	0.109	20	

MS Sample ID: **HS19101360-08MS** Units: **mg/L** Analysis Date: **24-Oct-2019 04:35**
Client ID: Run ID: **ICS-Integrion_349016** SeqNo: **5311661** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.772	0.100	2	0.2135	77.9	80 - 120				S

MS Sample ID: **HS19101360-06MS** Units: **mg/L** Analysis Date: **23-Oct-2019 23:52**
Client ID: Run ID: **ICS-Integrion_349016** SeqNo: **5311644** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	2.804	0.100	2	1.023	89.0	80 - 120				

MSD Sample ID: **HS19101360-08MSD** Units: **mg/L** Analysis Date: **24-Oct-2019 04:51**
Client ID: Run ID: **ICS-Integrion_349016** SeqNo: **5311662** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.778	0.100	2	0.2135	78.2	80 - 120	1.772	0.316	20	S

ALS Houston, US Date: 24-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101343

QC BATCH REPORT

Batch ID: R349016 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MSD Sample ID: **HS19101360-06MSD** Units: **mg/L** Analysis Date: **24-Oct-2019 00:09**
Client ID: Run ID: **ICS-Integrion_349016** SeqNo: **5311645** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	2.804	0.100	2	1.023	89.0	80 - 120	2.804	0.00357	20	

The following samples were analyzed in this batch: HS19101343-01 HS19101343-02

ALS Houston, US Date: 24-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19101343**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

ALS Houston, US Date: 24-Oct-19

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-141	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 24-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19101343

SAMPLE TRACKING

Lab Samp ID	Client Sample ID	Action	Date	Person	New Location
HS19101343-01	16EW06-191022	Login	10/23/2019 1:07:20 PM	AC	WET356
HS19101343-02	16EW08-191022	Login	10/23/2019 1:07:20 PM	AC	WET356

ALS Houston, US Date: 24-Oct-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19101343
Date/Time Received: **23-Oct-2019 08:50**
Received by: **PMG**

Checklist completed by: *Asad Chaudhry* eSignature 23-Oct-2019 Date
Reviewed by: *RJ Modashia* eSignature 23-Oct-2019 Date

Matrices: **GW**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☐	No ☑	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	1.1c UC/C	IR 25	
Cooler(s)/Kit(s):			
Date/Time sample(s) sent to storage:	10/23/2019 13:15		
Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☑
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-Bromide-ALSHT-191022 TURNAROUND TIME: 24 hr TAT RUSH: 24 hr TAT Page 1 of 1

PROJECT/CLIENT INFO				LABORATORY						
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories				FedInvoices @aptim.com	
Project Number	501032			Lab Contact	RJ Modashia					
	LHAAP-16			Email	RJ.Modashia@alsglobal.com				Susan.Huang@aptim.com	
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210				Susan Huang	
	PMB 202								4005 Port Chicago Hwy	
City	Marshall	State	TX	City	Houston	State	TX		Concord	State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA		94520	Country USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656					
Project Manager	Praveen Srivastav									

SAMPLE DETAILS / ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	Containers and Preservative: 1-250 ml HDPE, Ice — ANALYSIS: Bromide by SW9056
16EW06-191022	16EW06				GW	10/22/2019	1245	1	1
16EW08-191022	16EW08				GW	10/22/2019	1250	1	1

HS19101343

Aptim Environmental & Infrastucture, Inc.

LHAAP-16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	APTIM	10-22-19/1400		10/23/19 08:50

45189 1.10 A25 Offsite

01030797

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

45189

CUSTODY SEAL

Date: 10/22/19 Time: 1430
Name: Scott Beesinger
Company: BHMT

Seal Broken By:
Date: 10/23/19

45189 OCT 23 2019

Must Deliver ~~Next Business Day~~
Time and Tempature Sensitive!

45189

ORIGIN ID:SGRA (903) 930-6193
SCOTT BEESINGER
APTIM ENVIROMENTAL & INFASTRUCTURE
1203-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 17OCT19
ACTWGT: 1.00 LB MAN
CAD: 3001307/CAFE3211
DIMS: 19x18x13 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP-16-BQ 68173-RJ

RMA:

FedEx Express

FedEx
TRK# 1251 0290 7620

WED - 23 OCT 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US
IAH

ID 5121960 22OCT19 GGGA 5660C3/2A3C/05A2

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

November 19, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19101353**

Laboratory Results for: **LHAAP-16**

Dear Susan,

ALS Environmental received 7 sample(s) on Oct 23, 2019 for the analysis presented in the following report.

This is a REVISED REPORT. Please see the Case Narrative for discussion concerning this revision.

Regards,

Generated By: RJ.MODASHIA
RJ Modashia
Project Manager

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19101353

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19101353-01	16WW22-191022	GW		22-Oct-2019 08:05	23-Oct-2019 08:50	☐
HS19101353-02	16RW12-191022	GW		22-Oct-2019 09:00	23-Oct-2019 08:50	☐
HS19101353-03	16RW12-191022-FD	GW		22-Oct-2019 09:00	23-Oct-2019 08:50	☐
HS19101353-04	16WW39-191022	GW		22-Oct-2019 09:50	23-Oct-2019 08:50	☐
HS19101353-05	16RW11-191022	GW		22-Oct-2019 10:40	23-Oct-2019 08:50	☐
HS19101353-06	16IW20-191022	GW		22-Oct-2019 11:30	23-Oct-2019 08:50	☐
HS19101353-07	16WW12-191022	GW		22-Oct-2019 12:20	23-Oct-2019 08:50	☐

Revision:1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc. **CASE NARRATIVE**
Project: LHAAP-16
Work Order: HS19101353

Work Order Comments

- Revised to correct the sample ID for HS19101353-03 to 16RW12-191022-FD
- The analysis for Methane, Methene, Ethane and CO2 by RSK175 was subcontracted to ALS Simi Valley, CA. Final report attached.
- The analysis for Perchlorate was subcontracted to ALS Salt Lake City, UT. Final report attached.

Work Order Comments

- The analysis for TOC was subcontracted to ALS Kelso, WA. Final report attached.

WetChemistry by Method SW9056

Batch ID: R349710

Sample ID: 16WW22-191022 (HS19101353-01MS)

- The MS recovery is unavailable due to sample matrix interference. (Bromide)

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW22-191022
Collection Date: 22-Oct-2019 08:05

ANALYTICAL REPORT
WorkOrder:HS19101353
Lab ID:HS19101353-01
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.50**		**0.300**	**1.00**	**1.00**	**mg/L**	10	04-Nov-2019 14:10
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	13-Nov-2019 15:06

Note: See Qualifiers Page for a list of qualifiers and their explanation. **Revision:** 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW12-191022
Collection Date: 22-Oct-2019 09:00

ANALYTICAL REPORT
WorkOrder:HS19101353
Lab ID:HS19101353-02
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.85**		**0.300**	**1.00**	**1.00**	**mg/L**	10	04-Nov-2019 15:00
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	13-Nov-2019 15:06

Note: See Qualifiers Page for a list of qualifiers and their explanation. **Revision:** 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW12-191022-FD
Collection Date: 22-Oct-2019 09:00

ANALYTICAL REPORT
WorkOrder:HS19101353
Lab ID:HS19101353-03
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.90**		**0.300**	**1.00**	**1.00**	**mg/L**	10	04-Nov-2019 15:17
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	13-Nov-2019 15:06

Note: See Qualifiers Page for a list of qualifiers and their explanation. **Revision:** 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW39-191022
Collection Date: 22-Oct-2019 09:50

ANALYTICAL REPORT
WorkOrder:HS19101353
Lab ID:HS19101353-04
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**4.96**		**0.300**	**1.00**	**1.00**	**mg/L**	10	04-Nov-2019 15:33
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	13-Nov-2019 15:06

Note: See Qualifiers Page for a list of qualifiers and their explanation. **Revision:** 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW11-191022
Collection Date: 22-Oct-2019 10:40

ANALYTICAL REPORT
WorkOrder:HS19101353
Lab ID:HS19101353-05
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**213**		**3.00**	**10.0**	**10.0**	**mg/L**	100	04-Nov-2019 16:40
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	13-Nov-2019 15:06

Note: See Qualifiers Page for a list of qualifiers and their explanation. **Revision:** 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16IW20-191022
Collection Date: 22-Oct-2019 11:30

ANALYTICAL REPORT
WorkOrder:HS19101353
Lab ID:HS19101353-06
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**4.09**		**0.300**	**1.00**	**1.00**	**mg/L**	10	04-Nov-2019 16:06
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	13-Nov-2019 15:06

Note: See Qualifiers Page for a list of qualifiers and their explanation. **Revision:** 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW12-191022
Collection Date: 22-Oct-2019 12:20

ANALYTICAL REPORT
WorkOrder:HS19101353
Lab ID:HS19101353-07
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.56**		**0.300**	**1.00**	**1.00**	**mg/L**	10	04-Nov-2019 16:23
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	13-Nov-2019 15:06

Note: See Qualifiers Page for a list of qualifiers and their explanation. **Revision:** 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101353

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R349710 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** GW	
HS19101353-01	16WW22-191022	22 Oct 2019 08:05			04 Nov 2019 14:10	10
HS19101353-02	16RW12-191022	22 Oct 2019 09:00			04 Nov 2019 15:00	10
HS19101353-03	16RW12-191022-FD	22 Oct 2019 09:00			04 Nov 2019 15:17	10
HS19101353-04	16WW39-191022	22 Oct 2019 09:50			04 Nov 2019 15:33	10
HS19101353-05	16RW11-191022	22 Oct 2019 10:40			04 Nov 2019 16:40	100
HS19101353-06	16IW20-191022	22 Oct 2019 11:30			04 Nov 2019 16:06	10
HS19101353-07	16WW12-191022	22 Oct 2019 12:20			04 Nov 2019 16:23	10
Batch ID: R350389 (0)	**Test Name :** SUBCONTRACT ANALYSIS - TOC ANALYSIS				**Matrix:** GW	
HS19101353-01	16WW22-191022	22 Oct 2019 08:05			13 Nov 2019 15:06	1
HS19101353-02	16RW12-191022	22 Oct 2019 09:00			13 Nov 2019 15:06	1
HS19101353-03	16RW12-191022-FD	22 Oct 2019 09:00			13 Nov 2019 15:06	1
HS19101353-04	16WW39-191022	22 Oct 2019 09:50			13 Nov 2019 15:06	1
HS19101353-05	16RW11-191022	22 Oct 2019 10:40			13 Nov 2019 15:06	1
HS19101353-06	16IW20-191022	22 Oct 2019 11:30			13 Nov 2019 15:06	1
HS19101353-07	16WW12-191022	22 Oct 2019 12:20			13 Nov 2019 15:06	1

Revision: 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101353

QC BATCH REPORT

Batch ID: R349710 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-110419** Units: **mg/L** Analysis Date: **04-Nov-2019 11:38**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328162** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-110419** Units: **mg/L** Analysis Date: **04-Nov-2019 11:54**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328163** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.782	0.100	4	0	94.6	80 - 120				

LCSD Sample ID: **WLCSDW1-110419** Units: **mg/L** Analysis Date: **04-Nov-2019 12:11**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328164** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.764	0.100	4	0	94.1	80 - 120	3.782	0.498	20	

MS Sample ID: **HS19101488-01MS** Units: **mg/L** Analysis Date: **04-Nov-2019 17:46**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5329293** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	22.55	1.00	20	4.49	90.3	80 - 120				

MS Sample ID: **HS19110026-01MS** Units: **mg/L** Analysis Date: **04-Nov-2019 12:44**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328166** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	18.58	1.00	20	2.058	82.6	80 - 120				

MS Sample ID: **HS19101353-01MS** Units: **mg/L** Analysis Date: **04-Nov-2019 18:49**
Client ID: **16WW22-191022** Run ID: **ICS-Integrion_349710** SeqNo: **5329296** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100	2	0	0	80 - 120				S U

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101353

QC BATCH REPORT

Batch ID: R349710 (0) **Instrument:** ICS-Integrion **Method:** ANIONS BY SW9056A

MS Sample ID: **HS19101353-01MS** Units: **mg/L** Analysis Date: **04-Nov-2019 14:27**
Client ID: **16WW22-191022** Run ID: **ICS-Integrion_349710** SeqNo: **5329281** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	21.34	1.00	20	3.498	89.2	80 - 120				

MSD Sample ID: **HS19110026-01MSD** Units: **mg/L** Analysis Date: **04-Nov-2019 13:01**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328167** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	18.72	1.00	20	2.058	83.3	80 - 120	18.58	0.756	20	

MSD Sample ID: **HS19101488-01MSD** Units: **mg/L** Analysis Date: **04-Nov-2019 18:03**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5329294** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	22.61	1.00	20	4.49	90.6	80 - 120	22.55	0.266	20	

MSD Sample ID: **HS19101353-01MSD** Units: **mg/L** Analysis Date: **04-Nov-2019 19:06**
Client ID: **16WW22-191022** Run ID: **ICS-Integrion_349710** SeqNo: **5329297** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100	2	0	0	80 - 120	0	0	20	S U

MSD Sample ID: **HS19101353-01MSD** Units: **mg/L** Analysis Date: **04-Nov-2019 14:43**
Client ID: **16WW22-191022** Run ID: **ICS-Integrion_349710** SeqNo: **5329282** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	21.41	1.00	20	3.498	89.6	80 - 120	21.34	0.313	20	

The following samples were analyzed in this batch:

HS19101353-01	HS19101353-02	HS19101353-03	HS19101353-04
HS19101353-05	HS19101353-06	HS19101353-07	

Revision: 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 19-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19101353**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

RIGHT SOLUTIONS | RIGHT PARTNER

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 19-Nov-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19101353
Date/Time Received: **23-Oct-2019 08:50**
Received by: **PMG**

Checklist completed by: *Asad Chaudhry* eSignature 23-Oct-2019 Date
Reviewed by: *RJ Modashia* eSignature 24-Oct-2019 Date

Matrices: **GW**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☐	No ☑	
Chain of custody agrees with sample labels?	Yes ☐	No ☑	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	1.1c C	IR 25
Cooler(s)/Kit(s):	45189	
Date/Time sample(s) sent to storage:	10/23/2019 16:15	

Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes: Sx 16WW40-191022 not received (missing).

Client Contacted: Date Contacted: Person Contacted:
Contacted By: Regarding:

Comments:

Corrective Action:

RIGHT SOLUTIONS | RIGHT PARTNER

APTIM

COC ID: LHAAP16-Bayou Barrier-ALSHT-1910- TURNAROUND TIME: normal RUSH: Page 1 of

PROJECT/CLIENT INFO

Facility Name	Longhorn AAP
Project Number	501032
	LHAAP-16
Address	1203-B East Grand Avenue
	PMB 202
City	Marshall
State	TX
Postal Code	75670
Country	USA
Phone Number	713.243.7264
Project Manager	Praveen Srivastav

LABORATORY

Lab Name	ALS Laboratories
Lab Contact	RJ Modashia
Email	RJ.Modashia@alsglobal.com
Address	10450 Stancliff Rd., Suite 210
City	Houston
State	TX
Postal Code	77099
Country	USA
Phone Number	281.575.2279 or 281.530.5656

Fedinvoices @aptim.com

Susan.Huang@aptim.com
Susan Huang
4005 Port Chicago Hwy
Concord | State | CA
94520 | Country | USA

HS19101353

Aptim Environmental & Infrastucture, Inc.
LHAAP-16

SAMPLE DETAILS

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont	ANALYSIS: Containers and Preservative: 1-250 ml HDPE, Ice — Bromide by SW9056	2X40 ml Vials/H2SO4 — TOC by (SW9060)
16WW22-191022	LHAAP 16				WG	10/22/19	0805	3	X	X
16WW22-191022-MS	LHAAP16				WG	10/22/19	0805	3	X	X
16WW22-191022-MSD	LHAAP16				WG	10/22/19	0805	3	X	X
16RW12-191022	LHAAP16				WG	10/22/19	0900	3	X	X
16RW12-191022-FD	LHAAP 16				WG	10/22/19	0900	3	X	X
16WW39-191022	LHAAP 16				WG	10/22/19	0950	3	X	X
16RW11-191022	LHAAP 16				WG	10/22/19	1040	3	X	X
16IW20-191022	LHAAP 16				WG	10/22/19	1130	3	X	X
16WW12-191022	LHAAP 16				WG	10/22/19	1220	3	X	X
16WW40-191022	LHAAP 16				WG	10/22/19	1310	3	X	X

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	BHAP4	10/22/19 1430		10/23/19 08:50.

OK.
US 189 1.10
#25'
cliff 0.0'

RIGHT SOLUTIONS | RIGHT PARTNER

APTIM

LHAAP16-Bayou Barrier-ALSHT-1919-

PROJECT/CLIENT INFO

LABORATORY

SAMPLE DETAILS

HS19101353

Aptim Environmental & Infrastructure, Inc.

LHAAP-16

Sample ID	Location	Depth	Depth Unit	Depth Unit	Matrix	Date	Time (24hr)	Qty Cont	Bromide 10	LOC 40 CWE9040
16ww22-191022	LHAAP16				WG	10/22/19	0805	3	X	X
16ww22-191022-MS	LHAAP16				WG	10/22/19	0805	3	X	X
16ww22-191022-MSD	LHAAP16				WG	10/22/19	0805	3	X	X
16RW12-191022	LHAAP16				WG	10/22/19	0900	3	X	X
16RW12-191022-FD	LHAAP16				WG	10/22/19	0900	3	X	X
16ww39-191022	LHAAP16				WG	10/22/19	0950	3	X	X
16RW11-191022	LHAAP16				WG	10/22/19	1040	3	X	X
16Iw20-191022	LHAAP16				WG	10/22/19	1130	3	X	X
16ww12-191022	LHAAP16				WG	10/22/19	1220	3	X	X
16ww40-191022	LHAAP16				WG	10/22/19	1310	3	X	X

collected but not shipped

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS

RELINQUISHED BY/AFFILIATION: Dustin Bass / BHATE — DATE/TIME: 10/22/19 1430

ACCEPTED BY/AFFILIATION — DATE/TIME: 10/23/19 08:50

REVISED

RIGHT SOLUTIONS | RIGHT PARTNER

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

45189

CUSTODY SEAL

Date: 10/22/19 Time: 1430
Name: Scott Beesinger
Company: BHATE

Seal Broken By:
Date: 10/23/19

45189 OCT 23 2019

Must Deliver Next Business Day
Time and Tempature Sensitive!

45189

ORIGIN ID:SGRA (903) 930-6193
SCOTT BEESINGER
APTIM ENVIROMENTAL & INFASTRUCTURE
1203-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 17OCT19
ACTWGT: 1.00 LB MAN
CAD: 3001307CAFE3211
DIMS: 19x16x13 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-6656
REF: LHAAP-16-BO 68173-RJ

RMA:

FedEx Express

FedEx
TRK# 1251 0290 7620

WED - 23 OCT 10:30A
PRIORITY OVERNIGHT

77099
TX-US
IAH

AB SGRA

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

November 13, 2019 **Analytical Report for Service Request No:** K1909995

RJ Modashia
ALS Laboratory Group
10450 Stancliff Road
Suite 210
Houston, TX 77099-4338

RE: ALS Houston DOD TOC / HS19101353

Dear RJ,

Enclosed are the results of the sample(s) submitted to our laboratory October 24, 2019
For your reference, these analyses have been assigned our service request number **K1909995.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3350. You may also contact me via email at Kelley.Lovejoy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Kelley Lovejoy

Kelley Lovejoy
Project Manager

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

Acronyms
Qualifiers
State Certifications, Accreditations, And Licenses
Case Narrative
Chain of Custody
General Chemistry
Raw Data
    General Chemistry

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

RIGHT SOLUTIONS | RIGHT PARTNER

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable. See case narrative.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

RIGHT SOLUTIONS | RIGHT PARTNER

Case Narrative

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

RIGHT SOLUTIONS | RIGHT PARTNER

RIGHT SOLUTIONS | RIGHT PARTNER

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: ALS Environmental - US
Project: ALS Houston DOD TOC
Sample Matrix: Water

Service Request: K1909995
Date Received: 10/24/2019

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier level IV requested by the client.

Sample Receipt:

Seven water samples were received for analysis at ALS Environmental on 10/24/2019. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by Kelley Lovejoy Date 11/13/2019

RIGHT SOLUTIONS | RIGHT PARTNER

Chain of Custody

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

RIGHT SOLUTIONS | RIGHT PARTNER

RIGHT SOLUTIONS | RIGHT PARTNER

K1909995

10450 Stancliff Rd, Ste 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **12475**

SUBCONTRACT TO:

ALS Environmental Kelso
1317 S. 13th Avenue
Kelso, WA 98626

Phone: +1 360 501 3312

CUSTOMER INFORMATION:

Company:	ALS Houston
Contact:	RJ Modashia
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Email:	RJ.Modashia@alsglobal.com
Alternate Contact:	Jumoke M. Lawal
Email:	jumoke.lawal@alsglobal.com

INVOICE INFORMATION:

Company:	ALS Houston
Contact:	Accounts Payable
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Reference:	HS19101353
TSR:	Sonia West

	LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
	ANALYSIS REQUESTED			DUE DATE
1.	**HS19101353-01**	**16WW22-191022**	**GW**	**22 Oct 2019 08:05**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			06 Nov 2019
2.	**HS19101353-02**	**16RW12-191022**	**GW**	**22 Oct 2019 09:00**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			06 Nov 2019
3.	**HS19101353-03**	**16WW22-191022-FD**	**GW**	**22 Oct 2019 09:00**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			06 Nov 2019
4.	**HS19101353-04**	**16WW39-191022**	**GW**	**22 Oct 2019 09:50**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			06 Nov 2019
5.	**HS19101353-05**	**16RW11-191022**	**GW**	**22 Oct 2019 10:40**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			06 Nov 2019
6.	**HS19101353-06**	**16IW20-191022**	**GW**	**22 Oct 2019 11:30**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			06 Nov 2019
7.	**HS19101353-07**	**16WW12-191022**	**GW**	**22 Oct 2019 12:20**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			06 Nov 2019

Comments: Please analyze for the analysis listed above.
Send report to the emails shown above.

RIGHT SOLUTIONS | RIGHT PARTNER

K1909995

Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **12475**

QC Level: DOD IV (DoD Data Package)

Relinquished By: Raquel Cu Date/Time: 10/23/19 17:00

Received By: K Morrow ALS Kelso Date/Time: 10/24/19 0945

Cooler ID(s): RED Temperature(s):

PC KL

Cooler Receipt and Preservation Form

Client ALS-Houston Service Request K19 09995

Received: 10/24/19 Opened: 10/24/2019 By: [illegible] Unloaded: 10/24/19 By: KL

1. Samples were received via? *USPS* (*Fed Ex*) *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other*_____ *NA*
3. Were custody seals on coolers? NA (Y) N If yes, how many and where? 1 Front
   If present, were custody seals intact? (Y) N If present, were they signed and dated? (Y) N

Raw Cooler Temp.	Corrected Cooler Temp.	Raw Temp Blank	Corrected Temp Blank	Corr. Factor	Thermometer ID	Cooler/COC ID NA	Tracking Number (NA)	Filed
-0.4	-0.3	1.9	2.0	+0.1	360	12475	X	

4. Packing material: *Inserts* *Baggies* *Bubble Wrap* *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* Bubble Bags
5. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
6. Were samples received in good condition (temperature, unbroken)? *Indicate in the table below.* NA (Y) N
   If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*
7. Were all sample labels complete (i.e analysis, preservation, etc.)? NA (Y) N
8. Did all sample labels and tags agree with custody papers? *Indicate major discrepancies in the table on page 2.* NA (Y) N
9. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N
10. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA (Y) N
11. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
12. Was C12/Res negative? (NA) Y N

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Out of Temp	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, & Resolutions: Did not record tracking number before I threw garbage away. KL

Received triplicate bottles for 16W82-191022.

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

RIGHT SOLUTIONS | RIGHT PARTNER

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	ALS Environmental - US	**Service Request:**	K1909995
Project:	ALS Houston DOD TOC/HS19101353	**Date Collected:**	10/22/19
Sample Matrix:	Water	**Date Received:**	10/24/19
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Carbon, Total Organic

Sample Name	Lab Code	Result	LOQ	LOD	MDL	Dil.	Date Analyzed	Q
16WW22-191022	K1909995-001	**1.84**	0.50	0.20	0.07	1	10/31/19 02:53	
16RW12-191022	K1909995-002	**1.78**	0.50	0.20	0.07	1	10/31/19 04:15	
16RW12-191022-FD	K1909995-003	**1.91**	0.50	0.20	0.07	1	10/31/19 04:48	
16WW39-191022	K1909995-004	**3.53**	0.50	0.20	0.07	1	10/31/19 05:20	
16RW11-191022	K1909995-005	**3290**	400	160	60	800	11/07/19 21:01	
16IW20-191022	K1909995-006	**38**	10	4	2	20	11/07/19 21:33	
16WW12-191022	K1909995-007	**7.51**	0.50	0.20	0.07	1	11/06/19 06:30	
Method Blank	K1909995-MB1	ND U	0.50	0.20	0.07	1	10/30/19 23:08	
Method Blank	K1909995-MB2	ND U	0.50	0.20	0.07	1	11/06/19 07:36	
Method Blank	K1909995-MB3	ND U	0.50	0.20	0.07	1	11/07/19 20:11	

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1909995
Project	ALS Houston DOD TOC/HS19101353	**Date Collected:**	10/22/19
Sample Matrix:	Water	**Date Received:**	10/24/19
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Replicate Sample Summary
Carbon, Total Organic

Sample Name:	Lab Code:	LOQ	LOD	MDL	Sample Result	Duplicate Result	Average	RPD	RPD Limit	Date Analyzed
16WW22-191022	K1909995-001DUP	0.50	0.20	0.07	1.84	1.78	1.81	3	10	10/31/19
16RW12-191022	K1909995-002DUP	0.50	0.20	0.07	1.78	1.83	1.81	3	10	10/31/19
16RW12-191022-FD	K1909995-003DUP	0.50	0.20	0.07	1.91	1.80	1.86	6	10	10/31/19
16WW39-191022	K1909995-004DUP	0.50	0.20	0.07	3.53	3.44	3.49	3	10	10/31/19
16RW11-191022	K1909995-005DUP	400	160	60	3290	3400	3350	3	10	11/07/19
16IW20-191022	K1909995-006DUP	10	4	2	38	38	38.1	<1	10	11/07/19
16WW12-191022	K1909995-007DUP	0.50	0.20	0.07	7.51	7.36	7.43	2	10	11/06/19

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1909995
Project:	ALS Houston DOD TOC/HS19101353	**Date Collected:**	10/22/19
Sample Matrix:	Water	**Date Received:**	10/24/19
		Date Analyzed:	10/31/19
		Date Extracted:	NA

Matrix Spike Summary
Carbon, Total Organic

Sample Name:	16WW22-191022	**Units:**	mg/L
Lab Code:	K1909995-001	**Basis:**	NA
Analysis Method:	SM 5310 C		
Prep Method:	None		

Matrix Spike
K1909995-001MS

Analyte Name	Sample Result	Result	Spike Amount	% Rec	% Rec Limits
Carbon, Total Organic	1.84	27.0	25.0	101	83-117

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1909995
Project:	ALS Houston DOD TOC/HS19101353	**Date Analyzed:**	10/30/19
Sample Matrix:	Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	657830

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1909995-LCS1	24.6	25.0	98	83-117

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1909995
Project:	ALS Houston DOD TOC/HS19101353	**Date Analyzed:**	11/06/19
Sample Matrix:	Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	658207

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1909995-LCS2	24.1	25.0	96	83-117

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1909995
Project:	ALS Houston DOD TOC/HS19101353	**Date Analyzed:**	11/07/19
Sample Matrix:	Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	658970

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1909995-LCS3	24.4	25.0	98	83-117

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:** K1909995
Project: ALS Houston DOD TOC/HS19101353

Continuing Calibration Verification (CCV) Summary

Carbon, Total Organic

Analysis Method: SM 5310 C **Units:** mg/L

	Analysis Lot	Lab Code	Date Analyzed	True Value	Measured Value	Percent Recovery	Acceptance Limits
CCV1	657830	KQ1915964-01	10/30/19 22:34	25.0	24.2	97	90-110
CCV2	657830	KQ1915964-02	10/31/19 03:42	25.0	24.2	97	90-110
CCV3	657830	KQ1915964-03	10/31/19 09:06	25.0	24.7	99	90-110
CCV4	658207	KQ1916154-01	11/05/19 21:27	25.0	23.7	95	90-110
CCV5	658207	KQ1916154-02	11/06/19 07:02	25.0	23.6	94	90-110
CCV6	658207	KQ1916154-03	11/06/19 11:55	25.0	23.7	95	90-110
CCV7	658207	KQ1916154-04	11/06/19 17:49	25.0	23.7	95	90-110
CCV8	658207	KQ1916154-05	11/06/19 22:41	25.0	23.4	94	90-110
CCV9	658970	KQ1916550-01	11/07/19 19:26	25.0	23.9	96	90-110
CCV10	658970	KQ1916550-02	11/08/19 00:15	25.0	23.9	96	90-110
CCV11	658970	KQ1916550-03	11/08/19 05:37	25.0	23.9	96	90-110

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:**K1909995
Project: ALS Houston DOD TOC/HS19101353

Continuing Calibration Blank (CCB) Summary
Carbon, Total Organic

Analysis Method: SM 5310 C **Units:**mg/L

	Analysis Lot	Lab Code	Date Analyzed	LOQ	LOD	MDL	Result	Q
CCB1	657830	KQ1915964-04	10/30/19 22:51	0.50	0.20	0.07	ND	U
CCB2	657830	KQ1915964-05	10/31/19 03:59	0.50	0.20	0.07	ND	U
CCB3	657830	KQ1915964-06	10/31/19 09:22	0.50	0.20	0.07	ND	U
CCB4	658207	KQ1916154-06	11/05/19 21:44	0.50	0.20	0.07	ND	U
CCB5	658207	KQ1916154-07	11/06/19 07:19	0.50	0.20	0.07	ND	U
CCB6	658207	KQ1916154-08	11/06/19 12:11	0.50	0.20	0.07	ND	U
CCB7	658207	KQ1916154-09	11/06/19 18:06	0.50	0.20	0.07	ND	U
CCB8	658207	KQ1916154-10	11/06/19 22:58	0.50	0.20	0.07	ND	U
CCB9	658970	KQ1916550-04	11/07/19 19:43	0.50	0.20	0.07	ND	U
CCB10	658970	KQ1916550-05	11/08/19 00:31	0.50	0.20	0.07	ND	U
CCB11	658970	KQ1916550-06	11/08/19 05:54	0.50	0.20	0.07	ND	U

RIGHT SOLUTIONS | RIGHT PARTNER

Raw Data

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

RIGHT SOLUTIONS | RIGHT PARTNER

RIGHT SOLUTIONS | RIGHT PARTNER

Work Request # Original ( ) KI909809, 9822, 9860, 9892, 9998, 10007, 10066, 10079, 9912, 9995, 9627, 9892, 9913, 9958

Tier: II II I II II IV IV IV II IV I II II IV

Date Analyzed: 10/30/19

Analyst: BCD

Analysis: TOC/DOC

TOC: 657829, 657830

DOC: 657831, 657852

Run #

DATA QUALITY REPORT
INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1.	Is the method name and number correct and appropriate?	yes/no/NA
2.	Holding times met for all analyses and for all samples?	yes/no/NA
3.	Are calculations correct?	yes/no/NA
4.	Is the reporting basis correct? (Dry Weight)	yes/no/NA
5.	All quality control criteria met?	yes/no
6.	Is the calibration curve correlation coefficient ≥ 0.995?	yes/no/NA
7.	MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency?	yes/no/NA
8.	Are ICVs, CCVs, and CCBs all within acceptance limits?	yes/no/NA
9.	Are results for methods blanks all ND?	yes/no/NA
10.	Are all QC samples within acceptance criteria? (LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.)	yes/no/NA
11.	Are all exceptions explained?	yes/no/NA
12.	Have all applicable service requests been reviewed?	yes/no/NA
13.	Are all samples labeled correctly?	yes/no/NA
14.	Have all instructions on the service request been followed? (e.g. Special MRLs, QC on a specific sample, Form V)	yes/no/NA
15.	Are detection limits and units reported correctly?	yes/no/NA
16.	Is the unused space on the benchsheet crossed out?	yes/no/NA
17.	Was analysis turned in by the due date? (n-2) (If not record SR#)	yes/no/NA

COMMENTS: KI909995-S16 sent for RA due to being above the calibration curve.
KI909995-7 sent for RA due to previous sample carry over.
KI909892-S/S dup report a high %RSD. However, these samples are less than 5x the MRL.
TP01809-1/64 report a high %RSD due to suspected non-homogenous sample.

Final Approved by: [signature] Date: 11/01/19

DQREPORT

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657829 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
K1909800-002	Carbon, Total Organic	N/A		Water	2.78 mg/L	10 mL	278 mg/L	100	7	50			10/30/19 14:15:00	N
K1909822-004	Carbon, Total Organic	N/A		Water	6.88 mg/L	10 mL	688 mg/L	100	7	50			10/30/19 14:47:00	N
K1909822-005	Carbon, Total Organic	N/A		Water	5.89 mg/L	10 mL	589 mg/L	100	7	50			10/30/19 15:19:00	N
K1909860-026	Carbon, Total Organic	N/A		Water	0.53 mg/L	10 mL	0.53 mg/L	1	0.07	0.50			10/30/19 13:59:00	N
K1909892-001	Carbon, Total Organic	N/A		Water	4.52 mg/L	10 mL	4.52 mg/L	1	0.07	0.50			10/30/19 22:02:00	N
K1909892-002	Carbon, Total Organic	N/A		Water	5.21 mg/L	10 mL	5.21 mg/L	1	0.07	0.50			10/30/19 23:41:00	N
K1909892-003	Carbon, Total Organic	N/A		Water	2.41 mg/L	10 mL	2.41 mg/L	1	0.07	0.50			10/31/19 00:13:00	N
K1909892-004	Carbon, Total Organic	N/A		Water	0.96 mg/L	10 mL	0.96 mg/L	1	0.07	0.50			10/31/19 00:45:00	N
K1909892-005	Carbon, Total Organic	N/A		Water	0.38 mg/L	10 mL	0.38 mg/L J	1	0.07	0.50			10/31/19 01:17:00	N
K1909998-001	Carbon, Total Organic	N/A		Water	2.05 mg/L	10 mL	2.05 mg/L	1	0.07	0.50			10/30/19 20:26:00	N
K1910007-001	Carbon, Total Organic	N/A		Water	1.56 mg/L	10 mL	1.56 mg/L	1	0.07	0.50			10/30/19 20:58:00	N
K1910066-001	Carbon, Total Organic	N/A		Water	0.99 mg/L	10 mL	0.99 mg/L	1	0.07	0.50			10/30/19 17:13:00	N
K1910066-002	Carbon, Total Organic	N/A		Water	0.95 mg/L	10 mL	0.95 mg/L	1	0.07	0.50			10/30/19 17:46:00	N
K1910066-003	Carbon, Total Organic	N/A		Water	0.83 mg/L	10 mL	0.83 mg/L	1	0.07	0.50			10/30/19 18:18:00	N
K1910066-004	Carbon, Total Organic	N/A		Water	0.79 mg/L	10 mL	0.79 mg/L	1	0.07	0.50			10/30/19 18:50:00	N
K1910066-005	Carbon, Total Organic	N/A		Water	0.79 mg/L	10 mL	0.79 mg/L	1	0.07	0.50			10/30/19 19:22:00	N
K1910066-006	Carbon, Total Organic	N/A		Water	1.69 mg/L	10 mL	1.69 mg/L	1	0.07	0.50			10/30/19 15:52:00	Y
K1910066-007	Carbon, Total Organic	N/A		Water	0.93 mg/L	10 mL	0.93 mg/L	1	0.07	0.50			10/30/19 19:54:00	N
K1910079-001	Carbon, Total Organic	N/A		Water	7.72 mg/L	10 mL	7.72 mg/L	1	0.07	0.50			10/30/19 21:30:00	N
KQ1915963-01	Carbon, Total Organic	LOQV		Water	0.53 mg/L	10 mL	0.53 mg/L	1	0.07	0.50			10/30/19 13:59:00	N
KQ1915963-02	Carbon, Total Organic	LODV		Water	0.08 mg/L	10 mL	0.08 mg/L J	1	0.07	0.50			10/30/19 13:42:00	N
KQ1915963-03	Carbon, Total Organic	CCV		Water	23.90 mg/L	10 mL	23.9 mg/L	1					10/30/19 12:18:00	N
KQ1915963-04	Carbon, Total Organic	CCV		Water	24.15 mg/L	10 mL	24.2 mg/L	1					10/30/19 16:40:00	N
KQ1915963-05	Carbon, Total Organic	CCV		Water	24.21 mg/L	10 mL	24.2 mg/L	1					10/30/19 22:34:00	N
KQ1915963-06	Carbon, Total Organic	CCV		Water	24.18 mg/L	10 mL	24.2 mg/L	1					10/31/19 03:42:00	N
KQ1915963-07	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/30/19 12:35:00	N
KQ1915963-08	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/30/19 16:57:00	N
KQ1915963-09	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/30/19 22:51:00	N
KQ1915963-10	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 03:59:00	N
KQ1915963-11	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/30/19 12:52:00	N
KQ1915963-12	Carbon, Total Organic	LCS		Water	24.60 mg/L	10 mL	24.6 mg/L	1	0.07	0.50	98		10/30/19 13:09:00	N
KQ1915963-13	Carbon, Total Organic	MS	K1910066-006	Water	25.97 mg/L	10 mL	26.0 mg/L	1	0.07	0.50	97		10/30/19 16:24:00	N
KQ1915963-14	Carbon, Total Organic	DUP	K1909800-002	Water	2.71 mg/L	10 mL	271 mg/L	100	7	50		2	10/30/19 14:15:00	N
KQ1915963-16	Carbon, Total Organic	DUP	K1909822-004	Water	7.13 mg/L	10 mL	713 mg/L	100	7	50		3	10/30/19 14:47:00	N
KQ1915963-17	Carbon, Total Organic	DUP	K1909892-001	Water	4.58 mg/L	10 mL	4.58 mg/L	1	0.07	0.50		1	10/30/19 22:02:00	N
KQ1915963-18	Carbon, Total Organic	DUP	K1909892-002	Water	5.21 mg/L	10 mL	5.21 mg/L	1	0.07	0.50		<1	10/30/19 23:41:00	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/01/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657829 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1915963-19	Carbon, Total Organic	DUP	K1909892-003	Water	2.34 mg/L	10 mL	2.34 mg/L	1	0.07	0.50		3	10/31/19 00:13:00	N
KQ1915963-20	Carbon, Total Organic	DUP	K1909892-004	Water	0.95 mg/L	10 mL	0.95 mg/L	1	0.07	0.50		2	10/31/19 00:45:00	N
KQ1915963-21	Carbon, Total Organic	DUP	K1909892-005	Water	0.34 mg/L	10 mL	0.34 mg/L J	1	0.07	0.50		10	10/31/19 01:17:00	N
KQ1915963-22	Carbon, Total Organic	DUP	K1909822-005	Water	5.88 mg/L	10 mL	588 mg/L	100	7	50		<1	10/30/19 15:19:00	N
KQ1915963-23	Carbon, Total Organic	DUP	K1909998-001	Water	2.08 mg/L	10 mL	2.08 mg/L	1	0.07	0.50		1	10/30/19 20:26:00	N
KQ1915963-24	Carbon, Total Organic	DUP	K1910007-001	Water	1.63 mg/L	10 mL	1.63 mg/L	1	0.07	0.50		4	10/30/19 20:58:00	N
KQ1915963-25	Carbon, Total Organic	DUP	K1910066-001	Water	1.05 mg/L	10 mL	1.05 mg/L	1	0.07	0.50		6	10/30/19 17:13:00	N
KQ1915963-26	Carbon, Total Organic	DUP	K1910066-002	Water	0.92 mg/L	10 mL	0.92 mg/L	1	0.07	0.50		3	10/30/19 17:46:00	N
KQ1915963-27	Carbon, Total Organic	DUP	K1910066-003	Water	0.79 mg/L	10 mL	0.79 mg/L	1	0.07	0.50		5	10/30/19 18:18:00	N
KQ1915963-28	Carbon, Total Organic	DUP	K1910066-004	Water	0.84 mg/L	10 mL	0.84 mg/L	1	0.07	0.50		6	10/30/19 18:50:00	N
KQ1915963-29	Carbon, Total Organic	DUP	K1910066-005	Water	0.83 mg/L	10 mL	0.83 mg/L	1	0.07	0.50		5	10/30/19 19:22:00	N
KQ1915963-30	Carbon, Total Organic	DUP	K1910066-006	Water	1.63 mg/L	10 mL	1.63 mg/L	1	0.07	0.50		4	10/30/19 15:52:00	N
KQ1915963-31	Carbon, Total Organic	DUP	K1910066-007	Water	1.02 mg/L	10 mL	1.02 mg/L	1	0.07	0.50		9	10/30/19 19:54:00	N
KQ1915963-32	Carbon, Total Organic	DUP	K1910079-001	Water	7.65 mg/L	10 mL	7.65 mg/L	1	0.07	0.50		<1	10/30/19 21:30:00	N

11/01/19

RIGHT SOLUTIONS | RIGHT PARTNER

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657830 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
K1909912-001	Carbon, Total Organic	N/A		Ground Water	10.42 mg/L	10 mL	10.4 mg/L	1	0.07	0.50			10/31/19 01:49:00	N
K1909912-002	Carbon, Total Organic	N/A		Ground Water	10.79 mg/L	10 mL	10.8 mg/L	1	0.07	0.50			10/31/19 02:21:00	N
K1909995-001	Carbon, Total Organic	N/A		Water	1.84 mg/L	10 mL	1.84 mg/L	1	0.07	0.50			10/31/19 02:53:00	Y
K1909995-002	Carbon, Total Organic	N/A		Water	1.78 mg/L	10 mL	1.78 mg/L	1	0.07	0.50			10/31/19 04:15:00	N
K1909995-003	Carbon, Total Organic	N/A		Water	1.91 mg/L	10 mL	1.91 mg/L	1	0.07	0.50			10/31/19 04:48:00	N
K1909995-004	Carbon, Total Organic	N/A		Water	3.53 mg/L	10 mL	3.53 mg/L	1	0.07	0.50			10/31/19 05:20:00	N
K1909995-005	Carbon, Total Organic	N/A		Water	82.04 mg/L	10 mL	82.0 mg/L	1	0.07	0.50			10/31/19 05:52:00	N
K1909995-006	Carbon, Total Organic	N/A		Water	82.43 mg/L	10 mL	82.4 mg/L	1	0.07	0.50			10/31/19 06:24:00	N
K1909995-007	Carbon, Total Organic	N/A		Water	12.67 mg/L	10 mL	12.7 mg/L	1	0.07	0.50			10/31/19 06:56:00	N
KQ1915964-01	Carbon, Total Organic	CCV		Ground Water	24.21 mg/L	10 mL	24.2 mg/L	1					10/30/19 22:34:00	N
KQ1915964-02	Carbon, Total Organic	CCV		Ground Water	24.18 mg/L	10 mL	24.2 mg/L	1					10/31/19 03:42:00	N
KQ1915964-03	Carbon, Total Organic	CCV		Ground Water	24.73 mg/L	10 mL	24.7 mg/L	1					10/31/19 09:06:00	N
KQ1915964-04	Carbon, Total Organic	CCB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/30/19 22:51:00	N
KQ1915964-05	Carbon, Total Organic	CCB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 03:59:00	N
KQ1915964-06	Carbon, Total Organic	CCB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 09:22:00	N
KQ1915964-07	Carbon, Total Organic	MB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/30/19 23:08:00	N
KQ1915964-08	Carbon, Total Organic	LCS		Ground Water	24.62 mg/L	10 mL	24.6 mg/L	1	0.07	0.50	98		10/30/19 23:24:00	N
KQ1915964-10	Carbon, Total Organic	DUP	K1909912-001	Ground Water	10.50 mg/L	10 mL	10.5 mg/L	1	0.07	0.50		<1	10/31/19 01:49:00	N
KQ1915964-11	Carbon, Total Organic	DUP	K1909912-002	Ground Water	11.04 mg/L	10 mL	11.0 mg/L	1	0.07	0.50		2	10/31/19 02:21:00	N
KQ1915964-12	Carbon, Total Organic	MS	K1909995-001	Water	26.97 mg/L	10 mL	27.0 mg/L	1	0.07	0.50	101		10/31/19 03:25:00	N
KQ1915964-13	Carbon, Total Organic	DUP	K1909995-002	Water	1.83 mg/L	10 mL	1.83 mg/L	1	0.07	0.50		3	10/31/19 04:15:00	N
KQ1915964-14	Carbon, Total Organic	DUP	K1909995-001	Water	1.78 mg/L	10 mL	1.78 mg/L	1	0.07	0.50		3	10/31/19 02:53:00	N
KQ1915964-15	Carbon, Total Organic	DUP	K1909995-003	Water	1.80 mg/L	10 mL	1.80 mg/L	1	0.07	0.50		6	10/31/19 04:48:00	N
KQ1915964-16	Carbon, Total Organic	DUP	K1909995-004	Water	3.44 mg/L	10 mL	3.44 mg/L	1	0.07	0.50		3	10/31/19 05:20:00	N
KQ1915964-17	Carbon, Total Organic	DUP	K1909995-005	Water	99.72 mg/L	10 mL	99.7 mg/L	1	0.07	0.50		19*	10/31/19 05:52:00	N
KQ1915964-18	Carbon, Total Organic	DUP	K1909995-006	Water	46.55 mg/L	10 mL	46.5 mg/L	1	0.07	0.50		56*	10/31/19 06:24:00	N
KQ1915964-19	Carbon, Total Organic	DUP	K1909995-007	Water	10.81 mg/L	10 mL	10.8 mg/L	1	0.07	0.50		16*	10/31/19 06:56:00	N

11/01/19

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657831 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
K1909627-002	Carbon, Dissolved Organic (DOC)	N/A		Water	6.72 mg/L	10 mL	67.2 mg/L	10	0.7	5.0			10/31/19 07:45:00	N
K1909892-001	Carbon, Dissolved Organic (DOC)	N/A		Water	3.45 mg/L	10 mL	3.45 mg/L	1	0.07	0.50			10/31/19 16:23:00	N
K1909892-002	Carbon, Dissolved Organic (DOC)	N/A		Water	4.12 mg/L	10 mL	4.12 mg/L	1	0.07	0.50			10/31/19 16:55:00	N
K1909892-003	Carbon, Dissolved Organic (DOC)	N/A		Water	1.74 mg/L	10 mL	1.74 mg/L	1	0.07	0.50			10/31/19 17:28:00	N
K1909892-004	Carbon, Dissolved Organic (DOC)	N/A		Water	0.71 mg/L	10 mL	0.71 mg/L	1	0.07	0.50			10/31/19 18:00:00	N
K1909892-005	Carbon, Dissolved Organic (DOC)	N/A		Water	0.28 mg/L	10 mL	0.28 mg/L J	1	0.07	0.50			10/31/19 18:32:00	N
K1909913-001	Carbon, Dissolved Organic (DOC)	N/A		Water	2.53 mg/L	10 mL	2.53 mg/L	1	0.07	0.50			10/31/19 15:35:00	N
KQ1915965-01	Carbon, Dissolved Organic (DOC)	CCV		Water	24.18 mg/L	10 mL	24.2 mg/L	1					10/31/19 03:42:00	N
KQ1915965-02	Carbon, Dissolved Organic (DOC)	CCV		Water	24.73 mg/L	10 mL	24.7 mg/L	1					10/31/19 09:06:00	N
KQ1915965-03	Carbon, Dissolved Organic (DOC)	CCV		Water	24.07 mg/L	10 mL	24.1 mg/L	1					10/31/19 14:29:00	N
KQ1915965-04	Carbon, Dissolved Organic (DOC)	CCV		Water	23.97 mg/L	10 mL	24.0 mg/L	1					10/31/19 20:08:00	N
KQ1915965-05	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 03:59:00	N
KQ1915965-06	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 09:22:00	N
KQ1915965-07	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 14:46:00	N
KQ1915965-08	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 20:25:00	N
KQ1915965-09	Carbon, Dissolved Organic (DOC)	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 09:39:00	N
KQ1915965-10	Carbon, Dissolved Organic (DOC)	LCS		Water	24.93 mg/L	10 mL	24.9 mg/L	1	0.07	0.50	100		10/31/19 09:56:00	N
KQ1915965-11	Carbon, Dissolved Organic (DOC)	MS	T1901809-001	Water	29.36 mg/L	10 mL	29.4 mg/L	1	0.07	0.50	101		10/31/19 08:49:00	N
KQ1915965-12	Carbon, Dissolved Organic (DOC)	DUP	K1909627-002	Water	6.34 mg/L	10 mL	63.4 mg/L	10	0.7	5.0		6	10/31/19 07:45:00	N
KQ1915965-13	Carbon, Dissolved Organic (DOC)	DUP	T1901809-010	Water	2.88 mg/L	10 mL	2.88 mg/L	1	0.07	0.50		<1	10/31/19 15:02:00	N
KQ1915965-14	Carbon, Dissolved Organic (DOC)	DUP	T1901809-009	Water	3.47 mg/L	10 mL	3.47 mg/L	1	0.07	0.50		2	10/31/19 13:57:00	N
KQ1915965-15	Carbon, Dissolved Organic (DOC)	DUP	T1901809-008	Water	3.69 mg/L	10 mL	3.69 mg/L	1	0.07	0.50		5	10/31/19 13:25:00	N
KQ1915965-16	Carbon, Dissolved Organic (DOC)	DUP	T1901809-007	Water	3.33 mg/L	10 mL	3.33 mg/L	1	0.07	0.50		<1	10/31/19 12:53:00	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/01/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657831 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1915965-17	Carbon, Dissolved Organic (DOC)	DUP	T1901809-006	Water	3.27 mg/L	10 mL	3.27 mg/L	1	0.07	0.50		<1	10/31/19 12:21:00	N
KQ1915965-18	Carbon, Dissolved Organic (DOC)	DUP	T1901809-005	Water	3.06 mg/L	10 mL	3.06 mg/L	1	0.07	0.50		1	10/31/19 11:49:00	N
KQ1915965-19	Carbon, Dissolved Organic (DOC)	DUP	T1901809-004	Water	3.11 mg/L	10 mL	3.11 mg/L	1	0.07	0.50		4	10/31/19 11:17:00	N
KQ1915965-20	Carbon, Dissolved Organic (DOC)	DUP	T1901809-003	Water	3.24 mg/L	10 mL	3.24 mg/L	1	0.07	0.50		4	10/31/19 10:45:00	N
KQ1915965-21	Carbon, Dissolved Organic (DOC)	DUP	T1901809-002	Water	3.32 mg/L	10 mL	3.32 mg/L	1	0.07	0.50		2	10/31/19 10:12:00	N
KQ1915965-22	Carbon, Dissolved Organic (DOC)	DUP	T1901809-001	Water	3.80 mg/L	10 mL	3.80 mg/L	1	0.07	0.50		11*	10/31/19 08:17:00	N
KQ1915965-23	Carbon, Dissolved Organic (DOC)	DUP	K1909892-001	Water	3.38 mg/L	10 mL	3.38 mg/L	1	0.07	0.50		2	10/31/19 16:23:00	N
KQ1915965-24	Carbon, Dissolved Organic (DOC)	DUP	K1909892-002	Water	3.93 mg/L	10 mL	3.93 mg/L	1	0.07	0.50		5	10/31/19 16:55:00	N
KQ1915965-25	Carbon, Dissolved Organic (DOC)	DUP	K1909892-003	Water	1.71 mg/L	10 mL	1.71 mg/L	1	0.07	0.50		1	10/31/19 17:28:00	N
KQ1915965-26	Carbon, Dissolved Organic (DOC)	DUP	K1909892-004	Water	0.71 mg/L	10 mL	0.71 mg/L	1	0.07	0.50		<1	10/31/19 18:00:00	N
KQ1915965-27	Carbon, Dissolved Organic (DOC)	DUP	K1909892-005	Water	0.24 mg/L	10 mL	0.24 mg/L J	1	0.07	0.50		14*	10/31/19 18:32:00	N
KQ1915965-28	Carbon, Dissolved Organic (DOC)	DUP	K1909913-001	Water	2.59 mg/L	10 mL	2.59 mg/L	1	0.07	0.50		2	10/31/19 15:35:00	N
T1901809-001	Carbon, Dissolved Organic (DOC)	N/A		Water	4.23 mg/L	10 mL	4.23 mg/L	1	0.07	0.50			10/31/19 08:17:00	Y
T1901809-002	Carbon, Dissolved Organic (DOC)	N/A		Water	3.41 mg/L	10 mL	3.41 mg/L	1	0.07	0.50			10/31/19 10:12:00	Y
T1901809-003	Carbon, Dissolved Organic (DOC)	N/A		Water	3.36 mg/L	10 mL	3.36 mg/L	1	0.07	0.50			10/31/19 10:45:00	Y
T1901809-004	Carbon, Dissolved Organic (DOC)	N/A		Water	3.23 mg/L	10 mL	3.23 mg/L	1	0.07	0.50			10/31/19 11:17:00	Y
T1901809-005	Carbon, Dissolved Organic (DOC)	N/A		Water	3.02 mg/L	10 mL	3.02 mg/L	1	0.07	0.50			10/31/19 11:49:00	Y
T1901809-006	Carbon, Dissolved Organic (DOC)	N/A		Water	3.30 mg/L	10 mL	3.30 mg/L	1	0.07	0.50			10/31/19 12:21:00	Y
T1901809-007	Carbon, Dissolved Organic (DOC)	N/A		Water	3.34 mg/L	10 mL	3.34 mg/L	1	0.07	0.50			10/31/19 12:53:00	Y
T1901809-008	Carbon, Dissolved Organic (DOC)	N/A		Water	3.50 mg/L	10 mL	3.50 mg/L	1	0.07	0.50			10/31/19 13:25:00	Y
T1901809-009	Carbon, Dissolved Organic (DOC)	N/A		Water	3.55 mg/L	10 mL	3.55 mg/L	1	0.07	0.50			10/31/19 13:57:00	Y
T1901809-010	Carbon, Dissolved Organic (DOC)	N/A		Water	2.86 mg/L	10 mL	2.86 mg/L	1	0.07	0.50			10/31/19 15:02:00	Y

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657832 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
K1909958-001	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 01:50:00	N
K1909958-002	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 02:22:00	N
K1909958-003	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 02:54:00	N
K1909958-004	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 03:26:00	N
K1909958-005	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 03:58:00	N
K1909958-006	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 04:30:00	N
K1909958-007	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 05:02:00	N
K1909958-008	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 05:35:00	N
K1909958-010	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 06:07:00	N
KQ1915967-01	Carbon, Dissolved Organic CCV (DOC)			Water	24.07 mg/L	10 mL	24.1 mg/L	1					10/31/19 14:29:00	N
KQ1915967-02	Carbon, Dissolved Organic CCV (DOC)			Water	23.97 mg/L	10 mL	24.0 mg/L	1					10/31/19 20:08:00	N
KQ1915967-03	Carbon, Dissolved Organic CCV (DOC)			Water	23.98 mg/L	10 mL	24.0 mg/L	1					11/1/19 01:16:00	N
KQ1915967-04	Carbon, Dissolved Organic CCV (DOC)			Water	24.42 mg/L	10 mL	24.4 mg/L	1					11/1/19 06:39:00	N
KQ1915967-05	Carbon, Dissolved Organic CCB (DOC)			Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 14:46:00	N
KQ1915967-06	Carbon, Dissolved Organic CCB (DOC)			Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 20:25:00	N
KQ1915967-07	Carbon, Dissolved Organic CCB (DOC)			Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/1/19 01:33:00	N
KQ1915967-08	Carbon, Dissolved Organic CCB (DOC)			Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/1/19 06:56:00	N
KQ1915967-09	Carbon, Dissolved Organic MB (DOC)			Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 20:41:00	N
KQ1915967-10	Carbon, Dissolved Organic LCS (DOC)			Water	24.45 mg/L	10 mL	24.5 mg/L	1	0.07	0.50	98		10/31/19 20:58:00	N
KQ1915967-11	Carbon, Dissolved Organic MS (DOC)		T1901815-009	Water	28.44 mg/L	10 mL	28.4 mg/L	1	0.07	0.50	102		11/1/19 01:00:00	N
KQ1915967-12	Carbon, Dissolved Organic DUP (DOC)		T1901815-009	Water	2.84 mg/L	10 mL	2.84 mg/L	1	0.07	0.50		<1	11/1/19 00:28:00	N
KQ1915967-13	Carbon, Dissolved Organic DUP (DOC)		T1901815-008	Water	2.84 mg/L	10 mL	2.84 mg/L	1	0.07	0.50		2	10/31/19 23:56:00	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/01/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657832 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1915967-14	Carbon, Dissolved Organic (DOC)	DUP	T1901815-007	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	10/31/19 23:23:00	N
KQ1915967-15	Carbon, Dissolved Organic (DOC)	DUP	T1901815-006	Water	2.86 mg/L	10 mL	2.86 mg/L	1	0.07	0.50		2	10/31/19 22:51:00	N
KQ1915967-16	Carbon, Dissolved Organic (DOC)	DUP	T1901815-005	Water	2.81 mg/L	10 mL	2.81 mg/L	1	0.07	0.50		<1	10/31/19 22:19:00	N
KQ1915967-17	Carbon, Dissolved Organic (DOC)	DUP	T1901815-004	Water	2.92 mg/L	10 mL	2.92 mg/L	1	0.07	0.50		<1	10/31/19 21:47:00	N
KQ1915967-18	Carbon, Dissolved Organic (DOC)	DUP	T1901815-003	Water	2.81 mg/L	10 mL	2.81 mg/L	1	0.07	0.50		3	10/31/19 21:15:00	N
KQ1915967-19	Carbon, Dissolved Organic (DOC)	DUP	T1901815-002	Water	2.83 mg/L	10 mL	2.83 mg/L	1	0.07	0.50		<1	10/31/19 19:36:00	N
KQ1915967-20	Carbon, Dissolved Organic (DOC)	DUP	T1901815-001	Water	2.81 mg/L	10 mL	2.81 mg/L	1	0.07	0.50		3	10/31/19 19:04:00	N
KQ1915967-21	Carbon, Dissolved Organic (DOC)	DUP	K1909958-001	Ocean Water	0.02 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 01:50:00	N
KQ1915967-22	Carbon, Dissolved Organic (DOC)	DUP	K1909958-005	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 03:58:00	N
KQ1915967-23	Carbon, Dissolved Organic (DOC)	DUP	K1909958-002	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 02:22:00	N
KQ1915967-24	Carbon, Dissolved Organic (DOC)	DUP	K1909958-003	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 02:54:00	N
KQ1915967-25	Carbon, Dissolved Organic (DOC)	DUP	K1909958-004	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 03:26:00	N
KQ1915967-26	Carbon, Dissolved Organic (DOC)	DUP	K1909958-007	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 05:02:00	N
KQ1915967-27	Carbon, Dissolved Organic (DOC)	DUP	K1909958-006	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 04:30:00	N
KQ1915967-28	Carbon, Dissolved Organic (DOC)	DUP	K1909958-008	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 05:35:00	N
KQ1915967-29	Carbon, Dissolved Organic (DOC)	DUP	K1909958-010	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 06:07:00	N
T1901815-001	Carbon, Dissolved Organic (DOC)	N/A		Water	2.74 mg/L	10 mL	2.74 mg/L	1	0.07	0.50			10/31/19 19:04:00	Y
T1901815-002	Carbon, Dissolved Organic (DOC)	N/A		Water	2.81 mg/L	10 mL	2.81 mg/L	1	0.07	0.50			10/31/19 19:36:00	Y
T1901815-003	Carbon, Dissolved Organic (DOC)	N/A		Water	2.90 mg/L	10 mL	2.90 mg/L	1	0.07	0.50			10/31/19 21:15:00	Y
T1901815-004	Carbon, Dissolved Organic (DOC)	N/A		Water	2.93 mg/L	10 mL	2.93 mg/L	1	0.07	0.50			10/31/19 21:47:00	Y
T1901815-005	Carbon, Dissolved Organic (DOC)	N/A		Water	2.83 mg/L	10 mL	2.83 mg/L	1	0.07	0.50			10/31/19 22:19:00	Y
T1901815-006	Carbon, Dissolved Organic (DOC)	N/A		Water	2.80 mg/L	10 mL	2.80 mg/L	1	0.07	0.50			10/31/19 22:51:00	Y

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657832 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
T1901815-007	Carbon, Dissolved Organic (DOC)	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 23:23:00	Y
T1901815-008	Carbon, Dissolved Organic (DOC)	N/A		Water	2.79 mg/L	10 mL	2.79 mg/L	1	0.07	0.50			10/31/19 23:56:00	Y
T1901815-009	Carbon, Dissolved Organic (DOC)	N/A		Water	2.84 mg/L	10 mL	2.84 mg/L	1	0.07	0.50			11/1/19 00:28:00	Y

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

TOC: 657829, 657830
DOC: 657831, 657832

Schedule: 10302019

Version: 6
Instrument: Fusion1
Last Saved by: Fusion1 (Fusion1)
Last Saved on: 2019/10/30 11:50 - Wednesday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps
(Clean)	Clean	Clean		1
(Clean)	Clean	Clean		1
(Clean)	Clean	Clean		1
(Blank)	Blank	Reagent/Acid Blank		1
D	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
1	Sample	MB1	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
2	Sample	ICS	Extended Reaction 021711 (Extended Reaction 021711)	1
3	Sample	LOD	Extended Reaction 021711 (Extended Reaction 021711)	1
4	Sample	LOQ	Extended Reaction 021711 (Extended Reaction 021711)	1
5	Sample	K1909800-002.01 100x	Extended Reaction 021711 (Extended Reaction 021711)	2
6	Sample	K1909822-004.01 100x	Extended Reaction 021711 (Extended Reaction 021711)	2
7	Sample	K1909822-005.01 100x	Extended Reaction 021711 (Extended Reaction 021711)	2
8	Sample	K1910066-006.06	Extended Reaction 021711 (Extended Reaction 021711)	2
9	Sample	K1910066-006.06 ms	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
10	Sample	K1910066-001.06	Extended Reaction 021711 (Extended Reaction 021711)	2
11	Sample	K1910066-002.06	Extended Reaction 021711 (Extended Reaction 021711)	2
12	Sample	K1910066-003.06	Extended Reaction 021711 (Extended Reaction 021711)	2
13	Sample	K1910066-004.06	Extended Reaction 021711 (Extended Reaction 021711)	2
14	Sample	K1910066-005.06	Extended Reaction 021711 (Extended Reaction 021711)	2
15	Sample	K1910066-007.06	Extended Reaction 021711 (Extended Reaction 021711)	2
16	Sample	K1909998-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
17	Sample	K1910007-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
18	Sample	K1910079-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
19	Sample	K1909892-001.02	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
20	Sample	MB2	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
21	Sample	K1909892-002.02	Extended Reaction 021711 (Extended Reaction 021711)	2
22	Sample	K1909892-003.02	Extended Reaction 021711 (Extended Reaction 021711)	2
23	Sample	K1909892-004.02	Extended Reaction 021711 (Extended Reaction 021711)	2
24	Sample	K1909892-005.02	Extended Reaction 021711 (Extended Reaction 021711)	2
25	Sample	K1909912-001.08	Extended Reaction 021711 (Extended Reaction 021711)	2
26	Sample	K1909912-002.08	Extended Reaction 021711 (Extended Reaction 021711)	2
27	Sample	K1909995-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
28	Sample	K1909995-001.01 ms	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
29	Sample	K1909995-002.01	Extended Reaction 021711 (Extended Reaction 021711)	2
30	Sample	K1909995-003.01	Extended Reaction 021711 (Extended Reaction 021711)	2
31	Sample	K1909995-004.01	Extended Reaction 021711 (Extended Reaction 021711)	2
32	Sample	K1909995-005.01	Extended Reaction 021711 (Extended Reaction 021711)	2
33	Sample	K1909995-006.01	Extended Reaction 021711 (Extended Reaction 021711)	2
34	Sample	K1909995-007.01	Extended Reaction 021711 (Extended Reaction 021711)	2
35	Sample	FB 10/22/19	Extended Reaction 021711 (Extended Reaction 021711)	1
36	Sample	K1909627-002.01 10x doc	Extended Reaction 021711 (Extended Reaction 021711)	2
37	Sample	T1901809-001.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
38	Sample	T1901809-001.05 ms doc	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1

11/01/19

RIGHT SOLUTIONS | RIGHT PARTNER

Schedule: 10302019

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
39	Sample	MB3	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
40	Sample	T1901809-002.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
41	Sample	T1901809-003.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
42	Sample	T1901809-004.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
43	Sample	T1901809-005.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
44	Sample	T1901809-006.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
45	Sample	T1901809-007.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
46	Sample	T1901809-008.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
47	Sample	T1901809-009.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
48	Sample	T1901809-010.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
49	Sample	K1909913-001.02 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
50	Sample	FB 10/25/19	Extended Reaction 021711 (Extended Reaction 021711)	1
51	Sample	K1909892-001.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
52	Sample	K1909892-002.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
53	Sample	K1909892-003.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
54	Sample	K1909892-004.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
55	Sample	K1909892-005.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
56	Sample	T1901815-001.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
57	Sample	T1901815-002.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
58	Sample	MB4	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
59	Sample	T1901815-003.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
60	Sample	T1901815-004.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
61	Sample	T1901815-005.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
62	Sample	T1901815-006.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
63	Sample	T1901815-007.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
64	Sample	T1901815-008.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
65	Sample	T1901815-009.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
66	Sample	T1901815-009.05 ms doc	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
67	Sample	K1909958-001.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
68	Sample	K1909958-002.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
69	Sample	K1909958-003.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
70	Sample	K1909958-004.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
71	Sample	K1909958-005.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
72	Sample	K1909958-006.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
73	Sample	K1909958-007.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
74	Sample	K1909958-008.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
75	Sample	K1909958-010.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1

RIGHT SOLUTIONS | RIGHT PARTNER

Fusion Report - 10302019
Wednesday, October 30, 2019 10:13 AM

(View - Reps, Unused Reps, Meta-Data, Signature, History)
Printed on 2019/11/01 09:29 - Friday

Report Summary Information

Company Location: Gen Chem Lab
Schedule Name: 10302019
Instrument Name: Fusion1
Report Version: 1 of 1
Report Creation by Operators (schedule version): Fusion1 (Fusion1) (v2) Fusion1 (Fusion1) (v3) Fusion1 (Fusion1) (v4) Fusion1 (Fusion1) (v5) Fusion1 (Fusion1) (v6)
Comment:

Engine Version: 1.1.5.1
Firmware Version: 1.2.0696
Connection: RS232 COM1

Report Results

11/01/19

Sample Type: Clean — From Schedule Version 2

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/10/30 10:13

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	12.91	16.94	4.03	49.70	05:25
2	TC Clean	7.62	11.16	3.54	50.08	04:06
3	TC Clean	2.25	6.02	3.76	50.08	03:50
4	TC Clean	1.93	5.70	3.77	50.07	03:47

Sample Type: Clean — From Schedule Version 3

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/10/30 10:36

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.27	15.02	3.75	49.55	05:13
2	TC Clean	4.83	8.68	3.85	50.08	04:02
3	TC Clean	2.46	6.27	3.82	50.09	03:56

RIGHT SOLUTIONS | RIGHT PARTNER

4	TC Clean	1.67	5.40	3.72	50.09	03:55

Sample Type: Clean

From Schedule Version 4

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/10/30 10:58

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.34	14.99	3.64	49.59	05:22
2	TC Clean	4.27	8.05	3.78	50.07	04:01
3	TC Clean	2.14	5.89	3.74	50.08	03:46
4	TC Clean	1.49	5.48	3.99	50.11	03:48

Sample Type: Blank (Creating v1311)

From Schedule Version 5

	Pos	Analysis Type	Sample ID	Start Time
◆	(blank)		Reagent/Acid Blank	2019/10/30 11:28

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.27	14.97	3.70	49.72	05:12
2	TC Clean	5.39	9.01	3.63	50.04	04:04
3	TC Clean	1.96	5.66	3.70	50.12	03:50
4	TC Clean	1.58	5.29	3.70	50.10	03:50
5	Reagent Blank	3.44	7.27	3.83	50.11	05:03
6	Acid Blank	1.26	5.01	3.75	49.56	05:29

Sample Type: Sample

From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	D	TOC	RB	0.0050 ppm	0.0000 ppm	0.0000%	2019/10/30 12:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0050	0.0504	10.31	14.28	3.97	50.24	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 — From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.8974 ppm (PASS)	0.0000 ppm	0%	2019/10/30 12:18

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8974	238.9735	182.52	186.53	4.02	50.27	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 — From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/10/30 12:35

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.61	11.42	3.81	50.32	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample — From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	1	TOC	MB1	0.0000 ppm	0.0000 ppm	0.0000%	2019/10/30 12:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.90	10.65	3.75	50.33	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER — From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.6040 ppm (PASS)	0.0000 ppm	0%	2019/10/30 13:09

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.6040	246.0402	187.58	191.31	3.73	50.35	12:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	2	TOC	ICS	0.0251 ppm	0.0000 ppm	0.0000%	2019/10/30 13:25

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0251	0.2512	10.46	14.33	3.87	50.35	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	3	TOC	LOD	0.0769 ppm	0.0000 ppm	0.0000%	2019/10/30 13:42

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0769	0.7686	10.83	14.44	3.61	50.36	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	4	TOC	LOQ	0.5307 ppm	0.0000 ppm	0.0000%	2019/10/30 13:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5307	5.3068	14.08	17.77	3.68	50.41	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	5	TOC	K1909800-002.01 100x	2.7458 ppm	0.0438 ppm	1.5900%	2019/10/30 14:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.7768	27.7675	30.19	33.77	3.58	50.35	12:24
2	TOC	2.7148	27.1483	29.74	33.52	3.78	50.31	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC)	Extended Reaction	Extended Reaction

(v1311) 021711 (v4) 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	6	TOC	K1909822-004.01 100x	7.0041 ppm	0.1720 ppm	2.4600%	2019/10/30 14:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.8824	68.8245	59.63	63.37	3.75	50.32	12:26
2	TOC	7.1257	71.2567	61.37	65.03	3.66	50.30	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	7	TOC	K1909822-005.01 100x	5.8830 ppm	0.0045 ppm	0.0800%	2019/10/30 15:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.8863	58.8625	52.48	56.12	3.64	50.25	12:31
2	TOC	5.8798	58.7984	52.44	56.33	3.90	50.26	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	8	TOC	K1910066-006.06	1.6603 ppm	0.0439 ppm	2.6400%	2019/10/30 15:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6913	16.9130	22.40	26.22	3.81	50.23	12:26
2	TOC	1.6292	16.2924	21.96	25.73	3.77	50.23	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	9	TOC	K1910066-006.06 ms	25.9734 ppm	0.0000 ppm	0.0000%	2019/10/30 16:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	25.9734	259.7345	196.51	200.24	3.73	50.24	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV	0 / infinity	24.1506	0.0000	0%	2019/10/30 16:40

RIGHT SOLUTIONS | RIGHT PARTNER

					021711 [25 ppm]	(NA / NA)	ppm (PASS)	ppm		

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.1506	241.5062	184.33	188.16	3.83	50.26	12:31

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos B: 50 ppmC

Sample Type: Check Standard --> CCB 021711

From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/10/30 16:57

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.33	11.07	3.75	50.24	12:32

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos D: 0 ppmC

Sample Type: Sample

From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	10	TOC	K1910066-001.06	1.0238 ppm	0.0428 ppm	4.1800%	2019/10/30 17:13

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9936	9.9356	17.40	21.16	3.76	50.26	12:29
2	TOC	1.0541	10.5409	17.84	21.49	3.66	50.27	12:28

Dilution: 1:10
Blank Contribution: (TC) 10.2769 (IC) (v1311)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	11	TOC	K1910066-002.06	0.9378 ppm	0.0181 ppm	1.9300%	2019/10/30 17:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9506	9.5061	17.09	20.69	3.59	50.29	12:31
2	TOC	0.9249	9.2494	16.91	20.60	3.69	50.33	12:27

Dilution: 1:10
Blank Contribution: (TC) 10.2769 (IC) (v1311)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

RIGHT SOLUTIONS | RIGHT PARTNER

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	12	TOC	K1910066-003.06	0.8130 ppm	0.0298 ppm	3.6600%	2019/10/30 18:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8340	8.3401	16.26	19.88	3.62	50.34	12:28
2	TOC	0.7919	7.9190	15.96	19.73	3.77	50.36	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	13	TOC	K1910066-004.06	0.8159 ppm	0.0327 ppm	4.0100%	2019/10/30 18:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7927	7.9273	15.96	19.55	3.59	50.41	12:29
2	TOC	0.8390	8.3903	16.29	19.96	3.67	50.44	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	14	TOC	K1910066-005.06	0.8121 ppm	0.0316 ppm	3.8900%	2019/10/30 19:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7898	7.8980	15.94	19.66	3.72	50.48	12:26
2	TOC	0.8344	8.3443	16.26	20.01	3.75	50.51	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	15	TOC	K1910066-007.06	0.9765 ppm	0.0650 ppm	6.6600%	2019/10/30 19:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9305	9.3052	16.95	20.57	3.62	50.50	12:27
2	TOC	1.0224	10.2243	17.61	21.31	3.70	50.54	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	16	TOC	K1909998-001.01	2.0648 ppm	0.0181 ppm	0.8800%	2019/10/30 20:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.0520	20.5196	24.99	28.75	3.76	50.60	12:27

RIGHT SOLUTIONS | RIGHT PARTNER

2	TOC	2.0776	20.7762	25.17	28.91	3.73	50.57	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	17	TOC	K1910007-001.01	1.5991 ppm	0.0499 ppm	3.1200%	2019/10/30 20:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5638	15.6383	21.49	25.18	3.69	50.57	12:30
2	TOC	1.6344	16.3440	22.00	25.83	3.83	50.51	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	18	TOC	K1910079-001.01	7.6851 ppm	0.0534 ppm	0.7000%	2019/10/30 21:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.7229	77.2286	65.65	69.19	3.54	50.48	12:26
2	TOC	7.6473	76.4727	65.11	68.69	3.58	50.43	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	19	TOC	K1909892-001.02	4.5500 ppm	0.0446 ppm	0.9800%	2019/10/30 22:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.5185	45.1852	42.68	46.42	3.74	50.42	12:29
2	TOC	4.5816	45.8156	43.13	46.73	3.60	50.43	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	24.2124 ppm (PASS)	0.0000 ppm	0%	2019/10/30 22:34

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.2124	242.1240	184.77	188.44	3.67	50.42	12:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/10/30 22:51

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.13	10.91	3.77	50.37	12:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	20	TOC	MB2	0.0000 ppm	0.0000 ppm	0.0000%	2019/10/30 23:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.47	10.06	3.59	50.37	12:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.6226 ppm (PASS)	0.0000 ppm	0%	2019/10/30 23:24

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.6226	246.2257	187.72	191.45	3.74	50.39	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 6

RIGHT SOLUTIONS | RIGHT PARTNER

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	21	TOC	K1909892-002.02	5.2118 ppm	0.0036 ppm	0.0700%	2019/10/30 23:41

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.2093	52.0929	47.63	51.49	3.86	50.36	12:28
2	TOC	5.2143	52.1431	47.66	51.31	3.65	50.34	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	22	TOC	K1909892-003.02	2.3771 ppm	0.0502 ppm	2.1100%	2019/10/31 00:13

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.4126	24.1261	27.58	31.12	3.54	50.34	12:26
2	TOC	2.3416	23.4162	27.07	30.54	3.47	50.35	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	23	TOC	K1909892-004.02	0.9562 ppm	0.0103 ppm	1.0700%	2019/10/31 00:45

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9634	9.6344	17.18	20.83	3.65	50.33	12:29
2	TOC	0.9489	9.4893	17.08	20.71	3.63	50.35	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	24	TOC	K1909892-005.02	0.3620 ppm	0.0255 ppm	7.0600%	2019/10/31 01:17

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3801	3.8006	13.00	16.58	3.57	50.31	12:28
2	TOC	0.3439	3.4394	12.74	16.38	3.64	50.30	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	25	TOC	K1909912-001.08	10.4580 ppm	0.0581 ppm	0.5600%	2019/10/31 01:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	10.4169	104.1689	84.97	88.56	3.59	50.31	12:29

RIGHT SOLUTIONS | RIGHT PARTNER

2	TOC	10.4990	104.9904	85.56	89.22	3.66	50.28	12:24

Dilution 1:10 **Blank Contribution** (TC) 10.2769 (IC) (v1311) **Method** Extended Reaction 021711 (v4) **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	26	TOC	K1909912-002.08	10.9148 ppm	0.1755 ppm	1.6100%	2019/10/31 02:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	10.7907	107.9066	87.65	91.47	3.82	50.28	12:29
2	TOC	11.0389	110.3890	89.43	92.99	3.56	50.26	12:29

Dilution 1:10 **Blank Contribution** (TC) 10.2769 (IC) (v1311) **Method** Extended Reaction 021711 (v4) **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	27	TOC	K1909995-001.01	1.8084 ppm	0.0397 ppm	2.2000%	2019/10/31 02:53

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.8365	18.3648	23.44	27.08	3.64	50.28	12:31
2	TOC	1.7803	17.8028	23.04	26.77	3.73	50.24	12:24

Dilution 1:10 **Blank Contribution** (TC) 10.2769 (IC) (v1311) **Method** Extended Reaction 021711 (v4) **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	28	TOC	K1909995-001.01 ms	26.9727 ppm	0.0000 ppm	0.0000%	2019/10/31 03:25

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.9727	269.7271	203.68	207.37	3.69	50.22	12:35

Dilution 1:10 **Blank Contribution** (TC) 10.2769 (IC) (v1311) **Method** Extended Reaction 021711 (v4) **Calibration** Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	24.1830 ppm (PASS)	0.0000 ppm	0%	2019/10/31 03:42

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.1830	241.8298	184.56	188.26	3.69	50.23	12:33

Completion State **Success Action** **Method** **Calibration** **STD Conc - Pos B**

Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/10/31 03:59

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.48	10.14	3.66	50.21	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	29	TOC	K1909995-002.01	1.8055 ppm	0.0336 ppm	1.8600%	2019/10/31 04:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.7817	17.8167	23.05	26.76	3.70	50.24	12:29
2	TOC	1.8292	18.2923	23.39	27.10	3.71	50.24	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	30	TOC	K1909995-003.01	1.8575 ppm	0.0768 ppm	4.1400%	2019/10/31 04:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9118	19.1179	23.98	27.67	3.68	50.22	12:31
2	TOC	1.8032	18.0315	23.21	26.91	3.70	50.19	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	31	TOC	K1909995-004.01	3.4859 ppm	0.0672 ppm	1.9300%	2019/10/31 05:20

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.5333	35.3335	35.61	39.37	3.76	50.21	12:28
2	TOC	3.4384	34.3837	34.93	38.63	3.70	50.17	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	32	TOC	K1909995-005.01	90.8814 ppm	12.4971 ppm	13.7500%	2019/10/31 05:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	82.0446	820.4456	598.56	602.14	3.58	50.17	12:27
2	TOC	99.7182	997.1818	725.29	740.59	15.31	50.14	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	33	TOC	K1909995-006.01	64.4891 ppm	25.3768 ppm	39.3500%	2019/10/31 06:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	82.4332	824.3324	601.35	612.54	11.19	50.16	12:28
2	TOC	46.5450	465.4501	344.02	348.32	4.30	50.17	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	34	TOC	K1909995-007.01	11.7386 ppm	1.3159 ppm	11.2100%	2019/10/31 06:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	12.6691	126.6910	101.12	104.92	3.81	50.14	12:29
2	TOC	10.8081	108.0809	87.77	91.50	3.72	50.16	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	35	TOC	FB 10/22/19	1.8617 ppm	0.0000 ppm	0.0000%	2019/10/31 07:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.8617	18.6173	23.63	27.38	3.76	50.14	12:30

NR/read in previous runs as 0.

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	36	TOC	K1909627-002.01 10x doc	6.5320 ppm	0.2655 ppm	4.0600%	2019/10/31 07:45

RIGHT SOLUTIONS | RIGHT PARTNER

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.7197	67.1969	58.46	62.05	3.59	50.17	12:27
2	TOC	6.3443	63.4425	55.77	59.36	3.60	50.21	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	37	TOC	T1901809-001.05 doc	4.0152 ppm	0.3093 ppm	7.7000%	2019/10/31 08:17

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.2339	42.3388	40.64	44.25	3.62	50.20	12:30
2	TOC	3.7965	37.9652	37.50	41.09	3.59	50.16	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	38	TOC	T1901809-001.05 ms doc	29.3634 ppm	0.0000 ppm	0.0000%	2019/10/31 08:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	29.3634	293.6341	220.82	224.53	3.71	50.22	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	24.7333 ppm (PASS)	0.0000 ppm	0%	2019/10/31 09:06

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.7333	247.3330	188.51	192.31	3.80	50.31	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB	0 / infinity	0.0000	0.0000	0%	2019/10/31 09:22

RIGHT SOLUTIONS | RIGHT PARTNER

					021711 [0.0 ppm]	(NA / NA)	ppm (PASS)	ppm		

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	9.95	13.60	3.65	50.23	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	39	TOC	MB3	0.0000 ppm	0.0000 ppm	0.0000%	2019/10/31 09:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.55	12.25	3.70	50.24	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.9298 ppm (PASS)	0.0000 ppm	0%	2019/10/31 09:56

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.9298	249.2981	189.92	193.47	3.56	50.26	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	40	TOC	T1901809-002.05 doc	3.3643 ppm	0.0592 ppm	1.7600%	2019/10/31 10:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.4062	34.0616	34.70	38.42	3.72	50.32	12:24
2	TOC	3.3225	33.2248	34.10	37.77	3.67	50.26	12:27

Dilution	Blank Contribution	Method	Calibration

RIGHT SOLUTIONS | RIGHT PARTNER

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	41	TOC	T1901809-003.05 doc	3.2974 ppm	0.0852 ppm	2.5800%	2019/10/31 10:45

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3576	33.5762	34.35	38.00	3.65	50.26	12:29
2	TOC	3.2371	32.3713	33.49	37.30	3.81	50.40	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	42	TOC	T1901809-004.05 doc	3.1700 ppm	0.0902 ppm	2.8500%	2019/10/31 11:17

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2338	32.3378	33.46	37.05	3.59	50.45	12:28
2	TOC	3.1062	31.0617	32.55	36.25	3.70	50.45	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	43	TOC	T1901809-005.05 doc	3.0399 ppm	0.0236 ppm	0.7800%	2019/10/31 11:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.0232	30.2319	31.95	35.78	3.82	50.45	12:29
2	TOC	3.0565	30.5652	32.19	35.84	3.64	50.47	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	44	TOC	T1901809-006.05 doc	3.2827 ppm	0.0232 ppm	0.7100%	2019/10/31 12:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2990	32.9905	33.93	37.51	3.58	50.47	12:29
2	TOC	3.2663	32.6627	33.70	37.16	3.47	50.46	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	45	TOC	T1901809-007.05 doc	3.3363 ppm	0.0081 ppm	0.2400%	2019/10/31 12:53

RIGHT SOLUTIONS | RIGHT PARTNER

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3420	33.4200	34.24	37.82	3.58	50.43	12:25
2	TOC	3.3306	33.3057	34.16	37.64	3.48	50.54	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	46	TOC	T1901809-008.05 doc	3.5967 ppm	0.1311 ppm	3.6400%	2019/10/31 13:25

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.5041	35.0406	35.40	38.94	3.54	50.46	12:25
2	TOC	3.6894	36.8941	36.73	40.51	3.78	50.44	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	47	TOC	T1901809-009.05 doc	3.5135 ppm	0.0571 ppm	1.6300%	2019/10/31 13:57

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.5538	35.5385	35.76	39.45	3.69	50.40	12:26
2	TOC	3.4731	34.7310	35.18	38.80	3.62	50.39	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	24.0662 ppm (PASS)	0.0000 ppm	0%	2019/10/31 14:29

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.0662	240.6624	183.73	187.25	3.52	50.37	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time

RIGHT SOLUTIONS | RIGHT PARTNER

◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/10/31 14:46

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.17	10.83	3.66	50.34	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	48	TOC	T1901809-010.05 doc	3.8690 ppm	0.0129 ppm	0.3300%	2019/10/31 15:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.8598	38.5983	37.95	41.64	3.68	50.34	12:26
2	TOC	3.8781	38.7810	38.08	41.81	3.73	50.34	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	49	TOC	K1909913-001.02 doc	2.5600 ppm	0.0425 ppm	1.6600%	2019/10/31 15:35

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.5299	25.2990	28.42	31.93	3.51	50.30	12:31
2	TOC	2.5900	25.9001	28.85	32.39	3.54	50.29	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	50	TOC	FB 10/25/19	0.0000 ppm	0.0000 ppm	0.0000%	2019/10/31 16:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.06	12.62	3.56	50.30	12:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	51	TOC	K1909892-001.01 doc	3.4160 ppm	0.0464 ppm	1.3600%	2019/10/31 16:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

RIGHT SOLUTIONS | RIGHT PARTNER

1	TOC	3.4488	34.4883	35.01	38.59	3.59	50.30	12:28
2	TOC	3.3831	33.8314	34.54	38.20	3.66	50.28	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	52	TOC	K1909892-002.01 doc	4.0237 ppm	0.1383 ppm	3.4400%	2019/10/31 16:55

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.1215	41.2147	39.83	43.36	3.53	50.30	12:28
2	TOC	3.9259	39.2594	38.43	42.12	3.70	50.30	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	53	TOC	K1909892-003.01 doc	1.7260 ppm	0.0157 ppm	0.9100%	2019/10/31 17:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.7370	17.3705	22.73	26.39	3.65	50.32	12:29
2	TOC	1.7149	17.1487	22.57	26.26	3.69	50.32	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	54	TOC	K1909892-004.01 doc	0.7056 ppm	0.0009 ppm	0.1300%	2019/10/31 18:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7050	7.0501	15.33	19.05	3.72	50.33	12:26
2	TOC	0.7063	7.0626	15.34	18.99	3.65	50.36	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	55	TOC	K1909892-005.01 doc	0.2612 ppm	0.0259 ppm	9.9300%	2019/10/31 18:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2795	2.7950	12.28	15.94	3.66	50.40	12:26
2	TOC	0.2428	2.4282	12.02	15.64	3.62	50.42	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	56	TOC	T1901815-001.05 doc	2.7758 ppm	0.0529 ppm	1.9000%	2019/10/31 19:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.7384	27.3840	29.91	33.56	3.65	50.42	12:27
2	TOC	2.8132	28.1315	30.45	33.99	3.55	50.43	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	57	TOC	T1901815-002.05 doc	2.8200 ppm	0.0197 ppm	0.7000%	2019/10/31 19:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8060	28.0604	30.40	34.07	3.67	50.47	12:27
2	TOC	2.8339	28.3393	30.60	34.16	3.56	50.47	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.9653 ppm (PASS)	0.0000 ppm	0%	2019/10/31 20:08

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.9653	239.6527	183.00	186.59	3.59	50.47	12:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/10/31 20:25

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.16	9.84	3.68	50.48	12:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D

Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2019/10/31 20:41

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.00	9.61	3.61	50.52	12:35

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.4549 ppm (PASS)	0.0000 ppm	0%	2019/10/31 20:58

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.4549	244.5493	186.51	190.22	3.71	50.49	12:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	59	TOC	T1901815-003.05 doc	2.8546 ppm	0.0575 ppm	2.0100%	2019/10/31 21:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8953	28.9530	31.04	34.53	3.49	50.40	12:26
2	TOC	2.8140	28.1399	30.45	34.16	3.70	50.43	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	60	TOC	T1901815-004.05 doc	2.9233 ppm	0.0093 ppm	0.3200%	2019/10/31 21:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

RIGHT SOLUTIONS | RIGHT PARTNER

1	TOC	2.9299	29.2989	31.28	34.96	3.68	50.40	12:30
2	TOC	2.9168	29.1678	31.19	34.90	3.71	50.47	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	61	TOC	T1901815-005.05 doc	2.8190 ppm	0.0172 ppm	0.6100%	2019/10/31 22:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8311	28.3114	30.58	34.26	3.68	50.38	12:29
2	TOC	2.8069	28.0688	30.40	34.12	3.72	50.38	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	62	TOC	T1901815-006.05 doc	2.8285 ppm	0.0454 ppm	1.6000%	2019/10/31 22:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.7964	27.9642	30.33	34.01	3.68	50.37	12:30
2	TOC	2.8606	28.6057	30.79	34.38	3.59	50.34	12:23

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	63	TOC	T1901815-007.05 doc	0.0000 ppm	0.0000 ppm	0.0000%	2019/10/31 23:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.05	10.53	3.47	50.30	12:29
2	TOC	0.0000	0.0000	6.60	10.21	3.61	50.27	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	64	TOC	T1901815-008.05 doc	2.8124 ppm	0.0360 ppm	1.2800%	2019/10/31 23:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.7869	27.8693	30.26	33.91	3.65	50.30	12:30
2	TOC	2.8378	28.3784	30.62	34.23	3.60	50.29	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	65	TOC	T1901815-009.05 doc	2.8408 ppm	0.0032 ppm	0.1100%	2019/11/01 00:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8430	28.4300	30.66	34.31	3.65	50.28	12:30
2	TOC	2.8385	28.3854	30.63	34.48	3.85	50.26	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	66	TOC	T1901815-009.05 ms doc	28.4399 ppm	0.0000 ppm	0.0000%	2019/11/01 01:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	28.4399	284.3988	214.20	217.85	3.66	50.24	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.9838 ppm (PASS)	0.0000 ppm	0%	2019/11/01 01:16

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.9838	239.8382	183.14	186.73	3.59	50.25	12:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/01 01:33

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.86	10.56	3.70	50.17	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D

Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	67	TOC	K1909958-001.01 doc 2x	0.0077 ppm	0.0109 ppm	141.4200%	2019/11/01 01:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	10.17	14.01	3.84	50.22	12:26
2	TOC	0.0154	0.1536	10.39	14.18	3.79	50.27	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	68	TOC	K1909958-002.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 02:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.54	13.27	3.72	50.22	12:26
2	TOC	0.0000	0.0000	9.44	13.21	3.77	50.21	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	69	TOC	K1909958-003.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 02:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.84	12.63	3.79	50.21	12:31
2	TOC	0.0000	0.0000	8.33	12.11	3.77	50.17	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	70	TOC	K1909958-004.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 03:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.69	12.38	3.69	50.18	12:26
2	TOC	0.0000	0.0000	8.65	12.23	3.58	50.17	12:26

Dilution	Blank Contribution	Method	Calibration

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	71	TOC	K1909958-005.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 03:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.69	12.27	3.58	50.17	12:24
2	TOC	0.0000	0.0000	8.95	12.56	3.61	50.15	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	72	TOC	K1909958-006.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 04:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.23	11.83	3.60	50.14	12:30
2	TOC	0.0000	0.0000	8.76	12.38	3.62	50.12	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	73	TOC	K1909958-007.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 05:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.03	12.54	3.51	50.11	12:27
2	TOC	0.0000	0.0000	8.56	12.15	3.59	50.12	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	74	TOC	K1909958-008.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 05:35

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.68	12.28	3.61	50.12	12:28
2	TOC	0.0000	0.0000	8.51	12.25	3.74	50.09	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

		Analysis			Std. Dev.		

RIGHT SOLUTIONS | RIGHT PARTNER

	Pos	Type	Sample ID	Result (ppmC)	(ppmC)	RSD	Start Time
◆	75	TOC	K1909958-010.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 06:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.06	11.59	3.54	50.04	12:29
2	TOC	0.0000	0.0000	8.09	11.76	3.67	49.93	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	24.4201 ppm (PASS)	0.0000 ppm	0%	2019/11/01 06:39

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.4201	244.2007	186.26	189.82	3.55	49.85	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/01 06:56

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.31	10.77	3.46	49.81	12:35

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v1310	1.4213	1.4340	0.0000	0.0000	0.0000	2019/10/26 13:10	Fusion1 (Fusion1)
v1311	1.1460	1.2580	0.0000	0.0000	0.0000	2019/10/30 12:02	Fusion1 (Fusion1)

Calibrations

Name: Extended Reaction 021711 (TOC)

Version: v27

Ver Creation: 2019/03/11 21:51

Comment:

Operator: Fusion1 (Fusion1)

Basic Analysis Type: TOC

Calibration curve formula: TOC: y = 7.170x + 11.164

r^2 value: TOC: r^2 = 0.99991

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
0.0 ppm	10.4100	0.0000		2019/03/11 20:12
0.50 ppm	14.7740	0.5000		2019/03/11 20:28
1.00 ppm	18.0020	1.0000		2019/03/11 20:44
5.00 ppm	47.2310	5.0000		2019/03/11 21:01
10.0 ppm	85.1320	10.0000		2019/03/11 21:17
25.0 ppm	188.5200	25.0000		2019/03/11 21:33
50.0 ppm	370.1610	50.0000		2019/03/11 21:49

Methods

Name: Extended Reaction 021711 (TOC)

Version: v4

Ver Creation: 2019/01/31 11:21

Comment:

Operator: Fusion1 (Fusion1)

Parameter	Value
SampleVolume	10.0 mL
Dilution	1:10
AcidVolume	0.5 ml
ReagentVolume	2.0 ml
UVReactorPrerinse	Off
UVReactorPrerinseVolume	5.0
NumberOfUVReactorPrerinses	1
ICSpargeTime	1.00 mins
DetectorSweepFlow	500 ml/min
PreSpargeTime	4.00 mins
SystemFlow	500 ml/min

Advanced Parameter	Value
NeedleRinseVolume	5.0 ml
VialPrimeVolume	2.0 ml
ICSamplePrimeVolume	2.0 ml
ICSpargeRinseVolume	12.0 ml
BaselineStabilizeTime	0.70 min
DetectorPressureFlow	150 ml/min
SyringeSpeedWaste	10
SyringeSpeedAcid	7
SyringeSpeedReagent	7
SyringeSpeedDIWater	7
NDIRPressurization	60 psig
SyringeSpeedSampleDispense	5
SyringeSpeedSampleAspirate	4

RIGHT SOLUTIONS | RIGHT PARTNER

SyringeSpeedUVDispense	5
SyringeSpeedUVAspirate	5
SyringeSpeedICDispense	5
SyringeSpeedICAspirate	5
NDIRPressureStabilize	1.75 min
SampleMixing	Off
SampleMixingCycles	1
SampleMixingVolume	10.0
LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Fusion1 (Fusion1)	Schedule completed	Schedule completed	2019/11/01 07:13

ALS Environmental

StarLIMS Run: 657829, 657830, 657831, 657832

Analysis: DOC/TOC

Method: SM 5310 C, 9060A, 415.1, 9060

CCV: 11-GEN-05-79K 50 ppm LCS: 11-GEN-05-79J 25.0 ppm

ICAL Date: 3/6/19

ICAL ID: 11-GEN-05-76H

ICS ID: 11-GEN-05-78M

ICS TV: 25.0 ppm ICS % R < 1

Spike ID: 11-GEN-05-77J 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 ppm x dilution factor

Sodium Persulfate: 11-GEN-05-82B

21 % H3PO4: 11-GEN-05-82A

Equipment ID: K-TOC-03

PIPETTE ID: 124276B, 129001F, N11314F, Marge

FILTER ID: 16967789

Analyzed By: BCD	Date Analyzed: 10/30/19
Reviewed By: [signature]	Date Reviewed: 11/01/19

Work Request # Original ( ) K1910870, K1909958, 9995, K1910215, 1910863

Tier: IV, IV, IV, IV, IV

Date Analyzed: 11/5/19

Analyst: BCD

Analysis: TOC/DOC

Run # TOC: 658206, 658207, 658208, 658209

DOC: ~~658206~~, ~~658207~~, ~~658208~~, ~~658209~~

DATA QUALITY REPORT
INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1.	Is the method name and number correct and appropriate?	yes/no/NA
2.	Holding times met for all analyses and for all samples?	yes/no/NA
3.	Are calculations correct?	yes/no/NA
4.	Is the reporting basis correct? (Dry Weight)	yes/no/NA
5.	All quality control criteria met?	yes/no
6.	Is the calibration curve correlation coefficient ≥ 0.995?	yes/no/NA
7.	MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency?	yes/no/NA
8.	Are ICVs, CCVs, and CCBs all within acceptance limits?	yes/no/NA
9.	Are results for methods blanks all ND?	yes/no/NA
10.	Are all QC samples within acceptance criteria? (LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.)	yes/no/NA
11.	Are all exceptions explained?	yes/no/NA
12.	Have all applicable service requests been reviewed?	yes/no/NA
13.	Are all samples labeled correctly?	yes/no/NA
14.	Have all instructions on the service request been followed? (e.g. Special MRLs, QC on a specific sample, Form V)	yes/no/NA
15.	Are detection limits and units reported correctly?	yes/no/NA
16.	Is the unused space on the benchsheet crossed out?	yes/no/NA
17.	Was analysis turned in by the due date? (n-2) (If not record SR#)	yes/no/NA

COMMENTS: K1909995-5 Sent for RA due to being above the calibration curve.
K1909995-6 Sent for RA due to previous sample carry over.
K1909955-1MS, 9958-11MS report a low % recovery due to matrix interference from salt water.

Final Approved by: [signature] Date: 11/08/19

DQREPORT

©TH 11/08/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658206 **Method/Testcode:** 9060A/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
K1910070-001	Carbon, Total Organic (TOC)	N/A		Pore Water	0.83 mg/L	10 mL	0.83 mg/L	1		0.50			11/5/19 15:52:00	N
K1910070-002	Carbon, Total Organic (TOC)	N/A		Pore Water	0.69 mg/L	10 mL	0.69 mg/L	1		0.50			11/5/19 18:16:00	N
K1910070-003	Carbon, Total Organic (TOC)	N/A		Pore Water	0.63 mg/L	10 mL	0.63 mg/L	1		0.50			11/5/19 19:20:00	N
K1910070-004	Carbon, Total Organic (TOC)	N/A		Pore Water	0.87 mg/L	10 mL	0.87 mg/L	1		0.50			11/5/19 20:24:00	N
K1910070-006	Carbon, Total Organic (TOC)	N/A		Pore Water	0.65 mg/L	10 mL	0.65 mg/L	1		0.50			11/5/19 22:01:00	N
K1910070-007	Carbon, Total Organic (TOC)	N/A		Pore Water	0.55 mg/L	10 mL	0.55 mg/L	1		0.50			11/5/19 23:04:00	N
K1910070-008	Carbon, Total Organic (TOC)	N/A		Pore Water	0.60 mg/L	10 mL	0.60 mg/L	1		0.50			11/6/19 00:08:00	N
K1910070-009	Carbon, Total Organic (TOC)	N/A		Pore Water	0.56 mg/L	10 mL	0.56 mg/L	1		0.50			11/6/19 01:12:00	N
K1910070-010	Carbon, Total Organic (TOC)	N/A		Pore Water	0.55 mg/L	10 mL	0.55 mg/L	1		0.50			11/6/19 02:15:00	N
K1910070-011	Carbon, Total Organic (TOC)	N/A		Pore Water	0.52 mg/L	10 mL	0.52 mg/L	1		0.50			11/6/19 03:19:00	N
K1910070-012	Carbon, Total Organic (TOC)	N/A		Pore Water	0.49 mg/L	10 mL	0.50 mg/L U	1		0.50			11/6/19 04:23:00	N
KQ1916153-01	Carbon, Total Organic (TOC)	CCV		Pore Water	24.12 mg/L	10 mL	24.1 mg/L	1					11/5/19 11:51:00	N
KQ1916153-02	Carbon, Total Organic (TOC)	CCV		Pore Water	23.72 mg/L	10 mL	23.7 mg/L	1					11/5/19 21:27:00	N
KQ1916153-03	Carbon, Total Organic (TOC)	CCV		Pore Water	23.59 mg/L	10 mL	23.6 mg/L	1					11/6/19 07:02:00	N
KQ1916153-04	Carbon, Total Organic (TOC)	CCB		Pore Water	0.00 mg/L	10 mL	0.50 mg/L U	1		0.50			11/5/19 12:07:00	N
KQ1916153-05	Carbon, Total Organic (TOC)	CCB		Pore Water	0.00 mg/L	10 mL	0.50 mg/L U	1		0.50			11/5/19 21:44:00	N
KQ1916153-06	Carbon, Total Organic (TOC)	CCB		Pore Water	0.00 mg/L	10 mL	0.50 mg/L U	1		0.50			11/6/19 07:19:00	N
KQ1916153-07	Carbon, Total Organic (TOC)	MB		Pore Water	0.00 mg/L	10 mL	0.50 mg/L U	1		0.50			11/5/19 12:24:00	N
KQ1916153-08	Carbon, Total Organic (TOC)	LCS		Pore Water	24.55 mg/L	10 mL	24.6 mg/L	1		0.50	98		11/5/19 13:28:00	N
KQ1916153-09	Carbon, Total Organic (TOC)	MS	K1910070-001	Pore Water	25.83 mg/L	10 mL	25.8 mg/L	1		0.50	100		11/5/19 16:56:00	N
KQ1916153-10	Carbon, Total Organic (TOC)	LODV		Pore Water	0.08 mg/L	10 mL	0.50 mg/L U	1		0.50			11/5/19 14:49:00	N
KQ1916153-11	Carbon, Total Organic (TOC)	MS	K1910070-001	Pore Water	25.78 mg/L	10 mL	25.8 mg/L	1		0.50	100		11/5/19 16:56:00	N
KQ1916153-12	Carbon, Total Organic (TOC)	MS	K1910070-001	Pore Water	25.80 mg/L	10 mL	25.8 mg/L	1		0.50	100		11/5/19 16:56:00	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/08/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658206 **Method/Testcode:** 9060A/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1916153-13	Carbon, Total Organic (TOC)	MS	K1910070-001	Pore Water	25.90 mg/L	10 mL	25.9 mg/L	1		0.50	100		11/5/19 16:56:00	N
KQ1916153-14	Carbon, Total Organic (TOC)	DUP	K1910070-003	Pore Water	0.74 mg/L	10 mL	0.74 mg/L	1		0.50		15	11/5/19 19:20:00	N
KQ1916153-15	Carbon, Total Organic (TOC)	TRP	K1910070-003	Pore Water	0.75 mg/L	10 mL	0.75 mg/L	1		0.50		9	11/5/19 19:20:00	N
KQ1916153-16	Carbon, Total Organic (TOC)	QUAD	K1910070-003	Pore Water	0.75 mg/L	10 mL	0.75 mg/L	1		0.50		8	11/5/19 19:20:00	N
KQ1916153-17	Carbon, Total Organic (TOC)	DUP	K1910070-004	Pore Water	0.90 mg/L	10 mL	0.90 mg/L	1		0.50		4	11/5/19 20:24:00	N
KQ1916153-18	Carbon, Total Organic (TOC)	TRP	K1910070-004	Pore Water	0.79 mg/L	10 mL	0.79 mg/L	1		0.50		7	11/5/19 20:24:00	N
KQ1916153-19	Carbon, Total Organic (TOC)	QUAD	K1910070-004	Pore Water	0.75 mg/L	10 mL	0.75 mg/L	1		0.50		9	11/5/19 20:24:00	N
KQ1916153-20	Carbon, Total Organic (TOC)	DUP	K1910070-006	Pore Water	0.63 mg/L	10 mL	0.63 mg/L	1		0.50		3	11/5/19 22:01:00	N
KQ1916153-21	Carbon, Total Organic (TOC)	TRP	K1910070-006	Pore Water	0.64 mg/L	10 mL	0.64 mg/L	1		0.50		2	11/5/19 22:01:00	N
KQ1916153-22	Carbon, Total Organic (TOC)	QUAD	K1910070-006	Pore Water	0.65 mg/L	10 mL	0.65 mg/L	1		0.50		2	11/5/19 22:01:00	N
KQ1916153-23	Carbon, Total Organic (TOC)	DUP	K1910070-007	Pore Water	0.54 mg/L	10 mL	0.54 mg/L	1		0.50		3	11/5/19 23:04:00	N
KQ1916153-24	Carbon, Total Organic (TOC)	TRP	K1910070-007	Pore Water	0.56 mg/L	10 mL	0.56 mg/L	1		0.50		2	11/5/19 23:04:00	N
KQ1916153-25	Carbon, Total Organic (TOC)	QUAD	K1910070-007	Pore Water	0.64 mg/L	10 mL	0.64 mg/L	1		0.50		8	11/5/19 23:04:00	N
KQ1916153-26	Carbon, Total Organic (TOC)	DUP	K1910070-008	Pore Water	0.60 mg/L	10 mL	0.60 mg/L	1		0.50		<1	11/6/19 00:08:00	N
KQ1916153-27	Carbon, Total Organic (TOC)	TRP	K1910070-008	Pore Water	0.57 mg/L	10 mL	0.57 mg/L	1		0.50		2	11/6/19 00:08:00	N
KQ1916153-28	Carbon, Total Organic (TOC)	QUAD	K1910070-008	Pore Water	0.54 mg/L	10 mL	0.54 mg/L	1		0.50		5	11/6/19 00:08:00	N
KQ1916153-29	Carbon, Total Organic (TOC)	DUP	K1910070-009	Pore Water	0.64 mg/L	10 mL	0.64 mg/L	1		0.50		13	11/6/19 01:12:00	N
KQ1916153-30	Carbon, Total Organic (TOC)	TRP	K1910070-009	Pore Water	0.61 mg/L	10 mL	0.61 mg/L	1		0.50		7	11/6/19 01:12:00	N
KQ1916153-31	Carbon, Total Organic (TOC)	QUAD	K1910070-009	Pore Water	0.66 mg/L	10 mL	0.66 mg/L	1		0.50		7	11/6/19 01:12:00	N
KQ1916153-32	Carbon, Total Organic (TOC)	DUP	K1910070-010	Pore Water	0.59 mg/L	10 mL	0.59 mg/L	1		0.50		6	11/6/19 02:15:00	N
KQ1916153-33	Carbon, Total Organic (TOC)	TRP	K1910070-010	Pore Water	0.58 mg/L	10 mL	0.58 mg/L	1		0.50		3	11/6/19 02:15:00	N
KQ1916153-34	Carbon, Total Organic (TOC)	QUAD	K1910070-010	Pore Water	0.58 mg/L	10 mL	0.58 mg/L	1		0.50		3	11/6/19 02:15:00	N
KQ1916153-35	Carbon, Total Organic (TOC)	DUP	K1910070-011	Pore Water	0.56 mg/L	10 mL	0.56 mg/L	1		0.50		6	11/6/19 03:19:00	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658206 **Method/Testcode:** 9060A/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1916153-36	Carbon, Total Organic (TOC)	TRP	K1910070-011	Pore Water	0.48 mg/L	10 mL	0.50 mg/L U	1		0.50		NC	11/6/19 03:19:00	N
KQ1916153-37	Carbon, Total Organic (TOC)	QUAD	K1910070-011	Pore Water	0.55 mg/L	10 mL	0.55 mg/L	1		0.50		NC	11/6/19 03:19:00	N
KQ1916153-38	Carbon, Total Organic (TOC)	DUP	K1910070-012	Pore Water	0.53 mg/L	10 mL	0.53 mg/L	1		0.50		NC	11/6/19 04:23:00	N
KQ1916153-39	Carbon, Total Organic (TOC)	TRP	K1910070-012	Pore Water	0.54 mg/L	10 mL	0.54 mg/L	1		0.50		NC	11/6/19 04:23:00	N
KQ1916153-40	Carbon, Total Organic (TOC)	QUAD	K1910070-012	Pore Water	0.55 mg/L	10 mL	0.55 mg/L	1		0.50		NC	11/6/19 04:23:00	N
KQ1916153-41	Carbon, Total Organic (TOC)	DUP	K1910070-001	Pore Water	0.76 mg/L	10 mL	0.76 mg/L	1		0.50		8	11/5/19 15:52:00	N
KQ1916153-42	Carbon, Total Organic (TOC)	TRP	K1910070-001	Pore Water	0.78 mg/L	10 mL	0.78 mg/L	1		0.50		4	11/5/19 15:52:00	N
KQ1916153-43	Carbon, Total Organic (TOC)	QUAD	K1910070-001	Pore Water	0.80 mg/L	10 mL	0.80 mg/L	1		0.50		4	11/5/19 15:52:00	N
KQ1916153-44	Carbon, Total Organic (TOC)	DUP	K1910070-002	Pore Water	0.72 mg/L	10 mL	0.72 mg/L	1		0.50		4	11/5/19 18:16:00	N
KQ1916153-45	Carbon, Total Organic (TOC)	TRP	K1910070-002	Pore Water	0.68 mg/L	10 mL	0.68 mg/L	1		0.50		3	11/5/19 18:16:00	N
KQ1916153-46	Carbon, Total Organic (TOC)	QUAD	K1910070-002	Pore Water	0.71 mg/L	10 mL	0.71 mg/L	1		0.50		3	11/5/19 18:16:00	N
KQ1916153-47	Carbon, Total Organic (TOC)	LODV		Pore Water	0.20 mg/L	10 mL	0.50 mg/L U	1		0.50			11/5/19 14:49:00	N
KQ1916153-48	Carbon, Total Organic (TOC)	LODV		Pore Water	0.19 mg/L	10 mL	0.50 mg/L U	1		0.50			11/5/19 14:49:00	N
KQ1916153-49	Carbon, Total Organic (TOC)	LODV		Pore Water	0.15 mg/L	10 mL	0.50 mg/L U	1		0.50			11/5/19 14:49:00	N
KQ1916153-50	Carbon, Total Organic (TOC)	MB		Pore Water	0.00 mg/L	10 mL	0.50 mg/L U	1		0.50			11/5/19 12:24:00	N
KQ1916153-51	Carbon, Total Organic (TOC)	MB		Pore Water	0.00 mg/L	10 mL	0.50 mg/L U	1		0.50			11/5/19 12:24:00	N
KQ1916153-52	Carbon, Total Organic (TOC)	MB		Pore Water	0.00 mg/L	10 mL	0.50 mg/L U	1		0.50			11/5/19 12:24:00	N
KQ1916153-53	Carbon, Total Organic (TOC)	LCS		Pore Water	24.53 mg/L	10 mL	24.5 mg/L	1		0.50	98		11/5/19 13:28:00	N
KQ1916153-54	Carbon, Total Organic (TOC)	LCS		Pore Water	24.53 mg/L	10 mL	24.5 mg/L	1		0.50	98		11/5/19 13:28:00	N
KQ1916153-55	Carbon, Total Organic (TOC)	LCS		Pore Water	24.52 mg/L	10 mL	24.5 mg/L	1		0.50	98		11/5/19 13:28:00	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658207 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Ti
K1909958-001	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 09:14:00	N	I
K1909958-002	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 09:46:00	N	I
K1909958-003	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 10:18:00	N	I
K1909958-004	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 10:51:00	N	I
K1909958-005	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 11:23:00	N	I
K1909958-006	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 12:28:00	N	I
K1909958-007	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 13:00:00	N	I
K1909958-008	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 13:32:00	N	I
K1909958-010	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 14:04:00	N	I
K1909958-011	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 14:36:00	N	I
K1909958-012	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 15:08:00	N	I
K1909958-013	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 15:41:00	N	I
K1909958-014	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 16:13:00	N	I
K1909958-016	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 16:45:00	N	I
K1909958-017	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 17:17:00	N	I
K1909958-018	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 18:56:00	N	I
K1909995-005	Carbon, Total Organic	N/A		Water	58.59 mg/L	10 mL	2930 mg/L	50	4	25			11/6/19 05:26:00	N	I
K1909995-006	Carbon, Total Organic	N/A		Water	0.97 mg/L	10 mL	48 mg/L	50	4	25			11/6/19 05:58:00	N	I
K1909995-007	Carbon, Total Organic	N/A		Water	7.51 mg/L	10 mL	7.51 mg/L	1	0.07	0.50			11/6/19 06:30:00	N	I
K1910215-001	Carbon, Total Organic	N/A		Water	2.11 mg/L	10 mL	4.2 mg/L	2	0.2	1.0			11/6/19 08:09:00	N	I
KQ1916154-01	Carbon, Total Organic	CCV		Water	23.72 mg/L	10 mL	23.7 mg/L	1					11/5/19 21:27:00	N	I
KQ1916154-02	Carbon, Total Organic	CCV		Water	23.59 mg/L	10 mL	23.6 mg/L	1					11/6/19 07:02:00	N	I
KQ1916154-03	Carbon, Total Organic	CCV		Water	23.70 mg/L	10 mL	23.7 mg/L	1					11/6/19 11:55:00	N	I
KQ1916154-04	Carbon, Total Organic	CCV		Water	23.66 mg/L	10 mL	23.7 mg/L	1					11/6/19 17:49:00	N	I
KQ1916154-05	Carbon, Total Organic	CCV		Water	23.40 mg/L	10 mL	23.4 mg/L	1					11/6/19 22:41:00	N	I

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/08/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658207 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1916154-06	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/5/19 21:44:00	N
KQ1916154-07	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/6/19 07:19:00	N
KQ1916154-08	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/6/19 12:11:00	N
KQ1916154-09	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/6/19 18:06:00	N
KQ1916154-10	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/6/19 22:58:00	N
KQ1916154-11	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/6/19 07:36:00	N
KQ1916154-15	Carbon, Total Organic	LCS		Water	24.06 mg/L	10 mL	24.1 mg/L	1	0.07	0.50	96		11/6/19 07:52:00	N
KQ1916154-19	Carbon, Total Organic	MS	K1910215-001	Water	27.52 mg/L	10 mL	55.0 mg/L	2	0.2	1.0	102		11/6/19 08:41:00	N
KQ1916154-20	Carbon, Total Organic	DUP	K1909995-005	Water	58.43 mg/L	10 mL	2920 mg/L	50	4	25		<1	11/6/19 05:26:00	N
KQ1916154-21	Carbon, Total Organic	DUP	K1909995-006	Water	0.58 mg/L	10 mL	29 mg/L	50	4	25		49*	11/6/19 05:58:00	N
KQ1916154-22	Carbon, Total Organic	DUP	K1909995-007	Water	7.36 mg/L	10 mL	7.36 mg/L	1	0.07	0.50		2	11/6/19 06:30:00	N
KQ1916154-23	Carbon, Total Organic	DUP	K1909958-005	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 11:23:00	N
KQ1916154-24	Carbon, Total Organic	DUP	K1909958-006	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 12:28:00	N
KQ1916154-25	Carbon, Total Organic	DUP	K1909958-007	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 13:00:00	N
KQ1916154-26	Carbon, Total Organic	DUP	K1909958-008	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 13:32:00	N
KQ1916154-27	Carbon, Total Organic	DUP	K1909958-017	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 17:17:00	N
KQ1916154-28	Carbon, Total Organic	DUP	K1909958-016	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 16:45:00	N
KQ1916154-29	Carbon, Total Organic	DUP	K1909958-018	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 18:56:00	N
KQ1916154-30	Carbon, Total Organic	DUP	K1909958-010	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 14:04:00	N
KQ1916154-31	Carbon, Total Organic	DUP	K1909958-011	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 14:36:00	N
KQ1916154-32	Carbon, Total Organic	DUP	K1909958-012	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 15:08:00	N
KQ1916154-33	Carbon, Total Organic	DUP	K1909958-013	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 15:41:00	N
KQ1916154-34	Carbon, Total Organic	DUP	K1909958-014	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 16:13:00	N
KQ1916154-35	Carbon, Total Organic	DUP	K1909958-004	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 10:51:00	N
KQ1916154-36	Carbon, Total Organic	DUP	K1909958-001	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 09:14:00	N
KQ1916154-37	Carbon, Total Organic	DUP	K1909958-002	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 09:46:00	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658207 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1916154-38	Carbon, Total Organic	DUP	K1909958-003	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 10:18:00	N
KQ1916154-39	Carbon, Total Organic	DUP	K1910215-001	Water	2.10 mg/L	10 mL	4.2 mg/L	2	0.2	1.0		<1	11/6/19 08:09:00	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658208 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Ti
K1909958-011	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 19:28:00	N	I
K1909958-012	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 20:33:00	N	I
K1909958-013	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 21:05:00	N	I
K1909958-014	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 21:37:00	N	I
K1909958-016	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 22:09:00	N	I
K1909958-017	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 23:15:00	N	I
K1909958-018	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/6/19 23:47:00	N	I
K1909958-019	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 00:19:00	N	I
K1909958-020	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 00:51:00	N	I
KQ1916155-01	Carbon, Dissolved Organic (DOC)	CCV		Ocean Water	23.66 mg/L	10 mL	23.7 mg/L	1					11/6/19 17:49:00	N	I
KQ1916155-02	Carbon, Dissolved Organic (DOC)	CCV		Ocean Water	23.40 mg/L	10 mL	23.4 mg/L	1					11/6/19 22:41:00	N	I
KQ1916155-03	Carbon, Dissolved Organic (DOC)	CCV		Ocean Water	23.33 mg/L	10 mL	23.3 mg/L	1					11/6/19 04:36:00	N	I
KQ1916155-04	Carbon, Dissolved Organic (DOC)	CCV		Ocean Water	23.69 mg/L	10 mL	23.7 mg/L	1					11/7/19 09:28:00	N	I
KQ1916155-05	Carbon, Dissolved Organic (DOC)	CCB		Ocean Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/6/19 18:06:00	N	I
KQ1916155-06	Carbon, Dissolved Organic (DOC)	CCB		Ocean Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/6/19 22:58:00	N	I
KQ1916155-07	Carbon, Dissolved Organic (DOC)	CCB		Ocean Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/6/19 04:52:00	N	I
KQ1916155-08	Carbon, Dissolved Organic (DOC)	CCB		Ocean Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/7/19 09:45:00	N	I
KQ1916155-09	Carbon, Dissolved Organic (DOC)	MB		Ocean Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/6/19 18:22:00	N	I
KQ1916155-10	Carbon, Dissolved Organic (DOC)	LCS		Ocean Water	24.43 mg/L	10 mL	24.4 mg/L	1	0.07	0.50	98		11/6/19 18:39:00	N	I
KQ1916155-11	Carbon, Dissolved Organic (DOC)	MS	K1909958-011	Ocean Water	13.71 mg/L	10 mL	27.4 mg/L	2	0.2	1.0	55*		11/6/19 20:00:00	N	I
KQ1916155-12	Carbon, Dissolved Organic (DOC)	DUP	K1909958-012	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 20:33:00	N	I

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/08/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658208 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1916155-13	Carbon, Dissolved Organic (DOC)	DUP	K1909958-011	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 19:28:00	N
KQ1916155-14	Carbon, Dissolved Organic (DOC)	DUP	K1909958-013	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 21:05:00	N
KQ1916155-15	Carbon, Dissolved Organic (DOC)	DUP	K1909958-014	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 21:37:00	N
KQ1916155-16	Carbon, Dissolved Organic (DOC)	DUP	K1909958-017	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 23:15:00	N
KQ1916155-17	Carbon, Dissolved Organic (DOC)	DUP	K1909958-016	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 22:09:00	N
KQ1916155-18	Carbon, Dissolved Organic (DOC)	DUP	K1909958-018	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/6/19 23:47:00	N
KQ1916155-19	Carbon, Dissolved Organic (DOC)	DUP	K1909958-019	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 00:19:00	N
KQ1916155-20	Carbon, Dissolved Organic (DOC)	DUP	K1909958-020	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 00:51:00	N
KQ1916155-21	Carbon, Dissolved Organic (DOC)	DUP	T1901863-009	Water	4.23 mg/L	10 mL	4.23 mg/L	1	0.07	0.50		<1	11/7/19 06:47:00	N
KQ1916155-22	Carbon, Dissolved Organic (DOC)	DUP	T1901863-008	Water	4.04 mg/L	10 mL	4.04 mg/L	1	0.07	0.50		<1	11/7/19 06:15:00	N
KQ1916155-23	Carbon, Dissolved Organic (DOC)	DUP	T1901863-007	Water	4.17 mg/L	10 mL	4.17 mg/L	1	0.07	0.50		<1	11/7/19 04:36:00	N
KQ1916155-24	Carbon, Dissolved Organic (DOC)	DUP	T1901863-006	Water	3.97 mg/L	10 mL	3.97 mg/L	1	0.07	0.50		2	11/7/19 04:04:00	N
KQ1916155-25	Carbon, Dissolved Organic (DOC)	DUP	T1901863-005	Water	4.02 mg/L	10 mL	4.02 mg/L	1	0.07	0.50		<1	11/7/19 03:32:00	N
KQ1916155-26	Carbon, Dissolved Organic (DOC)	DUP	T1901863-004	Water	3.92 mg/L	10 mL	3.92 mg/L	1	0.07	0.50		<1	11/7/19 03:00:00	N
KQ1916155-27	Carbon, Dissolved Organic (DOC)	DUP	T1901863-003	Water	3.91 mg/L	10 mL	3.91 mg/L	1	0.07	0.50		1	11/7/19 02:27:00	N
KQ1916155-28	Carbon, Dissolved Organic (DOC)	DUP	T1901863-002	Water	3.84 mg/L	10 mL	3.84 mg/L	1	0.07	0.50		2	11/7/19 01:55:00	N
KQ1916155-29	Carbon, Dissolved Organic (DOC)	DUP	T1901863-001	Water	3.92 mg/L	10 mL	3.92 mg/L	1	0.07	0.50		1	11/7/19 01:23:00	N
T1901863-001	Carbon, Dissolved Organic (DOC)	N/A		Water	3.97 mg/L	10 mL	3.97 mg/L	1	0.07	0.50			11/7/19 01:23:00	N
T1901863-002	Carbon, Dissolved Organic (DOC)	N/A		Water	3.91 mg/L	10 mL	3.91 mg/L	1	0.07	0.50			11/7/19 01:55:00	N
T1901863-003	Carbon, Dissolved Organic (DOC)	N/A		Water	3.96 mg/L	10 mL	3.96 mg/L	1	0.07	0.50			11/7/19 02:27:00	N
T1901863-004	Carbon, Dissolved Organic (DOC)	N/A		Water	3.95 mg/L	10 mL	3.95 mg/L	1	0.07	0.50			11/7/19 03:00:00	N
T1901863-005	Carbon, Dissolved Organic (DOC)	N/A		Water	3.98 mg/L	10 mL	3.98 mg/L	1	0.07	0.50			11/7/19 03:32:00	N
T1901863-006	Carbon, Dissolved Organic (DOC)	N/A		Water	3.90 mg/L	10 mL	3.90 mg/L	1	0.07	0.50			11/7/19 04:04:00	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658208 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
T1901863-007	Carbon, Dissolved Organic (DOC)	N/A		Water	4.19 mg/L	10 mL	4.19 mg/L	1	0.07	0.50			11/7/19 04:36:00	N
T1901863-008	Carbon, Dissolved Organic (DOC)	N/A		Water	4.06 mg/L	10 mL	4.06 mg/L	1	0.07	0.50			11/7/19 06:15:00	N
T1901863-009	Carbon, Dissolved Organic (DOC)	N/A		Water	4.21 mg/L	10 mL	4.21 mg/L	1	0.07	0.50			11/7/19 06:47:00	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658209 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1909955-001	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 07:19:00	N	IV
K1909955-002	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 08:24:00	N	IV
K1909955-003	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 08:56:00	N	IV
K1909955-004	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 10:02:00	N	IV
K1909955-005	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 10:34:00	N	IV
K1909955-006	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 11:06:00	N	IV
K1909955-007	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 11:39:00	N	IV
K1909955-008	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 12:11:00	N	IV
K1909955-009	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 12:43:00	N	IV
K1909955-010	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 13:15:00	N	IV
K1909955-012	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 13:47:00	N	IV
K1909955-013	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/7/19 14:19:00	N	IV
KQ1916156-01	Carbon, Dissolved Organic (DOC)	CCV		Ocean Water	23.33 mg/L	10 mL	23.3 mg/L	1					11/7/19 04:36:00	N	IV
KQ1916156-02	Carbon, Dissolved Organic (DOC)	CCV		Ocean Water	23.69 mg/L	10 mL	23.7 mg/L	1					11/7/19 09:28:00	N	IV
KQ1916156-03	Carbon, Dissolved Organic (DOC)	CCV		Ocean Water	23.68 mg/L	10 mL	23.7 mg/L	1					11/7/19 14:51:00	N	IV
KQ1916156-04	Carbon, Dissolved Organic (DOC)	CCB		Ocean Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/7/19 04:52:00	N	IV
KQ1916156-05	Carbon, Dissolved Organic (DOC)	CCB		Ocean Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/7/19 09:45:00	N	IV
KQ1916156-06	Carbon, Dissolved Organic (DOC)	CCB		Ocean Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/7/19 15:08:00	N	IV
KQ1916156-07	Carbon, Dissolved Organic (DOC)	MB		Ocean Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/7/19 05:09:00	N	IV
KQ1916156-08	Carbon, Dissolved Organic (DOC)	LCS		Ocean Water	24.24 mg/L	10 mL	24.2 mg/L	1	0.07	0.50	97		11/7/19 05:26:00	N	IV
KQ1916156-09	Carbon, Dissolved Organic (DOC)	MS	K1909955-001	Ocean Water	14.39 mg/L	10 mL	28.8 mg/L	2	0.2	1.0	58*		11/7/19 07:51:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Printed 11/7/19 16:45

Results Summary

11/08/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658209 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1916156-10	Carbon, Dissolved Organic (DOC)	DUP	K1909955-007	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 11:39:00	N
KQ1916156-11	Carbon, Dissolved Organic (DOC)	DUP	K1909955-008	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 12:11:00	N
KQ1916156-12	Carbon, Dissolved Organic (DOC)	DUP	K1909955-001	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 07:19:00	N
KQ1916156-13	Carbon, Dissolved Organic (DOC)	DUP	K1909955-002	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 08:24:00	N
KQ1916156-14	Carbon, Dissolved Organic (DOC)	DUP	K1909955-003	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 08:56:00	N
KQ1916156-15	Carbon, Dissolved Organic (DOC)	DUP	K1909955-004	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 10:02:00	N
KQ1916156-16	Carbon, Dissolved Organic (DOC)	DUP	K1909955-005	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 10:34:00	N
KQ1916156-17	Carbon, Dissolved Organic (DOC)	DUP	K1909955-009	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 12:43:00	N
KQ1916156-18	Carbon, Dissolved Organic (DOC)	DUP	K1909955-010	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 13:15:00	N
KQ1916156-19	Carbon, Dissolved Organic (DOC)	DUP	K1909955-012	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 13:47:00	N
KQ1916156-20	Carbon, Dissolved Organic (DOC)	DUP	K1909955-013	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 14:19:00	N
KQ1916156-21	Carbon, Dissolved Organic (DOC)	DUP	K1909955-006	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 11:06:00	N

RIGHT SOLUTIONS | RIGHT PARTNER

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

TOC: 658206, 658207
DOC: 658208, 658209

Schedule: 11052019

Version: 1
Instrument: Fusion1
Last Saved by: Fusion1 (Fusion1)
Last Saved on: 2019/11/05 09:40 - Tuesday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps
(Clean)	Clean	Clean		1
(Clean)	Clean	Clean		1
(Clean)	Clean	Clean		1
(Blank)	Blank	Reagent/Acid Blank		1
D	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
1	Sample	MB1	Extended Reaction 021711 (Extended Reaction 021711)	4
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	4
2	Sample	ICS	Extended Reaction 021711 (Extended Reaction 021711)	1
3	Sample	LOD	Extended Reaction 021711 (Extended Reaction 021711)	4
4	Sample	K1910070-001.05	Extended Reaction 021711 (Extended Reaction 021711)	4
5	Sample	K1910070-001.05 ms	Extended Reaction 021711 (Extended Reaction 021711)	4
6	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
7	Sample	K1910070-002.05	Extended Reaction 021711 (Extended Reaction 021711)	4
8	Sample	K1910070-003.05	Extended Reaction 021711 (Extended Reaction 021711)	4
9	Sample	K1910070-004.05	Extended Reaction 021711 (Extended Reaction 021711)	4
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
10	Sample	K1910070-006.05	Extended Reaction 021711 (Extended Reaction 021711)	4
11	Sample	K1910070-007.05	Extended Reaction 021711 (Extended Reaction 021711)	4
12	Sample	K1910070-008.05	Extended Reaction 021711 (Extended Reaction 021711)	4
13	Sample	K1910070-009.05	Extended Reaction 021711 (Extended Reaction 021711)	4
14	Sample	K1910070-010.05	Extended Reaction 021711 (Extended Reaction 021711)	4
15	Sample	K1910070-011.05	Extended Reaction 021711 (Extended Reaction 021711)	4
16	Sample	K1910070-012.05	Extended Reaction 021711 (Extended Reaction 021711)	4
17	Sample	K1909995-005.01 50x	Extended Reaction 021711 (Extended Reaction 021711)	2
18	Sample	K1909995-006.01 50x	Extended Reaction 021711 (Extended Reaction 021711)	2
19	Sample	K1909995-007.01	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
20	Sample	MB2	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
21	Sample	K1910215-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
22	Sample	K1910215-001.01 ms	Extended Reaction 021711 (Extended Reaction 021711)	1
23	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
24	Sample	K1909958-001.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
25	Sample	K1909958-002.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
26	Sample	K1909958-003.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
27	Sample	K1909958-004.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
28	Sample	K1909958-005.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
29	Sample	K1909958-006.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
30	Sample	K1909958-007.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
31	Sample	K1909958-008.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
32	Sample	K1909958-010.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
33	Sample	K1909958-011.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
34	Sample	K1909958-012.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
35	Sample	K1909958-013.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
36	Sample	K1909958-014.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
37	Sample	K1909958-016.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
38	Sample	K1909958-017.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1

11/08/19

RIGHT SOLUTIONS | RIGHT PARTNER

Schedule: 11052019

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
39	Sample	MB3	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
40	Sample	K1909958-018.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
41	Sample	K1909958-011.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
42	Sample	K1909958-011.01 ms doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	1
43	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
44	Sample	K1909958-012.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
45	Sample	K1909958-013.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
46	Sample	K1909958-014.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
47	Sample	K1909958-016.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
48	Sample	K1909958-017.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
49	Sample	K1909958-018.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
50	Sample	K1909958-019.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
51	Sample	K1909958-020.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
52	Sample	T1901863-001.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
53	Sample	T1901863-002.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
54	Sample	T1901863-003.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
55	Sample	T1901863-004.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
56	Sample	T1901863-005.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
57	Sample	T1901863-006.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
58	Sample	MB4	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
59	Sample	T1901863-007.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
60	Sample	T1901863-008.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
61	Sample	T1901863-009.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
62	Sample	K1909955-001.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
63	Sample	K1909955-001.10 ms doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	1
64	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
65	Sample	K1909955-002.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
66	Sample	K1909955-003.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
67	Sample	K1909955-004.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
68	Sample	K1909955-005.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
69	Sample	K1909955-006.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
70	Sample	K1909955-007.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
71	Sample	K1909955-008.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
72	Sample	K1909955-009.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
73	Sample	K1909955-010.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
74	Sample	K1909955-012.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
75	Sample	K1909955-013.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1

RIGHT SOLUTIONS | RIGHT PARTNER

Fusion Report - 11052019
Tuesday, November 05, 2019 09:55 AM

(View - Reps, Unused Reps, Meta-Data, Signature, History)
Printed on 2019/11/07 15:38 - Thursday

Report Summary Information

Company Location:	Gen Chem Lab		
Schedule Name:	11052019	Engine Version:	1.1.5.1
Instrument Name:	Fusion1	Firmware Version:	1.2.0696
Report Version:	1 of 1	Connection:	RS232 COM1
Report Creation by Operators (schedule version):	Fusion1 (Fusion1) (v1)		
Comment:			

Report Results

11/08/19

Sample Type: Clean — From Schedule Version 1

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/11/05 09:55

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	13.42	19.59	6.17	49.73	05:25
2	TC Clean	15.48	19.29	3.81	50.39	04:06
3	TC Clean	5.36	9.02	3.66	50.25	03:49
4	TC Clean	3.97	7.61	3.64	50.17	03:56

Sample Type: Clean — From Schedule Version 1

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/11/05 10:17

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	1.19	4.68	3.49	49.77	05:23
2	TC Clean	9.94	13.51	3.57	50.40	04:03
3	TC Clean	2.93	6.57	3.64	50.15	03:47
4	TC Clean	2.03	5.72	3.70	50.19	03:47

RIGHT SOLUTIONS | RIGHT PARTNER

Sample Type: Clean From Schedule Version 1

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/11/05 10:39

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	0.92	4.70	3.78	49.59	05:09
2	TC Clean	5.73	9.30	3.57	50.35	04:02
3	TC Clean	2.50	6.26	3.75	50.34	03:45
4	TC Clean	2.11	5.81	3.69	50.28	03:45

Sample Type: Blank (Creating v1314) From Schedule Version 1

	Pos	Analysis Type	Sample ID	Start Time
◈	(blank)		Reagent/Acid Blank	2019/11/05 11:01

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	0.97	4.55	3.58	49.64	05:09
2	TC Clean	6.16	9.85	3.69	50.35	04:03
3	TC Clean	2.48	6.18	3.69	50.29	03:47
4	TC Clean	2.43	6.18	3.75	50.23	03:48
5	Reagent Blank	4.43	8.21	3.77	50.29	05:05
6	Acid Blank	1.02	4.69	3.68	49.62	05:26

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	D	TOC	RB	0.5614 ppm	0.0000 ppm	0.0000%	2019/11/05 11:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5614	5.6144	14.37	18.18	3.82	50.45	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 1

RIGHT SOLUTIONS | RIGHT PARTNER

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	24.1171 ppm (PASS)	0.0000 ppm	0%	2019/11/05 11:51

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.1171	241.1715	184.09	187.88	3.78	50.45	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/05 12:07

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	8.73	12.40	3.68	50.44	12:28

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	1	TOC	MB1	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/05 12:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.02	11.73	3.71	50.45	12:26
2	TOC	0.0000	0.0000	7.89	11.66	3.77	50.44	12:28
3	TOC	0.0000	0.0000	8.09	11.66	3.57	50.43	12:30
4	TOC	0.0000	0.0000	7.98	11.64	3.66	50.45	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.5315 ppm	0.0138 ppm	0.06%	2019/11/05 13:28

RIGHT SOLUTIONS | RIGHT PARTNER

							(PASS)			

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.5513	245.5130	187.20	190.82	3.61	50.41	12:31
C	TOC	25.0 ppm	2	24.5283	245.2829	187.04	190.82	3.78	50.50	12:27
C	TOC	25.0 ppm	3	24.5268	245.2676	187.03	190.73	3.70	50.41	12:26
C	TOC	25.0 ppm	4	24.5195	245.1950	186.98	190.79	3.82	50.42	12:26

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	2	TOC	ICS	0.1329 ppm	0.0000 ppm	0.0000%	2019/11/05 14:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.1329	1.3287	11.30	14.92	3.63	50.42	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	3	TOC	LOD	0.1552 ppm	0.0522 ppm	33.6400%	2019/11/05 14:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.1479	1.4793	11.40	15.11	3.71	50.40	12:28
2	TOC	0.1874	1.8740	11.69	15.37	3.69	50.40	12:25
3	TOC	0.2008	2.0079	11.78	15.40	3.61	50.38	12:27
4	TOC	0.0845	0.8448	10.95	14.89	3.94	50.37	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	4	TOC	K1910070-001.05	0.7930 ppm	0.0289 ppm	3.6400%	2019/11/05 15:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8295	8.2950	16.29	19.85	3.56	50.38	12:30
2	TOC	0.7644	7.6437	15.82	19.57	3.75	50.39	12:25
3	TOC	0.7764	7.7636	15.91	19.70	3.79	50.41	12:27
4	TOC	0.8016	8.0160	16.09	19.75	3.66	50.43	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC)	Extended Reaction	Extended Reaction

(v1314) 021711 (v4) 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	5	TOC	K1910070-001.05 ms	25.8271 ppm	0.0518 ppm	0.2000%	2019/11/05 16:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	25.8964	258.9641	196.03	199.64	3.62	50.44	12:30
2	TOC	25.8006	258.0060	195.34	199.06	3.72	50.45	12:28
3	TOC	25.7770	257.7703	195.17	198.79	3.62	50.48	12:28
4	TOC	25.8342	258.3421	195.58	199.29	3.70	50.48	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	6	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/05 17:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.53	11.28	3.74	50.48	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	7	TOC	K1910070-002.05	0.6982 ppm	0.0185 ppm	2.6500%	2019/11/05 18:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6910	6.9101	15.30	18.98	3.68	50.50	12:30
2	TOC	0.7189	7.1890	15.50	19.01	3.51	50.53	12:30
3	TOC	0.6764	6.7636	15.19	18.80	3.61	50.54	12:29
4	TOC	0.7066	7.0663	15.41	19.02	3.61	50.56	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	8	TOC	K1910070-003.05	0.7175 ppm	0.0574 ppm	8.0000%	2019/11/05 19:20

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6320	6.3201	14.88	18.48	3.61	50.57	12:32
2	TOC	0.7373	7.3731	15.63	19.15	3.52	50.60	12:28
3	TOC	0.7543	7.5432	15.75	19.30	3.55	50.61	12:26
4	TOC	0.7464	7.4637	15.69	19.28	3.59	50.63	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

RIGHT SOLUTIONS | RIGHT PARTNER

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8730	8.7301	16.60	20.17	3.57	50.64	12:29
2	TOC	0.9044	9.0439	16.83	20.61	3.78	50.64	12:30
3	TOC	0.7941	7.9407	16.04	19.82	3.78	50.66	12:26
4	TOC	0.7474	7.4735	15.70	19.41	3.71	50.67	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.7236 ppm (PASS)	0.0000 ppm	0%	2019/11/05 21:27

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.7236	237.2358	181.27	184.69	3.42	50.69	12:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/05 21:44

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.82	10.46	3.64	50.72	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	10	TOC	K1910070-006.05	0.6407 ppm	0.0109 ppm	1.7000%	2019/11/05 22:01

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6465	6.4652	14.98	18.51	3.53	50.73	12:26
2	TOC	0.6259	6.2588	14.83	18.32	3.49	50.80	12:28
3	TOC	0.6397	6.3968	14.93	18.44	3.51	50.74	12:28
4	TOC	0.6507	6.5070	15.01	18.76	3.75	50.73	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	11	TOC	K1910070-007.05	0.5704 ppm	0.0444 ppm	7.7800%	2019/11/05 23:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5546	5.5461	14.32	17.93	3.61	50.74	12:28
2	TOC	0.5356	5.3564	14.18	17.86	3.67	50.73	12:25
3	TOC	0.5560	5.5601	14.33	17.95	3.62	50.73	12:27
4	TOC	0.6355	6.3550	14.90	18.38	3.48	50.72	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	12	TOC	K1910070-008.05	0.5765 ppm	0.0277 ppm	4.8000%	2019/11/06 00:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5960	5.9603	14.62	18.21	3.59	50.72	12:27
2	TOC	0.5977	5.9771	14.63	18.29	3.66	50.71	12:27
3	TOC	0.5741	5.7414	14.46	18.11	3.65	50.70	12:30
4	TOC	0.5383	5.3829	14.20	17.81	3.61	50.70	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	13	TOC	K1910070-009.05	0.6194 ppm	0.0439 ppm	7.0900%	2019/11/06 01:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5626	5.6256	14.38	18.02	3.65	50.67	12:27
2	TOC	0.6419	6.4192	14.95	18.51	3.56	50.67	12:26
3	TOC	0.6096	6.0956	14.71	18.34	3.63	50.76	12:28
4	TOC	0.6635	6.6353	15.10	18.53	3.43	50.70	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis	Sample ID	Result (ppmC)	Std. Dev.	RSD	Start Time

		Type			(ppmC)		
◆	14	TOC	K1910070-010.05	0.5749 ppm	0.0156 ppm	2.7100%	2019/11/06 02:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5518	5.5182	14.30	17.89	3.59	50.70	12:26
2	TOC	0.5859	5.8585	14.54	18.08	3.54	50.70	12:26
3	TOC	0.5799	5.7985	14.50	18.06	3.56	50.72	12:25
4	TOC	0.5822	5.8222	14.52	18.16	3.64	50.72	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	15	TOC	K1910070-011.05	0.5266 ppm	0.0355 ppm	6.7400%	2019/11/06 03:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5231	5.2309	14.09	17.67	3.58	50.70	12:28
2	TOC	0.5563	5.5628	14.33	18.09	3.76	50.72	12:31
3	TOC	0.4779	4.7791	13.77	17.54	3.77	50.79	12:29
4	TOC	0.5492	5.4917	14.28	17.92	3.64	50.72	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	16	TOC	K1910070-012.05	0.5268 ppm	0.0271 ppm	5.1500%	2019/11/06 04:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.4874	4.8739	13.84	17.49	3.65	50.71	12:31
2	TOC	0.5303	5.3034	14.15	17.85	3.71	50.71	12:25
3	TOC	0.5428	5.4276	14.24	17.95	3.71	50.72	12:27
4	TOC	0.5465	5.4652	14.26	18.01	3.75	50.73	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	17	TOC	K1909995-005.01 50x	58.5081 ppm	0.1162 ppm	0.2000%	2019/11/06 05:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	58.5902	585.9021	430.45	434.04	3.59	50.73	12:29
2	TOC	58.4259	584.2592	429.27	433.06	3.78	50.73	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

		Analysis			Std. Dev.		

RIGHT SOLUTIONS | RIGHT PARTNER

	Pos	Type	Sample ID	Result (ppmC)	(ppmC)	RSD	Start Time
◈	18	TOC	K1909995-006.01 50x	0.7745 ppm	0.2699 ppm	34.8500%	2019/11/06 05:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9653	9.6533	17.26	21.00	3.74	50.74	12:31
2	TOC	0.5836	5.8362	14.53	18.16	3.63	50.82	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	19	TOC	K1909995-007.01	7.4337 ppm	0.1045 ppm	1.4100%	2019/11/06 06:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.5076	75.0761	64.18	67.70	3.53	50.73	12:31
2	TOC	7.3598	73.5978	63.11	66.83	3.72	50.74	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.5947 ppm (PASS)	0.0000 ppm	0%	2019/11/06 07:02

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.5947	235.9472	180.34	183.87	3.53	50.74	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/06 07:19

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.46	10.11	3.66	50.74	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria	Do Nothing	Extended Reaction	Extended Reaction	0 ppmC

met.	021711 (v4)	021711 (v27)

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	20	TOC	MB2	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 07:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.82	9.51	3.70	50.72	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.0602 ppm (PASS)	0.0000 ppm	0%	2019/11/06 07:52

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.0602	240.6025	183.68	187.32	3.63	50.70	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	21	TOC	K1910215-001.01	2.1062 ppm	0.0075 ppm	0.3600%	2019/11/06 08:09

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.1115	21.1145	25.48	29.17	3.69	50.71	12:26
2	TOC	2.1009	21.0085	25.41	29.11	3.70	50.57	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	22	TOC	K1910215-001.01 ms	27.5240 ppm	0.0000 ppm	0.0000%	2019/11/06 08:41

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	27.5240	275.2396	207.70	211.22	3.52	50.53	12:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	23	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 08:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.99	10.47	3.47	50.52	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	24	TOC	K1909958-001.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 09:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.65	13.16	3.51	50.52	12:28
2	TOC	0.0000	0.0000	9.98	13.81	3.83	50.48	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	25	TOC	K1909958-002.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 09:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.30	13.14	3.85	50.43	12:29
2	TOC	0.0000	0.0000	9.37	12.94	3.58	50.46	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	26	TOC	K1909958-003.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 10:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.84	12.34	3.51	50.44	12:26
2	TOC	0.0000	0.0000	8.75	12.32	3.57	50.42	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	27	TOC	K1909958-004.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 10:51

Rep	Base			Adjusted		Baseline	Pressure	Run

RIGHT SOLUTIONS | RIGHT PARTNER

#	Analysis Type	ppm	µg	(Abs)	NDIR (Abs)	(Abs)	(psig)	Time
1	TOC	0.0000	0.0000	8.53	11.91	3.38	50.42	12:26
2	TOC	0.0000	0.0000	8.30	11.99	3.69	50.48	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	28	TOC	K1909958-005.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 11:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.22	11.75	3.53	50.38	12:26
2	TOC	0.0000	0.0000	8.43	12.05	3.62	50.47	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.6979 ppm (PASS)	0.0000 ppm	0%	2019/11/06 11:55

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.6979	236.9792	181.08	184.67	3.59	50.67	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/06 12:11

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.70	10.32	3.62	50.72	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	29	TOC	K1909958-006.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 12:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.91	11.44	3.53	50.69	12:30
2	TOC	0.0000	0.0000	7.67	11.15	3.49	50.58	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	30	TOC	K1909958-007.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 13:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.47	11.16	3.69	50.52	12:28
2	TOC	0.0000	0.0000	7.44	11.07	3.64	50.50	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	31	TOC	K1909958-008.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 13:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.37	11.15	3.78	50.49	12:28
2	TOC	0.0000	0.0000	7.71	11.32	3.61	50.46	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	32	TOC	K1909958-010.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 14:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.27	11.08	3.81	50.46	12:30
2	TOC	0.0000	0.0000	7.77	11.19	3.42	50.43	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	33	TOC	K1909958-011.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 14:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

RIGHT SOLUTIONS | RIGHT PARTNER

1	TOC	0.0000	0.0000	7.20	10.72	3.52	50.42	12:30
2	TOC	0.0000	0.0000	7.33	10.98	3.65	50.42	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	34	TOC	K1909958-012.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 15:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.49	10.97	3.48	50.39	12:30
2	TOC	0.0000	0.0000	6.86	10.36	3.50	50.37	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	35	TOC	K1909958-013.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 15:41

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.07	10.73	3.66	50.36	12:31
2	TOC	0.0000	0.0000	7.14	10.84	3.70	50.39	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	36	TOC	K1909958-014.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 16:13

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.04	10.49	3.45	50.39	12:28
2	TOC	0.0000	0.0000	7.00	10.73	3.74	50.41	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	37	TOC	K1909958-016.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 16:45

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.02	10.58	3.55	50.41	12:26
2	TOC	0.0000	0.0000	7.19	11.02	3.83	50.43	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	38	TOC	K1909958-017.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 17:17

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.36	10.98	3.61	50.44	12:29
2	TOC	0.0000	0.0000	7.37	11.14	3.77	50.44	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.6593 ppm (PASS)	0.0000 ppm	0%	2019/11/06 17:49

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.6593	236.5929	180.81	184.33	3.52	50.43	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/06 18:06

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.52	10.16	3.64	50.45	12:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	39	TOC	MB3	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 18:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

RIGHT SOLUTIONS | RIGHT PARTNER

1	TOC	0.0000	0.0000	5.80	9.55	3.74	50.46	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.4252 ppm (PASS)	0.0000 ppm	0%	2019/11/06 18:39

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.4252	244.2523	186.30	189.99	3.69	50.45	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	40	TOC	K1909958-018.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 18:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.12	11.77	3.65	50.45	12:26
2	TOC	0.0000	0.0000	7.26	10.88	3.62	50.46	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	41	TOC	K1909958-011.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 19:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.42	11.07	3.65	50.48	12:25
2	TOC	0.0000	0.0000	7.16	10.79	3.64	50.48	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	42	TOC	K1909958-011.01 ms doc 2x	13.7121 ppm	0.0000 ppm	0.0000%	2019/11/06 20:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	13.7121	137.1210	108.66	112.26	3.59	50.48	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	43	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 20:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.11	10.76	3.65	50.50	12:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	44	TOC	K1909958-012.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 20:33

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.45	10.97	3.51	50.48	12:27
2	TOC	0.0000	0.0000	7.03	10.59	3.56	50.57	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	45	TOC	K1909958-013.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 21:05

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.30	10.92	3.63	50.49	12:28
2	TOC	0.0000	0.0000	7.28	10.81	3.53	50.52	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	46	TOC	K1909958-014.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 21:37

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.54	11.14	3.59	50.50	12:27
2	TOC	0.0000	0.0000	7.93	11.48	3.55	50.52	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC)	Extended Reaction	Extended Reaction

(v1314) 021711 (v4) 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	47	TOC	K1909958-016.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 22:09

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.83	11.38	3.55	50.49	12:29
2	TOC	0.0000	0.0000	7.33	10.92	3.59	50.52	12:23

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.3988 ppm (PASS)	0.0000 ppm	0%	2019/11/06 22:41

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.3988	233.9877	178.94	182.68	3.74	50.56	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/06 22:58

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.61	10.25	3.64	50.56	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	48	TOC	K1909958-017.01 doc	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 23:15

			2x					

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.26	11.80	3.54	50.53	12:28
2	TOC	0.0000	0.0000	8.07	11.65	3.57	50.51	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	49	TOC	K1909958-018.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/06 23:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.14	10.86	3.72	50.52	12:27
2	TOC	0.0000	0.0000	7.33	11.11	3.78	50.54	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	50	TOC	K1909958-019.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 00:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.80	11.46	3.65	50.55	12:26
2	TOC	0.0000	0.0000	7.77	11.43	3.66	50.52	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	51	TOC	K1909958-020.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 00:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.01	10.61	3.60	50.50	12:28
2	TOC	0.0000	0.0000	6.97	10.63	3.66	50.52	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	52	TOC	T1901863-001.05 doc	3.9460 ppm	0.0331 ppm	0.8400%	2019/11/07 01:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.9694	39.6940	38.80	42.45	3.64	50.55	12:26

RIGHT SOLUTIONS | RIGHT PARTNER

2	TOC	3.9225	39.2254	38.47	42.00	3.53	50.58	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	53	TOC	T1901863-002.05 doc	3.8734 ppm	0.0521 ppm	1.3400%	2019/11/07 01:55

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.9103	39.1026	38.38	41.91	3.53	50.52	12:26
2	TOC	3.8366	38.3663	37.85	41.39	3.54	50.53	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	54	TOC	T1901863-003.05 doc	3.9378 ppm	0.0338 ppm	0.8600%	2019/11/07 02:27

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.9617	39.6173	38.75	42.24	3.49	50.57	12:26
2	TOC	3.9139	39.1389	38.41	41.93	3.52	50.62	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	55	TOC	T1901863-004.05 doc	3.9352 ppm	0.0203 ppm	0.5200%	2019/11/07 03:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.9496	39.4959	38.66	42.28	3.62	50.56	12:28
2	TOC	3.9209	39.2086	38.46	42.05	3.59	50.56	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	56	TOC	T1901863-005.05 doc	4.0026 ppm	0.0276 ppm	0.6900%	2019/11/07 03:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.9831	39.8306	38.90	42.57	3.66	50.52	12:32
2	TOC	4.0221	40.2211	39.18	42.65	3.47	50.56	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◆	57	TOC	T1901863-006.05 doc	3.9347 ppm	0.0480 ppm	1.2200%	2019/11/07 04:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.9008	39.0078	38.31	41.93	3.62	50.55	12:29
2	TOC	3.9687	39.6870	38.80	42.37	3.57	50.53	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.3313 ppm (PASS)	0.0000 ppm	0%	2019/11/07 04:36

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.3313	233.3127	178.46	181.95	3.49	50.52	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/07 04:52

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.12	9.70	3.58	50.54	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 05:09

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.53	9.16	3.64	50.50	12:32

Dilution	Blank Contribution	Method	Calibration

RIGHT SOLUTIONS | RIGHT PARTNER

1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.2431 ppm (PASS)	0.0000 ppm	0%	2019/11/07 05:26

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.2431	242.4309	184.99	188.60	3.60	50.53	12:28

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	59	TOC	T1901863-007.05 doc	4.1795 ppm	0.0123 ppm	0.2900%	2019/11/07 05:42

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.1882	41.8822	40.37	43.94	3.57	50.52	12:27
2	TOC	4.1708	41.7078	40.25	43.88	3.64	50.48	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	60	TOC	T1901863-008.05 doc	4.0509 ppm	0.0094 ppm	0.2300%	2019/11/07 06:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.0575	40.5754	39.44	43.08	3.64	50.43	12:29
2	TOC	4.0443	40.4429	39.34	43.11	3.77	50.51	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	61	TOC	T1901863-009.05 doc	4.2158 ppm	0.0137 ppm	0.3300%	2019/11/07 06:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.2061	42.0607	40.50	44.21	3.71	50.55	12:26
2	TOC	4.2255	42.2545	40.64	44.20	3.56	50.50	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	62	TOC	K1909955-001.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 07:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.37	11.90	3.53	50.51	12:30
2	TOC	0.0000	0.0000	7.86	11.46	3.60	50.61	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	63	TOC	K1909955-001.10 ms doc 2x	14.3921 ppm	0.0000 ppm	0.0000%	2019/11/07 07:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	14.3921	143.9213	113.54	117.08	3.54	50.51	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	64	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 08:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.46	11.24	3.78	50.50	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	65	TOC	K1909955-002.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 08:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.99	11.53	3.54	50.47	12:30
2	TOC	0.0000	0.0000	7.93	11.55	3.62	50.50	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	66	TOC	K1909955-003.10 doc	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 08:56

			2x					

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.12	10.67	3.55	50.47	12:30
2	TOC	0.0000	0.0000	6.94	10.52	3.57	50.49	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.6886 ppm (PASS)	0.0000 ppm	0%	2019/11/07 09:28

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.6886	236.8857	181.02	184.61	3.59	50.47	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/07 09:45

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.43	9.92	3.49	50.43	12:36

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 1

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	67	TOC	K1909955-004.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 10:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.41	11.07	3.66	50.40	12:27

RIGHT SOLUTIONS | RIGHT PARTNER

2	TOC	0.0000	0.0000	7.66	11.24	3.58	50.31	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	68	TOC	K1909955-005.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 10:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.56	11.24	3.68	50.32	12:29
2	TOC	0.0000	0.0000	8.20	11.68	3.49	50.35	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	69	TOC	K1909955-006.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 11:06

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.48	12.23	3.75	50.32	12:32
2	TOC	0.0000	0.0000	8.94	12.42	3.49	50.35	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	70	TOC	K1909955-007.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 11:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.62	11.22	3.60	50.40	12:28
2	TOC	0.0000	0.0000	7.87	11.46	3.59	50.39	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	71	TOC	K1909955-008.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 12:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.61	12.13	3.52	50.40	12:31
2	TOC	0.0000	0.0000	8.85	12.34	3.49	50.40	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC)	Extended Reaction	Extended Reaction

(v1314) 021711 (v4) 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	72	TOC	K1909955-009.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 12:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.31	11.91	3.60	50.37	12:31
2	TOC	0.0000	0.0000	8.64	12.29	3.64	50.37	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	73	TOC	K1909955-010.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 13:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.55	12.14	3.59	50.32	12:27
2	TOC	0.0000	0.0000	8.12	11.88	3.76	50.31	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	74	TOC	K1909955-012.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 13:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.36	11.95	3.59	50.30	12:27
2	TOC	0.0000	0.0000	8.38	12.16	3.78	50.27	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	75	TOC	K1909955-013.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 14:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.41	12.01	3.60	50.23	12:29
2	TOC	0.0000	0.0000	8.36	11.94	3.58	50.23	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3433 (IC) (v1314)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.6840 ppm (PASS)	0.0000 ppm	0%	2019/11/07 14:51

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.6840	236.8397	180.98	184.40	3.41	50.20	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 1

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/07 15:08

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.26	10.69	3.43	50.20	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v1313	1.1747	1.1290	0.0000	0.0000	0.0000	2019/11/02 12:41	Fusion1 (Fusion1)
v1314	1.4780	1.0180	0.0000	0.0000	0.0000	2019/11/05 11:34	Fusion1 (Fusion1)

Calibrations

Name: Extended Reaction 021711 (TOC)

Version:	v27	Calibration curve formula:	TOC: y = 7.170x + 11.164
Ver Creation:	2019/03/11 21:51	r^2 value:	TOC: r^2 = 0.99991
Comment:			

RIGHT SOLUTIONS | RIGHT PARTNER

Operator: Fusion1 (Fusion1)
Basic Analysis Type: TOC

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
0.0 ppm	10.4100	0.0000		2019/03/11 20:12
0.50 ppm	14.7740	0.5000		2019/03/11 20:28
1.00 ppm	18.0020	1.0000		2019/03/11 20:44
5.00 ppm	47.2310	5.0000		2019/03/11 21:01
10.0 ppm	85.1320	10.0000		2019/03/11 21:17
25.0 ppm	188.5200	25.0000		2019/03/11 21:33
50.0 ppm	370.1610	50.0000		2019/03/11 21:49

Methods

Name: Extended Reaction 021711 (TOC)

Version: v4
Ver Creation: 2019/01/31 11:21
Comment:
Operator: Fusion1 (Fusion1)

Parameter	Value
SampleVolume	10.0 mL
Dilution	1:10
AcidVolume	0.5 ml
ReagentVolume	2.0 ml
UVReactorPrerinse	Off
UVReactorPrerinseVolume	5.0
NumberOfUVReactorPrerinses	1
ICSpargeTime	1.00 mins
DetectorSweepFlow	500 ml/min
PreSpargeTime	4.00 mins
SystemFlow	500 ml/min

Advanced Parameter	Value
NeedleRinseVolume	5.0 ml
VialPrimeVolume	2.0 ml
ICSamplePrimeVolume	2.0 ml
ICSpargeRinseVolume	12.0 ml
BaselineStabilizeTime	0.70 min
DetectorPressureFlow	150 ml/min
SyringeSpeedWaste	10
SyringeSpeedAcid	7
SyringeSpeedReagent	7
SyringeSpeedDIWater	7
NDIRPressurization	60 psig
SyringeSpeedSampleDispense	5
SyringeSpeedSampleAspirate	4
SyringeSpeedUVDispense	5
SyringeSpeedUVAspirate	5
SyringeSpeedICDispense	5
SyringeSpeedICAspirate	5
NDIRPressureStabilize	1.75 min
SampleMixing	Off
SampleMixingCycles	1
SampleMixingVolume	10.0
LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Fusion1 (Fusion1)	Schedule completed	Schedule completed	2019/11/07 15:25

ALS Environmental

StarLIMS Run: 658206, 658207, 658208, 658209

Analysis: DOC/TOC

Method: SM 5310 C, 9060A, 415.1, 9060

CCV: 11-GEN-05-79K 50 ppm LCS: 11-GEN-05-79J 25.0 ppm

ICAL Date: 3/6/19

ICAL ID: 11-GEN-05-76H

ICS ID: 11-GEN-05-78M

ICS TV: 25.0 ppm ICS % R < 1

Spike ID: 11-GEN-05-77J 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 ppm x dilution factor

Sodium Persulfate: 11-GEN-05-82E

21 % H3PO4: 11-GEN-05-82G

Equipment ID: K-TOC-03

PIPETTE ID: 124276B, 129001F, N11314F, Marge

FILTER ID: 16967789

Analyzed By: BEP	Date Analyzed: 11/5/19
Reviewed By: [signature]	Date Reviewed: 11/08/19

Method Detection Limit - LOD Verification

ALS - Kelso

Analytical Method:	9060/9060A	Instrument:	Fusion K- TOC-03
Extr./Dig. Method:		Analyst(s):	BCD
Matrix:	Water		
Units:	mg/L		

Analyte	MDL	Sample ID:	K1900530-26		K1902807-14		K1906524-014		K1909860-14	
		Date Analyzed:	3/12/2019		4/10/2019		7/27/2019		11/5/2019	
		Runno	628235		631516		645183		658206	
		Spike Level	Result 1	s/n >3	Result 2	s/n >3	Result 3	s/n >3	Result 4	s/n >3
total organic carbon	0.08	0.16	0.030	y	0.233	y	0.0983	y	0.14790	y
total organic carbon	0.08	0.16	0.021	y	0.18726	y	0.0869	y	0.1874	y'
total organic carbon	0.08	0.16	0.007	y	0.21016	y	0.1085	y	0.2008	y
total organic carbon	0.08	0.16	0.052	y	0.17816	y	0.0506	y	0.0845	y
Supervisor Approval:			TH 03/15/19		TH 04/12/19		IF 07/31/19		TH 11/08/19	

RIGHT SOLUTIONS | RIGHT PARTNER

r.02/24/10

Limit of Quantitation - LOQ Verification

ALS Environmental - Kelso

Analytical Method:	9060/9060A								
Extr./Dig. Method:			Instrument:	Fusion K-TOC-03					
Matrix:	Water		Analyst(s):	BCD					
Units:	mg/L								
	K1902807-14	K1906524-14	K1909860-14						
Analyte	Date Analyzed: / Spike Level	4/10/2019 Result	7/27/2019 Result	10/26/2019 Result	Result	Avg Percent Recovery	Percent RSD	% Rec Limits	% RSD Limits
total organic carbon	0.500	0.582	0.409	0.628		108	21.40	50-150	20
total organic carbon	0.500	0.519	0.442	0.713		112	25.05		
total organic carbon	0.500	0.495	0.396	0.656		103	25.41		
total organic carbon	0.500	0.528	0.411	0.638		105	21.61		
		R-631516	Run: 645183	R-657284		#DIV/0!	#DIV/0!		
						#DIV/0!	#DIV/0!		
Supervisor Approval:		TH 04/12/19	IF 7/31/19	TH 11/08/19					

RIGHT SOLUTIONS | RIGHT PARTNER

Work Request # Original (K19)0995S,9958,9995,9964,9967,10165,
Tier: IV IV IV IV IV IV
Date Analyzed: 11/7/19
Analyst: HLM for BCD
Analysis: TOC/DOC
TOC: 658970, 658971, DOC: 658972, 658973
Run #

DATA QUALITY REPORT
INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1.	Is the method name and number correct and appropriate?	yes/no/NA
2.	Holding times met for all analyses and for all samples?	yes/no/NA
3.	Are calculations correct?	yes/no/NA
4.	Is the reporting basis correct? (Dry Weight)	yes/no/NA
5.	All quality control criteria met?	yes/no
6.	Is the calibration curve correlation coefficient ≥ 0.995?	yes/no/NA
7.	MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency?	yes/no/NA
8.	Are ICVs, CCVs, and CCBs all within acceptance limits?	yes/no/NA
9.	Are results for methods blanks all ND?	yes/no/NA
10.	Are all QC samples within acceptance criteria? (LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.)	yes/no/NA
11.	Are all exceptions explained?	yes/no/NA
12.	Have all applicable service requests been reviewed?	yes/no/NA
13.	Are all samples labeled correctly?	yes/no/NA
14.	Have all instructions on the service request been followed? (e.g. Special MRLs, QC on a specific sample, Form V)	yes/no/NA
15.	Are detection limits and units reported correctly?	yes/no/NA
16.	Is the unused space on the benchsheet crossed out?	yes/no/NA
17.	Was analysis turned in by the due date? (n-2) (If not record SR#)	yes/no/NA

COMMENTS:
K1909958-20MS, K1909964-1MS, K1909955-14MS, K1909967-1MS all have low % recovery, suggests matrix interferance

K1910165-14, 14D have high % RPD, however, sample is less than 5x the MRL

Final Approved by: [signature] Date: 11/12/19

DQREPORT

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658970 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
K1909955-019	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/7/19 23:42	N
K1909955-020	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 00:48	N
K1909958-019	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/7/19 22:05	N
K1909958-020	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/7/19 22:37	N
K1909995-005	Carbon, Total Organic	N/A		Water	4.12 mg/L	10 ml	3290 mg/L	800	60	400			11/7/19 21:01	N
K1909995-006	Carbon, Total Organic	N/A		Water	1.90 mg/L	10 ml	38 mg/L	20	2	10			11/7/19 21:33	N
KQ1916550-01	Carbon, Total Organic	CCV		Water	23.88 mg/L	10 ml	23.9 mg/L	1					11/7/19 19:26	N
KQ1916550-02	Carbon, Total Organic	CCV		Water	23.88 mg/L	10 ml	23.9 mg/L	1					11/8/19 00:15	N
KQ1916550-03	Carbon, Total Organic	CCV		Water	23.92 mg/L	10 ml	23.9 mg/L	1					11/8/19 05:37	N
KQ1916550-04	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/7/19 19:43	N
KQ1916550-05	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/8/19 00:31	N
KQ1916550-06	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/8/19 05:54	N
KQ1916550-07	Carbon, Total Organic	MB		Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/7/19 20:11	N
KQ1916550-08	Carbon, Total Organic	LCS		Water	24.39 mg/L	10 ml	24.4 mg/L	1	0.07	0.50	98		11/7/19 20:28	N
KQ1916550-09	Carbon, Total Organic	MS	K1909958-020	Ocean Water	14.35 mg/L	10 ml	28.7 mg/L	2	0.2	1.0	57*		11/7/19 23:10	N
KQ1916550-10	Carbon, Total Organic	DUP	K1909995-005	Water	4.26 mg/L	10 ml	3400 mg/L	800	60	400		3	11/7/19 21:01	N
KQ1916550-11	Carbon, Total Organic	DUP	K1909995-006	Water	1.91 mg/L	10 ml	38 mg/L	20	2	10		<1	11/7/19 21:33	N
KQ1916550-12	Carbon, Total Organic	DUP	K1909958-019	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 22:05	N
KQ1916550-13	Carbon, Total Organic	DUP	K1909958-020	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 22:37	N
KQ1916550-14	Carbon, Total Organic	DUP	K1909955-019	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/7/19 23:42	N
KQ1916550-15	Carbon, Total Organic	DUP	K1909955-020	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 00:48	N

11/12/19

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

HLM 11/12/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658971 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
K1909964-001	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 01:20	N
K1909964-002	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 02:25	N
K1909964-003	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 02:57	N
K1909964-004	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 03:29	N
K1909964-005	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 04:01	N
K1909964-006	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 04:33	N
K1909964-008	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 05:05	N
K1909964-009	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 06:44	N
K1909964-010	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 07:16	N
K1909964-011	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 07:48	N
K1909964-012	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 08:20	N
K1909964-014	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 08:52	N
K1909964-015	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 09:24	N
K1909964-016	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 09:56	N
K1909964-017	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 10:29	N
K1909964-018	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 11:34	N
K1909964-019	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 12:07	N
K1909964-020	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 12:39	N
KQ1916552-01	Carbon, Total Organic	CCV		Ocean Water	23.88 mg/L	10 ml	23.9 mg/L	1					11/8/19 00:15	N
KQ1916552-02	Carbon, Total Organic	CCV		Ocean Water	23.92 mg/L	10 ml	23.9 mg/L	1					11/8/19 05:37	N
KQ1916552-03	Carbon, Total Organic	CCV		Ocean Water	23.71 mg/L	10 ml	23.7 mg/L	1					11/8/19 11:01	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

11/12/19

HLM 11/12/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658971 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1916552-04	Carbon, Total Organic	CCV		Ocean Water	23.85 mg/L	10 ml	23.8 mg/L	1					11/8/19 16:24	N
KQ1916552-05	Carbon, Total Organic	CCB		Ocean Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/8/19 00:31	N
KQ1916552-06	Carbon, Total Organic	CCB		Ocean Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/8/19 05:54	N
KQ1916552-07	Carbon, Total Organic	CCB		Ocean Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/8/19 11:18	N
KQ1916552-08	Carbon, Total Organic	CCB		Ocean Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/8/19 16:41	N
KQ1916552-09	Carbon, Total Organic	MB		Ocean Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/8/19 06:11	N
KQ1916552-10	Carbon, Total Organic	LCS		Ocean Water	25.15 mg/L	10 ml	25.2 mg/L	1	0.07	0.50	101		11/8/19 06:28	N
KQ1916552-11	Carbon, Total Organic	MS	K1909964-001	Ocean Water	14.94 mg/L	10 ml	29.9 mg/L	2	0.2	1.0	60*		11/8/19 01:52	N
KQ1916552-12	Carbon, Total Organic	DUP	K1909964-001	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 01:20	N
KQ1916552-13	Carbon, Total Organic	DUP	K1909964-002	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 02:25	N
KQ1916552-14	Carbon, Total Organic	DUP	K1909964-003	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 02:57	N
KQ1916552-15	Carbon, Total Organic	DUP	K1909964-004	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 03:29	N
KQ1916552-16	Carbon, Total Organic	DUP	K1909964-005	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 04:01	N
KQ1916552-17	Carbon, Total Organic	DUP	K1909964-006	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 04:33	N
KQ1916552-18	Carbon, Total Organic	DUP	K1909964-008	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 05:05	N
KQ1916552-19	Carbon, Total Organic	DUP	K1909964-009	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 06:44	N
KQ1916552-20	Carbon, Total Organic	DUP	K1909964-010	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 07:16	N
KQ1916552-21	Carbon, Total Organic	DUP	K1909964-011	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 07:48	N
KQ1916552-22	Carbon, Total Organic	DUP	K1909964-012	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 08:20	N
KQ1916552-23	Carbon, Total Organic	DUP	K1909964-014	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 08:52	N
KQ1916552-24	Carbon, Total Organic	DUP	K1909964-015	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 09:24	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

HCM 11/12/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658971 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1916552-25	Carbon, Total Organic	DUP	K1909964-016	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 09:56	N
KQ1916552-26	Carbon, Total Organic	DUP	K1909964-017	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 10:29	N
KQ1916552-27	Carbon, Total Organic	DUP	K1909964-018	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 11:34	N
KQ1916552-28	Carbon, Total Organic	DUP	K1909964-019	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 12:07	N
KQ1916552-29	Carbon, Total Organic	DUP	K1909964-020	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 12:39	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

HLM 11/12/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658972 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
K1909955-014	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 13:11	N
K1909955-015	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 14:16	N
K1909955-016	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 14:48	N
K1909955-018	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 15:20	N
K1909955-019	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 15:52	N
K1909955-020	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 17:31	N
K1909964-001	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 18:03	N
K1909964-002	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 18:35	N
K1909964-003	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 19:07	N
K1909964-004	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 19:39	N
K1909964-005	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 20:12	N
K1909964-006	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 20:44	N
K1909964-008	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 21:16	N
K1909964-009	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 22:21	N
K1909964-010	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 22:54	N
K1909964-011	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 23:26	N
K1909964-012	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/8/19 23:58	N
K1909964-014	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 00:30	N
K1909964-015	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 01:02	N
K1909964-016	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 01:34	N
KQ1916553-01	Carbon, Dissolved Organic (DOC)	CCV		Ocean Water	23.71 mg/L	10 ml	23.7 mg/L	1					11/8/19 11:01	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/12/19

HLM 11/12/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658972 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1916553-23	Carbon, Dissolved Organic (DOC)	DUP	K1909964-014	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 00:30	N
KQ1916553-24	Carbon, Dissolved Organic (DOC)	DUP	K1909964-015	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 01:02	N
KQ1916553-25	Carbon, Dissolved Organic (DOC)	DUP	K1909964-016	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 01:34	N
KQ1916553-26	Carbon, Dissolved Organic (DOC)	DUP	K1909955-014	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 13:11	N
KQ1916553-27	Carbon, Dissolved Organic (DOC)	DUP	K1909955-015	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 14:16	N
KQ1916553-28	Carbon, Dissolved Organic (DOC)	DUP	K1909955-016	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 14:48	N
KQ1916553-29	Carbon, Dissolved Organic (DOC)	DUP	K1909955-018	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 15:20	N
KQ1916553-30	Carbon, Dissolved Organic (DOC)	DUP	K1909955-019	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 15:52	N
KQ1916553-31	Carbon, Dissolved Organic (DOC)	DUP	K1909955-020	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/8/19 17:31	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

HCM 11/12/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658973 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
K1909964-017	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 02:06	N
K1909964-018	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 02:38	N
K1909964-019	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 03:10	N
K1909964-020	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 04:49	N
K1909967-001	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 05:21	N
K1909967-002	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 06:27	N
K1909967-003	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 06:59	N
K1909967-004	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 07:31	N
K1909967-006	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 08:03	N
K1909967-007	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 09:08	N
K1909967-008	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 09:40	N
K1909967-009	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 10:12	N
K1909967-010	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 10:45	N
K1909967-012	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 11:17	N
K1910165-007	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 11:49	N
K1910165-008	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.14 mg/L	10 ml	0.3 mg/L J	2	0.2	1.0			11/9/19 12:21	N
K1910165-013	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0			11/9/19 12:53	N
K1910165-014	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.16 mg/L	10 ml	0.3 mg/L J	2	0.2	1.0			11/9/19 13:25	N
KQ1916554-01	Carbon, Dissolved Organic CCV (DOC)			Ocean Water	23.80 mg/L	10 ml	23.8 mg/L	1					11/8/19 21:48	N
KQ1916554-02	Carbon, Dissolved Organic CCV (DOC)			Ocean Water	23.72 mg/L	10 ml	23.7 mg/L	1					11/9/19 03:42	N
KQ1916554-03	Carbon, Dissolved Organic CCV (DOC)			Ocean Water	23.66 mg/L	10 ml	23.7 mg/L	1					11/9/19 08:35	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Printed 11/12/19 11:09

Results Summary 11/12/19

RIGHT SOLUTIONS | RIGHT PARTNER

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658973 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1916554-04	Carbon, Dissolved Organic (DOC)	CCV		Ocean Water	23.59 mg/L	10 ml	23.6 mg/L	1					11/9/19 13:57	N
KQ1916554-05	Carbon, Dissolved Organic (DOC)	CCB		Ocean Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/8/19 22:05	N
KQ1916554-06	Carbon, Dissolved Organic (DOC)	CCB		Ocean Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/9/19 03:59	N
KQ1916554-07	Carbon, Dissolved Organic (DOC)	CCB		Ocean Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/9/19 08:51	N
KQ1916554-08	Carbon, Dissolved Organic (DOC)	CCB		Ocean Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/9/19 14:14	N
KQ1916554-09	Carbon, Dissolved Organic (DOC)	MB		Ocean Water	0.00 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/9/19 04:16	N
KQ1916554-10	Carbon, Dissolved Organic (DOC)	LCS		Ocean Water	24.40 mg/L	10 ml	24.4 mg/L	1	0.07	0.50	98		11/9/19 04:32	N
KQ1916554-11	Carbon, Dissolved Organic (DOC)	MS	K1909967-001	Ocean Water	14.55 mg/L	10 ml	29.1 mg/L	2	0.2	1.0	58*		11/9/19 05:53	N
KQ1916554-12	Carbon, Dissolved Organic (DOC)	DUP	K1909967-001	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 05:21	N
KQ1916554-13	Carbon, Dissolved Organic (DOC)	DUP	K1909967-002	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 06:27	N
KQ1916554-14	Carbon, Dissolved Organic (DOC)	DUP	K1909967-003	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 06:59	N
KQ1916554-15	Carbon, Dissolved Organic (DOC)	DUP	K1909967-004	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 07:31	N
KQ1916554-16	Carbon, Dissolved Organic (DOC)	DUP	K1909967-006	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 08:03	N
KQ1916554-17	Carbon, Dissolved Organic (DOC)	DUP	K1909967-007	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 09:08	N
KQ1916554-18	Carbon, Dissolved Organic (DOC)	DUP	K1909967-008	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 09:40	N
KQ1916554-19	Carbon, Dissolved Organic (DOC)	DUP	K1909967-009	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 10:12	N
KQ1916554-20	Carbon, Dissolved Organic (DOC)	DUP	K1909967-010	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 10:45	N
KQ1916554-21	Carbon, Dissolved Organic (DOC)	DUP	K1909967-012	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 11:17	N
KQ1916554-22	Carbon, Dissolved Organic (DOC)	DUP	K1909964-020	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 04:49	N
KQ1916554-23	Carbon, Dissolved Organic (DOC)	DUP	K1909964-017	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 02:06	N
KQ1916554-24	Carbon, Dissolved Organic (DOC)	DUP	K1909964-018	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 02:38	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

HLM 11/12/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 658973 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?
KQ1916554-25	Carbon, Dissolved Organic (DOC)	DUP	K1909964-019	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 03:10	N
KQ1916554-26	Carbon, Dissolved Organic (DOC)	DUP	K1910165-007	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 11:49	N
KQ1916554-27	Carbon, Dissolved Organic (DOC)	DUP	K1910165-008	Ocean Water	0.13 mg/L	10 ml	0.3 mg/L J	2	0.2	1.0		9	11/9/19 12:21	N
KQ1916554-28	Carbon, Dissolved Organic (DOC)	DUP	K1910165-013	Ocean Water	0.00 mg/L	10 ml	1.0 mg/L U	2	0.2	1.0		NC	11/9/19 12:53	N
KQ1916554-29	Carbon, Dissolved Organic (DOC)	DUP	K1910165-014	Ocean Water	0.11 mg/L	10 ml	0.2 mg/L J	2	0.2	1.0	J	35*	11/9/19 13:25	N

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

RIGHT SOLUTIONS | RIGHT PARTNER

HI M 11/12/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	23.883	0.0000	23.8831	23.8831	23.9	11/7/2019
3	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/7/2019
4	mb	1	0.000	0.0000	0.0000	0	<0.5	11/7/2019
5	lcs	1	24.387	0.0000	24.3867	24.3867	24.4	11/7/2019
6	K1909995-005	800	4.115	0.0000	4.1152	3292.16	3292.16	11/7/2019
7	K1909995-005D	800	4.256	0.0000	4.2557	3404.56	3404.6	11/7/2019
8	K1909995-006	20	1.904	0.0000	1.9036	38.072	38	11/7/2019
9	K1909995-006D	20	1.911	0.0000	1.9107	38.214	38.21	11/7/2019
10	K1909958-019	2	0.000	0.0000	0.0000	0	<0.5	11/7/2019
11	K1909958-019D	2	0.000	0.0000	0.0000	0	<0.5	11/7/2019
12	K1909958-020	2	0.000	0.0000	0.0000	0	<0.5	11/7/2019
13	K1909958-020D	2	0.000	0.0000	0.0000	0	<0.5	11/7/2019
14	KQ1916550-09 (K1909958-20MS)	2	14.350	0.0000	14.3500	28.7	28.70	11/7/2019
15	K1909955-019	2	0.000	0.0000	0.0000	0	<0.5	11/7/2019
16	K1909955-019D	2	0.000	0.0000	0.0000	0	<0.5	11/7/2019
17	ccv	1	23.883	0.0000	23.8830	23.883	23.88	11/8/2019
18	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/8/2019
19	K1909955-020	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
20	K1909955-020D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
21	ccv	1	23.917	0.0000	23.9165	23.9165	23.92	11/8/2019
22	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/8/2019
23		1		0.0000	0.0000	0	<0.5	
24		1		0.0000	0.0000	0	<0.5	
25		1		0.0000	0.0000	0	<0.5	

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

	date	time
Analyzed By: HLM for BCD	Date Analyzed 11/7/19	
Reviewed By:	Date Reviewed 11/12/19	

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	23.883	0.0000	23.8830	23.883	23.9	11/8/2019
3	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/8/2019
4	K1909964-001	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
5	K1909964-001D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
6	KQ1916552-11	2	14.938	0.0000	14.9384	29.8768	29.88	11/8/2019
7	K1909964-002	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
8	K1909964-002D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
9	K1909964-003	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
10	K1909964-003D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
11	K1909964-004	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
12	K1909964-004D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
13	K1909964-005	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
14	K1909964-005D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
15	K1909964-006	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
16	K1909964-006D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
17	K1909964-008	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
18	K1909964-008D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
19	ccv	1	23.917	0.0000	23.9165	23.9165	23.9	11/8/2019
20	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/8/2019
21	mb	1	0.000	0.0000	0.0000	0	<0.5	11/8/2019
22	lcs	1	25.154	0.0000	25.1535	25.1535	25.2	11/8/2019
23	K1909964-009	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
24	K1909964-009D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
25	K1909964-010	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

	date	time
Analyzed By: HLM for BCD	Date Analyzed 11/7/19	
Reviewed By:	Date Reviewed 11/12/19	

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1909964-010D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
27	K1909964-011	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
28	K1909964-011D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
29	K1909964-012	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
30	K1909964-012D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
31	K1909964-014	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
32	K1909964-014D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
33	K1909964-015	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
34	K1909964-015D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
35	K1909964-016	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
36	K1909964-016D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
37	K1909964-017	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
38	K1909964-017D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
39	ccv	1	23.706	0.0000	23.7056	23.7056	23.7	11/8/2019
40	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/8/2019
41	K1909964-018	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
42	K1909964-018D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
43	K1909964-019	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
44	K1909964-019D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
45	K1909964-020	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
46	K1909964-020D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
47	ccv	1	23.850	0.0000	23.8499	23.8499	23.8	11/8/2019
48	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/8/2019
49		1		0.0000	0.0000	0	<0.5	
50		1		0.0000	0.0000	0	<0.5	

Analyzed By: HLM for BCD	Date Analyzed 11/7/19
Reviewed By:	Date Reviewed 11/12/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	23.706	0.0000	23.7056	23.7056	23.7	11/8/2019
3	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/8/2019
4	K1909955-014	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
5	K1909955-014D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
6	KQ1916553-11	2	12.655	0.0000	12.6551	25.3102	25.31	11/8/2019
7	K1909955-015	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
8	K1909955-015D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
9	K1909955-016	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
10	K1909955-016D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
11	K1909955-018	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
12	K1909955-018D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
13	K1909955-019	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
14	K1909955-019D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
15	ccv	1	23.850	0.0000	23.8499	23.8499	23.8	11/8/2019
16	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/8/2019
17	mb	1	0.000	0.0000	0.0000	0	<0.5	11/8/2019
18	lcs	1	24.611	0.0000	24.6109	24.6109	24.6	11/8/2019
19	K1909955-020	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
20	K1909955-020D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
21	K1909964-001	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
22	K1909964-001D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
23	K1909964-002	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
24	K1909964-002D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
25	K1909964-003	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

date time

Analyzed By: HLM for BCD	Date Analyzed 11/7/19
Reviewed By:	Date Reviewed 11/12/19

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1909964-003D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
27	K1909964-004	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
28	K1909964-004D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
29	K1909964-005	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
30	K1909964-005D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
31	K1909964-006	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
32	K1909964-006D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
33	K1909964-008	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
34	K1909964-008D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
35	ccv	1	23.804	0.0000	23.8036	23.8036	23.8	11/8/2019
36	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/8/2019
37	K1909964-009	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
38	K1909964-009D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
39	K1909964-010	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
40	K1909964-010D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
41	K1909964-011	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
42	K1909964-011D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
43	K1909964-012	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
44	K1909964-012D	2	0.000	0.0000	0.0000	0	<0.5	11/8/2019
45	K1909964-014	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
46	K1909964-014D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
47	K1909964-015	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
48	K1909964-015D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
49	K1909964-016	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
50	K1909964-016D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019

Analyzed By: HCM for BCD	Date Analyzed 11/7/19
Reviewed By:	Date Reviewed 11/12/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
51	ccv	1	23.721	0.0000	23.7207	23.7207	23.72	11/9/2019
52	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/9/2019
53		1		0.0000	0.0000	0	<0.5	
54		1		0.0000	0.0000	0	<0.5	
55		1		0.0000	0.0000	0	<0.5	
56		1		0.0000	0.0000	0	<0.5	
57		1		0.0000	0.0000	0	<0.5	
58		1		0.0000	0.0000	0	<0.5	
59		1		0.0000	0.0000	0	<0.5	
60		1		0.0000	0.0000	0	<0.5	
61		1		0.0000	0.0000	0	<0.5	
62		1		0.0000	0.0000	0	<0.5	
63		1		0.0000	0.0000	0	<0.5	
64		1		0.0000	0.0000	0	<0.5	
65		1		0.0000	0.0000	0	<0.5	
66		1		0.0000	0.0000	0	<0.5	
67		1		0.0000	0.0000	0	<0.5	
68		1		0.0000	0.0000	0	<0.5	
69		1		0.0000	0.0000	0	<0.5	
70		1		0.0000	0.0000	0	<0.5	
71		1		0.0000	0.0000	0	<0.5	
72		1		0.0000	0.0000	0	<0.5	
73		1		0.0000	0.0000	0	<0.5	
74		1		0.0000	0.0000	0	<0.5	
76		1		0.0000	0.0000	0	<0.5	

Analyzed By: HLM G. BCD	Date Analyzed 11/7/19
Reviewed By: 11/12/19	Date Reviewed 11/12/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	23.804	0.0000	23.8036	23.8036	23.8	11/8/2019
3	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/8/2019
4	K1909964-017	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
5	K1909964-017D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
6	K1909964-018	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
7	K1909964-018D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
8	K1909964-019	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
9	K1909964-019D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
10	ccv	1	23.721	0.0000	23.7207	23.7207	23.72	11/9/2019
11	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/9/2019
12	mb	1	0.000	0.0000	0.0000	0	<0.5	11/9/2019
13	lcs	1	24.397	0.0000	24.3973	24.3973	24.40	11/9/2019
14	K1909964-020	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
15	K1909964-020D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
16	K1909967-001	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
17	K1909967-001D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
18	KQ1916554-11 K1909967-LMS	2	14.548	0.0000	14.5481	29.0962	29.1	11/9/2019
19	K1909967-002	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
20	K1909967-002D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
21	K1909967-003	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
22	K1909967-003D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
23	K1909967-004	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
24	K1909967-004D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
25	K1909967-006	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

	date	time
Analyzed By: HLM for BCD	Date Analyzed 11/7/19	
Reviewed By:	Date Reviewed 11/12/19	

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1909967-006D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
27	ccv	1	23.658	0.0000	23.6576	23.6576	23.66	11/9/2019
28	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/9/2019
29	K1909967-007	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
30	K1909967-007D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
31	K1909967-008	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
32	K1909967-008D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
33	K1909967-009	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
34	K1909967-009D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
35	K1909967-010	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
36	K1909967-010D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
37	K1909967-012D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
38	K1909967-012D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
39	K1910165-007	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
40	K1910165-007D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
41	K1910165-008	2	0.140	0.0000	0.1401	0.2802	<0.5	11/9/2019
42	K1910165-008D	2	0.129	0.0000	0.1285	0.257	<0.5	11/9/2019
43	K1910165-013	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
44	K1910165-013D	2	0.000	0.0000	0.0000	0	<0.5	11/9/2019
45	K1910165-014	2	0.160	0.0000	0.1604	0.3208	<0.5	11/9/2019
46	K1910165-014D	2	0.113	0.0000	0.1129	0.2258	<0.5	11/9/2019
47	ccv	1	23.593	0.0000	23.5930	23.593	23.6	11/9/2019
48	ccb	1	0.000	0.0000	0.0000	0	<0.5	11/9/2019
49		1		0.0000	0.0000	0	<0.5	
50		1		0.0000	0.0000	0	<0.5	

© HLM 11/12/19

Analyzed By: HLM for BCD	Date Analyzed 11/7/19
Reviewed By:	Date Reviewed 11/12/19

TOC: 658970, 658971
DOC: 658972, 658973

Schedule: 11072019

Version: 9
Instrument: Fusion1
Last Saved by: Fusion1 (Fusion1)
Last Saved on: 2019/11/07 20:17 - Thursday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps
(Clean)	Clean	Clean		1
(Clean)	Clean	Clean		1
(Clean)	Clean	Clean		1
(Blank)	Blank	Reagent/Acid Blank		1
D	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
1	Sample	MB1	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
2	Sample	ICS	Extended Reaction 021711 (Extended Reaction 021711)	1
3	Sample	K1909995-005.01 800x	Extended Reaction 021711 (Extended Reaction 021711)	2
4	Sample	K1909995-006.01 20x	Extended Reaction 021711 (Extended Reaction 021711)	2
5	Sample	K1909958-019.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
6	Sample	K1909958-020.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
7	Sample	K1909958-020.06 ms 2x	Extended Reaction 021711 (Extended Reaction 021711)	1
8	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
9	Sample	K1909955-019.07 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
10	Sample	K1909955-020.07 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
11	Sample	K1909964-001.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
12	Sample	K1909964-001.06 ms 2x	Extended Reaction 021711 (Extended Reaction 021711)	1
13	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
14	Sample	K1909964-002.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
15	Sample	K1909964-003.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
16	Sample	K1909964-004.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
17	Sample	K1909964-005.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
18	Sample	K1909964-006.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
19	Sample	K1909964-008.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
20	Sample	MB2	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
21	Sample	K1909964-009.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
22	Sample	K1909964-010.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
23	Sample	K1909964-011.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
24	Sample	K1909964-012.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
25	Sample	K1909964-014.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
26	Sample	K1909964-015.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
27	Sample	K1909964-016.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
28	Sample	K1909964-017.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
29	Sample	K1909964-018.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
30	Sample	K1909964-019.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
31	Sample	K1909964-020.06 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
32	Sample	K1909955-014.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
33	Sample	K1909955-014.10 ms doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	1
34	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
35	Sample	K1909955-015.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
36	Sample	K1909955-016.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
37	Sample	K1909955-018.07 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
38	Sample	K1909955-019.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1

11/12/19

Schedule: 11072019

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
39	Sample	MB3	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
40	Sample	K1909955-020.10 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
41	Sample	K1909964-001.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
42	Sample	K1909964-002.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
43	Sample	K1909964-003.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
44	Sample	K1909964-004.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
45	Sample	K1909964-005.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
46	Sample	K1909964-006.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
47	Sample	K1909964-008.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
48	Sample	K1909964-009.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
49	Sample	K1909964-010.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
50	Sample	K1909964-011.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
51	Sample	K1909964-012.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
52	Sample	K1909964-014.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
53	Sample	K1909964-015.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
54	Sample	K1909964-016.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
55	Sample	K1909964-017.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
56	Sample	K1909964-018.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
57	Sample	K1909964-019.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
58	Sample	MB4	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
59	Sample	K1909964-020.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
60	Sample	K1909967-001.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
61	Sample	K1909967-001.01 ms doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	1
62	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
63	Sample	K1909967-002.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
64	Sample	K1909967-003.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
65	Sample	K1909967-004.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
66	Sample	K1909967-006.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
67	Sample	K1909967-007.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
68	Sample	K1909967-008.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
69	Sample	K1909967-009.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
70	Sample	K1909967-010.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
71	Sample	K1909967-012.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
72	Sample	K1910165-007.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
73	Sample	K1910165-008.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
74	Sample	K1910165-013.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
75	Sample	K1910165-014.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1

RIGHT SOLUTIONS | RIGHT PARTNER

Schedule: 11072019

Use	State
True	Ready
True	Ready
True	Ready

Schedule: 11072019

Use	State
True	Ready
True	Ready
True	Ready

Fusion Report - 11072019
Thursday, November 07, 2019 05:25 PM

(View - Reps, Unused Reps, Meta-Data, Signature, History)
Printed on 2019/11/09 14:46 - Saturday

Report Summary Information

Company Location:	Gen Chem Lab		
Schedule Name:	11072019	Engine Version:	1.1.5.1
Instrument Name:	Fusion1	Firmware Version:	1.2.0696
Report Version:	1 of 1	Connection:	RS232 COM1
Report Creation by Operators (schedule version):	Fusion1 (Fusion1) (v2) Fusion1 (Fusion1) (v3) Fusion1 (Fusion1) (v4) Fusion1 (Fusion1) (v5) Fusion1 (Fusion1) (v6) Fusion1 (Fusion1) (v7) Fusion1 (Fusion1) (v8) Fusion1 (Fusion1) (v9)		
Comment:			

Report Results

11/12/19

Sample Type: Clean — From Schedule Version 2

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/11/07 17:25

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	10.83	14.65	3.82	49.57	05:20
2	TC Clean	4.91	8.40	3.49	50.07	04:02
3	TC Clean	1.84	5.55	3.71	50.06	03:46
4	TC Clean	1.47	5.19	3.73	50.13	03:48

Sample Type: Clean — From Schedule Version 3

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/11/07 17:47

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	10.62	14.11	3.50	49.70	05:12

RIGHT SOLUTIONS | RIGHT PARTNER

2	TC Clean	4.60	8.20	3.60	50.11	04:03
3	TC Clean	1.99	5.68	3.69	50.08	03:47
4	TC Clean	1.36	5.17	3.81	50.09	03:45

Sample Type: Clean

From Schedule Version 4

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/11/07 18:09

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	10.83	14.54	3.71	49.57	05:11
2	TC Clean	3.86	7.48	3.61	50.06	04:04
3	TC Clean	1.51	5.32	3.81	50.18	03:47
4	TC Clean	1.51	5.26	3.75	50.14	03:49

Sample Type: Blank (Creating v1315)

From Schedule Version 5

	Pos	Analysis Type	Sample ID	Start Time
◆	(blank)		Reagent/Acid Blank	2019/11/07 18:32

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	10.93	14.72	3.79	49.52	05:12
2	TC Clean	3.33	6.99	3.66	50.14	04:02
3	TC Clean	1.45	5.20	3.74	50.19	03:50
4	TC Clean	1.34	5.11	3.76	50.13	03:48
5	Reagent Blank	2.49	6.23	3.74	50.20	05:07
6	Acid Blank	0.97	4.67	3.70	49.59	05:29

Sample Type: Sample

From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	D	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 19:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.76	12.42	3.66	50.39	12:29

Dilution **Blank Contribution** **Method** **Calibration**

1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 — From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.8831 ppm (PASS)	0.0000 ppm	0%	2019/11/07 19:26

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8831	238.8313	182.41	185.93	3.52	50.38	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 — From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/07 19:43

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.06	10.70	3.65	50.36	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample — From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	1	TOC	MB1	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 20:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.59	10.07	3.48	50.36	12:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER — From Schedule Version 9

	Pos	BAT	Concentration	Dil	Sample ID	Min / Max	Result	Std. Dev.	RSD	Start Time

RIGHT SOLUTIONS | RIGHT PARTNER

			(ppm)			(% dev)				
◈	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.3867 ppm (PASS)	0.0000 ppm	0%	2019/11/07 20:28

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.3867	243.8673	186.02	189.54	3.52	50.37	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample

From Schedule Version 9

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	2	TOC	ICS	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 20:45

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.43	12.08	3.65	50.39	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	3	TOC	K1909995-005.01 800x	4.1855 ppm	0.0993 ppm	2.3700%	2019/11/07 21:01

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.1152	41.1523	39.72	43.21	3.49	50.47	12:27
2	TOC	4.2557	42.5567	40.73	44.38	3.65	50.42	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	4	TOC	K1909995-006.01 20x	1.9072 ppm	0.0050 ppm	0.2600%	2019/11/07 21:33

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9036	19.0360	23.86	27.36	3.50	50.44	12:28
2	TOC	1.9107	19.1072	23.91	27.46	3.54	50.43	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	5	TOC	K1909958-019.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 22:05

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.09	11.61	3.52	50.42	12:27
2	TOC	0.0000	0.0000	8.27	11.81	3.53	50.36	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	6	TOC	K1909958-020.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 22:37

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.43	10.94	3.51	50.38	12:27
2	TOC	0.0000	0.0000	7.70	11.28	3.58	50.43	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	7	TOC	K1909958-020.06 ms 2x	14.3500 ppm	0.0000 ppm	0.0000%	2019/11/07 23:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	14.3500	143.4997	113.11	116.75	3.65	50.30	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	8	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 23:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.22	10.83	3.61	50.30	12:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	9	TOC	K1909955-019.07 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/07 23:42

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.94	11.41	3.48	50.28	12:28
2	TOC	0.0000	0.0000	7.84	11.27	3.43	50.26	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.8830 ppm (PASS)	0.0000 ppm	0%	2019/11/08 00:15

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8830	238.8299	182.41	185.89	3.48	50.25	12:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/08 00:31

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.64	10.31	3.67	50.27	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 9

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	10	TOC	K1909955-020.07 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 00:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.38	10.88	3.50	50.24	12:27
2	TOC	0.0000	0.0000	7.28	10.72	3.45	50.24	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	11	TOC	K1909964-001.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 01:20

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.09	10.66	3.57	50.22	12:29

RIGHT SOLUTIONS | RIGHT PARTNER

2	TOC	0.0000	0.0000	7.26	10.82	3.56	50.20	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	12	TOC	K1909964-001.06 ms 2x	14.9384 ppm	0.0000 ppm	0.0000%	2019/11/08 01:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	14.9384	149.3837	117.33	120.86	3.53	50.18	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	13	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 02:09

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.86	11.54	3.68	50.19	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	14	TOC	K1909964-002.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 02:25

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.22	10.84	3.62	50.17	12:28
2	TOC	0.0000	0.0000	7.30	10.82	3.52	50.18	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	15	TOC	K1909964-003.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 02:57

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.08	10.64	3.56	50.17	12:29
2	TOC	0.0000	0.0000	6.88	10.50	3.61	50.15	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	16	TOC	K1909964-004.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 03:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.73	10.25	3.52	50.14	12:29
2	TOC	0.0000	0.0000	6.96	10.43	3.46	50.16	12:30

Dilution 1:10 **Blank Contribution** (TC) 10.2136 (IC) (v1315) **Method** Extended Reaction 021711 (v4) **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	17	TOC	K1909964-005.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 04:01

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.82	10.29	3.46	50.14	12:30
2	TOC	0.0000	0.0000	6.97	10.44	3.48	50.13	12:28

Dilution 1:10 **Blank Contribution** (TC) 10.2136 (IC) (v1315) **Method** Extended Reaction 021711 (v4) **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	18	TOC	K1909964-006.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 04:33

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.74	10.15	3.41	50.12	12:27
2	TOC	0.0000	0.0000	6.87	10.44	3.56	50.09	12:24

Dilution 1:10 **Blank Contribution** (TC) 10.2136 (IC) (v1315) **Method** Extended Reaction 021711 (v4) **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	19	TOC	K1909964-008.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 05:05

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.71	10.21	3.50	50.11	12:26
2	TOC	0.0000	0.0000	6.67	10.17	3.50	50.17	12:28

Dilution 1:10 **Blank Contribution** (TC) 10.2136 (IC) (v1315) **Method** Extended Reaction 021711 (v4) **Calibration** Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.9165 ppm (PASS)	0.0000 ppm	0%	2019/11/08 05:37

Pos	Base Analysis	ID	Rep	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run

RIGHT SOLUTIONS | RIGHT PARTNER

	Type		#							Time
B	TOC	25 ppm	1	23.9165	239.1646	182.65	186.17	3.52	50.11	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/08 05:54

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.79	10.33	3.54	50.11	12:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 9

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	20	TOC	MB2	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 06:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.29	9.77	3.48	49.99	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	25.1535 ppm (PASS)	0.0000 ppm	0%	2019/11/08 06:28

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	25.1535	251.5351	191.52	194.80	3.28	49.89	12:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 9

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	21	TOC	K1909964-009.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 06:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.18	11.64	3.47	49.80	12:30
2	TOC	0.0000	0.0000	7.82	11.18	3.36	49.78	12:26

Dilution: 1:10
Blank Contribution: (TC) 10.2136 (IC) (v1315)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	22	TOC	K1909964-010.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 07:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.51	11.02	3.50	49.76	12:27
2	TOC	0.0000	0.0000	7.40	10.92	3.51	49.72	12:27

Dilution: 1:10
Blank Contribution: (TC) 10.2136 (IC) (v1315)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	23	TOC	K1909964-011.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 07:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.24	10.86	3.62	49.73	12:30
2	TOC	0.0000	0.0000	7.56	11.10	3.54	49.69	12:26

Dilution: 1:10
Blank Contribution: (TC) 10.2136 (IC) (v1315)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	24	TOC	K1909964-012.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 08:20

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.48	12.02	3.54	49.70	12:29
2	TOC	0.0000	0.0000	7.33	10.98	3.65	49.68	12:25

Dilution: 1:10
Blank Contribution: (TC) 10.2136 (IC) (v1315)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	25	TOC	K1909964-014.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 08:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

RIGHT SOLUTIONS | RIGHT PARTNER

1	TOC	0.0000	0.0000	6.88	10.41	3.53	49.88	12:26
2	TOC	0.0000	0.0000	6.95	10.31	3.36	49.97	12:26

Dilution 1:10

Blank Contribution (TC) 10.2136 (IC) (v1315)

Method Extended Reaction 021711 (v4)

Calibration Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	26	TOC	K1909964-015.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 09:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.23	10.60	3.37	50.07	12:30
2	TOC	0.0000	0.0000	6.80	10.21	3.41	50.09	12:26

Dilution 1:10

Blank Contribution (TC) 10.2136 (IC) (v1315)

Method Extended Reaction 021711 (v4)

Calibration Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	27	TOC	K1909964-016.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 09:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.47	9.82	3.35	50.08	12:31
2	TOC	0.0000	0.0000	6.72	10.10	3.38	50.11	12:27

Dilution 1:10

Blank Contribution (TC) 10.2136 (IC) (v1315)

Method Extended Reaction 021711 (v4)

Calibration Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	28	TOC	K1909964-017.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 10:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.47	9.95	3.49	50.08	12:25
2	TOC	0.0000	0.0000	6.67	10.32	3.64	50.09	12:24

Dilution 1:10

Blank Contribution (TC) 10.2136 (IC) (v1315)

Method Extended Reaction 021711 (v4)

Calibration Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711

From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.7056 ppm (PASS)	0.0000 ppm	0%	2019/11/08 11:01

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.7056	237.0559	181.14	184.69	3.55	50.12	12:28

RIGHT SOLUTIONS | RIGHT PARTNER

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/08 11:18

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.31	9.90	3.59	50.10	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 9

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	29	TOC	K1909964-018.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 11:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.65	10.31	3.66	50.10	12:30
2	TOC	0.0000	0.0000	6.72	10.26	3.54	50.10	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	30	TOC	K1909964-019.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 12:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.44	9.98	3.54	50.09	12:25
2	TOC	0.0000	0.0000	6.49	10.13	3.65	50.10	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	31	TOC	K1909964-020.06 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 12:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.51	10.05	3.54	50.09	12:30

RIGHT SOLUTIONS | RIGHT PARTNER

2	TOC	0.0000	0.0000	6.53	10.11	3.58	50.08	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	32	TOC	K1909955-014.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 13:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.45	10.20	3.75	50.06	12:29
2	TOC	0.0000	0.0000	6.60	10.10	3.50	50.09	12:23

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	33	TOC	K1909955-014.10 ms doc 2x	12.6551 ppm	0.0000 ppm	0.0000%	2019/11/08 13:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	12.6551	126.5505	100.95	104.18	3.22	50.01	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	34	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 13:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.33	10.82	3.50	50.02	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	35	TOC	K1909955-015.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 14:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.16	11.74	3.58	49.99	12:29
2	TOC	0.0000	0.0000	7.77	11.37	3.60	49.98	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

RIGHT SOLUTIONS | RIGHT PARTNER

◆	36	TOC	K1909955-016.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 14:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.68	11.27	3.59	49.94	12:27
2	TOC	0.0000	0.0000	7.71	11.32	3.61	49.92	12:27

Dilution: 1:10
Blank Contribution: (TC) 10.2136 (IC) (v1315)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	37	TOC	K1909955-018.07 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 15:20

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.92	11.46	3.54	49.94	12:29
2	TOC	0.0000	0.0000	7.84	11.52	3.68	49.93	12:26

Dilution: 1:10
Blank Contribution: (TC) 10.2136 (IC) (v1315)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	38	TOC	K1909955-019.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 15:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.77	11.54	3.77	49.95	12:26
2	TOC	0.0000	0.0000	7.70	11.31	3.61	49.96	12:32

Dilution: 1:10
Blank Contribution: (TC) 10.2136 (IC) (v1315)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.8499 ppm (PASS)	0.0000 ppm	0%	2019/11/08 16:24

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8499	238.4994	182.18	185.63	3.46	49.98	12:30

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos B: 50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/08 16:41

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.25	9.83	3.58	50.01	12:28

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos D: 0 ppmC

Sample Type: Sample From Schedule Version 9

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	39	TOC	MB3	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 16:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.90	9.40	3.50	50.04	12:30

Dilution: 1:10
Blank Contribution: (TC) 10.2136 (IC) (v1315)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.6109 ppm (PASS)	0.0000 ppm	0%	2019/11/08 17:14

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.6109	246.1085	187.63	191.00	3.36	50.06	12:30

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos C: 25 ppmC

Sample Type: Sample From Schedule Version 9

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	40	TOC	K1909955-020.10 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 17:31

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

RIGHT SOLUTIONS | RIGHT PARTNER

1	TOC	0.0000	0.0000	7.75	11.46	3.71	50.10	12:26
2	TOC	0.0000	0.0000	7.15	10.70	3.55	50.13	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	41	TOC	K1909964-001.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 18:03

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.79	10.25	3.46	50.18	12:27
2	TOC	0.0000	0.0000	6.99	10.38	3.40	50.20	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	42	TOC	K1909964-002.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 18:35

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.15	10.82	3.67	50.25	12:26
2	TOC	0.0000	0.0000	7.18	10.71	3.53	50.30	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	43	TOC	K1909964-003.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 19:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.30	9.90	3.61	50.27	12:28
2	TOC	0.0000	0.0000	6.34	9.87	3.53	50.23	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	44	TOC	K1909964-004.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 19:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.32	9.94	3.62	50.25	12:31
2	TOC	0.0000	0.0000	6.67	10.21	3.54	50.24	12:29

Dilution	Blank Contribution	Method	Calibration

RIGHT SOLUTIONS | RIGHT PARTNER

1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	45	TOC	K1909964-005.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 20:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.90	10.48	3.59	50.23	12:29
2	TOC	0.0000	0.0000	7.03	10.58	3.56	50.26	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	46	TOC	K1909964-006.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 20:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.37	10.74	3.37	50.19	12:28
2	TOC	0.0000	0.0000	6.99	10.57	3.58	50.16	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	47	TOC	K1909964-008.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 21:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.64	10.12	3.48	50.17	12:25
2	TOC	0.0000	0.0000	6.54	10.08	3.54	50.15	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.8036 ppm (PASS)	0.0000 ppm	0%	2019/11/08 21:48

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8036	238.0363	181.84	185.38	3.54	50.13	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/08 22:05

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.19	9.80	3.61	50.15	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 9

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	48	TOC	K1909964-009.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 22:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.22	10.92	3.71	50.09	12:29
2	TOC	0.0000	0.0000	7.05	10.63	3.58	50.12	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	49	TOC	K1909964-010.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 22:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.11	9.55	3.44	50.11	12:29
2	TOC	0.0000	0.0000	6.21	9.74	3.53	50.09	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	50	TOC	K1909964-011.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 23:26

Rep	Base	ppm	µg	Adjusted	NDIR (Abs)	Baseline	Pressure	Run

RIGHT SOLUTIONS | RIGHT PARTNER

#	Analysis Type			(Abs)		(Abs)	(psig)	Time
1	TOC	0.0000	0.0000	6.06	9.63	3.57	50.11	12:28
2	TOC	0.0000	0.0000	5.90	9.50	3.60	50.07	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	51	TOC	K1909964-012.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/08 23:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.08	9.55	3.47	50.11	12:29
2	TOC	0.0000	0.0000	6.08	9.70	3.62	50.06	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	52	TOC	K1909964-014.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 00:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.00	9.56	3.56	50.08	12:28
2	TOC	0.0000	0.0000	6.14	9.72	3.58	50.07	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	53	TOC	K1909964-015.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 01:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.83	11.45	3.62	50.10	12:28
2	TOC	0.0000	0.0000	8.03	11.51	3.48	50.06	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	54	TOC	K1909964-016.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 01:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.65	10.22	3.57	50.06	12:28
2	TOC	0.0000	0.0000	7.22	10.68	3.46	50.11	12:29

RIGHT SOLUTIONS | RIGHT PARTNER

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	55	TOC	K1909964-017.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 02:06

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.88	10.35	3.47	50.11	12:28
2	TOC	0.0000	0.0000	6.76	10.38	3.62	50.08	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	56	TOC	K1909964-018.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 02:38

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.25	10.77	3.51	50.08	12:29
2	TOC	0.0000	0.0000	7.49	10.68	3.19	50.07	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	57	TOC	K1909964-019.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 03:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.77	10.30	3.53	50.09	12:30
2	TOC	0.0000	0.0000	6.89	10.37	3.48	50.08	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.7207 ppm (PASS)	0.0000 ppm	0%	2019/11/09 03:42

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.7207	237.2065	181.25	184.91	3.66	50.13	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/09 03:59

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.12	9.94	3.82	50.12	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 9

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 04:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.61	9.20	3.59	50.09	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.3973 ppm (PASS)	0.0000 ppm	0%	2019/11/09 04:32

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.3973	243.9733	186.10	189.68	3.58	50.08	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 9

RIGHT SOLUTIONS | RIGHT PARTNER

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	59	TOC	K1909964-020.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 04:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.24	11.58	3.34	50.12	12:31
2	TOC	0.0000	0.0000	7.01	10.70	3.69	50.10	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	60	TOC	K1909967-001.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 05:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.81	10.53	3.72	50.12	12:28
2	TOC	0.0000	0.0000	6.54	10.33	3.80	50.11	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	61	TOC	K1909967-001.01 ms doc 2x	14.5481 ppm	0.0000 ppm	0.0000%	2019/11/09 05:53

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	14.5481	145.4814	114.53	118.17	3.64	50.10	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	62	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 06:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.62	11.34	3.72	50.08	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	63	TOC	K1909967-002.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 06:27

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

RIGHT SOLUTIONS | RIGHT PARTNER

1	TOC	0.0000	0.0000	7.44	11.16	3.72	50.09	12:24
2	TOC	0.0000	0.0000	7.40	11.11	3.71	50.10	12:25

Dilution 1:10 **Blank Contribution** (TC) 10.2136 (IC) (v1315) **Method** Extended Reaction 021711 (v4) **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	64	TOC	K1909967-003.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 06:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.65	10.35	3.70	50.13	12:26
2	TOC	0.0000	0.0000	6.67	10.40	3.73	50.10	12:26

Dilution 1:10 **Blank Contribution** (TC) 10.2136 (IC) (v1315) **Method** Extended Reaction 021711 (v4) **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	65	TOC	K1909967-004.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 07:31

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.75	11.37	3.62	50.12	12:26
2	TOC	0.0000	0.0000	7.44	11.04	3.60	50.14	12:28

Dilution 1:10 **Blank Contribution** (TC) 10.2136 (IC) (v1315) **Method** Extended Reaction 021711 (v4) **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	66	TOC	K1909967-006.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 08:03

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.54	10.11	3.56	50.14	12:27
2	TOC	0.0000	0.0000	6.70	10.27	3.57	50.16	12:25

Dilution 1:10 **Blank Contribution** (TC) 10.2136 (IC) (v1315) **Method** Extended Reaction 021711 (v4) **Calibration** Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.6576 ppm (PASS)	0.0000 ppm	0%	2019/11/09 08:35

	Base		Rep							Run

RIGHT SOLUTIONS | RIGHT PARTNER

Pos	Analysis Type	ID	#	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Time
B	TOC	25 ppm	1	23.6576	236.5761	180.80	184.36	3.56	50.16	12:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/09 08:51

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	5.99	9.62	3.63	50.19	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 9

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	67	TOC	K1909967-007.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 09:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.59	10.16	3.57	50.17	12:26
2	TOC	0.0000	0.0000	6.52	10.04	3.52	50.18	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	68	TOC	K1909967-008.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 09:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.37	9.99	3.62	50.19	12:31
2	TOC	0.0000	0.0000	6.37	9.91	3.55	50.17	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◆	69	TOC	K1909967-009.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 10:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.03	10.60	3.57	50.20	12:27
2	TOC	0.0000	0.0000	6.97	10.52	3.55	50.19	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	70	TOC	K1909967-010.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 10:45

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.41	9.89	3.48	50.20	12:30
2	TOC	0.0000	0.0000	6.45	9.97	3.52	50.19	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	71	TOC	K1909967-012.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 11:17

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.43	9.92	3.48	50.17	12:28
2	TOC	0.0000	0.0000	6.73	10.21	3.48	50.19	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	72	TOC	K1910165-007.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 11:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.06	9.46	3.40	50.19	12:30
2	TOC	0.0000	0.0000	6.00	9.45	3.45	50.21	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	73	TOC	K1910165-008.01 doc 2x	0.1343 ppm	0.0082 ppm	6.1000%	2019/11/09 12:21

Rep	Base	ppm	µg	Adjusted	NDIR (Abs)	Baseline	Pressure	Run

RIGHT SOLUTIONS | RIGHT PARTNER

#	Analysis Type			(Abs)		(Abs)	(psig)	Time
1	TOC	0.1401	1.4008	11.22	14.87	3.65	50.18	12:29
2	TOC	0.1285	1.2850	11.14	14.61	3.48	50.19	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	74	TOC	K1910165-013.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/09 12:53

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.73	9.22	3.49	50.19	12:27
2	TOC	0.0000	0.0000	5.61	9.26	3.65	50.19	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	75	TOC	K1910165-014.01 doc 2x	0.1367 ppm	0.0336 ppm	24.6100%	2019/11/09 13:25

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.1604	1.6044	11.36	15.04	3.67	50.21	12:26
2	TOC	0.1129	1.1288	11.02	14.83	3.80	50.19	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2136 (IC) (v1315)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.5930 ppm (PASS)	0.0000 ppm	0%	2019/11/09 13:57

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.5930	235.9304	180.33	183.92	3.59	50.21	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 9

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time

RIGHT SOLUTIONS | RIGHT PARTNER

◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/09 14:14	

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	5.95	9.70	3.75	50.18	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v1314	1.4780	1.0180	0.0000	0.0000	0.0000	2019/11/05 11:34	Fusion1 (Fusion1)
v1315	0.8297	0.9670	0.0000	0.0000	0.0000	2019/11/07 19:05	Fusion1 (Fusion1)

Calibrations

Name: Extended Reaction 021711 (TOC)

Version: v27

Ver Creation: 2019/03/11 21:51

Comment:

Operator: Fusion1 (Fusion1)

Basic Analysis Type: TOC

Calibration curve formula: TOC: y = 7.170x + 11.164

r^2 value: TOC: r^2 = 0.99991

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
0.0 ppm	10.4100	0.0000		2019/03/11 20:12
0.50 ppm	14.7740	0.5000		2019/03/11 20:28
1.00 ppm	18.0020	1.0000		2019/03/11 20:44
5.00 ppm	47.2310	5.0000		2019/03/11 21:01
10.0 ppm	85.1320	10.0000		2019/03/11 21:17
25.0 ppm	188.5200	25.0000		2019/03/11 21:33
50.0 ppm	370.1610	50.0000		2019/03/11 21:49

Methods

Name: Extended Reaction 021711 (TOC)

RIGHT SOLUTIONS | RIGHT PARTNER

Version: v4 Operator: Fusion1 (Fusion1)
Ver Creation: 2019/01/31 11:21
Comment:

Parameter	Value
SampleVolume	10.0 mL
Dilution	1:10
AcidVolume	0.5 ml
ReagentVolume	2.0 ml
UVReactorPrerinse	Off
UVReactorPrerinseVolume	5.0
NumberOfUVReactorPrerinses	1
ICSpargeTime	1.00 mins
DetectorSweepFlow	500 ml/min
PreSpargeTime	4.00 mins
SystemFlow	500 ml/min

Advanced Parameter	Value
NeedleRinseVolume	5.0 ml
VialPrimeVolume	2.0 ml
ICSamplePrimeVolume	2.0 ml
ICSpargeRinseVolume	12.0 ml
BaselineStabilizeTime	0.70 min
DetectorPressureFlow	150 ml/min
SyringeSpeedWaste	10
SyringeSpeedAcid	7
SyringeSpeedReagent	7
SyringeSpeedDIWater	7
NDIRPressurization	60 psig
SyringeSpeedSampleDispense	5
SyringeSpeedSampleAspirate	4
SyringeSpeedUVDispense	5
SyringeSpeedUVAspirate	5
SyringeSpeedICDispense	5
SyringeSpeedICAspirate	5
NDIRPressureStabilize	1.75 min
SampleMixing	Off
SampleMixingCycles	1
SampleMixingVolume	10.0
LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Fusion1 (Fusion1)	Schedule completed	Schedule completed	2019/11/09 14:31

ALS Environmental

StarLIMS Run: 658206, 658207, 658208, 658209

Analysis: DOC/TOC

Method: SM 5310 C, 9060A, 415.1, 9060

CCV: 11-GEN-05-79K 50 ppm LCS: 11-GEN-05-79J 25.0 ppm

ICAL Date: 3/6/19

ICAL ID: 11-GEN-05-76H

ICS ID: 11-GEN-05-78M

ICS TV: 25.0 ppm ICS % R < 1

Spike ID: 11-GEN-05-77J 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 ppm x dilution factor

Sodium Persulfate: 11-GEN-05-82E

21 % H3PO4: 11-GEN-05-82G

Equipment ID: K-TOC-03

PIPETTE ID: 124276B, 129001F, N11314F, Marge

FILTER ID: 16967789

Analyzed By: HLM for BCD	Date Analyzed: 11/7/19
Reviewed By:	Date Reviewed: 11/12/19

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

WorkOrder: HS19101488

LHAAP-16

Aptim Environmental & Infrastucture, Inc.

Susan Huang
2500 City West Blvd., Suite 1700
Houston TX 77042

09-Nov-2019

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

HS19101488 Cover Page
- CoverPage
- HS19101488 LHAAP16 Final
  - CoverLetter
  - Sample Summary
  - CaseNarrative
  - 16WW40-191022
  - Dates Report
  - QC
  - Acronyms
  - Certifications
  - Sample Tracking Record
  - SampleReceiptCheckList
  - COC
  - HS19101488 ALS Kelso Sub Data K1910079
- HS19101488 Wet Chem Raw Data

HS19101488 LHAAP16 Final

ALS WO# HS19101488

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

November 06, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19101488**

Laboratory Results for: **LHAAP-16**

Dear Susan,

ALS Environmental received 1 sample(s) on Oct 24, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: DAYNA.FISHER
RJ Modashia
Project Manager

ALS Houston, US Date: 06-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19101488

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19101488-01	16WW40-191022	GW		22-Oct-2019 13:10	24-Oct-2019 08:43	☐

ALS Houston, US Date: 06-Nov-19

Client: Aptim Environmental & Infrastucture, Inc. **CASE NARRATIVE**
Project: LHAAP-16
Work Order: HS19101488

Work Order Comments

• The analysis for TOC was subcontracted to ALS Environmental in Kelso, WA. Final Report attached.

WetChemistry by Method SW9056

Batch ID: R349710

Sample ID: HS19101353-01MS

• MS and MSD are for an unrelated sample (Bromide)

ALS Houston, US Date: 06-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW40-191022
Collection Date: 22-Oct-2019 13:10

ANALYTICAL REPORT
WorkOrder:HS19101488
Lab ID:HS19101488-01
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**4.49**		**0.300**	**1.00**	**1.00**	**mg/L**	10	04-Nov-2019 17:29
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	05-Nov-2019 09:36

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 06-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101488

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R349710 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** GW	
HS19101488-01	16WW40-191022	22 Oct 2019 13:10			04 Nov 2019 17:29	10
Batch ID: R349770 (0)	**Test Name :** SUBCONTRACT ANALYSIS - TOC ANALYSIS				**Matrix:** GW	
HS19101488-01	16WW40-191022	22 Oct 2019 13:10			05 Nov 2019 09:36	1

ALS Houston, US Date: 06-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101488

QC BATCH REPORT

Batch ID: R349710 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-110419** Units: **mg/L** Analysis Date: **04-Nov-2019 11:38**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328162** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-110419** Units: **mg/L** Analysis Date: **04-Nov-2019 11:54**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328163** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.782	0.100	4	0	94.6	80 - 120				

LCSD Sample ID: **WLCSDW1-110419** Units: **mg/L** Analysis Date: **04-Nov-2019 12:11**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328164** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.764	0.100	4	0	94.1	80 - 120	3.782	0.498	20	

MS Sample ID: **HS19101488-01MS** Units: **mg/L** Analysis Date: **04-Nov-2019 17:46**
Client ID: **16WW40-191022** Run ID: **ICS-Integrion_349710** SeqNo: **5329293** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	22.55	1.00	20	4.49	90.3	80 - 120				

MS Sample ID: **HS19110026-01MS** Units: **mg/L** Analysis Date: **04-Nov-2019 12:44**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328166** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	18.58	1.00	20	2.058	82.6	80 - 120				

MS Sample ID: **HS19101353-01MS** Units: **mg/L** Analysis Date: **04-Nov-2019 18:49**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5329296** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100	2	0	0	80 - 120				S U

ALS Houston, US Date: 06-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101488

QC BATCH REPORT

Batch ID: R349710 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MS Sample ID: **HS19101353-01MS** Units: **mg/L** Analysis Date: **04-Nov-2019 14:27**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5329281** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	21.34	1.00	20	3.498	89.2	80 - 120				

MSD Sample ID: **HS19110026-01MSD** Units: **mg/L** Analysis Date: **04-Nov-2019 13:01**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328167** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	18.72	1.00	20	2.058	83.3	80 - 120	18.58	0.756	20	

MSD Sample ID: **HS19101488-01MSD** Units: **mg/L** Analysis Date: **04-Nov-2019 18:03**
Client ID: **16WW40-191022** Run ID: **ICS-Integrion_349710** SeqNo: **5329294** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	22.61	1.00	20	4.49	90.6	80 - 120	22.55	0.266	20	

MSD Sample ID: **HS19101353-01MSD** Units: **mg/L** Analysis Date: **04-Nov-2019 19:06**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5329297** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100	2	0	0	80 - 120	0	0	20	S U

MSD Sample ID: **HS19101353-01MSD** Units: **mg/L** Analysis Date: **04-Nov-2019 14:43**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5329282** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	21.41	1.00	20	3.498	89.6	80 - 120	21.34	0.313	20	

The following samples were analyzed in this batch: HS19101488-01

ALS Houston, US Date: 06-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19101488**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 06-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19101488

SAMPLE TRACKING

Lab Samp ID	Client Sample ID	Action	Date	Person	New Location
HS19101488-01	16WW40-191022	Login	10/24/2019 8:08:56 PM	AC	WET385
HS19101488-01	16WW40-191022	Login	10/24/2019 8:08:56 PM	AC	Sub

ALS Houston, US Date: 06-Nov-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19101488
Date/Time Received: **24-Oct-2019 08:43**
Received by: **PMG**

Checklist completed by: *Asad Chaudhry* eSignature 24-Oct-2019 Date
Reviewed by: *RJ Modashia* eSignature 25-Oct-2019 Date

Matrices: **GW**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☐	No ☑	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	2.5c UC/C	IR 25	
Cooler(s)/Kit(s):	45194		
Date/Time sample(s) sent to storage:	10/24/2019 19:00		
Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-Bayou Barrier-ALSHT-1910-

TURNAROUND TIME: normal

RUSH:

Page 1 of

PROJECT/CLIENT INFO

Facility Name: Longhorn AAP
Project Number: 5010A2
LHAAP-16
Address: 1303-B East Grand Avenue
PMB 202
City: Marshall
State: TX
Postal Code: 75670
Country: USA
Phone Number: 713.243.7264
Project Manager: Praveen Srivastav

LABORATORY

Lab Name: ALS Laboratories
Lab Contact: RT Modashia
Email: RT.Modashia@alsglobal.com
Address: 10450 Stancliff Rd., Suite 210
City: Houston
State: TX
Postal Code: 77099
Country: USA
Phone Number: 281.575.2279 or 281.530.5656

lfcollvoices@aptim.com
Susan.Huang@aptim.com
Susan Huang
4005 Port Chicago Hwy
Concord
State: CA
94520
Country: USA

SAMPLE DETAILS

ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	Containers and Preservative	ANALYSIS	Bromide by SW9056	TOC by (SW9060)
16MW40-191022	LHAAP 16				WG	10/22/19	1310	3			X	X

HS19101488

Aptim Environmental & Infrastucture, Inc.
LHAAP-16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS

RELINQUISHED BY/AFFILIATION: Susan Blessing / BHATE

DATE/TIME: 10/23/19 1400

ACCEPTED BY/AFFILIATION: PS

DATE/TIME: 10/24/19 08.43

45194
Temp 4/C 2-5
1st # 25.

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

45194

CUSTODY SEAL

Date: 10/23/19 Time: 1400
Name: Scott Beesinger
Company: BHATS

Seal Broken By:
Date: 10/24/19

45194

Must Deliver Next Business Day
Time and Tempature Sensitive!

45194

ORIGIN ID:SGRA (903) 930-6193
SCOTT BEESINGER
APTIM ENVIRONMENTAL & INFASTRUCTURE
1203-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 17OCT19
ACTWGT: 1.00 LB MAN
CAD: 300130/CAFE3211
DIMS: 18x16x13 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP-16-80 68173-RJ

RMA:

FedEx Express

FedEx
TRK# 1251 0290 7608
0221

THU - 24 OCT 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US IAH

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

November 04, 2019 **Analytical Report for Service Request No:** K1910079

RJ Modashia
ALS Laboratory Group
10450 Stancliff Road
Suite 210
Houston, TX 77099-4338

RE: HS19101488

Dear RJ,

Enclosed are the results of the sample(s) submitted to our laboratory October 26, 2019
For your reference, these analyses have been assigned our service request number **K1910079.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3350. You may also contact me via email at Kelley.Lovejoy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Kelley Lovejoy

Kelley Lovejoy
Project Manager

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

Acronyms
Qualifiers
State Certifications, Accreditations, And Licenses
Case Narrative
Chain of Custody
General Chemistry
Raw Data
    General Chemistry

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable. See case narrative.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Case Narrative

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: ALS Environmental - US
Project: HS19101488
Sample Matrix: Water

Service Request: K1910079
Date Received: 10/26/2019

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier level IV requested by the client.

Sample Receipt:

One water sample was received for analysis at ALS Environmental on 10/26/2019. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The sample was stored at minimum in accordance with the analytical method requirements.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by Kelley Lovejoy Date 11/04/2019

Chain of Custody

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

10450 Stancliff Rd, Ste 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **12485**

SUBCONTRACT TO:

ALS Environmental Kelso
1317 S. 13th Avenue
Kelso, WA 98626

Phone: +1 360 501 3312

KL1910079

CUSTOMER INFORMATION:

Company:	ALS Houston
Contact:	RJ Modashia
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Email:	RJ.Modashia@alsglobal.com
Alternate Contact:	Jumoke M. Lawal
Email:	jumoke.lawal@alsglobal.com

INVOICE INFORMATION:

Company:	ALS Houston
Contact:	Accounts Payable
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Reference:	HS19101488
TSR:	Sonia West

	LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
	ANALYSIS REQUESTED			DUE DATE
1.	**HS19101488-01**	**16WW40-191022**	**GW**	**22 Oct 2019 13:10**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			07 Nov 2019

Comments: Please analyze for the analysis listed above.
Send report to the emails shown above.

QC Level: DOD IV (DoD Data Package)

Relinquished By: J. Lawal Date/Time: 10/25/19 12:00

Received By: MRedersen Date/Time: 10/26/19 0950

Cooler ID(s): Temperature(s):

RIGHT SOLUTIONS | RIGHT PARTNER

PC KL

Cooler Receipt and Preservation Form

Client AS Houston Service Request K19 10078

Received: 10/26/19 Opened: 10/26/19 By: MP Unloaded: 10/26/19 By: MP

1. Samples were received via? *USPS* *Fed Ex* *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) *Cooler* *Box* *Envelope* *Other* _____ *NA*
3. Were custody seals on coolers? NA (Y) N If yes, how many and where? 2 front
   If present, were custody seals intact? (Y) N If present, were they signed and dated? (Y) N

Raw Cooler Temp	Corrected Cooler Temp	Raw Temp Blank	Corrected Temp Blank	Corr. Factor	Thermometer ID	Cooler/COC ID NA	Tracking Number NA	Filed
-0.1	0.0	0.9	1.0	0.1	362		1251 0291 0740	
						12490		
						12485		

4. Packing material: *Inserts* *Baggies* *Bubble Wrap* *Gel Packs* *Wet Ice* *Dry Ice* *Sleeves* _____
5. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
6. Were samples received in good condition (temperature, unbroken)? *Indicate in the table below.* NA (Y) N
   If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*
7. Were all sample labels complete (i.e analysis, preservation, etc.)? NA (Y) N
8. Did all sample labels and tags agree with custody papers? *Indicate major discrepancies in the table on page 2.* NA (Y) N
9. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N
10. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA (Y) N
11. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
12. Was C12/Res negative? (NA) Y N

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Out of Temp	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, & Resolutions: _____

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	ALS Environmental - US	**Service Request:**	K1910079
Project:	HS19101488	**Date Collected:**	10/22/19
Sample Matrix:	Water	**Date Received:**	10/26/19
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Carbon, Total Organic

Sample Name	Lab Code	Result	LOQ	LOD	MDL	Dil.	Date Analyzed	Q
16WW40-191022	K1910079-001	**7.72**	0.50	0.20	0.07	1	10/30/19 21:30	
Method Blank	K1910079-MB	ND U	0.50	0.20	0.07	1	10/30/19 12:52	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1910079
Project	HS19101488	**Date Collected:**	10/22/19
Sample Matrix:	Water	**Date Received:**	10/26/19
		Date Analyzed:	10/30/19

Replicate Sample Summary
General Chemistry Parameters

Sample Name:	16WW40-191022	**Units:**	mg/L
Lab Code:	K1910079-001	**Basis:**	NA

Analyte Name	Analysis Method	LOQ	LOD	MDL	Sample Result	Duplicate Sample K1910079-001DUP Result	Average	RPD	RPD Limit
Carbon, Total Organic	SM 5310 C	0.50	0.20	0.07	7.72	7.65	7.69	<1	10

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1910079
Project:	HS19101488	**Date Analyzed:**	10/30/19
Sample Matrix:	Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	657829

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1910079-LCS	24.6	25.0	98	83-117

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:** K1910079
Project: HS19101488

Continuing Calibration Verification (CCV) Summary

Carbon, Total Organic

Analysis Method: SM 5310 C **Units:** mg/L

	Analysis Lot	Lab Code	Date Analyzed	True Value	Measured Value	Percent Recovery	Acceptance Limits
CCV1	657829	KQ1915963-03	10/30/19 12:18	25.0	23.9	96	90-110
CCV2	657829	KQ1915963-04	10/30/19 16:40	25.0	24.2	97	90-110
CCV3	657829	KQ1915963-05	10/30/19 22:34	25.0	24.2	97	90-110
CCV4	657829	KQ1915963-06	10/31/19 03:42	25.0	24.2	97	90-110

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:**K1910079
Project: HS19101488

Continuing Calibration Blank (CCB) Summary
Carbon, Total Organic

Analysis Method: SM 5310 C **Units:**mg/L

	Analysis Lot	Lab Code	Date Analyzed	LOQ	LOD	MDL	Result	Q
CCB1	657829	KQ1915963-07	10/30/19 12:35	0.50	0.20	0.07	ND	U
CCB2	657829	KQ1915963-08	10/30/19 16:57	0.50	0.20	0.07	ND	U
CCB3	657829	KQ1915963-09	10/30/19 22:51	0.50	0.20	0.07	ND	U
CCB4	657829	KQ1915963-10	10/31/19 03:59	0.50	0.20	0.07	ND	U

Raw Data

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

Work Request # Original (T90809 IV, V815 IV) K1909800, 9822, 9860, 9892, 9998, 10007, 10066, 10079, 9912, 9995, 9627, 9892, 9913, 9958

Tier: II II I II II IV IV IV II IV I II II IV

Date Analyzed: 10/30/19

Analyst: BCP

Analysis: TOC/DOC

TOC: 657829, 657830

DOC: 657831, 657852

Run #

DATA QUALITY REPORT
INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1.	Is the method name and number correct and appropriate?	(yes)/no/NA
2.	Holding times met for all analyses and for all samples?	(yes)/no/NA
3.	Are calculations correct?	(yes)/no/NA
4.	Is the reporting basis correct? (Dry Weight)	(yes)/no/NA
5.	All quality control criteria met?	(yes)/no
6.	Is the calibration curve correlation coefficient ≥ 0.995?	(yes)/no/NA
7.	MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency?	(yes)/no/NA
8.	Are ICVs, CCVs, and CCBs all within acceptance limits?	(yes)/no/NA
9.	Are results for methods blanks all ND?	(yes)/no/NA
10.	Are all QC samples within acceptance criteria? (LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.)	yes/(no)/NA
11.	Are all exceptions explained?	(yes)/no/NA
12.	Have all applicable service requests been reviewed?	(yes)/no/NA
13.	Are all samples labeled correctly?	(yes)/no/NA
14.	Have all instructions on the service request been followed? (e.g. Special MRLs, QC on a specific sample, Form V)	(yes)/no/NA
15.	Are detection limits and units reported correctly?	(yes)/no/NA
16.	Is the unused space on the benchsheet crossed out?	(yes)/no/NA
17.	Was analysis turned in by the due date? (n-2) (If not record SR#)	yes/(no)/NA

COMMENTS: K1909995-S/6 sent for RA due to being above the calibration curve.
K1909995-7 sent for RA due to previous sample carry over.
K1909892-S/S dup report a high %RSD. However, these samples are less than 5x the MRL.
T1901809-VBA report a high %RSD due to suspected non-homogenous sample.

Final Approved by: [signature] Date: 11/01/19

DQREPORT

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657829 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1909800-002	Carbon, Total Organic	N/A		Water	2.78 mg/L	10 mL	278 mg/L	100	7	50			10/30/19 14:15:00	N	II
K1909822-004	Carbon, Total Organic	N/A		Water	6.88 mg/L	10 mL	688 mg/L	100	7	50			10/30/19 14:47:00	N	II
K1909822-005	Carbon, Total Organic	N/A		Water	5.89 mg/L	10 mL	589 mg/L	100	7	50			10/30/19 15:19:00	N	II
K1909860-026	Carbon, Total Organic	N/A		Water	0.53 mg/L	10 mL	0.53 mg/L	1	0.07	0.50			10/30/19 13:59:00	N	I
K1909892-001	Carbon, Total Organic	N/A		Water	4.52 mg/L	10 mL	4.52 mg/L	1	0.07	0.50			10/30/19 22:02:00	N	II
K1909892-002	Carbon, Total Organic	N/A		Water	5.21 mg/L	10 mL	5.21 mg/L	1	0.07	0.50			10/30/19 23:41:00	N	II
K1909892-003	Carbon, Total Organic	N/A		Water	2.41 mg/L	10 mL	2.41 mg/L	1	0.07	0.50			10/31/19 00:13:00	N	II
K1909892-004	Carbon, Total Organic	N/A		Water	0.96 mg/L	10 mL	0.96 mg/L	1	0.07	0.50			10/31/19 00:45:00	N	II
K1909892-005	Carbon, Total Organic	N/A		Water	0.38 mg/L	10 mL	0.38 mg/L J	1	0.07	0.50			10/31/19 01:17:00	N	II
K1909998-001	Carbon, Total Organic	N/A		Water	2.05 mg/L	10 mL	2.05 mg/L	1	0.07	0.50			10/30/19 20:26:00	N	II
K1910007-001	Carbon, Total Organic	N/A		Water	1.56 mg/L	10 mL	1.56 mg/L	1	0.07	0.50			10/30/19 20:58:00	N	IV
K1910066-001	Carbon, Total Organic	N/A		Water	0.99 mg/L	10 mL	0.99 mg/L	1	0.07	0.50			10/30/19 17:13:00	N	IV
K1910066-002	Carbon, Total Organic	N/A		Water	0.95 mg/L	10 mL	0.95 mg/L	1	0.07	0.50			10/30/19 17:46:00	N	IV
K1910066-003	Carbon, Total Organic	N/A		Water	0.83 mg/L	10 mL	0.83 mg/L	1	0.07	0.50			10/30/19 18:18:00	N	IV
K1910066-004	Carbon, Total Organic	N/A		Water	0.79 mg/L	10 mL	0.79 mg/L	1	0.07	0.50			10/30/19 18:50:00	N	IV
K1910066-005	Carbon, Total Organic	N/A		Water	0.79 mg/L	10 mL	0.79 mg/L	1	0.07	0.50			10/30/19 19:22:00	N	IV
K1910066-006	Carbon, Total Organic	N/A		Water	1.69 mg/L	10 mL	1.69 mg/L	1	0.07	0.50			10/30/19 15:52:00	Y	IV
K1910066-007	Carbon, Total Organic	N/A		Water	0.93 mg/L	10 mL	0.93 mg/L	1	0.07	0.50			10/30/19 19:54:00	N	IV
K1910079-001	Carbon, Total Organic	N/A		Water	7.72 mg/L	10 mL	7.72 mg/L	1	0.07	0.50			10/30/19 21:30:00	N	IV
KQ1915963-01	Carbon, Total Organic	LOQV		Water	0.53 mg/L	10 mL	0.53 mg/L	1	0.07	0.50			10/30/19 13:59:00	N	I
KQ1915963-02	Carbon, Total Organic	LODV		Water	0.08 mg/L	10 mL	0.08 mg/L J	1	0.07	0.50			10/30/19 13:42:00	N	I
KQ1915963-03	Carbon, Total Organic	CCV		Water	23.90 mg/L	10 mL	23.9 mg/L	1					10/30/19 12:18:00	N	II
KQ1915963-04	Carbon, Total Organic	CCV		Water	24.15 mg/L	10 mL	24.2 mg/L	1					10/30/19 16:40:00	N	II
KQ1915963-05	Carbon, Total Organic	CCV		Water	24.21 mg/L	10 mL	24.2 mg/L	1					10/30/19 22:34:00	N	II
KQ1915963-06	Carbon, Total Organic	CCV		Water	24.18 mg/L	10 mL	24.2 mg/L	1					10/31/19 03:42:00	N	II
KQ1915963-07	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/30/19 12:35:00	N	II
KQ1915963-08	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/30/19 16:57:00	N	II
KQ1915963-09	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/30/19 22:51:00	N	II
KQ1915963-10	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 03:59:00	N	II
KQ1915963-11	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/30/19 12:52:00	N	II
KQ1915963-12	Carbon, Total Organic	LCS		Water	24.60 mg/L	10 mL	24.6 mg/L	1	0.07	0.50	98		10/30/19 13:09:00	N	II
KQ1915963-13	Carbon, Total Organic	MS	K1910066-006	Water	25.97 mg/L	10 mL	26.0 mg/L	1	0.07	0.50	97		10/30/19 16:24:00	N	IV
KQ1915963-14	Carbon, Total Organic	DUP	K1909800-002	Water	2.71 mg/L	10 mL	271 mg/L	100	7	50		2	10/30/19 14:15:00	N	II
KQ1915963-16	Carbon, Total Organic	DUP	K1909822-004	Water	7.13 mg/L	10 mL	713 mg/L	100	7	50		3	10/30/19 14:47:00	N	II
KQ1915963-17	Carbon, Total Organic	DUP	K1909892-001	Water	4.58 mg/L	10 mL	4.58 mg/L	1	0.07	0.50		1	10/30/19 22:02:00	N	II
KQ1915963-18	Carbon, Total Organic	DUP	K1909892-002	Water	5.21 mg/L	10 mL	5.21 mg/L	1	0.07	0.50		<1	10/30/19 23:41:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Printed 11/1/19 12:59

Results Summary

11/01/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657829 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1915963-19	Carbon, Total Organic	DUP	K1909892-003	Water	2.34 mg/L	10 mL	2.34 mg/L	1	0.07	0.50		3	10/31/19 00:13:00	N	II
KQ1915963-20	Carbon, Total Organic	DUP	K1909892-004	Water	0.95 mg/L	10 mL	0.95 mg/L	1	0.07	0.50		2	10/31/19 00:45:00	N	II
KQ1915963-21	Carbon, Total Organic	DUP	K1909892-005	Water	0.34 mg/L	10 mL	0.34 mg/L J	1	0.07	0.50		10	10/31/19 01:17:00	N	II
KQ1915963-22	Carbon, Total Organic	DUP	K1909822-005	Water	5.88 mg/L	10 mL	588 mg/L	100	7	50		<1	10/30/19 15:19:00	N	II
KQ1915963-23	Carbon, Total Organic	DUP	K1909998-001	Water	2.08 mg/L	10 mL	2.08 mg/L	1	0.07	0.50		1	10/30/19 20:26:00	N	II
KQ1915963-24	Carbon, Total Organic	DUP	K1910007-001	Water	1.63 mg/L	10 mL	1.63 mg/L	1	0.07	0.50		4	10/30/19 20:58:00	N	IV
KQ1915963-25	Carbon, Total Organic	DUP	K1910066-001	Water	1.05 mg/L	10 mL	1.05 mg/L	1	0.07	0.50		6	10/30/19 17:13:00	N	IV
KQ1915963-26	Carbon, Total Organic	DUP	K1910066-002	Water	0.92 mg/L	10 mL	0.92 mg/L	1	0.07	0.50		3	10/30/19 17:46:00	N	IV
KQ1915963-27	Carbon, Total Organic	DUP	K1910066-003	Water	0.79 mg/L	10 mL	0.79 mg/L	1	0.07	0.50		5	10/30/19 18:18:00	N	IV
KQ1915963-28	Carbon, Total Organic	DUP	K1910066-004	Water	0.84 mg/L	10 mL	0.84 mg/L	1	0.07	0.50		6	10/30/19 18:50:00	N	IV
KQ1915963-29	Carbon, Total Organic	DUP	K1910066-005	Water	0.83 mg/L	10 mL	0.83 mg/L	1	0.07	0.50		5	10/30/19 19:22:00	N	IV
KQ1915963-30	Carbon, Total Organic	DUP	K1910066-006	Water	1.63 mg/L	10 mL	1.63 mg/L	1	0.07	0.50		4	10/30/19 15:52:00	N	IV
KQ1915963-31	Carbon, Total Organic	DUP	K1910066-007	Water	1.02 mg/L	10 mL	1.02 mg/L	1	0.07	0.50		9	10/30/19 19:54:00	N	IV
KQ1915963-32	Carbon, Total Organic	DUP	K1910079-001	Water	7.65 mg/L	10 mL	7.65 mg/L	1	0.07	0.50		<1	10/30/19 21:30:00	N	IV

11/01/19

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657830 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1909912-001	Carbon, Total Organic	N/A		Ground Water	10.42 mg/L	10 mL	10.4 mg/L	1	0.07	0.50			10/31/19 01:49:00	N	II
K1909912-002	Carbon, Total Organic	N/A		Ground Water	10.79 mg/L	10 mL	10.8 mg/L	1	0.07	0.50			10/31/19 02:21:00	N	II
K1909995-001	Carbon, Total Organic	N/A		Water	1.84 mg/L	10 mL	1.84 mg/L	1	0.07	0.50			10/31/19 02:53:00	Y	IV
K1909995-002	Carbon, Total Organic	N/A		Water	1.78 mg/L	10 mL	1.78 mg/L	1	0.07	0.50			10/31/19 04:15:00	N	IV
K1909995-003	Carbon, Total Organic	N/A		Water	1.91 mg/L	10 mL	1.91 mg/L	1	0.07	0.50			10/31/19 04:48:00	N	IV
K1909995-004	Carbon, Total Organic	N/A		Water	3.53 mg/L	10 mL	3.53 mg/L	1	0.07	0.50			10/31/19 05:20:00	N	IV
K1909995-005	Carbon, Total Organic	N/A		Water	82.04 mg/L	10 mL	82.0 mg/L	1	0.07	0.50			10/31/19 05:52:00	N	IV
K1909995-006	Carbon, Total Organic	N/A		Water	82.43 mg/L	10 mL	82.4 mg/L	1	0.07	0.50			10/31/19 06:24:00	N	IV
K1909995-007	Carbon, Total Organic	N/A		Water	12.67 mg/L	10 mL	12.7 mg/L	1	0.07	0.50			10/31/19 06:56:00	N	IV
KQ1915964-01	Carbon, Total Organic	CCV		Ground Water	24.21 mg/L	10 mL	24.2 mg/L	1					10/30/19 22:34:00	N	II
KQ1915964-02	Carbon, Total Organic	CCV		Ground Water	24.18 mg/L	10 mL	24.2 mg/L	1					10/31/19 03:42:00	N	II
KQ1915964-03	Carbon, Total Organic	CCV		Ground Water	24.73 mg/L	10 mL	24.7 mg/L	1					10/31/19 09:06:00	N	II
KQ1915964-04	Carbon, Total Organic	CCB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/30/19 22:51:00	N	II
KQ1915964-05	Carbon, Total Organic	CCB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 03:59:00	N	II
KQ1915964-06	Carbon, Total Organic	CCB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 09:22:00	N	II
KQ1915964-07	Carbon, Total Organic	MB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/30/19 23:08:00	N	II
KQ1915964-08	Carbon, Total Organic	LCS		Ground Water	24.62 mg/L	10 mL	24.6 mg/L	1	0.07	0.50	98		10/30/19 23:24:00	N	II
KQ1915964-10	Carbon, Total Organic	DUP	K1909912-001	Ground Water	10.50 mg/L	10 mL	10.5 mg/L	1	0.07	0.50		<1	10/31/19 01:49:00	N	II
KQ1915964-11	Carbon, Total Organic	DUP	K1909912-002	Ground Water	11.04 mg/L	10 mL	11.0 mg/L	1	0.07	0.50		2	10/31/19 02:21:00	N	II
KQ1915964-12	Carbon, Total Organic	MS	K1909995-001	Water	26.97 mg/L	10 mL	27.0 mg/L	1	0.07	0.50	101		10/31/19 03:25:00	N	IV
KQ1915964-13	Carbon, Total Organic	DUP	K1909995-002	Water	1.83 mg/L	10 mL	1.83 mg/L	1	0.07	0.50		3	10/31/19 04:15:00	N	IV
KQ1915964-14	Carbon, Total Organic	DUP	K1909995-001	Water	1.78 mg/L	10 mL	1.78 mg/L	1	0.07	0.50		3	10/31/19 02:53:00	N	IV
KQ1915964-15	Carbon, Total Organic	DUP	K1909995-003	Water	1.80 mg/L	10 mL	1.80 mg/L	1	0.07	0.50		6	10/31/19 04:48:00	N	IV
KQ1915964-16	Carbon, Total Organic	DUP	K1909995-004	Water	3.44 mg/L	10 mL	3.44 mg/L	1	0.07	0.50		3	10/31/19 05:20:00	N	IV
KQ1915964-17	Carbon, Total Organic	DUP	K1909995-005	Water	99.72 mg/L	10 mL	99.7 mg/L	1	0.07	0.50		19*	10/31/19 05:52:00	N	IV
KQ1915964-18	Carbon, Total Organic	DUP	K1909995-006	Water	46.55 mg/L	10 mL	46.5 mg/L	1	0.07	0.50		56*	10/31/19 06:24:00	N	IV
KQ1915964-19	Carbon, Total Organic	DUP	K1909995-007	Water	10.81 mg/L	10 mL	10.8 mg/L	1	0.07	0.50		16*	10/31/19 06:56:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/01/19

Printed 11/1/19 13:05

Results Summary

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657831 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1909627-002	Carbon, Dissolved Organic (DOC)	N/A		Water	6.72 mg/L	10 mL	67.2 mg/L	10	0.7	5.0			10/31/19 07:45:00	N	I
K1909892-001	Carbon, Dissolved Organic (DOC)	N/A		Water	3.45 mg/L	10 mL	3.45 mg/L	1	0.07	0.50			10/31/19 16:23:00	N	II
K1909892-002	Carbon, Dissolved Organic (DOC)	N/A		Water	4.12 mg/L	10 mL	4.12 mg/L	1	0.07	0.50			10/31/19 16:55:00	N	II
K1909892-003	Carbon, Dissolved Organic (DOC)	N/A		Water	1.74 mg/L	10 mL	1.74 mg/L	1	0.07	0.50			10/31/19 17:28:00	N	II
K1909892-004	Carbon, Dissolved Organic (DOC)	N/A		Water	0.71 mg/L	10 mL	0.71 mg/L	1	0.07	0.50			10/31/19 18:00:00	N	II
K1909892-005	Carbon, Dissolved Organic (DOC)	N/A		Water	0.28 mg/L	10 mL	0.28 mg/L J	1	0.07	0.50			10/31/19 18:32:00	N	II
K1909913-001	Carbon, Dissolved Organic (DOC)	N/A		Water	2.53 mg/L	10 mL	2.53 mg/L	1	0.07	0.50			10/31/19 15:35:00	N	II
KQ1915965-01	Carbon, Dissolved Organic (DOC)	CCV		Water	24.18 mg/L	10 mL	24.2 mg/L	1					10/31/19 03:42:00	N	I
KQ1915965-02	Carbon, Dissolved Organic (DOC)	CCV		Water	24.73 mg/L	10 mL	24.7 mg/L	1					10/31/19 09:06:00	N	I
KQ1915965-03	Carbon, Dissolved Organic (DOC)	CCV		Water	24.07 mg/L	10 mL	24.1 mg/L	1					10/31/19 14:29:00	N	I
KQ1915965-04	Carbon, Dissolved Organic (DOC)	CCV		Water	23.97 mg/L	10 mL	24.0 mg/L	1					10/31/19 20:08:00	N	I
KQ1915965-05	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 03:59:00	N	I
KQ1915965-06	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 09:22:00	N	I
KQ1915965-07	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 14:46:00	N	I
KQ1915965-08	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 20:25:00	N	I
KQ1915965-09	Carbon, Dissolved Organic (DOC)	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 09:39:00	N	I
KQ1915965-10	Carbon, Dissolved Organic (DOC)	LCS		Water	24.93 mg/L	10 mL	24.9 mg/L	1	0.07	0.50	100		10/31/19 09:56:00	N	I
KQ1915965-11	Carbon, Dissolved Organic (DOC)	MS	T1901809-001	Water	29.36 mg/L	10 mL	29.4 mg/L	1	0.07	0.50	101		10/31/19 08:49:00	N	IV
KQ1915965-12	Carbon, Dissolved Organic (DOC)	DUP	K1909627-002	Water	6.34 mg/L	10 mL	63.4 mg/L	10	0.7	5.0		6	10/31/19 07:45:00	N	I
KQ1915965-13	Carbon, Dissolved Organic (DOC)	DUP	T1901809-010	Water	2.88 mg/L	10 mL	2.88 mg/L	1	0.07	0.50		<1	10/31/19 15:02:00	N	IV
KQ1915965-14	Carbon, Dissolved Organic (DOC)	DUP	T1901809-009	Water	3.47 mg/L	10 mL	3.47 mg/L	1	0.07	0.50		2	10/31/19 13:57:00	N	IV
KQ1915965-15	Carbon, Dissolved Organic (DOC)	DUP	T1901809-008	Water	3.69 mg/L	10 mL	3.69 mg/L	1	0.07	0.50		5	10/31/19 13:25:00	N	IV
KQ1915965-16	Carbon, Dissolved Organic (DOC)	DUP	T1901809-007	Water	3.33 mg/L	10 mL	3.33 mg/L	1	0.07	0.50		<1	10/31/19 12:53:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/01/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657831 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1915965-17	Carbon, Dissolved Organic (DOC)	DUP	T1901809-006	Water	3.27 mg/L	10 mL	3.27 mg/L	1	0.07	0.50		<1	10/31/19 12:21:00	N	IV
KQ1915965-18	Carbon, Dissolved Organic (DOC)	DUP	T1901809-005	Water	3.06 mg/L	10 mL	3.06 mg/L	1	0.07	0.50		1	10/31/19 11:49:00	N	IV
KQ1915965-19	Carbon, Dissolved Organic (DOC)	DUP	T1901809-004	Water	3.11 mg/L	10 mL	3.11 mg/L	1	0.07	0.50		4	10/31/19 11:17:00	N	IV
KQ1915965-20	Carbon, Dissolved Organic (DOC)	DUP	T1901809-003	Water	3.24 mg/L	10 mL	3.24 mg/L	1	0.07	0.50		4	10/31/19 10:45:00	N	IV
KQ1915965-21	Carbon, Dissolved Organic (DOC)	DUP	T1901809-002	Water	3.32 mg/L	10 mL	3.32 mg/L	1	0.07	0.50		2	10/31/19 10:12:00	N	IV
KQ1915965-22	Carbon, Dissolved Organic (DOC)	DUP	T1901809-001	Water	3.80 mg/L	10 mL	3.80 mg/L	1	0.07	0.50		11*	10/31/19 08:17:00	N	IV
KQ1915965-23	Carbon, Dissolved Organic (DOC)	DUP	K1909892-001	Water	3.38 mg/L	10 mL	3.38 mg/L	1	0.07	0.50		2	10/31/19 16:23:00	N	II
KQ1915965-24	Carbon, Dissolved Organic (DOC)	DUP	K1909892-002	Water	3.93 mg/L	10 mL	3.93 mg/L	1	0.07	0.50		5	10/31/19 16:55:00	N	II
KQ1915965-25	Carbon, Dissolved Organic (DOC)	DUP	K1909892-003	Water	1.71 mg/L	10 mL	1.71 mg/L	1	0.07	0.50		1	10/31/19 17:28:00	N	II
KQ1915965-26	Carbon, Dissolved Organic (DOC)	DUP	K1909892-004	Water	0.71 mg/L	10 mL	0.71 mg/L	1	0.07	0.50		<1	10/31/19 18:00:00	N	II
KQ1915965-27	Carbon, Dissolved Organic (DOC)	DUP	K1909892-005	Water	0.24 mg/L	10 mL	0.24 mg/L J	1	0.07	0.50		14*	10/31/19 18:32:00	N	II
KQ1915965-28	Carbon, Dissolved Organic (DOC)	DUP	K1909913-001	Water	2.59 mg/L	10 mL	2.59 mg/L	1	0.07	0.50		2	10/31/19 15:35:00	N	II
T1901809-001	Carbon, Dissolved Organic (DOC)	N/A		Water	4.23 mg/L	10 mL	4.23 mg/L	1	0.07	0.50			10/31/19 08:17:00	Y	IV
T1901809-002	Carbon, Dissolved Organic (DOC)	N/A		Water	3.41 mg/L	10 mL	3.41 mg/L	1	0.07	0.50			10/31/19 10:12:00	Y	IV
T1901809-003	Carbon, Dissolved Organic (DOC)	N/A		Water	3.36 mg/L	10 mL	3.36 mg/L	1	0.07	0.50			10/31/19 10:45:00	Y	IV
T1901809-004	Carbon, Dissolved Organic (DOC)	N/A		Water	3.23 mg/L	10 mL	3.23 mg/L	1	0.07	0.50			10/31/19 11:17:00	Y	IV
T1901809-005	Carbon, Dissolved Organic (DOC)	N/A		Water	3.02 mg/L	10 mL	3.02 mg/L	1	0.07	0.50			10/31/19 11:49:00	Y	IV
T1901809-006	Carbon, Dissolved Organic (DOC)	N/A		Water	3.30 mg/L	10 mL	3.30 mg/L	1	0.07	0.50			10/31/19 12:21:00	Y	IV
T1901809-007	Carbon, Dissolved Organic (DOC)	N/A		Water	3.34 mg/L	10 mL	3.34 mg/L	1	0.07	0.50			10/31/19 12:53:00	Y	IV
T1901809-008	Carbon, Dissolved Organic (DOC)	N/A		Water	3.50 mg/L	10 mL	3.50 mg/L	1	0.07	0.50			10/31/19 13:25:00	Y	IV
T1901809-009	Carbon, Dissolved Organic (DOC)	N/A		Water	3.55 mg/L	10 mL	3.55 mg/L	1	0.07	0.50			10/31/19 13:57:00	Y	IV
T1901809-010	Carbon, Dissolved Organic (DOC)	N/A		Water	2.86 mg/L	10 mL	2.86 mg/L	1	0.07	0.50			10/31/19 15:02:00	Y	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657832 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1909958-001	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 01:50:00	N	IV
K1909958-002	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 02:22:00	N	IV
K1909958-003	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 02:54:00	N	IV
K1909958-004	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 03:26:00	N	IV
K1909958-005	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 03:58:00	N	IV
K1909958-006	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 04:30:00	N	IV
K1909958-007	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 05:02:00	N	IV
K1909958-008	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 05:35:00	N	IV
K1909958-010	Carbon, Dissolved Organic (DOC)	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/1/19 06:07:00	N	IV
KQ1915967-01	Carbon, Dissolved Organic CCV (DOC)			Water	24.07 mg/L	10 mL	24.1 mg/L	1					10/31/19 14:29:00	N	IV
KQ1915967-02	Carbon, Dissolved Organic CCV (DOC)			Water	23.97 mg/L	10 mL	24.0 mg/L	1					10/31/19 20:08:00	N	IV
KQ1915967-03	Carbon, Dissolved Organic CCV (DOC)			Water	23.98 mg/L	10 mL	24.0 mg/L	1					11/1/19 01:16:00	N	IV
KQ1915967-04	Carbon, Dissolved Organic CCV (DOC)			Water	24.42 mg/L	10 mL	24.4 mg/L	1					11/1/19 06:39:00	N	IV
KQ1915967-05	Carbon, Dissolved Organic CCB (DOC)			Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 14:46:00	N	IV
KQ1915967-06	Carbon, Dissolved Organic CCB (DOC)			Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 20:25:00	N	IV
KQ1915967-07	Carbon, Dissolved Organic CCB (DOC)			Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/1/19 01:33:00	N	IV
KQ1915967-08	Carbon, Dissolved Organic CCB (DOC)			Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/1/19 06:56:00	N	IV
KQ1915967-09	Carbon, Dissolved Organic MB (DOC)			Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 20:41:00	N	IV
KQ1915967-10	Carbon, Dissolved Organic LCS (DOC)			Water	24.45 mg/L	10 mL	24.5 mg/L	1	0.07	0.50	98		10/31/19 20:58:00	N	IV
KQ1915967-11	Carbon, Dissolved Organic MS (DOC)		T1901815-009	Water	28.44 mg/L	10 mL	28.4 mg/L	1	0.07	0.50	102		11/1/19 01:00:00	N	IV
KQ1915967-12	Carbon, Dissolved Organic DUP (DOC)		T1901815-009	Water	2.84 mg/L	10 mL	2.84 mg/L	1	0.07	0.50		<1	11/1/19 00:28:00	N	IV
KQ1915967-13	Carbon, Dissolved Organic DUP (DOC)		T1901815-008	Water	2.84 mg/L	10 mL	2.84 mg/L	1	0.07	0.50		2	10/31/19 23:56:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/01/19

Printed 11/1/19 13:26

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657832 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1915967-14	Carbon, Dissolved Organic (DOC)	DUP	T1901815-007	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	10/31/19 23:23:00	N	IV
KQ1915967-15	Carbon, Dissolved Organic (DOC)	DUP	T1901815-006	Water	2.86 mg/L	10 mL	2.86 mg/L	1	0.07	0.50		2	10/31/19 22:51:00	N	IV
KQ1915967-16	Carbon, Dissolved Organic (DOC)	DUP	T1901815-005	Water	2.81 mg/L	10 mL	2.81 mg/L	1	0.07	0.50		<1	10/31/19 22:19:00	N	IV
KQ1915967-17	Carbon, Dissolved Organic (DOC)	DUP	T1901815-004	Water	2.92 mg/L	10 mL	2.92 mg/L	1	0.07	0.50		<1	10/31/19 21:47:00	N	IV
KQ1915967-18	Carbon, Dissolved Organic (DOC)	DUP	T1901815-003	Water	2.81 mg/L	10 mL	2.81 mg/L	1	0.07	0.50		3	10/31/19 21:15:00	N	IV
KQ1915967-19	Carbon, Dissolved Organic (DOC)	DUP	T1901815-002	Water	2.83 mg/L	10 mL	2.83 mg/L	1	0.07	0.50		<1	10/31/19 19:36:00	N	IV
KQ1915967-20	Carbon, Dissolved Organic (DOC)	DUP	T1901815-001	Water	2.81 mg/L	10 mL	2.81 mg/L	1	0.07	0.50		3	10/31/19 19:04:00	N	IV
KQ1915967-21	Carbon, Dissolved Organic (DOC)	DUP	K1909958-001	Ocean Water	0.02 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 01:50:00	N	IV
KQ1915967-22	Carbon, Dissolved Organic (DOC)	DUP	K1909958-005	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 03:58:00	N	IV
KQ1915967-23	Carbon, Dissolved Organic (DOC)	DUP	K1909958-002	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 02:22:00	N	IV
KQ1915967-24	Carbon, Dissolved Organic (DOC)	DUP	K1909958-003	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 02:54:00	N	IV
KQ1915967-25	Carbon, Dissolved Organic (DOC)	DUP	K1909958-004	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 03:26:00	N	IV
KQ1915967-26	Carbon, Dissolved Organic (DOC)	DUP	K1909958-007	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 05:02:00	N	IV
KQ1915967-27	Carbon, Dissolved Organic (DOC)	DUP	K1909958-006	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 04:30:00	N	IV
KQ1915967-28	Carbon, Dissolved Organic (DOC)	DUP	K1909958-008	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 05:35:00	N	IV
KQ1915967-29	Carbon, Dissolved Organic (DOC)	DUP	K1909958-010	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/1/19 06:07:00	N	IV
T1901815-001	Carbon, Dissolved Organic (DOC)	N/A		Water	2.74 mg/L	10 mL	2.74 mg/L	1	0.07	0.50			10/31/19 19:04:00	Y	IV
T1901815-002	Carbon, Dissolved Organic (DOC)	N/A		Water	2.81 mg/L	10 mL	2.81 mg/L	1	0.07	0.50			10/31/19 19:36:00	Y	IV
T1901815-003	Carbon, Dissolved Organic (DOC)	N/A		Water	2.90 mg/L	10 mL	2.90 mg/L	1	0.07	0.50			10/31/19 21:15:00	Y	IV
T1901815-004	Carbon, Dissolved Organic (DOC)	N/A		Water	2.93 mg/L	10 mL	2.93 mg/L	1	0.07	0.50			10/31/19 21:47:00	Y	IV
T1901815-005	Carbon, Dissolved Organic (DOC)	N/A		Water	2.83 mg/L	10 mL	2.83 mg/L	1	0.07	0.50			10/31/19 22:19:00	Y	IV
T1901815-006	Carbon, Dissolved Organic (DOC)	N/A		Water	2.80 mg/L	10 mL	2.80 mg/L	1	0.07	0.50			10/31/19 22:51:00	Y	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 657832 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
T1901815-007	Carbon, Dissolved Organic (DOC)	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			10/31/19 23:23:00	Y	IV
T1901815-008	Carbon, Dissolved Organic (DOC)	N/A		Water	2.79 mg/L	10 mL	2.79 mg/L	1	0.07	0.50			10/31/19 23:56:00	Y	IV
T1901815-009	Carbon, Dissolved Organic (DOC)	N/A		Water	2.84 mg/L	10 mL	2.84 mg/L	1	0.07	0.50			11/1/19 00:28:00	Y	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

TOC: 657829, 657830
DOC: 657831, 657832

Schedule: 10302019

Version: 6
Instrument: Fusion1
Last Saved by: Fusion1 (Fusion1)
Last Saved on: 2019/10/30 11:50 - Wednesday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps
(Clean)	Clean	Clean		1
(Clean)	Clean	Clean		1
(Clean)	Clean	Clean		1
(Blank)	Blank	Reagent/Acid Blank		1
D	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
1	Sample	MB1	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
2	Sample	ICS	Extended Reaction 021711 (Extended Reaction 021711)	1
3	Sample	LOD	Extended Reaction 021711 (Extended Reaction 021711)	1
4	Sample	LOQ	Extended Reaction 021711 (Extended Reaction 021711)	1
5	Sample	K1909800-002.01 100x	Extended Reaction 021711 (Extended Reaction 021711)	2
6	Sample	K1909822-004.01 100x	Extended Reaction 021711 (Extended Reaction 021711)	2
7	Sample	K1909822-005.01 100x	Extended Reaction 021711 (Extended Reaction 021711)	2
8	Sample	K1910066-006.06	Extended Reaction 021711 (Extended Reaction 021711)	2
9	Sample	K1910066-006.06 ms	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
10	Sample	K1910066-001.06	Extended Reaction 021711 (Extended Reaction 021711)	2
11	Sample	K1910066-002.06	Extended Reaction 021711 (Extended Reaction 021711)	2
12	Sample	K1910066-003.06	Extended Reaction 021711 (Extended Reaction 021711)	2
13	Sample	K1910066-004.06	Extended Reaction 021711 (Extended Reaction 021711)	2
14	Sample	K1910066-005.06	Extended Reaction 021711 (Extended Reaction 021711)	2
15	Sample	K1910066-007.06	Extended Reaction 021711 (Extended Reaction 021711)	2
16	Sample	K1909998-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
17	Sample	K1910007-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
18	Sample	K1910079-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
19	Sample	K1909892-001.02	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
20	Sample	MB2	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
21	Sample	K1909892-002.02	Extended Reaction 021711 (Extended Reaction 021711)	2
22	Sample	K1909892-003.02	Extended Reaction 021711 (Extended Reaction 021711)	2
23	Sample	K1909892-004.02	Extended Reaction 021711 (Extended Reaction 021711)	2
24	Sample	K1909892-005.02	Extended Reaction 021711 (Extended Reaction 021711)	2
25	Sample	K1909912-001.08	Extended Reaction 021711 (Extended Reaction 021711)	2
26	Sample	K1909912-002.08	Extended Reaction 021711 (Extended Reaction 021711)	2
27	Sample	K1909995-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
28	Sample	K1909995-001.01 ms	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
29	Sample	K1909995-002.01	Extended Reaction 021711 (Extended Reaction 021711)	2
30	Sample	K1909995-003.01	Extended Reaction 021711 (Extended Reaction 021711)	2
31	Sample	K1909995-004.01	Extended Reaction 021711 (Extended Reaction 021711)	2
32	Sample	K1909995-005.01	Extended Reaction 021711 (Extended Reaction 021711)	2
33	Sample	K1909995-006.01	Extended Reaction 021711 (Extended Reaction 021711)	2
34	Sample	K1909995-007.01	Extended Reaction 021711 (Extended Reaction 021711)	2
35	Sample	FB 10/22/19	Extended Reaction 021711 (Extended Reaction 021711)	1
36	Sample	K1909627-002.01 10x doc	Extended Reaction 021711 (Extended Reaction 021711)	2
37	Sample	T1901809-001.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
38	Sample	T1901809-001.05 ms doc	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1

11/01/19

Schedule: 10302019

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
39	Sample	MB3	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
40	Sample	T1901809-002.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
41	Sample	T1901809-003.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
42	Sample	T1901809-004.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
43	Sample	T1901809-005.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
44	Sample	T1901809-006.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
45	Sample	T1901809-007.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
46	Sample	T1901809-008.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
47	Sample	T1901809-009.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
48	Sample	T1901809-010.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
49	Sample	K1909913-001.02 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
50	Sample	FB 10/25/19	Extended Reaction 021711 (Extended Reaction 021711)	1
51	Sample	K1909892-001.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
52	Sample	K1909892-002.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
53	Sample	K1909892-003.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
54	Sample	K1909892-004.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
55	Sample	K1909892-005.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
56	Sample	T1901815-001.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
57	Sample	T1901815-002.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
58	Sample	MB4	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
59	Sample	T1901815-003.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
60	Sample	T1901815-004.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
61	Sample	T1901815-005.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
62	Sample	T1901815-006.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
63	Sample	T1901815-007.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
64	Sample	T1901815-008.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
65	Sample	T1901815-009.05 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
66	Sample	T1901815-009.05 ms doc	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
67	Sample	K1909958-001.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
68	Sample	K1909958-002.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
69	Sample	K1909958-003.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
70	Sample	K1909958-004.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
71	Sample	K1909958-005.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
72	Sample	K1909958-006.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
73	Sample	K1909958-007.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
74	Sample	K1909958-008.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
75	Sample	K1909958-010.01 doc 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1

Fusion Report - 10302019
Wednesday, October 30, 2019 10:13 AM

(View - Reps, Unused Reps, Meta-Data, Signature, History)
Printed on 2019/11/01 09:29 - Friday

Report Summary Information

Company Location: Gen Chem Lab
Schedule Name: 10302019
Instrument Name: Fusion1
Report Version: 1 of 1
Report Creation by Operators (schedule version): Fusion1 (Fusion1) (v2), Fusion1 (Fusion1) (v3), Fusion1 (Fusion1) (v4), Fusion1 (Fusion1) (v5), Fusion1 (Fusion1) (v6)
Comment:

Engine Version: 1.1.5.1
Firmware Version: 1.2.0696
Connection: RS232 COM1

Report Results

11/01/19

Sample Type: Clean — From Schedule Version 2

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/10/30 10:13

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	12.91	16.94	4.03	49.70	05:25
2	TC Clean	7.62	11.16	3.54	50.08	04:06
3	TC Clean	2.25	6.02	3.76	50.08	03:50
4	TC Clean	1.93	5.70	3.77	50.07	03:47

Sample Type: Clean — From Schedule Version 3

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/10/30 10:36

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.27	15.02	3.75	49.55	05:13
2	TC Clean	4.83	8.68	3.85	50.08	04:02
3	TC Clean	2.46	6.27	3.82	50.09	03:56

4	TC Clean	1.67	5.40	3.72	50.09	03:55

Sample Type: Clean

From Schedule Version 4

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/10/30 10:58

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.34	14.99	3.64	49.59	05:22
2	TC Clean	4.27	8.05	3.78	50.07	04:01
3	TC Clean	2.14	5.89	3.74	50.08	03:46
4	TC Clean	1.49	5.48	3.99	50.11	03:48

Sample Type: Blank (Creating v1311)

From Schedule Version 5

	Pos	Analysis Type	Sample ID	Start Time
◆	(blank)		Reagent/Acid Blank	2019/10/30 11:28

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.27	14.97	3.70	49.72	05:12
2	TC Clean	5.39	9.01	3.63	50.04	04:04
3	TC Clean	1.96	5.66	3.70	50.12	03:50
4	TC Clean	1.58	5.29	3.70	50.10	03:50
5	Reagent Blank	3.44	7.27	3.83	50.11	05:03
6	Acid Blank	1.26	5.01	3.75	49.56	05:29

Sample Type: Sample

From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	D	TOC	RB	0.0050 ppm	0.0000 ppm	0.0000%	2019/10/30 12:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0050	0.0504	10.31	14.28	3.97	50.24	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.8974 ppm (PASS)	0.0000 ppm	0%	2019/10/30 12:18

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8974	238.9735	182.52	186.53	4.02	50.27	12:32

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos B: 50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/10/30 12:35

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.61	11.42	3.81	50.32	12:30

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos D: 0 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	1	TOC	MB1	0.0000 ppm	0.0000 ppm	0.0000%	2019/10/30 12:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.90	10.65	3.75	50.33	12:28

Dilution: 1:10
Blank Contribution: (TC) 10.2769 (IC) (v1311)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.6040 ppm (PASS)	0.0000 ppm	0%	2019/10/30 13:09

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.6040	246.0402	187.58	191.31	3.73	50.35	12:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	2	TOC	ICS	0.0251 ppm	0.0000 ppm	0.0000%	2019/10/30 13:25

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0251	0.2512	10.46	14.33	3.87	50.35	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	3	TOC	LOD	0.0769 ppm	0.0000 ppm	0.0000%	2019/10/30 13:42

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0769	0.7686	10.83	14.44	3.61	50.36	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	4	TOC	LOQ	0.5307 ppm	0.0000 ppm	0.0000%	2019/10/30 13:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5307	5.3068	14.08	17.77	3.68	50.41	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	5	TOC	K1909800-002.01 100x	2.7458 ppm	0.0438 ppm	1.5900%	2019/10/30 14:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.7768	27.7675	30.19	33.77	3.58	50.35	12:24
2	TOC	2.7148	27.1483	29.74	33.52	3.78	50.31	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC)	Extended Reaction	Extended Reaction

(v1311) 021711 (v4) 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	6	TOC	K1909822-004.01 100x	7.0041 ppm	0.1720 ppm	2.4600%	2019/10/30 14:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.8824	68.8245	59.63	63.37	3.75	50.32	12:26
2	TOC	7.1257	71.2567	61.37	65.03	3.66	50.30	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	7	TOC	K1909822-005.01 100x	5.8830 ppm	0.0045 ppm	0.0800%	2019/10/30 15:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.8863	58.8625	52.48	56.12	3.64	50.25	12:31
2	TOC	5.8798	58.7984	52.44	56.33	3.90	50.26	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	8	TOC	K1910066-006.06	1.6603 ppm	0.0439 ppm	2.6400%	2019/10/30 15:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6913	16.9130	22.40	26.22	3.81	50.23	12:26
2	TOC	1.6292	16.2924	21.96	25.73	3.77	50.23	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	9	TOC	K1910066-006.06 ms	25.9734 ppm	0.0000 ppm	0.0000%	2019/10/30 16:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	25.9734	259.7345	196.51	200.24	3.73	50.24	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV	0 / infinity	24.1506	0.0000	0%	2019/10/30 16:40

					021711 [25 ppm]	(NA / NA)	ppm (PASS)	ppm		

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.1506	241.5062	184.33	188.16	3.83	50.26	12:31

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos B: 50 ppmC

Sample Type: Check Standard --> CCB 021711 — From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/10/30 16:57

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.33	11.07	3.75	50.24	12:32

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos D: 0 ppmC

Sample Type: Sample — From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	10	TOC	K1910066-001.06	1.0238 ppm	0.0428 ppm	4.1800%	2019/10/30 17:13

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9936	9.9356	17.40	21.16	3.76	50.26	12:29
2	TOC	1.0541	10.5409	17.84	21.49	3.66	50.27	12:28

Dilution: 1:10
Blank Contribution: (TC) 10.2769 (IC) (v1311)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	11	TOC	K1910066-002.06	0.9378 ppm	0.0181 ppm	1.9300%	2019/10/30 17:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9506	9.5061	17.09	20.69	3.59	50.29	12:31
2	TOC	0.9249	9.2494	16.91	20.60	3.69	50.33	12:27

Dilution: 1:10
Blank Contribution: (TC) 10.2769 (IC) (v1311)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	12	TOC	K1910066-003.06	0.8130 ppm	0.0298 ppm	3.6600%	2019/10/30 18:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8340	8.3401	16.26	19.88	3.62	50.34	12:28
2	TOC	0.7919	7.9190	15.96	19.73	3.77	50.36	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	13	TOC	K1910066-004.06	0.8159 ppm	0.0327 ppm	4.0100%	2019/10/30 18:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7927	7.9273	15.96	19.55	3.59	50.41	12:29
2	TOC	0.8390	8.3903	16.29	19.96	3.67	50.44	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	14	TOC	K1910066-005.06	0.8121 ppm	0.0316 ppm	3.8900%	2019/10/30 19:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7898	7.8980	15.94	19.66	3.72	50.48	12:26
2	TOC	0.8344	8.3443	16.26	20.01	3.75	50.51	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	15	TOC	K1910066-007.06	0.9765 ppm	0.0650 ppm	6.6600%	2019/10/30 19:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9305	9.3052	16.95	20.57	3.62	50.50	12:27
2	TOC	1.0224	10.2243	17.61	21.31	3.70	50.54	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	16	TOC	K1909998-001.01	2.0648 ppm	0.0181 ppm	0.8800%	2019/10/30 20:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.0520	20.5196	24.99	28.75	3.76	50.60	12:27

2	TOC	2.0776	20.7762	25.17	28.91	3.73	50.57	12:26

Dilution 1:10 | **Blank Contribution** (TC) 10.2769 (IC) (v1311) | **Method** Extended Reaction 021711 (v4) | **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	17	TOC	K1910007-001.01	1.5991 ppm	0.0499 ppm	3.1200%	2019/10/30 20:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5638	15.6383	21.49	25.18	3.69	50.57	12:30
2	TOC	1.6344	16.3440	22.00	25.83	3.83	50.51	12:30

Dilution 1:10 | **Blank Contribution** (TC) 10.2769 (IC) (v1311) | **Method** Extended Reaction 021711 (v4) | **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	18	TOC	K1910079-001.01	7.6851 ppm	0.0534 ppm	0.7000%	2019/10/30 21:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.7229	77.2286	65.65	69.19	3.54	50.48	12:26
2	TOC	7.6473	76.4727	65.11	68.69	3.58	50.43	12:26

Dilution 1:10 | **Blank Contribution** (TC) 10.2769 (IC) (v1311) | **Method** Extended Reaction 021711 (v4) | **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	19	TOC	K1909892-001.02	4.5500 ppm	0.0446 ppm	0.9800%	2019/10/30 22:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.5185	45.1852	42.68	46.42	3.74	50.42	12:29
2	TOC	4.5816	45.8156	43.13	46.73	3.60	50.43	12:27

Dilution 1:10 | **Blank Contribution** (TC) 10.2769 (IC) (v1311) | **Method** Extended Reaction 021711 (v4) | **Calibration** Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	24.2124 ppm (PASS)	0.0000 ppm	0%	2019/10/30 22:34

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.2124	242.1240	184.77	188.44	3.67	50.42	12:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/10/30 22:51

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.13	10.91	3.77	50.37	12:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	20	TOC	MB2	0.0000 ppm	0.0000 ppm	0.0000%	2019/10/30 23:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.47	10.06	3.59	50.37	12:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.6226 ppm (PASS)	0.0000 ppm	0%	2019/10/30 23:24

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.6226	246.2257	187.72	191.45	3.74	50.39	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	21	TOC	K1909892-002.02	5.2118 ppm	0.0036 ppm	0.0700%	2019/10/30 23:41

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.2093	52.0929	47.63	51.49	3.86	50.36	12:28
2	TOC	5.2143	52.1431	47.66	51.31	3.65	50.34	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	22	TOC	K1909892-003.02	2.3771 ppm	0.0502 ppm	2.1100%	2019/10/31 00:13

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.4126	24.1261	27.58	31.12	3.54	50.34	12:26
2	TOC	2.3416	23.4162	27.07	30.54	3.47	50.35	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	23	TOC	K1909892-004.02	0.9562 ppm	0.0103 ppm	1.0700%	2019/10/31 00:45

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9634	9.6344	17.18	20.83	3.65	50.33	12:29
2	TOC	0.9489	9.4893	17.08	20.71	3.63	50.35	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	24	TOC	K1909892-005.02	0.3620 ppm	0.0255 ppm	7.0600%	2019/10/31 01:17

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3801	3.8006	13.00	16.58	3.57	50.31	12:28
2	TOC	0.3439	3.4394	12.74	16.38	3.64	50.30	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	25	TOC	K1909912-001.08	10.4580 ppm	0.0581 ppm	0.5600%	2019/10/31 01:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	10.4169	104.1689	84.97	88.56	3.59	50.31	12:29

2	TOC	10.4990	104.9904	85.56	89.22	3.66	50.28	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	26	TOC	K1909912-002.08	10.9148 ppm	0.1755 ppm	1.6100%	2019/10/31 02:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	10.7907	107.9066	87.65	91.47	3.82	50.28	12:29
2	TOC	11.0389	110.3890	89.43	92.99	3.56	50.26	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	27	TOC	K1909995-001.01	1.8084 ppm	0.0397 ppm	2.2000%	2019/10/31 02:53

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.8365	18.3648	23.44	27.08	3.64	50.28	12:31
2	TOC	1.7803	17.8028	23.04	26.77	3.73	50.24	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	28	TOC	K1909995-001.01 ms	26.9727 ppm	0.0000 ppm	0.0000%	2019/10/31 03:25

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.9727	269.7271	203.68	207.37	3.69	50.22	12:35

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	24.1830 ppm (PASS)	0.0000 ppm	0%	2019/10/31 03:42

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.1830	241.8298	184.56	188.26	3.69	50.23	12:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos B

Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/10/31 03:59

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.48	10.14	3.66	50.21	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	29	TOC	K1909995-002.01	1.8055 ppm	0.0336 ppm	1.8600%	2019/10/31 04:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.7817	17.8167	23.05	26.76	3.70	50.24	12:29
2	TOC	1.8292	18.2923	23.39	27.10	3.71	50.24	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	30	TOC	K1909995-003.01	1.8575 ppm	0.0768 ppm	4.1400%	2019/10/31 04:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9118	19.1179	23.98	27.67	3.68	50.22	12:31
2	TOC	1.8032	18.0315	23.21	26.91	3.70	50.19	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	31	TOC	K1909995-004.01	3.4859 ppm	0.0672 ppm	1.9300%	2019/10/31 05:20

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.5333	35.3335	35.61	39.37	3.76	50.21	12:28
2	TOC	3.4384	34.3837	34.93	38.63	3.70	50.17	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	32	TOC	K1909995-005.01	90.8814 ppm	12.4971 ppm	13.7500%	2019/10/31 05:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	82.0446	820.4456	598.56	602.14	3.58	50.17	12:27
2	TOC	99.7182	997.1818	725.29	740.59	15.31	50.14	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	33	TOC	K1909995-006.01	64.4891 ppm	25.3768 ppm	39.3500%	2019/10/31 06:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	82.4332	824.3324	601.35	612.54	11.19	50.16	12:28
2	TOC	46.5450	465.4501	344.02	348.32	4.30	50.17	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	34	TOC	K1909995-007.01	11.7386 ppm	1.3159 ppm	11.2100%	2019/10/31 06:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	12.6691	126.6910	101.12	104.92	3.81	50.14	12:29
2	TOC	10.8081	108.0809	87.77	91.50	3.72	50.16	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	35	TOC	FB 10/22/19	1.8617 ppm	0.0000 ppm	0.0000%	2019/10/31 07:29

NR/read in previous runs as 0.

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.8617	18.6173	23.63	27.38	3.76	50.14	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	36	TOC	K1909627-002.01 10x doc	6.5320 ppm	0.2655 ppm	4.0600%	2019/10/31 07:45

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.7197	67.1969	58.46	62.05	3.59	50.17	12:27
2	TOC	6.3443	63.4425	55.77	59.36	3.60	50.21	12:26

Dilution 1:10 | **Blank Contribution** (TC) 10.2769 (IC) (v1311) | **Method** Extended Reaction 021711 (v4) | **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	37	TOC	T1901809-001.05 doc	4.0152 ppm	0.3093 ppm	7.7000%	2019/10/31 08:17

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.2339	42.3388	40.64	44.25	3.62	50.20	12:30
2	TOC	3.7965	37.9652	37.50	41.09	3.59	50.16	12:29

Dilution 1:10 | **Blank Contribution** (TC) 10.2769 (IC) (v1311) | **Method** Extended Reaction 021711 (v4) | **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	38	TOC	T1901809-001.05 ms doc	29.3634 ppm	0.0000 ppm	0.0000%	2019/10/31 08:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	29.3634	293.6341	220.82	224.53	3.71	50.22	12:31

Dilution 1:10 | **Blank Contribution** (TC) 10.2769 (IC) (v1311) | **Method** Extended Reaction 021711 (v4) | **Calibration** Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	24.7333 ppm (PASS)	0.0000 ppm	0%	2019/10/31 09:06

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.7333	247.3330	188.51	192.31	3.80	50.31	12:32

Completion State Success - Criteria met. | **Success Action** Do Nothing | **Method** Extended Reaction 021711 (v4) | **Calibration** Extended Reaction 021711 (v27) | **STD Conc - Pos B** 50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB	0 / infinity	0.0000	0.0000	0%	2019/10/31 09:22

					021711 [0.0 ppm]	(NA / NA)	ppm (PASS)	ppm		

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	9.95	13.60	3.65	50.23	12:30

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos D: 0 ppmC

Sample Type: Sample — From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	39	TOC	MB3	0.0000 ppm	0.0000 ppm	0.0000%	2019/10/31 09:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.55	12.25	3.70	50.24	12:29

Dilution: 1:10
Blank Contribution: (TC) 10.2769 (IC) (v1311)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER — From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.9298 ppm (PASS)	0.0000 ppm	0%	2019/10/31 09:56

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.9298	249.2981	189.92	193.47	3.56	50.26	12:30

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos C: 25 ppmC

Sample Type: Sample — From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	40	TOC	T1901809-002.05 doc	3.3643 ppm	0.0592 ppm	1.7600%	2019/10/31 10:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.4062	34.0616	34.70	38.42	3.72	50.32	12:24
2	TOC	3.3225	33.2248	34.10	37.77	3.67	50.26	12:27

Dilution **Blank Contribution** **Method** **Calibration**

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	41	TOC	T1901809-003.05 doc	3.2974 ppm	0.0852 ppm	2.5800%	2019/10/31 10:45

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3576	33.5762	34.35	38.00	3.65	50.26	12:29
2	TOC	3.2371	32.3713	33.49	37.30	3.81	50.40	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	42	TOC	T1901809-004.05 doc	3.1700 ppm	0.0902 ppm	2.8500%	2019/10/31 11:17

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2338	32.3378	33.46	37.05	3.59	50.45	12:28
2	TOC	3.1062	31.0617	32.55	36.25	3.70	50.45	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	43	TOC	T1901809-005.05 doc	3.0399 ppm	0.0236 ppm	0.7800%	2019/10/31 11:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.0232	30.2319	31.95	35.78	3.82	50.45	12:29
2	TOC	3.0565	30.5652	32.19	35.84	3.64	50.47	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	44	TOC	T1901809-006.05 doc	3.2827 ppm	0.0232 ppm	0.7100%	2019/10/31 12:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2990	32.9905	33.93	37.51	3.58	50.47	12:29
2	TOC	3.2663	32.6627	33.70	37.16	3.47	50.46	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	45	TOC	T1901809-007.05 doc	3.3363 ppm	0.0081 ppm	0.2400%	2019/10/31 12:53

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3420	33.4200	34.24	37.82	3.58	50.43	12:25
2	TOC	3.3306	33.3057	34.16	37.64	3.48	50.54	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	46	TOC	T1901809-008.05 doc	3.5967 ppm	0.1311 ppm	3.6400%	2019/10/31 13:25

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.5041	35.0406	35.40	38.94	3.54	50.46	12:25
2	TOC	3.6894	36.8941	36.73	40.51	3.78	50.44	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	47	TOC	T1901809-009.05 doc	3.5135 ppm	0.0571 ppm	1.6300%	2019/10/31 13:57

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.5538	35.5385	35.76	39.45	3.69	50.40	12:26
2	TOC	3.4731	34.7310	35.18	38.80	3.62	50.39	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	24.0662 ppm (PASS)	0.0000 ppm	0%	2019/10/31 14:29

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.0662	240.6624	183.73	187.25	3.52	50.37	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time

◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/10/31 14:46

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.17	10.83	3.66	50.34	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	48	TOC	T1901809-010.05 doc	3.8690 ppm	0.0129 ppm	0.3300%	2019/10/31 15:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.8598	38.5983	37.95	41.64	3.68	50.34	12:26
2	TOC	3.8781	38.7810	38.08	41.81	3.73	50.34	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	49	TOC	K1909913-001.02 doc	2.5600 ppm	0.0425 ppm	1.6600%	2019/10/31 15:35

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.5299	25.2990	28.42	31.93	3.51	50.30	12:31
2	TOC	2.5900	25.9001	28.85	32.39	3.54	50.29	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	50	TOC	FB 10/25/19	0.0000 ppm	0.0000 ppm	0.0000%	2019/10/31 16:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.06	12.62	3.56	50.30	12:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	51	TOC	K1909892-001.01 doc	3.4160 ppm	0.0464 ppm	1.3600%	2019/10/31 16:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	3.4488	34.4883	35.01	38.59	3.59	50.30	12:28
2	TOC	3.3831	33.8314	34.54	38.20	3.66	50.28	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	52	TOC	K1909892-002.01 doc	4.0237 ppm	0.1383 ppm	3.4400%	2019/10/31 16:55

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.1215	41.2147	39.83	43.36	3.53	50.30	12:28
2	TOC	3.9259	39.2594	38.43	42.12	3.70	50.30	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	53	TOC	K1909892-003.01 doc	1.7260 ppm	0.0157 ppm	0.9100%	2019/10/31 17:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.7370	17.3705	22.73	26.39	3.65	50.32	12:29
2	TOC	1.7149	17.1487	22.57	26.26	3.69	50.32	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	54	TOC	K1909892-004.01 doc	0.7056 ppm	0.0009 ppm	0.1300%	2019/10/31 18:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7050	7.0501	15.33	19.05	3.72	50.33	12:26
2	TOC	0.7063	7.0626	15.34	18.99	3.65	50.36	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	55	TOC	K1909892-005.01 doc	0.2612 ppm	0.0259 ppm	9.9300%	2019/10/31 18:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2795	2.7950	12.28	15.94	3.66	50.40	12:26
2	TOC	0.2428	2.4282	12.02	15.64	3.62	50.42	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	56	TOC	T1901815-001.05 doc	2.7758 ppm	0.0529 ppm	1.9000%	2019/10/31 19:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.7384	27.3840	29.91	33.56	3.65	50.42	12:27
2	TOC	2.8132	28.1315	30.45	33.99	3.55	50.43	12:26

Dilution: 1:10
Blank Contribution: (TC) 10.2769 (IC) (v1311)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	57	TOC	T1901815-002.05 doc	2.8200 ppm	0.0197 ppm	0.7000%	2019/10/31 19:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8060	28.0604	30.40	34.07	3.67	50.47	12:27
2	TOC	2.8339	28.3393	30.60	34.16	3.56	50.47	12:29

Dilution: 1:10
Blank Contribution: (TC) 10.2769 (IC) (v1311)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.9653 ppm (PASS)	0.0000 ppm	0%	2019/10/31 20:08

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.9653	239.6527	183.00	186.59	3.59	50.47	12:29

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos B: 50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/10/31 20:25

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.16	9.84	3.68	50.48	12:33

Completion State **Success Action** **Method** **Calibration** **STD Conc - Pos D**

Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample — From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2019/10/31 20:41

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.00	9.61	3.61	50.52	12:35

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER — From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.4549 ppm (PASS)	0.0000 ppm	0%	2019/10/31 20:58

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.4549	244.5493	186.51	190.22	3.71	50.49	12:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample — From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	59	TOC	T1901815-003.05 doc	2.8546 ppm	0.0575 ppm	2.0100%	2019/10/31 21:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8953	28.9530	31.04	34.53	3.49	50.40	12:26
2	TOC	2.8140	28.1399	30.45	34.16	3.70	50.43	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	60	TOC	T1901815-004.05 doc	2.9233 ppm	0.0093 ppm	0.3200%	2019/10/31 21:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	2.9299	29.2989	31.28	34.96	3.68	50.40	12:30
2	TOC	2.9168	29.1678	31.19	34.90	3.71	50.47	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	61	TOC	T1901815-005.05 doc	2.8190 ppm	0.0172 ppm	0.6100%	2019/10/31 22:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8311	28.3114	30.58	34.26	3.68	50.38	12:29
2	TOC	2.8069	28.0688	30.40	34.12	3.72	50.38	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	62	TOC	T1901815-006.05 doc	2.8285 ppm	0.0454 ppm	1.6000%	2019/10/31 22:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.7964	27.9642	30.33	34.01	3.68	50.37	12:30
2	TOC	2.8606	28.6057	30.79	34.38	3.59	50.34	12:23

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	63	TOC	T1901815-007.05 doc	0.0000 ppm	0.0000 ppm	0.0000%	2019/10/31 23:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.05	10.53	3.47	50.30	12:29
2	TOC	0.0000	0.0000	6.60	10.21	3.61	50.27	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	64	TOC	T1901815-008.05 doc	2.8124 ppm	0.0360 ppm	1.2800%	2019/10/31 23:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.7869	27.8693	30.26	33.91	3.65	50.30	12:30
2	TOC	2.8378	28.3784	30.62	34.23	3.60	50.29	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	65	TOC	T1901815-009.05 doc	2.8408 ppm	0.0032 ppm	0.1100%	2019/11/01 00:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8430	28.4300	30.66	34.31	3.65	50.28	12:30
2	TOC	2.8385	28.3854	30.63	34.48	3.85	50.26	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	66	TOC	T1901815-009.05 ms doc	28.4399 ppm	0.0000 ppm	0.0000%	2019/11/01 01:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	28.4399	284.3988	214.20	217.85	3.66	50.24	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.9838 ppm (PASS)	0.0000 ppm	0%	2019/11/01 01:16

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.9838	239.8382	183.14	186.73	3.59	50.25	12:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/01 01:33

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.86	10.56	3.70	50.17	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D

Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	67	TOC	K1909958-001.01 doc 2x	0.0077 ppm	0.0109 ppm	141.4200%	2019/11/01 01:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	10.17	14.01	3.84	50.22	12:26
2	TOC	0.0154	0.1536	10.39	14.18	3.79	50.27	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	68	TOC	K1909958-002.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 02:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.54	13.27	3.72	50.22	12:26
2	TOC	0.0000	0.0000	9.44	13.21	3.77	50.21	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	69	TOC	K1909958-003.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 02:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.84	12.63	3.79	50.21	12:31
2	TOC	0.0000	0.0000	8.33	12.11	3.77	50.17	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	70	TOC	K1909958-004.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 03:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.69	12.38	3.69	50.18	12:26
2	TOC	0.0000	0.0000	8.65	12.23	3.58	50.17	12:26

Dilution	Blank Contribution	Method	Calibration

1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	71	TOC	K1909958-005.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 03:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.69	12.27	3.58	50.17	12:24
2	TOC	0.0000	0.0000	8.95	12.56	3.61	50.15	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	72	TOC	K1909958-006.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 04:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.23	11.83	3.60	50.14	12:30
2	TOC	0.0000	0.0000	8.76	12.38	3.62	50.12	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	73	TOC	K1909958-007.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 05:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.03	12.54	3.51	50.11	12:27
2	TOC	0.0000	0.0000	8.56	12.15	3.59	50.12	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	74	TOC	K1909958-008.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 05:35

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.68	12.28	3.61	50.12	12:28
2	TOC	0.0000	0.0000	8.51	12.25	3.74	50.09	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

		Analysis			Std. Dev.		

	Pos	Type	Sample ID	Result (ppmC)	(ppmC)	RSD	Start Time
◆	75	TOC	K1909958-010.01 doc 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/01 06:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.06	11.59	3.54	50.04	12:29
2	TOC	0.0000	0.0000	8.09	11.76	3.67	49.93	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.2769 (IC) (v1311)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	24.4201 ppm (PASS)	0.0000 ppm	0%	2019/11/01 06:39

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.4201	244.2007	186.26	189.82	3.55	49.85	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/01 06:56

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.31	10.77	3.46	49.81	12:35

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v1310	1.4213	1.4340	0.0000	0.0000	0.0000	2019/10/26 13:10	Fusion1 (Fusion1)
v1311	1.1460	1.2580	0.0000	0.0000	0.0000	2019/10/30 12:02	Fusion1 (Fusion1)

Calibrations

Name: Extended Reaction 021711 (TOC)

Version: v27

Ver Creation: 2019/03/11 21:51

Comment:

Operator: Fusion1 (Fusion1)

Basic Analysis Type: TOC

Calibration curve formula: TOC: y = 7.170x + 11.164

r^2 value: TOC: r^2 = 0.99991

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
0.0 ppm	10.4100	0.0000		2019/03/11 20:12
0.50 ppm	14.7740	0.5000		2019/03/11 20:28
1.00 ppm	18.0020	1.0000		2019/03/11 20:44
5.00 ppm	47.2310	5.0000		2019/03/11 21:01
10.0 ppm	85.1320	10.0000		2019/03/11 21:17
25.0 ppm	188.5200	25.0000		2019/03/11 21:33
50.0 ppm	370.1610	50.0000		2019/03/11 21:49

Methods

Name: Extended Reaction 021711 (TOC)

Version: v4

Ver Creation: 2019/01/31 11:21

Comment:

Operator: Fusion1 (Fusion1)

Parameter	Value
SampleVolume	10.0 mL
Dilution	1:10
AcidVolume	0.5 ml
ReagentVolume	2.0 ml
UVReactorPrerinse	Off
UVReactorPrerinseVolume	5.0
NumberOfUVReactorPrerinses	1
ICSpargeTime	1.00 mins
DetectorSweepFlow	500 ml/min
PreSpargeTime	4.00 mins
SystemFlow	500 ml/min

Advanced Parameter	Value
NeedleRinseVolume	5.0 ml
VialPrimeVolume	2.0 ml
ICSamplePrimeVolume	2.0 ml
ICSpargeRinseVolume	12.0 ml
BaselineStabilizeTime	0.70 min
DetectorPressureFlow	150 ml/min
SyringeSpeedWaste	10
SyringeSpeedAcid	7
SyringeSpeedReagent	7
SyringeSpeedDIWater	7
NDIRPressurization	60 psig
SyringeSpeedSampleDispense	5
SyringeSpeedSampleAspirate	4

SyringeSpeedUVDispense	5
SyringeSpeedUVAspirate	5
SyringeSpeedICDispense	5
SyringeSpeedICAspirate	5
NDIRPressureStabilize	1.75 min
SampleMixing	Off
SampleMixingCycles	1
SampleMixingVolume	10.0
LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Fusion1 (Fusion1)	Schedule completed	Schedule completed	2019/11/01 07:13

ALS Environmental

StarLIMS Run: 657829, 657830, 657831, 657832

Analysis: DOC/TOC

Method: SM 5310 C, 9060A, 415.1, 9060

CCV: 11-GEN-05-79K 50 ppm LCS: 11-GEN-05-79J 25.0 ppm

ICAL Date: 3/6/19

ICAL ID: 11-GEN-05-76H

ICS ID: 11-GEN-05-78M

ICS TV: 25.0 ppm ICS % R < 1

Spike ID: 11-GEN-05-77J 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 ppm x dilution factor

Sodium Persulfate: 11-GEN-05-82B

21 % H3PO4: 11-GEN-05-82A

Equipment ID: K-TOC-03

PIPETTE ID: 124276B, 129001F, N11314F, Marge

FILTER ID: 16967789

Analyzed By: BCD	Date Analyzed: 10/30/19
Reviewed By: [signature]	Date Reviewed: 11/01/19

HS19101488 Wet Chem Raw Data






ALS WO# HS19101488

Sequence: 110419
Last Update Operator: alshs.nouser

HS19101488

CD	Name	Comment	Type	Position	Dilution	Level	Instrument Method	ng	Volume [ul]	Status	Inject Time
	STD1	2970209205	Calibration	GA1	1.0000	1	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:08:06 PM -05:00
	STD2		Calibration	GA2	1.0000	2	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:24:42 PM -05:00
	STD3		Calibration	GA3	1.0000	3	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:41:19 PM -05:00
	STD4		Calibration	GA4	1.0000	4	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:57:54 PM -05:00
	STD5		Calibration	GA5	1.0000	5	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 3:14:30 PM -05:00
	STD6	F, NO2 MAX 10PPM	Calibration	GB8	1.0000	6	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:37:32 PM -05:00
	ICV	2970209123	Unknown	GA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:54:07 PM -05:00
	ICB		Unknown	GB8	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 7:29:52 PM -05:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 10:52:21 AM -06:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 11:08:56 AM -06:00
	WBLKW1-110419		Unknown	BB1	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 11:38:18 AM -06:00
	WLCSW1-110419		Unknown	BB2	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 11:54:58 AM -06:00
	WLCSDW1-110419		Unknown	BB3	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 12:11:33 PM -06:00
	HS19110026-01DF10		Unknown	BB4	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 12:28:10 PM -06:00
	HS19110026-01MSDF10		Unknown	BB5	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 12:44:45 PM -06:00
	HS19110026-01MSDDF10		Unknown	BB6	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 1:01:20 PM -06:00
	CCV		Unknown	BA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 1:17:56 PM -06:00
	CCB		Unknown	BA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 1:34:33 PM -06:00
	HS19101353-01DF10		Unknown	BB7	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 2:10:35 PM -06:00
	HS19101353-01MSDF10		Unknown	BB8	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 2:27:10 PM -06:00
	HS19101353-01MSDDF10		Unknown	BC1	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 2:43:45 PM -06:00
	HS19101353-02DF10		Unknown	BC2	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 3:00:26 PM -06:00
	HS19101353-03DF10		Unknown	BC3	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 3:17:01 PM -06:00
	HS19101353-04DF10		Unknown	BC4	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 3:33:40 PM -06:00
	HS19101353-05DF10		Unknown	BC5	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 3:50:17 PM -06:00
	HS19101353-06DF10		Unknown	BC6	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 4:06:55 PM -06:00
	HS19101353-07DF10		Unknown	BC7	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 4:23:30 PM -06:00
	HS19101353-05DF100		Unknown	BD6	100.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 4:40:08 PM -06:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 4:56:43 PM -06:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 5:13:21 PM -06:00
	HS19101488-01DF10		Unknown	BC8	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 5:29:55 PM -06:00
	HS19101488-01MSDF10		Unknown	BD1	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 5:46:30 PM -06:00
	HS19101488-01MSDDF10		Unknown	BD2	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 6:03:06 PM -06:00
	HS19101353-01	intf, off. KMU	Unknown	BD3	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 6:32:49 PM -06:00
	HS19101353-01MS		Unknown	BD4	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 6:49:30 PM -06:00
	HS19101353-01MSD		Unknown	BD5	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 7:06:10 PM -06:00

Sequence: 110419
Last Update Operator: alshs.nouser

CD	Name	Comment	Type	Position	Dilution	Level	Instrument Method	ng	Volume [ul]	Status	Inject Time
	HS19101774-01DF10		Unknown	BD7	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 7:22:45 PM -06:00
	HS19101441-03DF50		Unknown	BD8	50.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 7:39:20 PM -06:00
	HS19101441-04DF50		Unknown	BE1	50.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 7:55:56 PM -06:00
	HS19101441-05DF50		Unknown	BE2	50.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 8:12:31 PM -06:00
	CCV		Unknown	BA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 8:29:06 PM -06:00
	CCB		Unknown	BA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 8:45:41 PM -06:00
	HS19101441-07DF10		Unknown	BE3	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 9:02:17 PM -06:00
	HS19101532-09DF50		Unknown	BE4	50.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 9:18:51 PM -06:00
	HS19101532-09DF200		Unknown	BE5	200.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 9:35:26 PM -06:00
	HS19101532-10DF50		Unknown	BE6	50.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 9:52:02 PM -06:00
	HS19101532-10DF200		Unknown	BE7	200.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 10:08:36 PM -06:00
	HS19101532-11DF50	high F	Unknown	BE8	50.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 10:25:11 PM -06:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/4/2019 11:48:12 PM -06:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/5/2019 12:04:47 AM -06:00

Sequence: 110419
Injection #6: STD6


Calibration

Peak No.	Peak Name	Cal.Type	Eval.Type	Number of Points	Rel.Std.Dev. %	Coeff.of Determination	C0 (Offset)	C1 (Slope)	C2 (Curve)
1	*Fluoride*	*Lin, WithOffset, 1/x*	*Area*	*5*	*10.1532*	*0.99927*	*-0.0056*	*0.3716*	*0.0000*
2	Chloride	Lin, WithOffset, 1/x	Area	6	0.2804	1.00000	-0.0135	0.2355	0.0000
3	Nitrite,N	Lin, WithOffset, 1/x	Area	5	15.1147	0.99824	0.0003	0.5120	0.0000
4	Bromide	Lin, WithOffset, 1/x	Area	6	14.0217	0.99919	-0.0052	0.1009	0.0000
5	Sulfate	Lin, WithOffset, 1/x	Area	6	1.1258	0.99999	-0.0022	0.1717	0.0000
6	Nitrate	Lin, WithOffset, 1/x	Area	6	2.2249	0.99998	-0.0102	0.5876	0.0000
7	Chlorate	Lin, WithOffset, 1/x	Area	6	10.0265	0.99953	-0.0024	0.0944	0.0000
8	Phosphate	Lin, WithOffset, 1/x	Area	6	6.6198	0.99981	-0.0110	0.2321	0.0000
Maximum					15.1147	1.00000			
Minimum					0.2804	0.99824			

1 STD1

Sample Name:	**STD1**	*Injection Volume:*	**5.00**
Vial Number:	**GA1**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:08**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.031	0.0973	0.0973	1.0000
2	5.12	Chloride	BMB	0.105	0.5026	0.5026	1.0000
3	6.12	Nitrite,N	BMB	0.046	0.0893	0.0893	1.0000
4	8.00	Bromide	BMB	0.007	0.1192	0.1192	1.0000
5	8.64	Sulfate	BM	0.084	0.5042	0.5042	1.0000
6	9.10	Nitrate	M	0.051	0.1034	0.1034	1.0000
7	9.58	Chlorate	MB	0.008	0.1143	0.1143	1.0000
8	12.83	Phosphate	BMB	0.014	0.1085	0.1085	1.0000
Total:			**0.000**	**0.346**		**1.64**	

2 STD2

Sample Name:	**STD2**	*Injection Volume:*	**5.00**
Vial Number:	**GA2**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:24**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.140	0.3929	0.3929	1.0000
2	5.12	Chloride	BMB	0.456	1.9918	1.9918	1.0000
3	6.12	Nitrite,N	BMB	0.211	0.4119	0.4119	1.0000
4	8.00	Bromide	BMB	0.031	0.3593	0.3593	1.0000
5	8.64	Sulfate	BM	0.337	1.9733	1.9733	1.0000
6	9.10	Nitrate	M	0.220	0.3917	0.3917	1.0000
7	9.58	Chlorate	MB	0.033	0.3704	0.3704	1.0000
8	12.80	Phosphate	BMB	0.078	0.3841	0.3841	1.0000
Total:			**0.000**	**1.506**		**6.28**	

3 STD3

Sample Name:	**STD3**	*Injection Volume:*	**5.00**
Vial Number:	**GA3**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:41**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.758	2.0551	2.0551	1.0000
2	5.12	Chloride	BMB	2.339	9.9888	9.9888	1.0000
3	6.12	Nitrite,N	BMB	1.091	2.1305	2.1305	1.0000
4	8.00	Bromide	BMB	0.182	1.8590	1.8590	1.0000
5	8.61	Sulfate	BM	1.715	10.0007	10.0007	1.0000
6	9.07	Nitrate	M	1.153	1.9792	1.9792	1.0000
7	9.57	Chlorate	MB	0.176	1.8940	1.8940	1.0000
8	12.75	Phosphate	BMB	0.436	1.9269	1.9269	1.0000
Total:			**0.000**	**7.851**		**31.83**	

4 STD4

Sample Name:	**STD4**	*Injection Volume:*	**5.00**
Vial Number:	**GA4**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:57**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.535	4.1457	4.1457	1.0000
2	5.12	Chloride	BMB	4.695	19.9948	19.9948	1.0000
3	6.13	Nitrite,N	BMB	2.133	4.1659	4.1659	1.0000
4	8.00	Bromide	BMB	0.385	3.8642	3.8642	1.0000
5	8.58	Sulfate	BM	3.451	20.1082	20.1082	1.0000
6	9.05	Nitrate	M	2.330	3.9823	3.9823	1.0000
7	9.57	Chlorate	MB	0.365	3.8956	3.8956	1.0000
8	12.69	Phosphate	BMB	0.903	3.9395	3.9395	1.0000
Total:			**0.000**	**15.798**		**64.10**	

5 STD5

Sample Name:	**STD5**	*Injection Volume:*	**5.00**
Vial Number:	**GA5**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 15:14**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.639	9.8090	9.8090	1.0000
2	5.11	Chloride	BMB	11.762	49.9996	49.9996	1.0000
3	6.12	Nitrite,N	BMB	4.968	9.7023	9.7023	1.0000
4	7.98	Bromide	BMB	1.001	9.9786	9.9786	1.0000
5	8.50	Sulfate	BM	8.590	50.0271	50.0271	1.0000
6	8.98	Nitrate	M	5.854	9.9805	9.9805	1.0000
7	9.54	Chlorate	MB	0.939	9.9670	9.9670	1.0000
8	12.57	Phosphate	BMB	2.305	9.9803	9.9803	1.0000
Total:			**0.000**	**39.057**		**159.44**	

6 STD6

Sample Name:	**STD6**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:37**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	6.773	18.2418	18.2418	1.0000
2	5.10	Chloride	BMB	23.542	100.0224	100.0224	1.0000
3	6.11	Nitrite,N	BMB	9.157	17.8850	17.8850	1.0000
4	7.95	Bromide	BM	2.045	20.3197	20.3197	1.0000
5	8.40	Sulfate	M	17.153	99.8863	99.8863	1.0000
6	8.91	Nitrate	M	11.778	20.0629	20.0629	1.0000
7	9.51	Chlorate	MB	1.910	20.2586	20.2586	1.0000
8	12.44	Phosphate	BMB	4.668	20.1606	20.1606	1.0000
Total:			**0.000**	**77.025**		**316.84**	

7 ICV

Sample Name:	**ICV**	*Injection Volume:*	**5.00**
Vial Number:	**GA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:54**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.495	4.0374	4.0374	1.0000
2	5.12	Chloride	BMB	4.681	19.9333	19.9333	1.0000
3	6.13	Nitrite,N	BMB	2.195	4.2858	4.2858	1.0000
4	8.00	Bromide	BMB	0.384	3.8585	3.8585	1.0000
5	8.57	Sulfate	BM	3.469	20.2132	20.2132	1.0000
6	9.05	Nitrate	M	2.340	3.9993	3.9993	1.0000
7	9.57	Chlorate	MB	0.367	3.9104	3.9104	1.0000
8	12.68	Phosphate	BMB	0.911	3.9732	3.9732	1.0000
Total:			**0.000**	**15.841**		**64.21**	

8 ICB

Sample Name:	**ICB**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 19:29**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.11	Chloride	BMB	0.004	0.0748	0.0748	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.63	Sulfate	BMB	0.008	0.0618	0.0618	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.013**		**0.14**	

9 CCV1

Sample Name:	**CCV1**	*Injection Volume:*	**5.00**
Vial Number:	**BA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 10:52**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	3.581	9.6532	9.6532	1.0000
2	5.09	Chloride	BMB	11.675	49.6339	49.6339	1.0000
3	6.07	Nitrite,N	BMB	4.908	9.5860	9.5860	1.0000
4	7.89	Bromide	BMB	0.980	9.7661	9.7661	1.0000
5	8.47	Sulfate	BM	8.355	48.6631	48.6631	1.0000
6	8.86	Nitrate	M	5.948	10.1401	10.1401	1.0000
7	9.40	Chlorate	MB	0.947	10.0576	10.0576	1.0000
8	12.59	Phosphate	BMB	2.143	9.2813	9.2813	1.0000
Total:			**0.000**	**38.538**		**156.78**	

10 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 11:08**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chloride	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.000**		**0.00**	

11 WBLKW1-110419

Sample Name:	**WBLKW1-110419**	*Injection Volume:*	**5.00**
Vial Number:	**BB1**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 11:38**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chloride	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.000**		**0.00**	

12 *WLCSW1-110419*

Sample Name:	**WLCSW1-110419**	*Injection Volume:*	**5.00**
Vial Number:	**BB2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 11:54**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	1.493	4.0342	4.0342	1.0000
2	5.10	Chloride	BMB	4.700	20.0131	20.0131	1.0000
3	6.08	Nitrite,N	BMB	2.128	4.1550	4.1550	1.0000
4	7.91	Bromide	BMB	0.376	3.7823	3.7823	1.0000
5	8.55	Sulfate	BM	3.377	19.6783	19.6783	1.0000
6	8.93	Nitrate	M	2.362	4.0370	4.0370	1.0000
7	9.43	Chlorate	MB	0.374	3.9920	3.9920	1.0000
8	12.69	Phosphate	BMB	0.819	3.5757	3.5757	1.0000
Total:			**0.000**	**15.630**		**63.27**	

13 *WLCSDW1-110419*

Sample Name:	**WLCSDW1-110419**	*Injection Volume:*	**5.00**
Vial Number:	**BB3**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 12:11**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	1.495	4.0376	4.0376	1.0000
2	5.10	Chloride	BMB	4.693	19.9861	19.9861	1.0000
3	6.08	Nitrite,N	BMB	2.122	4.1442	4.1442	1.0000
4	7.91	Bromide	BMB	0.374	3.7635	3.7635	1.0000
5	8.56	Sulfate	BM	3.373	19.6505	19.6505	1.0000
6	8.93	Nitrate	M	2.356	4.0276	4.0276	1.0000
7	9.43	Chlorate	MB	0.373	3.9730	3.9730	1.0000
8	12.69	Phosphate	BMB	0.829	3.6204	3.6204	1.0000
Total:			**0.000**	**15.615**		**63.20**	

14 HS19110026-01DF10

Sample Name:	**HS19110026-01DF10**	*Injection Volume:*	**5.00**
Vial Number:	**BB4**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**10.0000**
Recording Time:	**11/04/2019 12:28**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.003	0.0231	0.2313	10.0000
3	5.08	Chloride	BMB	15.829	67.2731	672.7310	10.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	10.0000
4	7.83	Bromide	BMB	0.016	0.2058	2.0577	10.0000
5	8.16	Sulfate	BMB^	85.965	500.5491	5005.4909	10.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	10.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	10.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	10.0000
Total:			**0.000**	**101.813**		**5680.51**	

15 HS19110026-01MSDF10

Sample Name:	**HS19110026-01MSDF10**	*Injection Volume:*	**5.00**
Vial Number:	**BB5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**10.0000**
Recording Time:	**11/04/2019 12:44**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.651	1.7660	17.6596	10.0000
3	5.08	Chloride	BMB	17.853	75.8658	758.6579	10.0000
4	6.06	Nitrite,N	BMB	1.058	2.0658	20.6576	10.0000
5	7.84	Bromide	BM *	0.182	1.8578	18.5778	10.0000
6	8.16	Sulfate	M *^	86.103	501.3509	5013.5088	10.0000
7	8.89	Nitrate	M *	1.222	2.0972	20.9723	10.0000
8	9.42	Chlorate	MB*	0.188	2.0182	20.1820	10.0000
9	12.87	Phosphate	BMB	0.299	1.3368	13.3682	10.0000
Total:			**0.000**	**107.556**		**5883.58**	

16 HS19110026-01MSDDF10

Sample Name:	**HS19110026-01MSDDF10**	*Injection Volume:*	**5.00**
Vial Number:	**BB6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**10.0000**
Recording Time:	**11/04/2019 13:01**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.661	1.7927	17.9269	10.0000
3	5.08	Chloride	BMB	17.964	76.3377	763.3768	10.0000
4	6.06	Nitrite,N	BMB	1.068	2.0852	20.8524	10.0000
5	7.84	Bromide	BM *	0.184	1.8719	18.7191	10.0000
6	8.16	Sulfate	M *^	87.044	506.8315	5068.3150	10.0000
7	8.89	Nitrate	M *	1.241	2.1301	21.3009	10.0000
8	9.42	Chlorate	MB*	0.189	2.0298	20.2975	10.0000
9	12.90	Phosphate	BMB	0.301	1.3466	13.4661	10.0000
Total:			**0.000**	**108.652**		**5944.25**	

17 CCV

Sample Name:	**CCV**	*Injection Volume:*	**5.00**
Vial Number:	**BA5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 13:17**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	1.490	4.0248	4.0248	1.0000
2	5.10	Chloride	BMB	4.691	19.9769	19.9769	1.0000
3	6.08	Nitrite,N	BMB	2.121	4.1413	4.1413	1.0000
4	7.92	Bromide	BMB	0.374	3.7591	3.7591	1.0000
5	8.57	Sulfate	BM	3.388	19.7403	19.7403	1.0000
6	8.93	Nitrate	M	2.356	4.0273	4.0273	1.0000
7	9.44	Chlorate	MB	0.376	4.0056	4.0056	1.0000
8	12.74	Phosphate	BMB	0.815	3.5590	3.5590	1.0000
Total:			**0.000**	**15.611**		**63.23**	

18 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 13:34**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chloride	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
1	8.62	Sulfate	BMB	0.003	0.0304	0.0304	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.003**		**0.03**	

19 HS19101353-01DF10

Sample Name:	**HS19101353-01DF10**	*Injection Volume:*	**5.00**
Vial Number:	**BB7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**10.0000**
Recording Time:	**11/04/2019 14:10**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.005	0.0275	0.2746	10.0000
2	5.10	Chloride	BMB	21.657	92.0200	920.2001	10.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	10.0000
3	7.91	Bromide	BMB	0.030	0.3498	3.4981	10.0000
4	8.55	Sulfate	BMB	7.507	43.7208	437.2081	10.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	10.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	10.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	10.0000
Total:			**0.000**	**29.199**		**1361.18**	

20 HS19101353-01MSDF10

Sample Name:	**HS19101353-01MSDF10**	*Injection Volume:*	**5.00**
Vial Number:	**BB8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**10.0000**
Recording Time:	**11/04/2019 14:27**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	0.721	1.9545	19.5445	10.0000
2	5.10	Chloride	BMB	23.407	99.4513	994.5128	10.0000
3	6.08	Nitrite,N	BMB	1.063	2.0746	20.7458	10.0000
4	7.92	Bromide	BMB	0.210	2.1345	21.3452	10.0000
5	8.52	Sulfate	BM	8.898	51.8241	518.2414	10.0000
6	8.94	Nitrate	M	1.184	2.0325	20.3246	10.0000
7	9.45	Chlorate	MB	0.178	1.9131	19.1315	10.0000
8	12.81	Phosphate	BMB	0.333	1.4814	14.8140	10.0000
Total:			**0.000**	**35.994**		**1628.66**	

21 HS19101353-01MSDDF10

Sample Name:	**HS19101353-01MSDDF10**	*Injection Volume:*	**5.00**
Vial Number:	**BC1**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**10.0000**
Recording Time:	**11/04/2019 14:43**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	0.727	1.9726	19.7260	10.0000
2	5.10	Chloride	BMB	23.461	99.6782	996.7816	10.0000
3	6.08	Nitrite,N	BMB	1.064	2.0784	20.7841	10.0000
4	7.91	Bromide	BMB	0.211	2.1412	21.4124	10.0000
5	8.52	Sulfate	BM	8.914	51.9139	519.1387	10.0000
6	8.94	Nitrate	M	1.189	2.0403	20.4034	10.0000
7	9.44	Chlorate	MB	0.182	1.9503	19.5029	10.0000
8	12.81	Phosphate	BMB	0.339	1.5081	15.0808	10.0000
Total:			**0.000**	**36.087**		**1632.83**	

29 CCV1

Sample Name:	**CCV1**	*Injection Volume:*	**5.00**
Vial Number:	**BA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 16:56**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	3.579	9.6470	9.6470	1.0000
2	5.09	Chloride	BMB	11.654	49.5415	49.5415	1.0000
3	6.08	Nitrite,N	BMB	4.919	9.6070	9.6070	1.0000
4	7.89	Bromide	BMB	0.977	9.7405	9.7405	1.0000
5	8.48	Sulfate	BM	8.310	48.3995	48.3995	1.0000
6	8.85	Nitrate	M	5.988	10.2094	10.2094	1.0000
7	9.40	Chlorate	MB	0.948	10.0625	10.0625	1.0000
8	12.63	Phosphate	BMB	2.073	8.9815	8.9815	1.0000
Total:			**0.000**	**38.449**		**156.19**	

30 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 17:13**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.09	Chloride	BMB	0.003	0.0683	0.0683	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.62	Sulfate	BMB	0.004	0.0359	0.0359	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.007**		**0.10**	

31 HS19101488-01DF10

Sample Name:	**HS19101488-01DF10**	*Injection Volume:*	**5.00**
Vial Number:	**BC8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**10.0000**
Recording Time:	**11/04/2019 17:29**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.004	0.0265	0.2647	10.0000
2	5.08	Chloride	BMB	27.427	116.5177	1165.1766	10.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	10.0000
3	7.88	Bromide	BMB	0.040	0.4490	4.4898	10.0000
4	8.37	Sulfate	BMB	31.354	182.5761	1825.7609	10.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	10.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	10.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	10.0000
Total:			**0.000**	**58.825**		**2995.69**	

32 HS19101488-01MSDF10

Sample Name:	**HS19101488-01MSDF10**	*Injection Volume:*	**5.00**
Vial Number:	**BD1**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**10.0000**
Recording Time:	**11/04/2019 17:46**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.713	1.9334	19.3345	10.0000
2	5.08	Chloride	BMB	29.064	123.4709	1234.7094	10.0000
3	6.07	Nitrite,N	BMB	1.065	2.0802	20.8022	10.0000
4	7.88	Bromide	BMB	0.222	2.2552	22.5516	10.0000
5	8.37	Sulfate	BM	32.068	186.7307	1867.3075	10.0000
6	8.90	Nitrate	M	1.228	2.1083	21.0829	10.0000
7	9.42	Chlorate	MB	0.192	2.0559	20.5589	10.0000
8	12.90	Phosphate	BMB	0.281	1.2601	12.6010	10.0000
Total:			**0.000**	**64.834**		**3218.95**	

33 *HS19101488-01MSDDF10*

Sample Name:	**HS19101488-01MSDDF10**	*Injection Volume:*	**5.00**
Vial Number:	**BD2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**10.0000**
Recording Time:	**11/04/2019 18:03**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.715	1.9397	19.3974	10.0000
2	5.08	Chloride	BMB	29.095	123.6004	1236.0043	10.0000
3	6.07	Nitrite,N	BMB	1.068	2.0845	20.8450	10.0000
4	7.89	Bromide	BMB	0.223	2.2612	22.6122	10.0000
5	8.34	Sulfate	BM	32.043	186.5837	1865.8368	10.0000
6	8.92	Nitrate	M	1.224	2.1002	21.0020	10.0000
7	9.43	Chlorate	MB	0.187	2.0029	20.0286	10.0000
8	12.85	Phosphate	BMB	0.287	1.2848	12.8485	10.0000
Total:			**0.000**	**64.841**		**3218.57**	

34 HS19101353-01

Sample Name:	**HS19101353-01**	*Injection Volume:*	**5.00**
Vial Number:	**BD3**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 18:32**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
3	4.33	Chloride	BMB^	213.524	906.7367	906.7367	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
5	6.38	Sulfate	BMB^	72.633	422.9245	422.9245	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**286.158**		**1329.66**	

35 HS19101353-01MS

Sample Name:	**HS19101353-01MS**	*Injection Volume:*	**5.00**
Vial Number:	**BD4**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 18:49**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.677	1.8374	1.8374	1.0000
3	5.05	Chloride	BMB	213.335	905.9324	905.9324	1.0000
4	6.05	Nitrite,N	BMB	1.031	2.0134	2.0134	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
6	8.03	Sulfate	BM ^	74.557	434.1250	434.1250	1.0000
7	8.98	Nitrate	M	1.165	1.9997	1.9997	1.0000
8	9.47	Chlorate	MB	0.181	1.9402	1.9402	1.0000
9	13.16	Phosphate	BMB	0.116	0.5494	0.5494	1.0000
Total:			**0.000**	**291.062**		**1348.40**	

36 HS19101353-01MSD

Sample Name:	**HS19101353-01MSD**	*Injection Volume:*	**5.00**
Vial Number:	**BD5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 19:06**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.680	1.8462	1.8462	1.0000
3	5.05	Chloride	BMB	212.959	904.3360	904.3360	1.0000
4	6.05	Nitrite,N	BMB	1.043	2.0357	2.0357	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
6	8.04	Sulfate	BM ^	74.648	434.6533	434.6533	1.0000
7	8.97	Nitrate	M	1.183	2.0301	2.0301	1.0000
8	9.47	Chlorate	MB	0.200	2.1422	2.1422	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**290.712**		**1347.04**	

41 CCV

Sample Name:	**CCV**	*Injection Volume:*	**5.00**
Vial Number:	**BA5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 20:29**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	1.486	4.0136	4.0136	1.0000
2	5.10	Chloride	BMB	4.680	19.9285	19.9285	1.0000
3	6.08	Nitrite,N	BMB	2.120	4.1395	4.1395	1.0000
4	7.93	Bromide	BMB	0.378	3.8037	3.8037	1.0000
5	8.49	Sulfate	BM	3.397	19.7928	19.7928	1.0000
6	8.95	Nitrate	M	2.331	3.9841	3.9841	1.0000
7	9.45	Chlorate	M	0.366	3.9015	3.9015	1.0000
9	12.67	Phosphate	BMB	0.754	3.2956	3.2956	1.0000
Total:			**0.000**	**15.511**		**62.86**	

42 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/04/2019 20:45**	*Sample Weight:*	**1.0000**

Run Time:



Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chloride	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.000**		**0.00**	

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

October 29, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19101603**

Laboratory Results for: **LHAAP-16**

Dear Susan,

ALS Environmental received 2 sample(s) on Oct 26, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 29-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19101603

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19101603-01	16EW07-191025	GW		25-Oct-2019 09:30	26-Oct-2019 10:35	☐
HS19101603-02	16EW05-191025	GW		25-Oct-2019 09:40	26-Oct-2019 10:35	☐

ALS Houston, US Date: 29-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19101603

CASE NARRATIVE

WetChemistry by Method SW9056

Batch ID: R349311

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 29-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
ANALYTICAL REPORT
Project: LHAAP-16 WorkOrder:HS19101603
Sample ID: 16EW07-191025 Lab ID:HS19101603-01
Collection Date: 25-Oct-2019 09:30 Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A	**Method:SW9056**							Analyst: KMU
Bromide	**2.79**		**0.150**	**0.500**	**0.500**	**mg/L**	5	28-Oct-2019 19:39

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 29-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
ANALYTICAL REPORT
Project: LHAAP-16 WorkOrder:HS19101603
Sample ID: 16EW05-191025 Lab ID:HS19101603-02
Collection Date: 25-Oct-2019 09:40 Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.93**		**0.300**	**1.00**	**1.00**	**mg/L**	10	29-Oct-2019 09:46

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 29-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101603

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R349311 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** GW	
HS19101603-01	16EW07-191025	25 Oct 2019 09:30			28 Oct 2019 19:39	5
HS19101603-02	16EW05-191025	25 Oct 2019 09:40			29 Oct 2019 09:46	10

ALS Houston, US Date: 29-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101603

QC BATCH REPORT

Batch ID: R349311 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-102819** Units: **mg/L** Analysis Date: **28-Oct-2019 13:43**
Client ID: Run ID: **ICS-Integrion_349311** SeqNo: **5318356** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-102819** Units: **mg/L** Analysis Date: **28-Oct-2019 14:00**
Client ID: Run ID: **ICS-Integrion_349311** SeqNo: **5318357** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.675	0.100	4	0	91.9	80 - 120				

LCSD Sample ID: **WLCSDW1-102819** Units: **mg/L** Analysis Date: **28-Oct-2019 14:16**
Client ID: Run ID: **ICS-Integrion_349311** SeqNo: **5318358** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.687	0.100	4	0	92.2	80 - 120	3.675	0.321	20	

MS Sample ID: **HS19101295-06MS** Units: **mg/L** Analysis Date: **28-Oct-2019 18:16**
Client ID: Run ID: **ICS-Integrion_349311** SeqNo: **5318362** PrepDate: DF: **50**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	89.2	5.00	100	4.815	84.4	80 - 120				

MS Sample ID: **HS19101055-01MS** Units: **mg/L** Analysis Date: **29-Oct-2019 02:01**
Client ID: Run ID: **ICS-Integrion_349311** SeqNo: **5318385** PrepDate: DF: **500**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	914.8	50.0	1000	54.9	86.0	80 - 120				

MSD Sample ID: **HS19101295-06MSD** Units: **mg/L** Analysis Date: **28-Oct-2019 18:32**
Client ID: Run ID: **ICS-Integrion_349311** SeqNo: **5318363** PrepDate: DF: **50**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	88.58	5.00	100	4.815	83.8	80 - 120	89.2	0.703	20	

ALS Houston, US Date: 29-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19101603

QC BATCH REPORT

Batch ID: R349311 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MSD Sample ID: **HS19101055-01MSD** Units: **mg/L** Analysis Date: **29-Oct-2019 02:17**
Client ID: Run ID: **ICS-Integrion_349311** SeqNo: **5318386** PrepDate: DF: **500**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	924	50.0	1000	54.9	86.9	80 - 120	914.8	0.995	20	

The following samples were analyzed in this batch: HS19101603-01 HS19101603-02

ALS Houston, US Date: 29-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19101603**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 29-Oct-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19101603

SAMPLE TRACKING

Lab Samp ID	Client Sample ID	Action	Date	Person	New Location
HS19101603-01	16EW07-191025	Login	10/26/2019 12:58:04 PM	AC	WET383
HS19101603-02	16EW05-191025	Login	10/26/2019 12:58:04 PM	AC	WET383

ALS Houston, US Date: 29-Oct-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19101603
Date/Time Received: **26-Oct-2019 10:35**
Received by: **AC**

Checklist completed by: *Asad Chaudhry* eSignature 26-Oct-2019 Date
Reviewed by: *Corey Grandits* eSignature 28-Oct-2019 Date

Matrices: **GW**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	0.9c UC/C	IR 25	
Cooler(s)/Kit(s):	45141		
Date/Time sample(s) sent to storage:	10/26/2019 13:00		
Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☑
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-Bromide-ALSHT-191025 TURNAROUND TIME: 24 hr TAT RUSH: 24 hr TAT Page 1 of 1

PROJECT/CLIENT INFO				LABORATORY					
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Fedinvoices @aptim.com	
Project Number	501032			Lab Contact	RJ Modashia				
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Susan.Huang@aptim.com	
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210			Susan Huang	
	PMB 202							4005 Port Chicago Hwy	
City	Marshall	State	TX	City	Houston	State	TX	Concord	State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	94520	Country USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656				
Project Manager	Praveen Srivastav								

SAMPLE DETAILS / ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	Containers and Preservative: 1-250 ml HDPE, Ice — ANALYSIS: Bromide by SW9056
16EW07-191025	16EW07				GW	10/25/2019	930	1	1
16EW05-191025	16EW05				GW	10/25/2019	940	1	1

HS19101603


Aptim Environmental & Infrastucture, Inc.


LHAAP-16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
24 HR TAT	[illegible] APTIM	10/25/19 1302	AC ALS	10/26/19 1035

s/c 0.9 IR 0.25 CF 0.0

41514)


ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887
45141
CUS
TODY SEAL
Time: 1317
Seal Broken By:
AC
Date:
10/26/19


ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887
45141
CUSTODY SEAL
Time: 1317
Seal Broken By:
AC
Date:
10/26/19


FedEx
TRK# 0221 4809 7837 9138
SATURDAY 12:00P
PRIORITY OVERNIGHT
XO SGRA
77099
TX-US IAH

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

November 04, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19110026**


Laboratory Results for: **LHAAP-16**

Dear Susan,

ALS Environmental received 3 sample(s) on Nov 01, 2019 for the analysis presented in the following report.

This is a REVISED REPORT. Please see the Case Narrative for discussion concerning this revision.

Regards,



Generated By: RJ.MODASHIA
RJ Modashia
Project Manager

ALS Houston, US Date: 04-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19110026

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19110026-01	16EW06-Event2-191031	GW		31-Oct-2019 09:35	01-Nov-2019 09:10	☐
HS19110026-02	16EW05-Event2-191031	GW		31-Oct-2019 09:45	01-Nov-2019 09:10	☐
HS19110026-03	16EW07-Event2-191031	GW		31-Oct-2019 09:46	01-Nov-2019 09:10	☐

Revision:1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 04-Nov-19

Client: Aptim Environmental & Infrastucture, Inc. **CASE NARRATIVE**
Project: LHAAP-16
Work Order: HS19110026

Work Order Comments

- Revised to update the sample IDs
- The analysis for Methane, Methene, Ethane and CO2 by RSK175 was subcontracted to ALS Simi Valley, CA. Final report attached.
- The analysis for Perchlorate was subcontracted to ALS Salt Lake City, UT. Final report attached.

WetChemistry by Method SW9056

Batch ID: R349710

Sample ID: 16WW06-Event2-191031 (HS19110026-01)

- The reporting limit is elevated due to dilution needed to eliminate matrix-related interference for analyte(s): (Bromide)

WetChemistry by Method SM5310B

Batch ID: R349693

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 04-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16EW06-Event2-191031
Collection Date: 31-Oct-2019 09:35

ANALYTICAL REPORT
WorkOrder:HS19110026
Lab ID:HS19110026-01
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**27.0**		**2.50**	**5.00**	**5.00**	**mg/L**	5	02-Nov-2019 01:22
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.06**		**0.300**	**1.00**	**1.00**	**mg/L**	10	04-Nov-2019 12:28

Note: See Qualifiers Page for a list of qualifiers and their explanation. **Revision:** 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 04-Nov-19

Client: Aptim Environmental & Infrastucture, Inc. **ANALYTICAL REPORT**
Project: LHAAP-16 WorkOrder:HS19110026
Sample ID: 16EW05-Event2-191031 Lab ID:HS19110026-02
Collection Date: 31-Oct-2019 09:45 Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**30.6**		**2.50**	**5.00**	**5.00**	**mg/L**	5	02-Nov-2019 01:36

Note: See Qualifiers Page for a list of qualifiers and their explanation. **Revision:** 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 04-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16EW07-Event2-191031
Collection Date: 31-Oct-2019 09:46

ANALYTICAL REPORT
WorkOrder:HS19110026
Lab ID:HS19110026-03
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**21.0**		**2.50**	**5.00**	**5.00**	**mg/L**	5	02-Nov-2019 01:49

Note: See Qualifiers Page for a list of qualifiers and their explanation. **Revision:** 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 04-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19110026

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R349693 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** GW	
HS19110026-01	16EW06-Event2-191031	31 Oct 2019 09:35			02 Nov 2019 01:22	5
HS19110026-02	16EW05-Event2-191031	31 Oct 2019 09:45			02 Nov 2019 01:36	5
HS19110026-03	16EW07-Event2-191031	31 Oct 2019 09:46			02 Nov 2019 01:49	5
Batch ID: R349710 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** GW	
HS19110026-01	16EW06-Event2-191031	31 Oct 2019 09:35			04 Nov 2019 12:28	10

Revision: 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 04-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19110026

QC BATCH REPORT

Batch ID: R349693 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW1-110119** Units: **mg/L** Analysis Date: **01-Nov-2019 22:39**
Client ID: Run ID: **TOC_02_349693** SeqNo: **5327194** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW1-110119** Units: **mg/L** Analysis Date: **01-Nov-2019 22:52**
Client ID: Run ID: **TOC_02_349693** SeqNo: **5327195** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	8.761	1.00	10	0	87.6	85 - 115				

LCSD Sample ID: **WLCSDW1-110119** Units: **mg/L** Analysis Date: **01-Nov-2019 23:05**
Client ID: Run ID: **TOC_02_349693** SeqNo: **5327196** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.237	1.00	10	0	92.4	85 - 115	8.761	5.29	20	

MS Sample ID: **HS19101287-04MS** Units: **mg/L** Analysis Date: **02-Nov-2019 00:40**
Client ID: Run ID: **TOC_02_349693** SeqNo: **5327203** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	12.67	1.00	10	3.051	96.2	80 - 120				

The following samples were analyzed in this batch: HS19110026-01 HS19110026-02 HS19110026-03

Revision: 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 04-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19110026

QC BATCH REPORT

Batch ID: R349710 (0) **Instrument:** ICS-Integrion **Method:** ANIONS BY SW9056A

MBLK Sample ID: **WBLKW1-110419** Units: **mg/L** Analysis Date: **04-Nov-2019 11:38**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328162** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-110419** Units: **mg/L** Analysis Date: **04-Nov-2019 11:54**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328163** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.782	0.100	4	0	94.6	80 - 120				

LCSD Sample ID: **WLCSDW1-110419** Units: **mg/L** Analysis Date: **04-Nov-2019 12:11**
Client ID: Run ID: **ICS-Integrion_349710** SeqNo: **5328164** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.764	0.100	4	0	94.1	80 - 120	3.782	0.498	20	

MS Sample ID: **HS19110026-01MS** Units: **mg/L** Analysis Date: **04-Nov-2019 12:44**
Client ID: **16EW06-Event2-191031** Run ID: **ICS-Integrion_349710** SeqNo: **5328166** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	18.58	1.00	20	2.058	82.6	80 - 120				

MSD Sample ID: **HS19110026-01MSD** Units: **mg/L** Analysis Date: **04-Nov-2019 13:01**
Client ID: **16EW06-Event2-191031** Run ID: **ICS-Integrion_349710** SeqNo: **5328167** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	18.72	1.00	20	2.058	83.3	80 - 120	18.58	0.756	20	

The following samples were analyzed in this batch: HS19110026-01

Revision: 1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 04-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19110026**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

RIGHT SOLUTIONS | RIGHT PARTNER

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 04-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19110026

SAMPLE TRACKING

Lab Samp ID	Client Sample ID	Action	Date	Person	New Location
HS19110026-01	16EW06-Event2-191031	Login	11/1/2019 12:24:21 PM	AC	WET078
HS19110026-01	16EW06-Event2-191031	Login	11/1/2019 12:24:21 PM	AC	Sub

Revision:1

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 04-Nov-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19110026
Date/Time Received: **01-Nov-2019 09:10**
Received by: **AC**

Checklist completed by: *Asad Chaudhry* eSignature 1-Nov-2019 Date
Reviewed by: *RJ Modashia* eSignature 1-Nov-2019 Date

Matrices: **GW**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☐	No ☑	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	0.3c U/C	IR 25
Cooler(s)/Kit(s):	45261	
Date/Time sample(s) sent to storage:	11/01/2019 12:30	

Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

RIGHT SOLUTIONS | RIGHT PARTNER

APTIM

COC ID: LHAAP16-Bromide-Event3-19 | TURNAROUND TIME: normal | RUSH: | Page 1 of

PROJECT/CLIENT INFO

Facility Name	Longhorn AAP
Project Number	501032
	LHAAP-16
Address	1203-B East Grand Avenue
	PMB 202
City	Marshall
State	TX
Postal Code	75670
Country	USA
Phone Number	713.243.7264
Project Manager	Praveen Srivastav

LABORATORY

Lab Name	ALS Laboratories
Lab Contact	RJ Modashia
Email	RJ.Modashia@alsglobal.c
Address	10450 Stancliff Rd., Suite
City	Houston
State	
Postal Code	77099
Country	
Phone Number	281.575.2279 or 281.530

HS19110026

Aptim Environmental & Infrastucture, Inc.

LHAAP-16

SAMPLE DETAILS / **ANALYSIS REQUESTED**

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	Containers and Preservative: 1-250 ml HDPE, Ice — ANALYSIS: Bromide by SW9056	Toc by SM5310 C
16Ew06-Event2-191031	LHAAP16				WG	10/31/19	0935	3	X	X
16Ew05-Event2-191031	LHAAP16				WG	10/31/19	0945	2		X
16Ew07-Event2-191031	LHAAP16				WG	10/31/19	0946	2		X

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION		DATE/TIME
24 HR. TAT ON ALL PARAMETERS	Sean Bhatt / BHATE	10/31/19 1100	AC	ALS	11/01/19 09:10

U/C
0.3
1 READS
ESD.
45261

RIGHT SOLUTIONS | RIGHT PARTNER

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

45261

CUSTODY SEAL

Date: 10/31/19 Time: 1100
Name: Scott Beesinger
Company: BHATT

Seal Broken By:
Date: 11/01/19

45261

Must Deliver Next Business Day
Time and Tempature Sensitive!

45261

ORIGIN ID:SGRA (903) 930-6193
ATT: SCOTT BEESINGER
APTIM ENVIRONMENTAL & INFRAST. INC
1203-B EAST GRAND AVE PMB202

MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 19FEB19
ACTWGT: 1.00 LB MAN
CAD: 300130/CAFE3211
DIMS: 19x16x13 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP 16 -- BD 63080 -- CG

RMA:

FedEx Express

FedEx
TRK# 0221 4809 7830 9602

FRI - 01 NOV 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US
IAH

FID 779552 310CT19 GGGA 56AC3/2A3C/05A2

RIGHT SOLUTIONS | RIGHT PARTNER

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

November 07, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19110217**

Laboratory Results for: **Longhorn Army Ammunition Plant**

Dear Susan,

ALS Environmental received 2 sample(s) on Nov 06, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 07-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
Work Order: HS19110217

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19110217-01	16EW07-191105	Groundwater		05-Nov-2019 07:50	06-Nov-2019 08:45	☐
HS19110217-02	16EW05-191105	Groundwater		05-Nov-2019 07:55	06-Nov-2019 08:45	☐

ALS Houston, US Date: 07-Nov-19

Client: Aptim Environmental & Infrastucture, Inc. **CASE NARRATIVE**
Project: Longhorn Army Ammunition Plant
Work Order: HS19110217

WetChemistry by Method SW9056

Batch ID: R350019

Sample ID: 16EW05-191105 (HS19110217-02)

- The reporting limit is elevated due to dilution for high concentrations of non-target analytes. (Bromide)

Sample ID: HS19101702-01MS

- MS and MSD are for an unrelated sample (Bromide)

WetChemistry by Method SM5310B

Batch ID: R349957

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 07-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
Sample ID: 16EW07-191105
Collection Date: 05-Nov-2019 07:50

ANALYTICAL REPORT
WorkOrder:HS19110217
Lab ID:HS19110217-01
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**32.6**		**0.500**	**1.00**	**1.00**	**mg/L**	1	06-Nov-2019 22:02
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.96**		**0.300**	**1.00**	**1.00**	**mg/L**	10	06-Nov-2019 12:38

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 07-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
Sample ID: 16EW05-191105
Collection Date: 05-Nov-2019 07:55

ANALYTICAL REPORT
WorkOrder:HS19110217
Lab ID:HS19110217-02
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**21.1**		**0.500**	**1.00**	**1.00**	**mg/L**	1	06-Nov-2019 22:15
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.82**		**0.600**	**2.00**	**2.00**	**mg/L**	20	06-Nov-2019 13:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 07-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110217

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R349957 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS19110217-01	16EW07-191105	05 Nov 2019 07:50			06 Nov 2019 22:02	1
HS19110217-02	16EW05-191105	05 Nov 2019 07:55			06 Nov 2019 22:15	1
Batch ID: R350019 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS19110217-01	16EW07-191105	05 Nov 2019 07:50			06 Nov 2019 12:38	10
HS19110217-02	16EW05-191105	05 Nov 2019 07:55			06 Nov 2019 13:37	20

ALS Houston, US Date: 07-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110217

QC BATCH REPORT

Batch ID: R349957 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW1-110619** Units: **mg/L** Analysis Date: **06-Nov-2019 21:22**
Client ID: Run ID: **TOC_02_349957** SeqNo: **5333085** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW1-110619** Units: **mg/L** Analysis Date: **06-Nov-2019 21:36**
Client ID: Run ID: **TOC_02_349957** SeqNo: **5333086** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	8.901	1.00	10	0	89.0	85 - 115				

LCSD Sample ID: **WLCSDW1-110619** Units: **mg/L** Analysis Date: **06-Nov-2019 21:49**
Client ID: Run ID: **TOC_02_349957** SeqNo: **5333087** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.134	1.00	10	0	91.3	85 - 115	8.901	2.58	20	

MS Sample ID: **HS19101647-04MS** Units: **mg/L** Analysis Date: **06-Nov-2019 23:28**
Client ID: Run ID: **TOC_02_349957** SeqNo: **5333094** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	24.62	1.00	10	15.24	93.8	80 - 120				

The following samples were analyzed in this batch: HS19110217-01 HS19110217-02

ALS Houston, US Date: 07-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110217

QC BATCH REPORT

Batch ID: R350019 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-110619** Units: **mg/L** Analysis Date: **06-Nov-2019 05:51**
Client ID: Run ID: **ICS-Integrion_350019** SeqNo: **5334158** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-110619** Units: **mg/L** Analysis Date: **06-Nov-2019 06:07**
Client ID: Run ID: **ICS-Integrion_350019** SeqNo: **5334159** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.751	0.100	4	0	93.8	80 - 120				

LCSD Sample ID: **WLCSDW1-110619** Units: **mg/L** Analysis Date: **06-Nov-2019 06:24**
Client ID: Run ID: **ICS-Integrion_350019** SeqNo: **5334160** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.736	0.100	4	0	93.4	80 - 120	3.751	0.419	20	

MS Sample ID: **HS19101702-01MS** Units: **mg/L** Analysis Date: **06-Nov-2019 19:21**
Client ID: Run ID: **ICS-Integrion_350019** SeqNo: **5334172** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.554	0.100	2	1.061	24.6	80 - 120				S

MSD Sample ID: **HS19101702-01MSD** Units: **mg/L** Analysis Date: **06-Nov-2019 19:38**
Client ID: Run ID: **ICS-Integrion_350019** SeqNo: **5334173** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.619	0.100	2	1.061	27.9	80 - 120	1.554	4.11	20	S

The following samples were analyzed in this batch: HS19110217-01 HS19110217-02

ALS Houston, US Date: 07-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: **HS19110217**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 07-Nov-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19110217
Date/Time Received: **06-Nov-2019 08:45**
Received by: **PMG**

Checklist completed by: *Paresh M. Giga* eSignature 6-Nov-2019 Date
Reviewed by: *RJ Modashia* eSignature 6-Nov-2019 Date

Matrices: **Water**
Carrier name: **FedEx**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:None
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	0.9c U/C	IR25	
Cooler(s)/Kit(s):	Blue		
Date/Time sample(s) sent to storage:	11/6/19 11:50		
Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-Bromide-ALSHT-191105 TURNAROUND TIME: 24 hr TAT RUSH: 24 hr TAT Page 1 of _____

PROJECT/CLIENT INFO				LABORATORY						
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Fedinvoices @aptim.com		
Project Number	501032			Lab Contact	RJ Modashia					
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Susan.Huang@aptim.com		
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210			Susan Huang		
	PMB 202							4005 Port Chicago Hwy		
City	Marshall	State	TX	City	Houston	State	TX	Concord	State	CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	94520	Country	USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281 530.5656					
Project Manager	Praveen Srivastav									

SAMPLE DETAILS								ANALYSIS REQUESTED										
								Containers and Preservative		1-250 ml HDPE, Ice	2-40ml Amber VOA H2SO4							
Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS	Bromide by SW9056	TOC							
16EW07-191105	16EW07				GW	11/5/2019	750	3		1	2							
16EW05-191105	16EW05				GW	11/5/2019	755	3		1	2							

HS19110217

Aptim Environmental & Infrastucture, Inc.

Longhorn Army Ammunition Plant

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
		11-05-19/1500	ALS	11/6/19 08:45

Blue 0.9°

-9.25°

0.15-0.0

TX – US

S
0 Stancliff Rd., Suite 210
iton, Texas 77099
·1 281 530 5656
+1 281 530 5887

Blue

CUSTODY SEAL	Seal Broken By:
Date: 11-07-19 Time: 1507	Date: 11/06/19
Name:	
Company:	

Blue

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Blue

CUSTODY SEAL	Seal Broken By:
Date: 11-07-19 Time: 1507	Date: 11/06/19
Name:	
Company:	

Must Deliver Next Business Day
Time and Tempature Sensitive!

Blue

ORIGIN ID:SGRA (903) 930-6193
APTIM ENVIROMENTAL & INFASTRUCTURE
1203-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 16SEP19
ACTWGT: 1.00 LB MAN
CAD: 300130/CAFE3211
DIMS: 26x14x14 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP – 17 80 67599 – RJ
RMA:

FedEx Express

FedEx
TRK# 0221 4809 7837 9734

WED - 06 NOV 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US
IAH

FTO 162786 05NOV19 SGGA 56AC1/F330/B5A2

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

November 08, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19110304**

Laboratory Results for: **Longhorn Army Ammunition Plant**

Dear Susan,

ALS Environmental received 1 sample(s) on Nov 07, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: DAYNA.FISHER
RJ Modashia
Project Manager

ALS Houston, US Date: 08-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
Work Order: HS19110304

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19110304-01	16EW08-191106	Groundwater		06-Nov-2019 13:20	07-Nov-2019 08:43	☐

ALS Houston, US Date: 08-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
Work Order: HS19110304

CASE NARRATIVE

WetChemistry by Method SM5310B

Batch ID: R350058

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SW9056

Batch ID: R350041

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US

Date: 08-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: Longhorn Army Ammunition Plant

WorkOrder:HS19110304

Sample ID: 16EW08-191106

Lab ID:HS19110304-01

Collection Date: 06-Nov-2019 13:20

Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**64.0**		**2.50**	**5.00**	**5.00**	**mg/L**	5	08-Nov-2019 11:51
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**41.8**		**0.300**	**1.00**	**1.00**	**mg/L**	10	07-Nov-2019 16:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 08-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110304

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R350041 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS19110304-01	16EW08-191106	06 Nov 2019 13:20			07 Nov 2019 16:02	10
Batch ID: R350058 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS19110304-01	16EW08-191106	06 Nov 2019 13:20			08 Nov 2019 11:51	5

ALS Houston, US Date: 08-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110304

QC BATCH REPORT

Batch ID: R350041 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-110719** Units: **mg/L** Analysis Date: **07-Nov-2019 10:59**
Client ID: Run ID: **ICS-Integrion_350041** SeqNo: **5334686** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-110719** Units: **mg/L** Analysis Date: **07-Nov-2019 11:15**
Client ID: Run ID: **ICS-Integrion_350041** SeqNo: **5334687** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.728	0.100	4	0	93.2	80 - 120				

LCSD Sample ID: **WLCSDW1-110719** Units: **mg/L** Analysis Date: **07-Nov-2019 11:32**
Client ID: Run ID: **ICS-Integrion_350041** SeqNo: **5334688** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.721	0.100	4	0	93.0	80 - 120	3.728	0.201	20	

MS Sample ID: **HS19110285-07MS** Units: **mg/L** Analysis Date: **07-Nov-2019 15:29**
Client ID: Run ID: **ICS-Integrion_350041** SeqNo: **5334692** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.683	0.100	2	0	84.2	80 - 120				

MSD Sample ID: **HS19110285-07MSD** Units: **mg/L** Analysis Date: **07-Nov-2019 15:45**
Client ID: Run ID: **ICS-Integrion_350041** SeqNo: **5334693** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.698	0.100	2	0	84.9	80 - 120	1.683	0.84	20	

The following samples were analyzed in this batch: HS19110304-01

ALS Houston, US Date: 08-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110304

QC BATCH REPORT

Batch ID: R350058 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW2-110719** Units: **mg/L** Analysis Date: **07-Nov-2019 17:29**
Client ID: Run ID: **TOC_02_350058** SeqNo: **5335814** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW2-110719** Units: **mg/L** Analysis Date: **07-Nov-2019 17:52**
Client ID: Run ID: **TOC_02_350058** SeqNo: **5335815** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	8.952	1.00	10	0	89.5	85 - 115				

LCSD Sample ID: **WLCSDW2-110719** Units: **mg/L** Analysis Date: **07-Nov-2019 18:05**
Client ID: Run ID: **TOC_02_350058** SeqNo: **5335816** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	8.804	1.00	10	0	88.0	85 - 115	8.952	1.67	20	

MS Sample ID: **HS19110263-01MS** Units: **mg/L** Analysis Date: **07-Nov-2019 19:42**
Client ID: Run ID: **TOC_02_350058** SeqNo: **5335823** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	16.71	1.00	10	7.599	91.1	80 - 120				

The following samples were analyzed in this batch: HS19110304-01

ALS Houston, US Date: 08-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: **HS19110304**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

ALS Houston, US Date: 08-Nov-19

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 08-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
Work Order: HS19110304

SAMPLE TRACKING

Lab Samp ID	Client Sample ID	Action	Date	Person	New Location
HS19110304-01	16EW08-191106	Login	11/7/2019 1:18:49 PM	NDR	WET188
HS19110304-01	16EW08-191106	Login	11/7/2019 1:18:49 PM	NDR	WET188

ALS Houston, US Date: 08-Nov-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19110304
Date/Time Received: **07-Nov-2019 08:43**
Received by: **PMG**

Checklist completed by: *Nilesh D. Ranchod* eSignature 7-Nov-2019 Date
Reviewed by: *RJ Modashia* eSignature 7-Nov-2019 Date

Matrices: **Water**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:None
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	0.7c U/C	IR25	
Cooler(s)/Kit(s):	42926		
Date/Time sample(s) sent to storage:	11/07/2019 14:00		
Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-Bromide-ALSHT-191106 TURNAROUND TIME: 24 hr TAT RUSH: 24 hr TAT Page 1 of 1

PROJECT/CLIENT INFO				LABORATORY					
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Fedinvoices @aptim.com	
Project Number	501032			Lab Contact	RJ Modashia				
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Susan.Huang@aptim.com	
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210			Susan Huang	
	PMB 202							4005 Port Chicago Hwy	
City	Marshall	State	TX	City	Houston	State	TX	Concord	State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	94520	Country USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656				
Project Manager	Praveen Srivastav								


SAMPLE DETAILS / ANALYSIS REQUESTED


Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS	Bromide by SW9056	TOC
								Containers and Preservative		1-250 ml HDPE, Ice	2-40ml Amber VOA H2SO4
16EW08-191106	16EW08				GW	11/6/2019	1320	3		1	2

Aptim Environmental & Infrastucture, Inc.
Longhorn Army Ammunition Plant
HS19110304

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	APTIM	11/6/19 1340	ALS	11/7/19 08:43

42926 0.70 ↑ 2' < 1(F 0.00


ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887
CUSTOD
Date:
Name:
Compa.ny:


Seal Broken By:
Date:


FedEx
TRK# 0221 1251 0290 9276
THU - 07 NOV 10:30A
PRIORITY OVERNIGHT
AB SGRA
77099
TX-US
IAH

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

November 12, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19110484**

Laboratory Results for: **LHAAP-16**

Dear Susan,

ALS Environmental received 1 sample(s) on Nov 09, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 12-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19110484

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19110484-01	16EW06-191108	GW		08-Nov-2019 11:30	09-Nov-2019 08:50	☐

ALS Houston, US Date: 12-Nov-19

Client: Aptim Environmental & Infrastucture, Inc. **CASE NARRATIVE**
Project: LHAAP-16
Work Order: HS19110484

WetChemistry by Method SM5310B

Batch ID: R350290

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SW9056

Batch ID: R350289

Sample ID: 16EW06-191108 (HS19110484-01)

- The reporting limit is elevated due to dilution needed to eliminate matrix-related interference for analyte(s): (Bromide)

Sample ID: 16EW06-191108 (HS19110484-01MS)

- The recovery of the Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) associated with this analyte was outside of the established control limits. However, the LCS was within control limits. The recovery of the MS/MSD may be due to sample matrix interference. (Bromide)

Sample ID: 16EW06-191108 (HS19110484-01MSD)

- The recovery of the Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) associated with this analyte was outside of the established control limits. However, the LCS was within control limits. The recovery of the MS/MSD may be due to sample matrix interference. (Bromide)

ALS Houston, US Date: 12-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16EW06-191108
Collection Date: 08-Nov-2019 11:30

ANALYTICAL REPORT
WorkOrder:HS19110484
Lab ID:HS19110484-01
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**28.1**		**2.50**	**5.00**	**5.00**	**mg/L**	5	12-Nov-2019 10:54
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**4.60**	J	**1.50**	**5.00**	**5.00**	**mg/L**	50	12-Nov-2019 12:55

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 12-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19110484

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R350289 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** GW	
HS19110484-01	16EW06-191108	08 Nov 2019 11:30			12 Nov 2019 12:55	50
Batch ID: R350290 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** GW	
HS19110484-01	16EW06-191108	08 Nov 2019 11:30			12 Nov 2019 10:54	5

ALS Houston, US Date: 12-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19110484

QC BATCH REPORT

Batch ID: R350289 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW2-111119** Units: **mg/L** Analysis Date: **12-Nov-2019 04:37**
Client ID: Run ID: **ICS-Integrion_350289** SeqNo: **5340193** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW2-111119** Units: **mg/L** Analysis Date: **12-Nov-2019 04:53**
Client ID: Run ID: **ICS-Integrion_350289** SeqNo: **5340194** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.76	0.100	4	0	94.0	80 - 120				

LCSD Sample ID: **WLCSDW2-111119** Units: **mg/L** Analysis Date: **12-Nov-2019 05:10**
Client ID: Run ID: **ICS-Integrion_350289** SeqNo: **5340195** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.764	0.100	4	0	94.1	80 - 120	3.76	0.117	20	

MS Sample ID: **HS19110484-01MS** Units: **mg/L** Analysis Date: **12-Nov-2019 13:11**
Client ID: **16EW06-191108** Run ID: **ICS-Integrion_350289** SeqNo: **5340204** PrepDate: DF: **50**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	88.02	5.00	100	4.605	83.4	80 - 120				

MS Sample ID: **HS19110484-01MS** Units: **mg/L** Analysis Date: **12-Nov-2019 11:48**
Client ID: **16EW06-191108** Run ID: **ICS-Integrion_350289** SeqNo: **5340201** PrepDate: DF: **20**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	26.05	2.00	40	1.956	60.2	80 - 120				S

MSD Sample ID: **HS19110484-01MSD** Units: **mg/L** Analysis Date: **12-Nov-2019 12:04**
Client ID: **16EW06-191108** Run ID: **ICS-Integrion_350289** SeqNo: **5340202** PrepDate: DF: **20**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	27.42	2.00	40	1.956	63.7	80 - 120	26.05	5.11	20	S

ALS Houston, US Date: 12-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19110484

QC BATCH REPORT

Batch ID: R350289 (0) **Instrument:** ICS-Integrion **Method:** ANIONS BY SW9056A

MSD Sample ID: **HS19110484-01MSD** Units: **mg/L** Analysis Date: **12-Nov-2019 13:28**
Client ID: **16EW06-191108** Run ID: **ICS-Integrion_350289** SeqNo: **5340205** PrepDate: DF: **50**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	87.36	5.00	100	4.605	82.8	80 - 120	88.02	0.753	20	

The following samples were analyzed in this batch: HS19110484-01

ALS Houston, US Date: 12-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19110484

QC BATCH REPORT

Batch ID: R350290 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW1-111219** Units: **mg/L** Analysis Date: **12-Nov-2019 10:14**
Client ID: Run ID: **TOC_02_350290** SeqNo: **5340224** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW1-111219** Units: **mg/L** Analysis Date: **12-Nov-2019 10:27**
Client ID: Run ID: **TOC_02_350290** SeqNo: **5340225** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.697	1.00	10	0	97.0	85 - 115				

LCSD Sample ID: **WLCSDW1-111219** Units: **mg/L** Analysis Date: **12-Nov-2019 10:41**
Client ID: Run ID: **TOC_02_350290** SeqNo: **5340226** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.477	1.00	10	0	94.8	85 - 115	9.697	2.29	20	

MS Sample ID: **HS19110484-01MS** Units: **mg/L** Analysis Date: **12-Nov-2019 11:36**
Client ID: **16EW06-191108** Run ID: **TOC_02_350290** SeqNo: **5340229** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	76.75	5.00	50	28.11	97.3	80 - 120				

MSD Sample ID: **HS19110484-01MSD** Units: **mg/L** Analysis Date: **12-Nov-2019 11:49**
Client ID: **16EW06-191108** Run ID: **TOC_02_350290** SeqNo: **5340230** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	76.8	5.00	50	28.11	97.4	80 - 120	76.75	0.0651	20	

The following samples were analyzed in this batch: HS19110484-01

ALS Houston, US Date: 12-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19110484**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 12-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19110484

SAMPLE TRACKING

Lab Samp ID	Client Sample ID	Action	Date	Person	New Location
HS19110484-01	16EW06-191108	Login	11/9/2019 12:41:00 PM	AC	WET126
HS19110484-01	16EW06-191108	Login	11/9/2019 12:41:00 PM	AC	WET126

ALS Houston, US Date: 12-Nov-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19110484
Date/Time Received: **09-Nov-2019 08:50**
Received by: **JRM**

Checklist completed by: *Asad Chaudhry* eSignature 9-Nov-2019 Date
Reviewed by: *RJ Modashia* eSignature 11-Nov-2019 Date

Matrices: **GW**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	1.5c/1.0c U/C	IR 11	
Cooler(s)/Kit(s):	45458		
Date/Time sample(s) sent to storage:	11/09/2019 12:45		
Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-Bromide-ALSHT-191108 TURNAROUND TIME: 24 hr TAT RUSH: 24 hr TAT Page 1 of 1

PROJECT/CLIENT INFO				LABORATORY					
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Fedinvoices @aptim.com	
Project Number	501032			Lab Contact	RJ Modashia				
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Susan.Huang@aptim.com	
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210			Susan Huang	
	PMB 202							4005 Port Chicago Hwy	
City	Marshall	State	TX	City	Houston	State	TX	Concord	State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	94520	Country USA
Phone Number	713.243.7264			Phone Number	281 575.2279 or 281.530.5656				
Project Manager	Praveen Srivastav								

SAMPLE DETAILS								ANALYSIS REQUESTED			
								Containers and Preservative	1-250 ml HDPE, Ice	2-40ml Amber VOA H2SO4	
Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS	Bromide by SW9056	TOC
16EW06-191108	16EW06				GW	11/8/2019	1130	3		1	2


HS19110484


Aptim Environmental & Infrastucture, Inc.

LHAAP-16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	[illegible] APTIM	11/8/19 1130	J.M / ALS	11/09/19 08:50

O/C 1.5 IRAN CF-0.5 45458


ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5627
CUSTODY SEAL
Time: 1735
Seal Broken By:
Date:


ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5627
CUSTODY SEAL
Date: 110819
Time: 1735
Name:
Company:
Seal Broken By:
Date:


FedEx
TRK# 0221 4380 9534 1058
SATURDAY 12:00P
PRIORITY OVERNIGHT
XO SGRA
77099
TX-US IAH

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

November 14, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19110619**

Laboratory Results for: **Longhorn Army Ammunition Plant**

Dear Susan,

ALS Environmental received 1 sample(s) on Nov 13, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 14-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
Work Order: HS19110619

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19110619-01	16EW05-191111	Groundwater		11-Nov-2019 10:30	13-Nov-2019 09:39	☐

ALS Houston, US Date: 14-Nov-19

Client: Aptim Environmental & Infrastucture, Inc. **CASE NARRATIVE**
Project: Longhorn Army Ammunition Plant
Work Order: HS19110619

WetChemistry by Method SW9056

Batch ID: R350457

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SM5310B

Batch ID: R350442

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 14-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
Sample ID: 16EW05-191111
Collection Date: 11-Nov-2019 10:30

ANALYTICAL REPORT
WorkOrder:HS19110619
Lab ID:HS19110619-01
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**31.0**		**2.50**	**5.00**	**5.00**	**mg/L**	5	13-Nov-2019 18:51
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.78**		**0.600**	**2.00**	**2.00**	**mg/L**	20	13-Nov-2019 15:08

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 14-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110619

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R350442 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS19110619-01	16EW05-191111	11 Nov 2019 10:30			13 Nov 2019 18:51	5
Batch ID: R350457 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS19110619-01	16EW05-191111	11 Nov 2019 10:30			13 Nov 2019 15:08	20

ALS Houston, US Date: 14-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110619

QC BATCH REPORT

Batch ID: R350442 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW2-111319** Units: **mg/L** Analysis Date: **13-Nov-2019 16:43**
Client ID: Run ID: **TOC_02_350442** SeqNo: **5343303** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW2-111319** Units: **mg/L** Analysis Date: **13-Nov-2019 20:02**
Client ID: Run ID: **TOC_02_350442** SeqNo: **5343312** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.619	1.00	10	0	96.2	85 - 115				

LCSD Sample ID: **WLCSDW2-111319** Units: **mg/L** Analysis Date: **13-Nov-2019 17:10**
Client ID: Run ID: **TOC_02_350442** SeqNo: **5343304** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.131	1.00	10	0	91.3	85 - 115	9.619	5.21	20	

MS Sample ID: **HS19110430-01MS** Units: **mg/L** Analysis Date: **13-Nov-2019 18:38**
Client ID: Run ID: **TOC_02_350442** SeqNo: **5343306** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	21.28	1.00	10	11.24	100	80 - 120				

The following samples were analyzed in this batch: HS19110619-01

ALS Houston, US Date: 14-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110619

QC BATCH REPORT

Batch ID: R350457 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-111319** Units: **mg/L** Analysis Date: **13-Nov-2019 14:02**
Client ID: Run ID: **ICS-Integrion_350457** SeqNo: **5343626** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-111319** Units: **mg/L** Analysis Date: **13-Nov-2019 14:18**
Client ID: Run ID: **ICS-Integrion_350457** SeqNo: **5343627** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.754	0.100	4	0	93.9	80 - 120				

LCSD Sample ID: **WLCSDW1-111319** Units: **mg/L** Analysis Date: **13-Nov-2019 14:35**
Client ID: Run ID: **ICS-Integrion_350457** SeqNo: **5343628** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.72	0.100	4	0	93.0	80 - 120	3.754	0.91	20	

MS Sample ID: **HS19110644-07MS** Units: **mg/L** Analysis Date: **13-Nov-2019 20:57**
Client ID: Run ID: **ICS-Integrion_350457** SeqNo: **5343645** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	2.03	0.100	2	0.343	84.3	80 - 120				

MS Sample ID: **HS19110621-01MS** Units: **mg/L** Analysis Date: **13-Nov-2019 16:14**
Client ID: Run ID: **ICS-Integrion_350457** SeqNo: **5343633** PrepDate: DF: **2**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	5.094	0.200	4	1.48	90.4	80 - 120				

MSD Sample ID: **HS19110644-07MSD** Units: **mg/L** Analysis Date: **13-Nov-2019 21:14**
Client ID: Run ID: **ICS-Integrion_350457** SeqNo: **5343646** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	2.032	0.100	2	0.343	84.4	80 - 120	2.03	0.103	20	

ALS Houston, US Date: 14-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110619

QC BATCH REPORT

Batch ID: R350457 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MSD Sample ID: **HS19110621-01MSD** Units: **mg/L** Analysis Date: **13-Nov-2019 16:31**
Client ID: Run ID: **ICS-Integrion_350457** SeqNo: **5343634** PrepDate: DF: **2**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	5.051	0.200	4	1.48	89.3	80 - 120	5.094	0.84	20	

The following samples were analyzed in this batch: HS19110619-01

ALS Houston, US Date: 14-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: **HS19110619**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 14-Nov-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19110619
Date/Time Received: **13-Nov-2019 09:39**
Received by: **NDD**

Checklist completed by: *Paresh M. Giga* eSignature 13-Nov-2019 Date
Reviewed by: *RJ Modashia* eSignature 13-Nov-2019 Date

Matrices: **GW**
Carrier name: **FedEx**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:None
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	1.2c U/C	IR25	
Cooler(s)/Kit(s):	Blue		
Date/Time sample(s) sent to storage:	11/13/19 12:05		
Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-Bromide-ALSHT-191111 TURNAROUND TIME: 24 hr TAT RUSH: 24 hr TAT Page 1 of 1

PROJECT/CLIENT INFO				LABORATORY					
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			FedInvoices @aptim.com	
Project Number	501032			Lab Contact	RJ Modashia				
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Susan.Huang@aptim.com	
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210			Susan Huang	
	PMB 202							4005 Port Chicago Hwy	
City	Marshall	State	TX	City	Houston	State	TX	Concord	State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	94520	Country USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656				
Project Manager	Praveen Srivastav								

SAMPLE DETAILS / ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	Containers and Preservative	1-250 ml HDPE, Ice	2-40ml Amber VOA H2SO4
									Analysis	Bromide by SW9056	TOC
16EW05-191111	16EW05				GW	11/11/2019	1030	3		1	2

HS19110619
Aptim Environmental & Infrastucture, Inc.
Longhorn Army Ammunition Plant

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	[signature] APTIM	11-12-19/1330	NA	11/13/19 9.39

Bmc 444864 ND
1-2 U/c 1.0
IC x 25 c/c O

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

BMW

CUSTODY SEAL

Date: 11-13-18 Time: 1340
Name: [illegible]
Company: [illegible]

Seal Broken By: [illegible]
Date: 11/13/18

BMW NOV 13 2018

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

BMW

CUSTODY SEAL

Date: 11-13-18 Time: 1340
Name: [illegible]
Company: [illegible]

Seal Broken By: [illegible]
Date: 11/13/18

A 10:30 1 1025

...ver Next Business Day
Time and Tempature Sensitive!

BMW

ORIGIN ID:SGRA (903) 930-6193
SCOTT BEESINGER
APTIM ENVIROMENTAL & INFRASTRUCTURE
1203-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 30OCT18
ACTWGT: 1.00 LB MAN
CAD: 3001307CAFE3211
DIMS: 26x14x14 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP-37-BO 61933-RJ

RMA:

FedEx Express

FedEx
TRK# (0221) 4380 9534 1025

WED - 13 NOV 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US IAH

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

November 27, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19110634**

Laboratory Results for: **Longhorn Army Ammunition Plant**

Dear Susan,

ALS Environmental received 5 sample(s) on Nov 13, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
Work Order: HS19110634

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19110634-01	16EW01-191111	Groundwater		11-Nov-2019 12:42	13-Nov-2019 09:39	☐
HS19110634-02	16EW04-191111	Groundwater		11-Nov-2019 13:33	13-Nov-2019 09:39	☐
HS19110634-03	16EW03-191111	Groundwater		11-Nov-2019 14:18	13-Nov-2019 09:39	☐
HS19110634-04	16EW02-191111	Groundwater		11-Nov-2019 14:55	13-Nov-2019 09:39	☐
HS19110634-05	16EW04-191111-FD	Groundwater		11-Nov-2019 13:33	13-Nov-2019 09:39	☐

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
Work Order: HS19110634

CASE NARRATIVE

Work Order Comments

- The analysis for TOC was subcontracted to ALS Kelso WA Final report attached.

WetChemistry by Method SW9056

Batch ID: R351461

Sample ID: HS19111269-02MS

- MS and MSD are for an unrelated sample (Bromide)

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
Sample ID: 16EW01-191111
Collection Date: 11-Nov-2019 12:42

ANALYTICAL REPORT
WorkOrder:HS19110634
Lab ID:HS19110634-01
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.33**		**0.300**	**1.00**	**1.00**	**mg/L**	10	25-Nov-2019 22:59
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	22-Nov-2019 15:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: Longhorn Army Ammunition Plant

WorkOrder:HS19110634

Sample ID: 16EW04-191111

Lab ID:HS19110634-02

Collection Date: 11-Nov-2019 13:33

Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.48**		**0.300**	**1.00**	**1.00**	**mg/L**	10	25-Nov-2019 23:15
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	22-Nov-2019 15:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: Longhorn Army Ammunition Plant

WorkOrder:HS19110634

Sample ID: 16EW03-191111

Lab ID:HS19110634-03

Collection Date: 11-Nov-2019 14:18

Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**5.30**		**0.300**	**1.00**	**1.00**	**mg/L**	10	25-Nov-2019 23:32
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	22-Nov-2019 15:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: Longhorn Army Ammunition Plant

WorkOrder:HS19110634

Sample ID: 16EW02-191111

Lab ID:HS19110634-04

Collection Date: 11-Nov-2019 14:55

Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.74**		**0.300**	**1.00**	**1.00**	**mg/L**	10	25-Nov-2019 23:48
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	22-Nov-2019 15:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: Longhorn Army Ammunition Plant

WorkOrder:HS19110634

Sample ID: 16EW04-191111-FD

Lab ID:HS19110634-05

Collection Date: 11-Nov-2019 13:33

Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.54**		**0.300**	**1.00**	**1.00**	**mg/L**	10	26-Nov-2019 00:05
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	22-Nov-2019 15:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110634

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R351131 (0)	**Test Name :** SUBCONTRACT ANALYSIS - TOC ANALYSIS				**Matrix:** Groundwater	
HS19110634-01	16EW01-191111	11 Nov 2019 12:42			22 Nov 2019 15:11	1
HS19110634-02	16EW04-191111	11 Nov 2019 13:33			22 Nov 2019 15:11	1
HS19110634-03	16EW03-191111	11 Nov 2019 14:18			22 Nov 2019 15:11	1
HS19110634-04	16EW02-191111	11 Nov 2019 14:55			22 Nov 2019 15:11	1
HS19110634-05	16EW04-191111-FD	11 Nov 2019 13:33			22 Nov 2019 15:11	1
Batch ID: R351461 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS19110634-01	16EW01-191111	11 Nov 2019 12:42			25 Nov 2019 22:59	10
HS19110634-02	16EW04-191111	11 Nov 2019 13:33			25 Nov 2019 23:15	10
HS19110634-03	16EW03-191111	11 Nov 2019 14:18			25 Nov 2019 23:32	10
HS19110634-04	16EW02-191111	11 Nov 2019 14:55			25 Nov 2019 23:48	10
HS19110634-05	16EW04-191111-FD	11 Nov 2019 13:33			26 Nov 2019 00:05	10

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110634

QC BATCH REPORT

Batch ID: R351461 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-112519** Units: **mg/L** Analysis Date: **25-Nov-2019 17:13**
Client ID: Run ID: **ICS-Integrion_351461** SeqNo: **5364933** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-112519** Units: **mg/L** Analysis Date: **25-Nov-2019 17:30**
Client ID: Run ID: **ICS-Integrion_351461** SeqNo: **5364934** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.722	0.100	4	0	93.0	80 - 120				

LCSD Sample ID: **WLCSDW1-112519** Units: **mg/L** Analysis Date: **25-Nov-2019 17:46**
Client ID: Run ID: **ICS-Integrion_351461** SeqNo: **5364935** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.736	0.100	4	0	93.4	80 - 120	3.722	0.365	20	

MS Sample ID: **HS19111269-02MS** Units: **mg/L** Analysis Date: **25-Nov-2019 19:39**
Client ID: Run ID: **ICS-Integrion_351461** SeqNo: **5364937** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.736	0.100	2	0.1866	77.5	80 - 120				S

MS Sample ID: **HS19111080-07MS** Units: **mg/L** Analysis Date: **26-Nov-2019 02:51**
Client ID: Run ID: **ICS-Integrion_351461** SeqNo: **5364958** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	12.99	0.500	10	3.988	90.0	80 - 120				

MSD Sample ID: **HS19111269-02MSD** Units: **mg/L** Analysis Date: **25-Nov-2019 19:56**
Client ID: Run ID: **ICS-Integrion_351461** SeqNo: **5364938** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.74	0.100	2	0.1866	77.7	80 - 120	1.736	0.236	20	S

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: HS19110634

QC BATCH REPORT

Batch ID: R351461 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MSD Sample ID: **HS19111080-07MSD** Units: **mg/L** Analysis Date: **26-Nov-2019 03:08**
Client ID: Run ID: **ICS-Integrion_351461** SeqNo: **5364959** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	12.92	0.500	10	3.988	89.4	80 - 120	12.99	0.502	20	

The following samples were analyzed in this batch: HS19110634-01 HS19110634-02 HS19110634-03 HS19110634-04 HS19110634-05

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant
WorkOrder: **HS19110634**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

ALS Houston, US Date: 27-Nov-19

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 27-Nov-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19110634
Date/Time Received: **13-Nov-2019 09:39**
Received by: **NDR**

Checklist completed by: *Paresh M. Giga* eSignature — 13-Nov-2019 Date
Reviewed by: *RJ Modashia* eSignature — 14-Nov-2019 Date

Matrices: **GW**
Carrier name: **FedEx**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:None
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	1.2c U/C	IR25
Cooler(s)/Kit(s):	Blue	
Date/Time sample(s) sent to storage:	11/13/19 14:00	

Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes: Extra sample received.
16EW04-191111-FD
Logged in with analysis per RJ

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: 16NOV2019-MP-191111-ALS | TURNAROUND TIME: Standard | RUSH: | Page 1 of 1

PROJECT/CLIENT INFO				LABORATORY					
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Fedinvoices @aptim.com	
Project Number	501032			Lab Contact	RJ Modashia				
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Susan.Huang@aptim.com	
Address	1203-B East Grand Avenue			Address	10450 Stanciff Rd., Suite 210			Susan Huang	
	PMB 202							4005 Port Chicago Hwy	
City	Marshall	State	TX	City	Houston	State	TX	Concord	State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	94520	Country USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656				
Project Manager	Praveen Srivastav								

SAMPLE DETAILS								ANALYSIS REQUESTED		
								Container and Preservative	2-40ml Amber VOA H2SO4	1-250 ml/ Cool to 6 deg C
Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	TOC by SM5310	Bromide by SW9056
16EW01-191111	16EW01	24.61	24.75	FT	GW	11/11/2019	1242	3	2	1
16EW04-191111	16EW04	7.49	7.65	FT	GW	11/11/2019	1333	3	2	1
16EW03-191111	16EW03	12.3	12.3	FT	GW	11/11/2019	1418	3	2	1
16EW02-191111	16EW02	22.4	22.5	FT	GW	11/11/2019	1455	3	2	1

HS19110634

Aptim Environmental & Infrastructure, Inc.

Longhorn Army Ammunition Plant

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	[signature] APTIM	11/14/19 1830	NL	11/15/19 9.39

Bruce
4lc 1.2

444489 ND
4lc 1.0
IR # 25 Clk A

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

BMW

CUSTODY SEAL
Date: 11-12-19 Time: 1340
Name:
Company:

Seal Broken By:
Date: 11/13/19

BMW NOV 13 2019

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

BMW

CUSTODY SEAL
Date: 11-12-19 Time: 1340
Name:
Company:

Seal Broken By:
Date: 11/13/19

10:30 A 1025

...ver Next Business Day
Time and Tempature Sensitive!

BMW

ALS

ORIGIN ID:SGRA (903) 930-8193
SCOTT BEESINGER
APTIM ENVIROMENTAL & INFASTRUCTURE
1203-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 300CT19
ACTWGT: 1.00 LB MAN
CAD: 3001307CAFE3211
DIMS: 26x14x14 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP-37-BO 61933-RJ

RMA:

FedEx Express

FedEx
TRK# 0221 4380 9534 1025

WED - 13 NOV 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US IAH

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

November 22, 2019

Analytical Report for Service Request No: K1910765

RJ Modashia
ALS Laboratory Group
10450 Stancliff Road
Suite 210
Houston, TX 77099-4338

RE: HS19110634

Dear RJ,

Enclosed are the results of the sample(s) submitted to our laboratory November 14, 2019
For your reference, these analyses have been assigned our service request number **K1910765.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3350. You may also contact me via email at Kelley.Lovejoy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Kelley Lovejoy

Kelley Lovejoy
Project Manager

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

Acronyms
Qualifiers
State Certifications, Accreditations, And Licenses
Case Narrative
Chain of Custody
General Chemistry
Raw Data
    General Chemistry

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable. See case narrative.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Case Narrative

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

Client: ALS Environmental - US
Project: HS19110634
Sample Matrix: Ground Water

Service Request: K1910765
Date Received: 11/14/2019

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier level IV requested by the client.

Sample Receipt:

Five ground water samples were received for analysis at ALS Environmental on 11/14/2019. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by Kelley Lovejoy Date 11/22/2019

Chain of Custody

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

10450 Stancliff Rd, Ste 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **12619**

RJ 9107765

SUBCONTRACT TO:

ALS Environmental Kelso
1317 S. 13th Avenue
Kelso, WA 98626

Phone: +1 360 501 3312

CUSTOMER INFORMATION:

Company:	ALS Houston
Contact:	RJ Modashia
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Email:	RJ.Modashia@alsglobal.com
Alternate Contact:	
Email:	

INVOICE INFORMATION:

Company:	ALS Houston
Contact:	Accounts Payable
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Reference:	HS19110634
TSR:	Sonia West

	LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
	ANALYSIS REQUESTED			DUE DATE
1.	**HS19110634-01**	**16EW01-191111**	**Groundwater**	**11 Nov 2019 12:42**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			21 Nov 2019
2.	**HS19110634-02**	**16EW04-191111**	**Groundwater**	**11 Nov 2019 13:33**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			21 Nov 2019
3.	**HS19110634-03**	**16EW03-191111**	**Groundwater**	**11 Nov 2019 14:18**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			21 Nov 2019
4.	**HS19110634-04**	**16EW02-191111**	**Groundwater**	**11 Nov 2019 14:55**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			21 Nov 2019
5.	**HS19110634-05**	**16EW04-191111-FD**	**Groundwater**	**11 Nov 2019 13:33**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			21 Nov 2019

Comments: Please analyze for the analysis listed above.
Send report to the emails shown above.

QC Level: DOD IV (DoD Data Package)

Subcontract Chain of Custody

SAMPLING STATE: **Texas**

COC ID: **12619**

Relinquished By: _____ Date/Time: 11/13/19 1800

Received By: KMorrow ALS Houston Date/Time: 11-14-19 0940

Cooler ID(s): _____ Temperature(s): _____

PC KL

Cooler Receipt and Preservation Form

Client ALS - Houston Service Request *K19* 107165

Received: 11-14-19 Opened: 11-14-19 By: [illegible] Unloaded: 11-14-19 By: [illegible]

1. Samples were received via? *USPS* *Fed Ex* *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) *Cooler* *Box* *Envelope* *Other* _____ *NA*
3. Were custody seals on coolers? NA Y N If yes, how many and where? 1F4B
   If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Raw Cooler Temp	Corrected Cooler Temp	Raw Temp Blank	Corrected Temp Blank	Corr. Factor	Thermometer ID	Cooler/COC ID	NA	Tracking Number	NA	Filed
-0.5	-0.5	4.5	4.5	0	371			1251 0291 7686		

4. Packing material: *Inserts* *Baggies* *Bubble Wrap* *Gel Packs* *Wet Ice* *Dry Ice* *Sleeves* _____
5. Were custody papers properly filled out (ink, signed, etc.)? NA Y N
6. Were samples received in good condition (temperature, unbroken)? *Indicate in the table below.* NA Y N
   If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*
7. Were all sample labels complete (i.e analysis, preservation, etc.)? NA Y N
8. Did all sample labels and tags agree with custody papers? *Indicate major discrepancies in the table on page 2.* NA Y N
9. Were appropriate bottles/containers and volumes received for the tests indicated? NA Y N
10. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA Y N
11. Were VOA vials received without headspace? *Indicate in the table below.* NA Y N
12. Was C12/Res negative? NA Y N

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Out of Temp	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, & Resolutions: _____

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	ALS Environmental - US	**Service Request:**	K1910765
Project:	HS19110634	**Date Collected:**	11/11/19
Sample Matrix:	Ground Water	**Date Received:**	11/14/19
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Carbon, Total Organic

Sample Name	Lab Code	Result	LOQ	LOD	MDL	Dil.	Date Analyzed	Q
16EW01-191111	K1910765-001	**9.06**	0.50	0.20	0.07	1	11/17/19 00:29	
16EW04-191111	K1910765-002	**13.6**	0.50	0.20	0.07	1	11/17/19 00:58	
16EW03-191111	K1910765-003	**22.6**	0.50	0.20	0.07	1	11/17/19 01:26	
16EW02-191111	K1910765-004	**10.3**	0.50	0.20	0.07	1	11/17/19 01:54	
16EW04-191111-FD	K1910765-005	**15.3**	0.50	0.20	0.07	1	11/21/19 07:31	
Method Blank	K1910765-MB1	ND U	0.50	0.20	0.07	1	11/16/19 19:16	
Method Blank	K1910765-MB2	ND U	0.50	0.20	0.07	1	11/20/19 23:26	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1910765
Project	HS19110634	**Date Collected:**	11/11/19
Sample Matrix:	Ground Water	**Date Received:**	11/14/19
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Replicate Sample Summary
Carbon, Total Organic

Sample Name:	Lab Code:	LOQ	LOD	MDL	Sample Result	Duplicate Result	Average	RPD	RPD Limit	Date Analyzed
16EW01-191111	K1910765-001DUP	0.50	0.20	0.07	9.06	8.90	8.98	2	10	11/17/19
16EW04-191111	K1910765-002DUP	0.50	0.20	0.07	13.6	13.4	13.5	1	10	11/17/19
16EW03-191111	K1910765-003DUP	0.50	0.20	0.07	22.6	22.7	22.7	<1	10	11/17/19
16EW02-191111	K1910765-004DUP	0.50	0.20	0.07	10.3	9.87	10.1	4	10	11/17/19
16EW04-191111-FD	K1910765-005DUP	0.50	0.20	0.07	15.3	15.2	15.2	<1	10	11/21/19

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1910765
Project:	HS19110634	**Date Analyzed:**	11/16/19
Sample Matrix:	Ground Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	660115

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1910765-LCS1	24.6	25.0	98	83-117

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1910765
Project:	HS19110634	**Date Analyzed:**	11/20/19
Sample Matrix:	Ground Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	660506

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1910765-LCS2	24.5	25.0	98	83-117

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:** K1910765
Project: HS19110634

Continuing Calibration Verification (CCV) Summary

Carbon, Total Organic

Analysis Method: SM 5310 C **Units:** mg/L

	Analysis Lot	Lab Code	Date Analyzed	True Value	Measured Value	Percent Recovery	Acceptance Limits
CCV1	660115	KQ1916991-01	11/16/19 23:04	25.0	23.9	95	90-110
CCV2	660115	KQ1916991-02	11/17/19 03:33	25.0	23.7	95	90-110
CCV3	660506	KQ1917163-01	11/20/19 16:58	25.0	23.6	94	90-110
CCV4	660506	KQ1917163-02	11/20/19 22:52	25.0	23.8	95	90-110
CCV5	660506	KQ1917163-03	11/21/19 03:45	25.0	23.6	94	90-110
CCV6	660506	KQ1917163-04	11/21/19 08:36	25.0	23.5	94	90-110

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:**K1910765
Project: HS19110634

Continuing Calibration Blank (CCB) Summary
Carbon, Total Organic

Analysis Method: SM 5310 C **Units:**mg/L

	Analysis Lot	Lab Code	Date Analyzed	LOQ	LOD	MDL	Result	Q
CCB1	660115	KQ1916991-03	11/16/19 23:18	0.50	0.20	0.07	ND	U
CCB2	660115	KQ1916991-04	11/17/19 03:48	0.50	0.20	0.07	ND	U
CCB3	660506	KQ1917163-05	11/20/19 17:15	0.50	0.20	0.07	ND	U
CCB4	660506	KQ1917163-06	11/20/19 23:09	0.50	0.20	0.07	ND	U
CCB5	660506	KQ1917163-07	11/21/19 04:02	0.50	0.20	0.07	ND	U
CCB6	660506	KQ1917163-08	11/21/19 08:52	0.50	0.20	0.07	ND	U

Raw Data

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

Work Request # Original (X) K1910895, 160, 169, 187, 278, 332, 415, 473, 545, 547, 331, 473, 483, 561, 572, 576, 599, 254, 299, 760, 765
Tier: II IV II I II I II II II IV II II II II IV IV IV IV

Date Analyzed: 11/15/19

Analyst: BCP / BCP for HLM

Analysis: TOC/DOC

Run # TOC: 660112, 660117, 660114, 660115

DATA QUALITY REPORT
INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1.	Is the method name and number correct and appropriate?	(yes)/no/NA
2.	Holding times met for all analyses and for all samples?	(yes)/no/NA
3.	Are calculations correct?	(yes)/no/NA
4.	Is the reporting basis correct? (Dry Weight)	(yes)/no/NA
5.	All quality control criteria met?	(yes)/no
6.	Is the calibration curve correlation coefficient ≥ 0.995?	(yes)/no/NA
7.	MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency?	(yes)/no/NA
8.	Are ICVs, CCVs, and CCBs all within acceptance limits?	(yes)/no/NA
9.	Are results for methods blanks all ND?	(yes)/no/NA
10.	Are all QC samples within acceptance criteria? (LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.)	yes/(no)/NA
11.	Are all exceptions explained?	(yes)/no/NA
12.	Have all applicable service requests been reviewed?	(yes)/no/NA
13.	Are all samples labeled correctly?	(yes)/no/NA
14.	Have all instructions on the service request been followed? (e.g. Special MRLs, QC on a specific sample, Form V)	(yes)/no/NA
15.	Are detection limits and units reported correctly?	(yes)/no/NA
16.	Is the unused space on the benchsheet crossed out?	(yes)/no/NA
17.	Was analysis turned in by the due date? (n-2) (If not record SR#)	yes/(no)/NA

COMMENTS: K1910160-3/MS reports a low %Recovery due to suspected matrix interference.
K1910187-3/3d, 278-2/2d, 473-5/5d, 561-2/2d, 2543/3d, 254-7/7d report a high %RSD. However, these samples are less than 5x the MRL.

Final Approved by: [signature] Date: 11/19/19

DQREPORT

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660112 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910095-017	Carbon, Total Organic	N/A		Water	4.92 mg/L	10 mL	246 mg/L	50	4	25			11/15/19 15:25:00	N	II
K1910095-018	Carbon, Total Organic	N/A		Water	5.97 mg/L	10 mL	298 mg/L	50	4	25			11/15/19 15:53:00	N	II
K1910160-001	Carbon, Total Organic	N/A		Water	1.69 mg/L	10 mL	1.69 mg/L	1	0.07	0.50			11/15/19 16:36:00	N	IV
K1910160-002	Carbon, Total Organic	N/A		Water	1.38 mg/L	10 mL	1.38 mg/L	1	0.07	0.50			11/15/19 17:04:00	N	IV
K1910160-003	Carbon, Total Organic	N/A		Water	1.23 mg/L	10 mL	1.23 mg/L	1	0.07	0.50			11/15/19 17:32:00	N	IV
K1910169-001	Carbon, Total Organic	N/A		Ground Water	1.77 mg/L	10 mL	1.77 mg/L	1	0.07	0.50			11/15/19 18:44:00	N	II
K1910169-002	Carbon, Total Organic	N/A		Ground Water	3.51 mg/L	10 mL	3.51 mg/L	1	0.07	0.50			11/15/19 19:12:00	N	II
K1910169-003	Carbon, Total Organic	N/A		Ground Water	3.55 mg/L	10 mL	3.55 mg/L	1	0.07	0.50			11/15/19 19:40:00	N	II
K1910187-001	Carbon, Total Organic	N/A		Water	2.41 mg/L	10 mL	2.41 mg/L	1	0.07	0.50			11/15/19 20:08:00	N	I
K1910187-002	Carbon, Total Organic	N/A		Water	0.51 mg/L	10 mL	0.51 mg/L	1	0.07	0.50			11/15/19 20:36:00	N	I
K1910187-003	Carbon, Total Organic	N/A		Water	0.51 mg/L	10 mL	0.51 mg/L	1	0.07	0.50			11/15/19 21:04:00	N	I
K1910278-001	Carbon, Total Organic	N/A		Ground Water	3.33 mg/L	10 mL	3.33 mg/L	1	0.07	0.50			11/15/19 22:57:00	N	II
K1910278-002	Carbon, Total Organic	N/A		Ground Water	0.34 mg/L	10 mL	0.34 mg/L J	1	0.07	0.50			11/16/19 00:23:00	N	II
K1910332-001	Carbon, Total Organic	N/A		Drinking Water	0.37 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/15/19 21:32:00	N	I
K1910415-001	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/15/19 22:00:00	N	II
K1910473-001	Carbon, Total Organic	N/A		Ground Water	6.20 mg/L	10 mL	6.20 mg/L	1	0.07	0.50			11/16/19 00:51:00	N	II
K1910473-002	Carbon, Total Organic	N/A		Ground Water	6.32 mg/L	10 mL	6.32 mg/L	1	0.07	0.50			11/16/19 01:19:00	N	II
K1910473-003	Carbon, Total Organic	N/A		Ground Water	0.34 mg/L	10 mL	0.34 mg/L J	1	0.07	0.50			11/16/19 01:48:00	N	II
K1910545-001	Carbon, Total Organic	N/A		Water	1.83 mg/L	10 mL	1.83 mg/L	1	0.07	0.50			11/15/19 22:28:00	N	II
KQ1916988-01	Carbon, Total Organic	CCV		Water	24.50 mg/L	10 mL	24.5 mg/L	1					11/15/19 14:11:00	N	II
KQ1916988-02	Carbon, Total Organic	CCV		Water	24.74 mg/L	10 mL	24.7 mg/L	1					11/15/19 18:14:00	N	II
KQ1916988-03	Carbon, Total Organic	CCV		Water	24.27 mg/L	10 mL	24.3 mg/L	1					11/15/19 23:25:00	N	II
KQ1916988-04	Carbon, Total Organic	CCV		Water	24.63 mg/L	10 mL	24.6 mg/L	1					11/16/19 04:08:00	N	II
KQ1916988-05	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/15/19 14:26:00	N	II
KQ1916988-06	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/15/19 18:29:00	N	II
KQ1916988-07	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/15/19 23:39:00	N	II
KQ1916988-08	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 04:23:00	N	II
KQ1916988-09	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/15/19 14:41:00	N	II
KQ1916988-10	Carbon, Total Organic	LCS		Water	25.27 mg/L	10 mL	25.3 mg/L	1	0.07	0.50	101		11/15/19 14:56:00	N	II
KQ1916988-11	Carbon, Total Organic	MS	K1910160-003	Water	21.53 mg/L	10 mL	21.5 mg/L	1	0.07	0.50	81*		11/15/19 18:00:00	N	IV
KQ1916988-12	Carbon, Total Organic	DUP	K1910095-017	Water	4.97 mg/L	10 mL	249 mg/L	50	4	25		1	11/15/19 15:25:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660112 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1916988-13	Carbon, Total Organic	DUP	K1910095-018	Water	6.04 mg/L	10 mL	302 mg/L	50	4	25		1	11/15/19 15:53:00	N	II
KQ1916988-15	Carbon, Total Organic	DUP	K1910160-002	Water	1.32 mg/L	10 mL	1.32 mg/L	1	0.07	0.50		5	11/15/19 17:04:00	N	IV
KQ1916988-16	Carbon, Total Organic	DUP	K1910160-001	Water	1.57 mg/L	10 mL	1.57 mg/L	1	0.07	0.50		7	11/15/19 16:36:00	N	IV
KQ1916988-17	Carbon, Total Organic	DUP	K1910160-003	Water	1.20 mg/L	10 mL	1.20 mg/L	1	0.07	0.50		2	11/15/19 17:32:00	N	IV
KQ1916988-18	Carbon, Total Organic	DUP	K1910169-001	Ground Water	1.78 mg/L	10 mL	1.78 mg/L	1	0.07	0.50		<1	11/15/19 18:44:00	N	II
KQ1916988-19	Carbon, Total Organic	DUP	K1910169-002	Ground Water	3.57 mg/L	10 mL	3.57 mg/L	1	0.07	0.50		2	11/15/19 19:12:00	N	II
KQ1916988-20	Carbon, Total Organic	DUP	K1910169-003	Ground Water	3.50 mg/L	10 mL	3.50 mg/L	1	0.07	0.50		2	11/15/19 19:40:00	N	II
KQ1916988-21	Carbon, Total Organic	DUP	K1910187-001	Water	2.39 mg/L	10 mL	2.39 mg/L	1	0.07	0.50		<1	11/15/19 20:08:00	N	I
KQ1916988-22	Carbon, Total Organic	DUP	K1910187-002	Water	0.50 mg/L	10 mL	0.50 mg/L	1	0.07	0.50		2	11/15/19 20:36:00	N	I
KQ1916988-23	Carbon, Total Organic	DUP	K1910187-003	Water	0.57 mg/L	10 mL	0.57 mg/L	1	0.07	0.50		11*	11/15/19 21:04:00	N	I
KQ1916988-24	Carbon, Total Organic	DUP	K1910278-001	Ground Water	3.20 mg/L	10 mL	3.20 mg/L	1	0.07	0.50		4	11/15/19 22:57:00	N	II
KQ1916988-25	Carbon, Total Organic	DUP	K1910278-002	Ground Water	0.24 mg/L	10 mL	0.24 mg/L J	1	0.07	0.50		37*	11/16/19 00:23:00	N	II
KQ1916988-26	Carbon, Total Organic	DUP	K1910332-001	Drinking Water	0.42 mg/L	10 mL	0.42 mg/L J	1	0.07	0.50		NC	11/15/19 21:32:00	N	I
KQ1916988-28	Carbon, Total Organic	DUP	K1910473-001	Ground Water	6.24 mg/L	10 mL	6.24 mg/L	1	0.07	0.50		<1	11/16/19 00:51:00	N	II
KQ1916988-29	Carbon, Total Organic	DUP	K1910473-002	Ground Water	6.33 mg/L	10 mL	6.33 mg/L	1	0.07	0.50		<1	11/16/19 01:19:00	N	II
KQ1916988-30	Carbon, Total Organic	DUP	K1910473-003	Ground Water	0.37 mg/L	10 mL	0.37 mg/L J	1	0.07	0.50		7	11/16/19 01:48:00	N	II
KQ1916988-31	Carbon, Total Organic	DUP	K1910545-001	Water	1.88 mg/L	10 mL	1.88 mg/L	1	0.07	0.50		3	11/15/19 22:28:00	N	II
KQ1916988-32	Carbon, Total Organic	DUP	K1910415-001	Ocean Water	0.02 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/15/19 22:00:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660113 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910147-001	Carbon, Total Organic	N/A		Water	2.61 mg/L	10 mL	2.61 mg/L	1	0.07	0.50			11/16/19 12:53:00	N	IV
K1910331-001	Carbon, Total Organic	N/A		Water	8.66 mg/L	10 mL	866 mg/L	100	7	50			11/16/19 05:34:00	N	II
K1910331-002	Carbon, Total Organic	N/A		Water	9.22 mg/L	10 mL	922 mg/L	100	7	50			11/16/19 06:02:00	N	II
K1910331-003	Carbon, Total Organic	N/A		Water	7.00 mg/L	10 mL	700 mg/L	100	7	50			11/16/19 06:30:00	N	II
K1910473-004	Carbon, Total Organic	N/A		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 02:16:00	N	II
K1910473-005	Carbon, Total Organic	N/A		Ground Water	0.74 mg/L	10 mL	0.74 mg/L	1	0.07	0.50			11/16/19 02:44:00	N	II
K1910473-006	Carbon, Total Organic	N/A		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 03:12:00	N	II
K1910483-001	Carbon, Total Organic	N/A		Water	3.41 mg/L	10 mL	3.41 mg/L	1	0.07	0.50			11/16/19 03:40:00	N	II
K1910483-003	Carbon, Total Organic	N/A		Water	2.42 mg/L	10 mL	2.42 mg/L	1	0.07	0.50			11/16/19 04:38:00	N	II
K1910561-001	Carbon, Total Organic	N/A		Surface Water	12.22 mg/L	10 mL	122 mg/L	10	0.7	5.0			11/16/19 06:58:00	N	II
K1910561-002	Carbon, Total Organic	N/A		Surface Water	1.49 mg/L	10 mL	1.49 mg/L	1	0.07	0.50			11/16/19 07:26:00	N	II
K1910561-003	Carbon, Total Organic	N/A		Surface Water	4.36 mg/L	10 mL	8.7 mg/L	2	0.2	1.0			11/16/19 07:54:00	N	II
K1910572-001	Carbon, Total Organic	N/A		Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 08:22:00	N	II
K1910572-002	Carbon, Total Organic	N/A		Surface Water	0.01 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 10:05:00	N	II
K1910572-003	Carbon, Total Organic	N/A		Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 10:33:00	N	II
K1910572-004	Carbon, Total Organic	N/A		Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 11:01:00	N	II
K1910572-005	Carbon, Total Organic	N/A		Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 11:29:00	N	II
K1910572-006	Carbon, Total Organic	N/A		Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 11:57:00	N	II
K1910572-008	Carbon, Total Organic	N/A		Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 12:25:00	N	II
K1910576-001	Carbon, Total Organic	N/A		Water	20.04 mg/L	10 mL	20.0 mg/L	1	0.07	0.50			11/16/19 05:06:00	N	IV
KQ1916989-01	Carbon, Total Organic	CCV		Ground Water	24.27 mg/L	10 mL	24.3 mg/L	1					11/15/19 23:25:00	N	II
KQ1916989-02	Carbon, Total Organic	CCV		Ground Water	24.63 mg/L	10 mL	24.6 mg/L	1					11/16/19 04:08:00	N	II
KQ1916989-03	Carbon, Total Organic	CCV		Ground Water	24.21 mg/L	10 mL	24.2 mg/L	1					11/16/19 09:05:00	N	II
KQ1916989-04	Carbon, Total Organic	CCV		Ground Water	23.71 mg/L	10 mL	23.7 mg/L	1					11/16/19 13:50:00	N	II
KQ1916989-05	Carbon, Total Organic	CCB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/15/19 23:39:00	N	II
KQ1916989-06	Carbon, Total Organic	CCB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 04:23:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/19/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660113 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1916989-07	Carbon, Total Organic	CCB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 09:19:00	N	II
KQ1916989-08	Carbon, Total Organic	CCB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 14:04:00	N	II
KQ1916989-09	Carbon, Total Organic	MB		Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/15/19 23:54:00	N	II
KQ1916989-10	Carbon, Total Organic	LCS		Ground Water	24.76 mg/L	10 mL	24.8 mg/L	1	0.07	0.50	99		11/16/19 00:09:00	N	II
KQ1916989-11	Carbon, Total Organic	MS	K1910572-001	Surface Water	25.02 mg/L	10 mL	25.0 mg/L	1	0.07	0.50	100		11/16/19 08:50:00	N	II
KQ1916989-12	Carbon, Total Organic	DUP	K1910147-001	Water	2.59 mg/L	10 mL	2.59 mg/L	1	0.07	0.50		<1	11/16/19 12:53:00	N	IV
KQ1916989-13	Carbon, Total Organic	DUP	K1910331-001	Water	8.72 mg/L	10 mL	872 mg/L	100	7	50		<1	11/16/19 05:34:00	N	II
KQ1916989-14	Carbon, Total Organic	DUP	K1910331-002	Water	9.19 mg/L	10 mL	919 mg/L	100	7	50		<1	11/16/19 06:02:00	N	II
KQ1916989-15	Carbon, Total Organic	DUP	K1910473-004	Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/16/19 02:16:00	N	II
KQ1916989-16	Carbon, Total Organic	DUP	K1910473-005	Ground Water	0.62 mg/L	10 mL	0.62 mg/L	1	0.07	0.50		18*	11/16/19 02:44:00	N	II
KQ1916989-17	Carbon, Total Organic	DUP	K1910473-006	Ground Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/16/19 03:12:00	N	II
KQ1916989-18	Carbon, Total Organic	DUP	K1910483-003	Water	2.37 mg/L	10 mL	2.37 mg/L	1	0.07	0.50		2	11/16/19 04:38:00	N	II
KQ1916989-19	Carbon, Total Organic	DUP	K1910483-001	Water	3.31 mg/L	10 mL	3.31 mg/L	1	0.07	0.50		3	11/16/19 03:40:00	N	II
KQ1916989-20	Carbon, Total Organic	DUP	K1910331-003	Water	6.84 mg/L	10 mL	684 mg/L	100	7	50		2	11/16/19 06:30:00	N	II
KQ1916989-21	Carbon, Total Organic	DUP	K1910561-001	Surface Water	12.17 mg/L	10 mL	122 mg/L	10	0.7	5.0		<1	11/16/19 06:58:00	N	II
KQ1916989-22	Carbon, Total Organic	DUP	K1910561-002	Surface Water	1.28 mg/L	10 mL	1.28 mg/L	1	0.07	0.50		15*	11/16/19 07:26:00	N	II
KQ1916989-23	Carbon, Total Organic	DUP	K1910561-003	Surface Water	4.18 mg/L	10 mL	8.4 mg/L	2	0.2	1.0		4	11/16/19 07:54:00	N	II
KQ1916989-24	Carbon, Total Organic	DUP	K1910572-002	Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/16/19 10:05:00	N	II
KQ1916989-25	Carbon, Total Organic	DUP	K1910572-003	Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/16/19 10:33:00	N	II
KQ1916989-26	Carbon, Total Organic	DUP	K1910572-004	Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/16/19 11:01:00	N	II
KQ1916989-27	Carbon, Total Organic	DUP	K1910572-005	Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/16/19 11:29:00	N	II
KQ1916989-28	Carbon, Total Organic	DUP	K1910572-006	Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/16/19 11:57:00	N	II
KQ1916989-29	Carbon, Total Organic	DUP	K1910572-008	Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/16/19 12:25:00	N	II
KQ1916989-30	Carbon, Total Organic	DUP	K1910572-001	Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/16/19 08:22:00	N	II
KQ1916989-31	Carbon, Total Organic	DUP	K1910576-001	Water	19.96 mg/L	10 mL	20.0 mg/L	1	0.07	0.50		<1	11/16/19 05:06:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660114 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910147-002	Carbon, Total Organic	N/A		Water	2.64 mg/L	10 mL	2.64 mg/L	1	0.07	0.50			11/16/19 13:22:00	N	IV
K1910147-006	Carbon, Total Organic	N/A		Water	3.06 mg/L	10 mL	3.06 mg/L	1	0.07	0.50			11/16/19 14:19:00	N	IV
K1910147-007	Carbon, Total Organic	N/A		Water	4.59 mg/L	10 mL	4.59 mg/L	1	0.07	0.50			11/16/19 14:47:00	N	IV
K1910199-001	Carbon, Total Organic	N/A		Water	1.80 mg/L	10 mL	1.80 mg/L	1	0.07	0.50			11/16/19 15:15:00	N	IV
K1910199-002	Carbon, Total Organic	N/A		Water	1.52 mg/L	10 mL	1.52 mg/L	1	0.07	0.50			11/16/19 15:43:00	N	IV
K1910199-003	Carbon, Total Organic	N/A		Water	1.23 mg/L	10 mL	1.23 mg/L	1	0.07	0.50			11/16/19 16:12:00	N	IV
K1910199-004	Carbon, Total Organic	N/A		Water	1.40 mg/L	10 mL	1.40 mg/L	1	0.07	0.50			11/16/19 16:40:00	N	IV
K1910199-007	Carbon, Total Organic	N/A		Water	1.93 mg/L	10 mL	1.93 mg/L	1	0.07	0.50			11/16/19 17:08:00	N	IV
K1910199-008	Carbon, Total Organic	N/A		Water	1.89 mg/L	10 mL	1.89 mg/L	1	0.07	0.50			11/16/19 17:36:00	N	IV
K1910199-010	Carbon, Total Organic	N/A		Water	1.51 mg/L	10 mL	1.51 mg/L	1	0.07	0.50			11/16/19 18:04:00	N	IV
K1910254-002	Carbon, Total Organic	N/A		Water	1.73 mg/L	10 mL	1.73 mg/L	1	0.07	0.50			11/16/19 19:46:00	N	IV
K1910254-003	Carbon, Total Organic	N/A		Water	0.99 mg/L	10 mL	0.99 mg/L	1	0.07	0.50			11/16/19 20:14:00	N	IV
K1910254-004	Carbon, Total Organic	N/A		Water	2.33 mg/L	10 mL	2.33 mg/L	1	0.07	0.50			11/16/19 20:42:00	Y	IV
K1910254-005	Carbon, Total Organic	N/A		Water	1.15 mg/L	10 mL	1.15 mg/L	1	0.07	0.50			11/16/19 21:39:00	N	IV
K1910254-006	Carbon, Total Organic	N/A		Water	28.09 mg/L	10 mL	28.1 mg/L	1	0.07	0.50			11/16/19 22:08:00	N	IV
K1910254-007	Carbon, Total Organic	N/A		Water	2.13 mg/L	10 mL	2.13 mg/L	1	0.07	0.50			11/16/19 22:36:00	N	IV
KQ1916990-01	Carbon, Total Organic	CCV		Water	24.21 mg/L	10 mL	24.2149 mg/L	1					11/16/19 09:05:00	N	IV
KQ1916990-02	Carbon, Total Organic	CCV		Water	23.71 mg/L	10 mL	23.7056 mg/L	1					11/16/19 13:50:00	N	IV
KQ1916990-03	Carbon, Total Organic	CCV		Water	23.93 mg/L	10 mL	23.9330 mg/L	1					11/16/19 18:47:00	N	IV
KQ1916990-04	Carbon, Total Organic	CCV		Water	23.87 mg/L	10 mL	23.8729 mg/L	1					11/16/19 23:04:00	N	IV
KQ1916990-05	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 09:19:00	N	IV
KQ1916990-06	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 14:04:00	N	IV
KQ1916990-07	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 19:02:00	N	IV
KQ1916990-08	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 23:18:00	N	IV
KQ1916990-09	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 09:34:00	N	IV
KQ1916990-10	Carbon, Total Organic	LCS		Water	24.43 mg/L	10 mL	24.4 mg/L	1	0.07	0.50			11/16/19 09:49:00	N	IV
KQ1916990-11	Carbon, Total Organic	DUP	K1910147-002	Water	2.62 mg/L	10 mL	2.62 mg/L	1	0.07	0.50		<1	11/16/19 13:22:00	N	IV
KQ1916990-12	Carbon, Total Organic	DUP	K1910147-006	Water	2.99 mg/L	10 mL	2.99 mg/L	1	0.07	0.50		2	11/16/19 14:19:00	N	IV
KQ1916990-13	Carbon, Total Organic	DUP	K1910147-007	Water	4.39 mg/L	10 mL	4.39 mg/L	1	0.07	0.50		5	11/16/19 14:47:00	N	IV
KQ1916990-14	Carbon, Total Organic	DUP	K1910199-002	Water	1.53 mg/L	10 mL	1.53 mg/L	1	0.07	0.50		<1	11/16/19 15:43:00	N	IV
KQ1916990-15	Carbon, Total Organic	DUP	K1910199-003	Water	1.24 mg/L	10 mL	1.24 mg/L	1	0.07	0.50		1	11/16/19 16:12:00	N	IV
KQ1916990-16	Carbon, Total Organic	DUP	K1910199-004	Water	1.38 mg/L	10 mL	1.38 mg/L	1	0.07	0.50		1	11/16/19 16:40:00	N	IV
KQ1916990-17	Carbon, Total Organic	DUP	K1910199-007	Water	1.86 mg/L	10 mL	1.86 mg/L	1	0.07	0.50		4	11/16/19 17:08:00	N	IV
KQ1916990-18	Carbon, Total Organic	DUP	K1910199-008	Water	1.89 mg/L	10 mL	1.89 mg/L	1	0.07	0.50		<1	11/16/19 17:36:00	N	IV
KQ1916990-19	Carbon, Total Organic	DUP	K1910199-001	Water	1.83 mg/L	10 mL	1.83 mg/L	1	0.07	0.50		2	11/16/19 15:15:00	N	IV
KQ1916990-20	Carbon, Total Organic	DUP	K1910199-010	Water	1.59 mg/L	10 mL	1.59 mg/L	1	0.07	0.50		5	11/16/19 18:04:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660114 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1916990-22	Carbon, Total Organic	DUP	K1910254-002	Water	1.59 mg/L	10 mL	1.59 mg/L	1	0.07	0.50		8	11/16/19 19:46:00	N	IV
KQ1916990-23	Carbon, Total Organic	DUP	K1910254-003	Water	1.11 mg/L	10 mL	1.11 mg/L	1	0.07	0.50		11*	11/16/19 20:14:00	N	IV
KQ1916990-24	Carbon, Total Organic	DUP	K1910254-004	Water	2.30 mg/L	10 mL	2.30 mg/L	1	0.07	0.50		1	11/16/19 20:42:00	N	IV
KQ1916990-25	Carbon, Total Organic	DUP	K1910254-005	Water	1.11 mg/L	10 mL	1.11 mg/L	1	0.07	0.50		3	11/16/19 21:39:00	N	IV
KQ1916990-26	Carbon, Total Organic	DUP	K1910254-006	Water	28.17 mg/L	10 mL	28.2 mg/L	1	0.07	0.50		<1	11/16/19 22:08:00	N	IV
KQ1916990-27	Carbon, Total Organic	DUP	K1910254-007	Water	1.84 mg/L	10 mL	1.84 mg/L	1	0.07	0.50		14*	11/16/19 22:36:00	N	IV
KQ1916990-28	Carbon, Total Organic	MS	K1910254-004	Water	27.79 mg/L	10 mL	27.8 mg/L	1	0.07	0.50			11/16/19 21:10:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660115 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910254-008	Carbon, Total Organic	N/A		Water	1.45 mg/L	10 mL	1.45 mg/L	1	0.07	0.50			11/16/19 23:33:00	N	IV
K1910299-001	Carbon, Total Organic	N/A		Water	7.30 mg/L	10 mL	7.30 mg/L	1	0.07	0.50			11/17/19 00:01:00	N	IV
K1910760-001	Carbon, Total Organic	N/A		Water	1.23 mg/L	10 mL	1.23 mg/L	1	0.07	0.50			11/17/19 02:22:00	N	IV
K1910765-001	Carbon, Total Organic	N/A		Ground Water	9.06 mg/L	10 mL	9.06 mg/L	1	0.07	0.50			11/17/19 00:29:00	N	IV
K1910765-002	Carbon, Total Organic	N/A		Ground Water	13.64 mg/L	10 mL	13.6 mg/L	1	0.07	0.50			11/17/19 00:58:00	N	IV
K1910765-003	Carbon, Total Organic	N/A		Ground Water	22.60 mg/L	10 mL	22.6 mg/L	1	0.07	0.50			11/17/19 01:26:00	N	IV
K1910765-004	Carbon, Total Organic	N/A		Ground Water	10.31 mg/L	10 mL	10.3 mg/L	1	0.07	0.50			11/17/19 01:54:00	N	IV
KQ1916991-01	Carbon, Total Organic	CCV		Water	23.87 mg/L	10 mL	23.9 mg/L	1					11/16/19 23:04:00	N	IV
KQ1916991-02	Carbon, Total Organic	CCV		Water	23.67 mg/L	10 mL	23.7 mg/L	1					11/17/19 03:33:00	N	IV
KQ1916991-03	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 23:18:00	N	IV
KQ1916991-04	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/17/19 03:48:00	N	IV
KQ1916991-05	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/16/19 19:16:00	N	IV
KQ1916991-06	Carbon, Total Organic	LCS		Water	24.59 mg/L	10 mL	24.6 mg/L	1	0.07	0.50	98		11/16/19 19:31:00	N	IV
KQ1916991-07	Carbon, Total Organic	MS	K1910760-001	Water	25.85 mg/L	10 mL	25.8 mg/L	1	0.07	0.50	98		11/17/19 02:50:00	N	IV
KQ1916991-08	Carbon, Total Organic	DUP	K1910254-008	Water	1.42 mg/L	10 mL	1.42 mg/L	1	0.07	0.50		2	11/16/19 23:33:00	N	IV
KQ1916991-09	Carbon, Total Organic	DUP	K1910299-001	Water	7.01 mg/L	10 mL	7.01 mg/L	1	0.07	0.50		4	11/17/19 00:01:00	N	IV
KQ1916991-10	Carbon, Total Organic	DUP	K1910760-001	Water	1.12 mg/L	10 mL	1.12 mg/L	1	0.07	0.50		10	11/17/19 02:22:00	N	IV
KQ1916991-11	Carbon, Total Organic	DUP	K1910765-002	Ground Water	13.45 mg/L	10 mL	13.4 mg/L	1	0.07	0.50		1	11/17/19 00:58:00	N	IV
KQ1916991-12	Carbon, Total Organic	DUP	K1910765-001	Ground Water	8.90 mg/L	10 mL	8.90 mg/L	1	0.07	0.50		2	11/17/19 00:29:00	N	IV
KQ1916991-13	Carbon, Total Organic	DUP	K1910765-003	Ground Water	22.72 mg/L	10 mL	22.7 mg/L	1	0.07	0.50		<1	11/17/19 01:26:00	N	IV
KQ1916991-14	Carbon, Total Organic	DUP	K1910765-004	Ground Water	9.87 mg/L	10 mL	9.87 mg/L	1	0.07	0.50		4	11/17/19 01:54:00	N	IV

11/19/19

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

TOC660112
660113
660114
660115

Schedule: 11152019

Version: 15
Instrument: Fusion1
Last Saved by: Fusion1 (Fusion1)
Last Saved on: 2019/11/16 10:07 - Saturday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Blank)	Blank	Reagent/Acid Blank		1	True	Ready
D	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
1	Sample	MB1	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
2	Sample	ICS	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
3	Sample	K1910095-017.08 50x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
4	Sample	K1910095-018.08 50x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
5	Sample	K1910157-001.02 25x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
6	Sample	K1910160-001.02	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
7	Sample	K1910160-002.02	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
8	Sample	K1910160-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
9	Sample	K1910160-003.01 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
10	Sample	K1910169-001.08	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
11	Sample	K1910169-002.08	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
12	Sample	K1910169-003.08	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
13	Sample	K1910187-001.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
14	Sample	K1910187-002.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
15	Sample	K1910187-003.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
16	Sample	K1910332-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
17	Sample	K1910415-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
18	Sample	K1910545-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
19	Sample	K1910278-001.08	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
20	Sample	MB2	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
21	Sample	K1910278-002.08	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
22	Sample	K1910473-001.13	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
23	Sample	K1910473-002.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
24	Sample	K1910473-003.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
25	Sample	K1910473-004.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
26	Sample	K1910473-005.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
27	Sample	K1910473-006.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
28	Sample	K1910483-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
29	Sample	K1910483-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
30	Sample	K1910576-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
31	Sample	K1910331-001.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
32	Sample	K1910331-002.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
33	Sample	K1910331-003.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
34	Sample	K1910561-001.15 10x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
35	Sample	K1910561-002.15	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
36	Sample	K1910561-003.14 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
37	Sample	K1910572-001.16	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
38	Sample	K1910572-001.16 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready

11/19/19

Schedule: 11152019

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
39	Sample	MB3	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
40	Sample	K1910572-002.16	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
41	Sample	K1910572-003.15	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
42	Sample	K1910572-004.15	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
43	Sample	K1910572-005.15	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
44	Sample	K1910572-006.16	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
45	Sample	K1910572-008.15	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
46	Sample	K1910147-001.05	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
47	Sample	K1910147-002.05	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
48	Sample	K1910147-006.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
49	Sample	K1910147-007.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
50	Sample	K1910199-001.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
51	Sample	K1910199-002.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
52	Sample	K1910199-003.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
53	Sample	K1910199-004.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
54	Sample	K1910199-007.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
55	Sample	K1910199-008.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
56	Sample	K1910199-010.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
57	Sample	K1910254-001.04	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
58	Sample	MB4	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
59	Sample	K1910254-002.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
60	Sample	K1910254-003.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
61	Sample	K1910254-004.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
62	Sample	K1910254-004.04 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
63	Sample	rb	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
64	Sample	K1910254-005.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
65	Sample	K1910254-006.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
66	Sample	K1910254-007.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
67	Sample	K1910254-008.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
68	Sample	K1910299-001.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
69	Sample	K1910765-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
70	Sample	K1910765-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
71	Sample	K1910765-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
72	Sample	K1910765-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
73	Sample	K1910760-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
74	Sample	K1910760-001.01 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
75	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
					False	

Fusion Report - 11152019
Friday, November 15, 2019 12:08 PM

(View - Reps, Unused Reps, Meta-Data, Signature, History)
Printed on 2019/11/19 09:11 - Tuesday

Report Summary Information

Company Location:	Gen Chem Lab		
Schedule Name:	11152019	Engine Version:	1.1.5.1
Instrument Name:	Fusion1	Firmware Version:	1.2.0696
Report Version:	1 of 1	Connection:	RS232 COM1
Report Creation by Operators (schedule version):	Fusion1 (Fusion1) (v4) Fusion1 (Fusion1) (v6) Fusion1 (Fusion1) (v7) Fusion1 (Fusion1) (v8) Fusion1 (Fusion1) (v10) Fusion1 (Fusion1) (v11) Fusion1 (Fusion1) (v13) Fusion1 (Fusion1) (v14) Fusion1 (Fusion1) (v15)		
Comment:			

Report Results

11/19/19

Sample Type: Clean — From Schedule Version 4

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/11/15 12:08

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	12.76	16.22	3.46	49.69	05:27
2	TC Clean	5.39	8.81	3.42	49.82	07:17
3	TC Clean	1.94	5.58	3.64	49.82	07:04
4	TC Clean	1.93	5.53	3.60	49.84	07:02

Sample Type: Clean — From Schedule Version 6

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/11/15 12:40

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	0.80	4.46	3.66	49.66	05:16

2	TC Clean	4.24	7.86	3.62	50.13	04:06
3	TC Clean	1.75	5.37	3.62	50.25	03:46
4	TC Clean	1.62	5.16	3.54	50.24	03:48

Sample Type: Clean From Schedule Version 6

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/11/15 13:02

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	0.95	4.19	3.25	49.74	05:11
2	TC Clean	4.91	8.40	3.49	50.60	04:00
3	TC Clean	2.28	5.87	3.59	50.40	03:47
4	TC Clean	1.86	5.44	3.58	50.34	03:44

Sample Type: Blank (Creating v1320) From Schedule Version 7

	Pos	Analysis Type	Sample ID	Start Time
◆	(blank)		Reagent/Acid Blank	2019/11/15 13:23

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	7.01	10.68	3.68	49.53	05:10
2	TC Clean	3.98	7.63	3.65	50.07	03:58
3	TC Clean	1.76	5.38	3.62	50.26	03:47
4	TC Clean	1.43	5.09	3.66	50.10	03:52
5	Reagent Blank	6.99	10.63	3.64	50.08	05:07
6	Acid Blank	1.76	5.53	3.77	49.64	05:30

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	D	TOC	RB	0.4469 ppm	0.0000 ppm	0.0000%	2019/11/15 13:57

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.4469	4.4691	12.02	15.81	3.79	50.10	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.5004 ppm (PASS)	0.0000 ppm	0%	2019/11/15 14:11

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.5004	245.0044	175.77	179.74	3.97	50.15	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/15 14:26

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	8.77	12.50	3.73	50.15	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 10

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	1	TOC	MB1	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/15 14:41

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.28	11.96	3.68	50.14	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 11

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	25.2718 ppm (PASS)	0.0000 ppm	0%	2019/11/15 14:56

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	25.2718	252.7180	181.01	184.83	3.83	50.15	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 11

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	2	TOC	ICS	0.2494 ppm	0.0000 ppm	0.0000%	2019/11/15 15:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2494	2.4936	10.68	14.48	3.81	50.15	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	3	TOC	K1910095-017.08 50x	4.9489 ppm	0.0367 ppm	0.7400%	2019/11/15 15:25

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.9229	49.2294	42.40	46.05	3.65	50.14	10:27
2	TOC	4.9748	49.7480	42.75	46.46	3.71	50.16	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	4	TOC	K1910095-018.08 50x	6.0030 ppm	0.0514 ppm	0.8600%	2019/11/15 15:53

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.9667	59.6670	49.48	53.06	3.57	50.17	10:29
2	TOC	6.0393	60.3933	49.98	53.65	3.67	50.17	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	5	TOC	K1910157-001.02 25x	4.0567 ppm	0.0000 ppm	0.0000%	2019/11/15 16:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.0567	40.5670	36.52	40.26	3.74	50.21	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	6	TOC	K1910160-001.02	1.6341 ppm	0.0855 ppm	5.2300%	2019/11/15 16:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6946	16.9457	20.48	23.99	3.50	50.21	10:28
2	TOC	1.5736	15.7362	19.66	23.40	3.74	50.22	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	7	TOC	K1910160-002.02	1.3500 ppm	0.0433 ppm	3.2100%	2019/11/15 17:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.3806	13.8063	18.35	22.02	3.67	50.22	10:27
2	TOC	1.3193	13.1934	17.94	21.58	3.64	50.22	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	8	TOC	K1910160-003.01	1.2163 ppm	0.0172 ppm	1.4100%	2019/11/15 17:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.2284	12.2845	17.32	20.91	3.59	50.23	10:31
2	TOC	1.2041	12.0414	17.16	20.75	3.59	50.25	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	9	TOC	K1910160-003.01 ms	21.5289 ppm	0.0000 ppm	0.0000%	2019/11/15 18:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	21.5289	215.2886	155.12	158.72	3.60	50.22	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 11

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.7429 ppm (PASS)	0.0000 ppm	0%	2019/11/15 18:14

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.7429	247.4293	177.42	181.03	3.61	50.24	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 11

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/15 18:29

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.97	11.50	3.53	50.27	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 11

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	10	TOC	K1910169-001.08	1.7747 ppm	0.0073 ppm	0.4100%	2019/11/15 18:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.7696	17.6955	20.99	24.65	3.66	50.27	10:25
2	TOC	1.7799	17.7987	21.06	24.79	3.73	50.24	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	11	TOC	K1910169-002.08	3.5395 ppm	0.0386 ppm	1.0900%	2019/11/15 19:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.5122	35.1220	32.82	36.70	3.88	50.26	10:26
2	TOC	3.5669	35.6686	33.19	36.76	3.56	50.26	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	12	TOC	K1910169-003.08	3.5263 ppm	0.0377 ppm	1.0700%	2019/11/15 19:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.5530	35.5301	33.10	36.72	3.62	50.26	10:27
2	TOC	3.4997	34.9968	32.74	36.33	3.59	50.26	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	13	TOC	K1910187-001.03	2.3984 ppm	0.0130 ppm	0.5400%	2019/11/15 20:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.4076	24.0760	25.32	29.11	3.78	50.30	10:30
2	TOC	2.3892	23.8918	25.20	28.77	3.57	50.28	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	14	TOC	K1910187-002.03	0.5055 ppm	0.0070 ppm	1.3800%	2019/11/15 20:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5104	5.1041	12.45	16.08	3.63	50.26	10:28
2	TOC	0.5005	5.0054	12.38	16.05	3.67	50.27	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	15	TOC	K1910187-003.03	0.5422 ppm	0.0431 ppm	7.9500%	2019/11/15 21:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5117	5.1173	12.46	16.08	3.62	50.26	10:31
2	TOC	0.5727	5.7273	12.87	16.45	3.58	50.26	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	16	TOC	K1910332-001.01	0.3940 ppm	0.0384 ppm	9.7600%	2019/11/15 21:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3668	3.6677	11.47	15.05	3.58	50.27	10:27
2	TOC	0.4211	4.2113	11.84	15.41	3.57	50.27	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	17	TOC	K1910415-001.01	0.0098 ppm	0.0106 ppm	108.2500%	2019/11/15 22:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0023	0.0230	9.00	12.60	3.60	50.25	10:27
2	TOC	0.0173	0.1733	9.10	12.69	3.59	50.29	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	18	TOC	K1910545-001.01	1.8523 ppm	0.0385 ppm	2.0800%	2019/11/15 22:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.8251	18.2509	21.37	25.07	3.69	50.27	10:32
2	TOC	1.8796	18.7960	21.74	25.24	3.50	50.25	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	19	TOC	K1910278-001.08	3.2661 ppm	0.0957 ppm	2.9300%	2019/11/15 22:57

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3338	33.3380	31.61	35.17	3.56	50.28	10:26
2	TOC	3.1984	31.9841	30.69	34.18	3.49	50.25	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 11

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.2686 ppm (PASS)	0.0000 ppm	0%	2019/11/15 23:25

Pos	Base Analysis	ID	Rep	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run

	Type		#							Time
B	TOC	25 ppm	1	24.2686	242.6855	174.20	177.87	3.67	50.24	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 11

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/15 23:39

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	6.87	10.59	3.72	50.23	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 11

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	20	TOC	MB2	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/15 23:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.26	9.99	3.73	50.23	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 11

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	24.7580 ppm (PASS)	0.0000 ppm	0%	2019/11/16 00:09

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.7580	247.5795	177.52	181.15	3.63	50.25	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 11

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	21	TOC	K1910278-002.08	0.2897 ppm	0.0752 ppm	25.9600%	2019/11/16 00:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3429	3.4291	11.31	14.96	3.65	50.23	10:29
2	TOC	0.2365	2.3654	10.59	14.37	3.78	50.25	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	22	TOC	K1910473-001.13	6.2195 ppm	0.0283 ppm	0.4600%	2019/11/16 00:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.1995	61.9947	51.06	54.70	3.64	50.20	10:28
2	TOC	6.2395	62.3954	51.34	55.03	3.69	50.22	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	23	TOC	K1910473-002.12	6.3251 ppm	0.0117 ppm	0.1800%	2019/11/16 01:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.3169	63.1688	51.86	55.39	3.52	50.22	10:27
2	TOC	6.3334	63.3338	51.97	55.71	3.74	50.27	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	24	TOC	K1910473-003.12	0.3568 ppm	0.0176 ppm	4.9300%	2019/11/16 01:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3444	3.4438	11.32	15.12	3.80	50.20	10:28
2	TOC	0.3693	3.6928	11.49	15.22	3.74	50.22	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	25	TOC	K1910473-004.12	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/16 02:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	0.0000	0.0000	7.93	11.60	3.67	50.20	10:28
2	TOC	0.0000	0.0000	7.22	10.80	3.58	50.21	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	26	TOC	K1910473-005.12	0.6764 ppm	0.0841 ppm	12.4300%	2019/11/16 02:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7358	7.3581	13.98	17.62	3.64	50.18	10:30
2	TOC	0.6169	6.1692	13.17	16.93	3.76	50.18	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	27	TOC	K1910473-006.12	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/16 03:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.73	10.39	3.66	50.20	10:31
2	TOC	0.0000	0.0000	6.66	10.44	3.78	50.19	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	28	TOC	K1910483-001.01	3.3577 ppm	0.0669 ppm	1.9900%	2019/11/16 03:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.4050	34.0495	32.10	35.66	3.56	50.21	10:31
2	TOC	3.3104	33.1037	31.45	35.28	3.83	50.22	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 11

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.6323 ppm (PASS)	0.0000 ppm	0%	2019/11/16 04:08

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.6323	246.3229	176.66	180.34	3.68	50.21	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 11

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/16 04:23

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	6.45	10.17	3.71	50.24	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 11

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	29	TOC	K1910483-003.01	2.3901 ppm	0.0355 ppm	1.4900%	2019/11/16 04:38

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.4153	24.1526	25.38	28.86	3.48	50.20	10:28
2	TOC	2.3650	23.6502	25.04	28.74	3.70	50.23	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	30	TOC	K1910576-001.01	20.0038 ppm	0.0575 ppm	0.2900%	2019/11/16 05:06

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	20.0445	200.4446	145.04	148.74	3.70	50.22	10:30
2	TOC	19.9631	199.6314	144.49	148.32	3.83	50.23	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	31	TOC	K1910331-001.01 100x	8.6865 ppm	0.0435 ppm	0.5000%	2019/11/16 05:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	8.6557	86.5574	67.74	71.55	3.81	50.23	10:27

2	TOC	8.7173	87.1732	68.16	71.92	3.77	50.20	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	32	TOC	K1910331-002.01 100x	9.2041 ppm	0.0188 ppm	0.2000%	2019/11/16 06:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	9.2173	92.1732	71.55	75.19	3.64	50.19	10:28
2	TOC	9.1908	91.9080	71.37	75.00	3.63	50.18	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	33	TOC	K1910331-003.01 100x	6.9189 ppm	0.1166 ppm	1.6800%	2019/11/16 06:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.0013	70.0133	56.51	60.25	3.74	50.23	10:26
2	TOC	6.8365	68.3648	55.39	59.06	3.67	50.22	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	34	TOC	K1910561-001.15 10x	12.1977 ppm	0.0334 ppm	0.2700%	2019/11/16 06:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	12.2213	122.2132	91.94	95.61	3.67	50.22	10:30
2	TOC	12.1740	121.7403	91.62	95.40	3.78	50.21	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Sample From Schedule Version 13

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	35	TOC	K1910561-002.15	1.3849 ppm	0.1446 ppm	10.4400%	2019/11/16 07:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4871	14.8714	19.08	22.85	3.78	50.22	10:26
2	TOC	1.2827	12.8266	17.69	21.42	3.73	50.23	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC)	CAS_salt_010711	CAS_salt_010711

(v1320) (v4) (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	36	TOC	K1910561-003.14 2x	4.2701 ppm	0.1282 ppm	3.0000%	2019/11/16 07:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.3608	43.6077	38.58	42.30	3.72	50.20	10:28
2	TOC	4.1794	41.7942	37.35	40.99	3.63	50.21	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	37	TOC	K1910572-001.16	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/16 08:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.22	10.80	3.57	50.25	10:28
2	TOC	0.0000	0.0000	6.60	10.17	3.57	50.28	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	38	TOC	K1910572-001.16 ms	25.0218 ppm	0.0000 ppm	0.0000%	2019/11/16 08:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	25.0218	250.2182	178.83	182.43	3.60	50.26	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 13

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.2149 ppm (PASS)	0.0000 ppm	0%	2019/11/16 09:05

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.2149	242.1493	173.83	177.36	3.53	50.24	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 13

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/16 09:19

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	6.62	10.33	3.71	50.28	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 13

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	39	TOC	MB3	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/16 09:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.12	9.77	3.65	50.22	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 13

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	24.4262 ppm (PASS)	0.0000 ppm	0%	2019/11/16 09:49

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.4262	244.2619	175.27	178.87	3.61	50.21	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 14

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	40	TOC	K1910572-002.16	0.0031 ppm	0.0044 ppm	141.4200%	2019/11/16 10:05

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	0.0063	0.0628	9.02	12.56	3.53	50.19	10:26
2	TOC	0.0000	0.0000	8.21	11.78	3.57	50.21	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Sample

From Schedule Version 15

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	41	TOC	K1910572-003.15	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/16 10:33

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.12	10.60	3.48	50.21	10:27
2	TOC	0.0000	0.0000	7.16	10.64	3.49	50.21	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	42	TOC	K1910572-004.15	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/16 11:01

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.62	10.19	3.57	50.23	10:28
2	TOC	0.0000	0.0000	6.68	10.42	3.74	50.24	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	43	TOC	K1910572-005.15	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/16 11:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.56	10.22	3.66	50.27	10:29
2	TOC	0.0000	0.0000	6.90	10.35	3.45	50.27	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	44	TOC	K1910572-006.16	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/16 11:57

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.22	11.93	3.70	50.25	10:30
2	TOC	0.0000	0.0000	8.40	12.04	3.64	50.25	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	45	TOC	K1910572-008.15	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/16 12:25

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.44	11.97	3.53	50.25	10:27
2	TOC	0.0000	0.0000	8.27	11.78	3.51	50.25	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	46	TOC	K1910147-001.05	2.6001 ppm	0.0141 ppm	0.5400%	2019/11/16 12:53

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.6100	26.1001	26.70	30.36	3.66	50.25	10:31
2	TOC	2.5901	25.9013	26.56	30.27	3.71	50.25	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	47	TOC	K1910147-002.05	2.6326 ppm	0.0141 ppm	0.5300%	2019/11/16 13:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.6426	26.4257	26.92	30.45	3.53	50.24	10:30
2	TOC	2.6227	26.2268	26.78	30.30	3.52	50.28	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 15

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.7056 ppm (PASS)	0.0000 ppm	0%	2019/11/16 13:50

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.7056	237.0564	170.38	173.90	3.53	50.25	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria	Do Nothing	CAS_salt_010711	CAS_salt_010711	50 ppmC

met.	(v4)	(v30)

Sample Type: Check Standard --> CCB From Schedule Version 15

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/16 14:04

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	6.11	9.76	3.65	50.27	10:35

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 15

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	48	TOC	K1910147-006.04	3.0222 ppm	0.0485 ppm	1.6100%	2019/11/16 14:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.0565	30.5654	29.73	33.30	3.57	50.30	10:30
2	TOC	2.9879	29.8789	29.26	32.89	3.63	50.27	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	49	TOC	K1910147-007.04	4.4869 ppm	0.1435 ppm	3.2000%	2019/11/16 14:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.5884	45.8838	40.13	43.86	3.74	50.25	10:26
2	TOC	4.3854	43.8537	38.75	42.61	3.86	50.27	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	50	TOC	K1910199-001.04	1.8117 ppm	0.0221 ppm	1.2200%	2019/11/16 15:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.7961	17.9607	21.17	24.95	3.77	50.27	10:26
2	TOC	1.8273	18.2730	21.39	25.08	3.70	50.32	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	51	TOC	K1910199-002.04	1.5258 ppm	0.0105 ppm	0.6900%	2019/11/16 15:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5184	15.1837	19.29	22.78	3.49	50.25	10:29
2	TOC	1.5333	15.3325	19.39	22.89	3.50	50.24	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	52	TOC	K1910199-003.04	1.2318 ppm	0.0092 ppm	0.7400%	2019/11/16 16:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.2254	12.2535	17.30	20.69	3.39	50.26	10:27
2	TOC	1.2383	12.3832	17.39	20.92	3.53	50.29	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	53	TOC	K1910199-004.04	1.3880 ppm	0.0127 ppm	0.9200%	2019/11/16 16:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.3970	13.9698	18.46	22.10	3.63	50.25	10:25
2	TOC	1.3790	13.7901	18.34	21.88	3.54	50.24	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	54	TOC	K1910199-007.04	1.8976 ppm	0.0515 ppm	2.7100%	2019/11/16 17:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9340	19.3396	22.11	25.67	3.56	50.25	10:30
2	TOC	1.8612	18.6119	21.62	25.11	3.50	50.22	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	55	TOC	K1910199-008.04	1.8928 ppm	0.0022 ppm	0.1200%	2019/11/16 17:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.8943	18.9433	21.84	25.41	3.57	50.24	10:28
2	TOC	1.8912	18.9124	21.82	25.38	3.56	50.23	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	56	TOC	K1910199-010.04	1.5466 ppm	0.0566 ppm	3.6600%	2019/11/16 18:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5066	15.0659	19.21	22.81	3.60	50.25	10:29
2	TOC	1.5866	15.8658	19.75	23.11	3.36	50.25	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	57	TOC	K1910254-001.04	2.0643 ppm	0.0000 ppm	0.0000%	2019/11/16 18:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.0643	20.6434	22.99	26.69	3.70	50.28	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 15

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.9330 ppm (PASS)	0.0000 ppm	0%	2019/11/16 18:47

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.9330	239.3296	171.92	175.42	3.50	50.25	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 15

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm	0.0000 ppm	0%	2019/11/16 19:02

							(PASS)				

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.78	9.45	3.66	50.24	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 15

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/16 19:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.29	8.80	3.51	50.26	10:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 15

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	24.5930 ppm (PASS)	0.0000 ppm	0%	2019/11/16 19:31

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.5930	245.9295	176.40	179.86	3.46	50.26	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 15

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	59	TOC	K1910254-002.04	1.6585 ppm	0.0964 ppm	5.8100%	2019/11/16 19:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.7267	17.2668	20.70	24.27	3.57	50.28	10:30
2	TOC	1.5904	15.9041	19.78	23.42	3.64	50.25	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC)	CAS_salt_010711	CAS_salt_010711

(v1320) (v4) (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	60	TOC	K1910254-003.04	1.0469 ppm	0.0839 ppm	8.0100%	2019/11/16 20:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9876	9.8758	15.69	19.40	3.72	50.25	10:29
2	TOC	1.1062	11.0617	16.49	20.11	3.61	50.24	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	61	TOC	K1910254-004.04	2.3140 ppm	0.0238 ppm	1.0300%	2019/11/16 20:42

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.3308	23.3084	24.80	28.50	3.69	50.24	10:30
2	TOC	2.2973	22.9725	24.58	27.88	3.30	50.26	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	62	TOC	K1910254-004.04 ms	27.7911 ppm	0.0000 ppm	0.0000%	2019/11/16 21:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	27.7911	277.9114	197.63	201.14	3.51	50.25	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	63	TOC	rb	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/16 21:25

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.64	9.30	3.66	50.26	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	64	TOC	K1910254-005.04	1.1292 ppm	0.0235 ppm	2.0800%	2019/11/16 21:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.1458	11.4580	16.76	20.42	3.66	50.25	10:26
2	TOC	1.1125	11.1251	16.53	20.33	3.79	50.24	10:27

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	65	TOC	K1910254-006.04	28.1311 ppm	0.0561 ppm	0.2000%	2019/11/16 22:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	28.0914	280.9138	199.67	203.23	3.56	50.25	10:25
2	TOC	28.1708	281.7079	200.20	204.08	3.88	50.24	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	66	TOC	K1910254-007.04	1.9818 ppm	0.2031 ppm	10.2500%	2019/11/16 22:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.1255	21.2548	23.41	27.00	3.59	50.28	10:27
2	TOC	1.8382	18.3820	21.46	24.95	3.49	50.25	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 15

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.8729 ppm (PASS)	0.0000 ppm	0%	2019/11/16 23:04

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8729	238.7285	171.51	175.00	3.49	50.24	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 15

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/16 23:18

Pos	Base Analysis	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time

	Type									
D	TOC	0 ppm	1	0.0000	0.0000	6.38	9.91	3.53	50.26	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 15

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	67	TOC	K1910254-008.04	1.4375 ppm	0.0190 ppm	1.3200%	2019/11/16 23:33

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4509	14.5090	18.83	22.51	3.68	50.25	10:28
2	TOC	1.4241	14.2409	18.65	22.21	3.56	50.31	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	68	TOC	K1910299-001.03	7.1545 ppm	0.2045 ppm	2.8600%	2019/11/17 00:01

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.2991	72.9907	58.53	62.07	3.54	50.24	10:30
2	TOC	7.0099	70.0988	56.57	60.19	3.63	50.26	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	69	TOC	K1910765-001.01	8.9810 ppm	0.1088 ppm	1.2100%	2019/11/17 00:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	9.0579	90.5792	70.47	73.94	3.47	50.27	10:31
2	TOC	8.9041	89.0412	69.42	73.00	3.58	50.23	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	70	TOC	K1910765-002.01	13.5412 ppm	0.1337 ppm	0.9900%	2019/11/17 00:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	13.6357	136.3574	101.54	105.14	3.60	50.23	10:28
2	TOC	13.4467	134.4673	100.26	104.04	3.78	50.25	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	71	TOC	K1910765-003.01	22.6620 ppm	0.0885 ppm	0.3900%	2019/11/17 01:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	22.5994	225.9944	162.39	166.08	3.69	50.23	10:26
2	TOC	22.7247	227.2466	163.24	166.80	3.56	50.12	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	72	TOC	K1910765-004.01	10.0901 ppm	0.3055 ppm	3.0300%	2019/11/17 01:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	10.3062	103.0616	78.94	82.74	3.80	50.11	10:30
2	TOC	9.8741	98.7407	76.01	79.77	3.76	50.16	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	73	TOC	K1910760-001.01	1.1733 ppm	0.0796 ppm	6.7800%	2019/11/17 02:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.2296	12.2963	17.33	20.90	3.57	50.08	10:28
2	TOC	1.1171	11.1707	16.57	20.17	3.61	50.20	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	74	TOC	K1910760-001.01 ms	25.8462 ppm	0.0000 ppm	0.0000%	2019/11/17 02:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	25.8462	258.4622	184.42	187.91	3.49	50.11	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	75	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/17 03:05

Rep	Base			Adjusted		Baseline	Pressure	Run

#	Analysis Type	ppm	µg	(Abs)	NDIR (Abs)	(Abs)	(psig)	Time
1	TOC	0.0000	0.0000	6.30	9.69	3.39	50.09	10:28
2	TOC	0.0000	0.0000	5.64	9.26	3.62	50.11	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.9824 (IC) (v1320)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 15

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	23.6725 ppm (PASS)	0.0000 ppm	0%	2019/11/17 03:33

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.6725	236.7250	170.15	173.77	3.62	50.15	10:35

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 15

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/17 03:48

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.73	9.31	3.58	50.18	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v1319	0.9217	1.0210	0.0000	0.0000	0.0000	2019/11/13 13:58	Fusion1 (Fusion1)
v1320	2.3307	1.7570	0.0000	0.0000	0.0000	2019/11/15 13:57	Fusion1 (Fusion1)

Calibrations

Name: CAS_salt_010711 (TOC)

Version:	v30	Calibration curve formula:	TOC: y = 6.788x + 9.463
Ver Creation:	2019/03/05 17:42	r^2 value:	TOC: r^2 = 0.99963
Comment:			
Operator:	Fusion1 (Fusion1)		
Basic Analysis Type	TOC		

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
DI Water	7.8970	0.0000		2019/03/05 16:15
0.500 ppm	11.5280	0.5000		2019/03/05 16:29
1.0 ppm	14.9760	1.0000		2019/03/05 16:44
5.0 ppm	43.6500	5.0000		2019/03/05 16:58
10 ppm	79.6020	10.0000		2019/03/05 17:12
25 ppm	183.3580	25.0000		2019/03/05 17:26
50 ppm	346.3230	50.0000		2019/03/05 17:40

Methods

Name: CAS_salt_010711 (TOC)

Version:	v4	Operator:	Fusion1 (Fusion1)
Ver Creation:	2019/02/21 17:57		
Comment:			

Parameter	Value
SampleVolume	10.0 mL
Dilution	1:10
AcidVolume	0.5 ml
ReagentVolume	2.0 ml
UVReactorPrerinse	Off
UVReactorPrerinseVolume	5.0
NumberOfUVReactorPrerinses	1
ICSpargeTime	1.00 mins
DetectorSweepFlow	500 ml/min
PreSpargeTime	2.00 mins
SystemFlow	500 ml/min

Advanced Parameter	Value
NeedleRinseVolume	5.0 ml
VialPrimeVolume	2.0 ml
ICSamplePrimeVolume	2.0 ml
ICSpargeRinseVolume	12.0 ml
BaselineStabilizeTime	0.70 min
DetectorPressureFlow	150 ml/min
SyringeSpeedWaste	10
SyringeSpeedAcid	7
SyringeSpeedReagent	7
SyringeSpeedDIWater	7
NDIRPressurization	60 psig
SyringeSpeedSampleDispense	5
SyringeSpeedSampleAspirate	4
SyringeSpeedUVDispense	5
SyringeSpeedUVAspirate	5
SyringeSpeedICDispense	5
SyringeSpeedICAspirate	5
NDIRPressureStabilize	1.75 min

SampleMixing	Off
SampleMixingCycles	1
SampleMixingVolume	10.0
LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Fusion1 (Fusion1)	Schedule completed	Schedule completed	2019/11/17 04:03

ALS Environmental

StarLIMS Run: 660112, 660113, 660114, 660115

Analysis: DOC/TOC

Method: SM 5310 C, 9060A, 415.1, 9060

CCV: 11-GEN-05-82C 50 ppm LCS: 11-GEN-05-79J 25.0 ppm

ICAL Date: 3/6/19

ICAL ID: 11-GEN-05-76H

ICS ID: 11-GEN-05-78M

ICS TV: 25.0 ppm ICS % R < 1

Spike ID: 11-GEN-05-82C 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 ppm x dilution factor

Sodium Persulfate: 11-GEN-05-83A

21 % H3PO4: 11-GEN-05-82G

Equipment ID: K-TOC-03

PIPETTE ID: 124276B, 129001F, N11314F, Marge

FILTER ID: 16967789

Analyzed By: BLP	Date Analyzed: 11/15/19
Reviewed By:	Date Reviewed: 11/19/19

Work Request # Original ( ) K9/0407, 425, 566, 461, 254, 378, 381, 401, 407, 415, 566, 617, 157, 432, 464, 759, 765, 837, 838

Tier: II II II II IV II II II II II II I II I II IV IV II II

Date Analyzed: 11/9/19

Analyst: BCD

Analysis: TOC/DOC

Run # DOC: 660502, 660507, TOC: 660505, 660506

DATA QUALITY REPORT
INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1.	Is the method name and number correct and appropriate?	(yes)/no/NA
2.	Holding times met for all analyses and for all samples?	(yes)/no/NA
3.	Are calculations correct?	(yes)/no/NA
4.	Is the reporting basis correct? (Dry Weight)	(yes)/no/NA
5.	All quality control criteria met?	(yes)/no
6.	Is the calibration curve correlation coefficient ≥ 0.995?	(yes)/no/NA
7.	MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency?	(yes)/no/NA
8.	Are ICVs, CCVs, and CCBs all within acceptance limits?	(yes)/no/NA
9.	Are results for methods blanks all ND?	(yes)/no/NA
10.	Are all QC samples within acceptance criteria? (LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.)	yes/(no)/NA
11.	Are all exceptions explained?	(yes)/no/NA
12.	Have all applicable service requests been reviewed?	(yes)/no/NA
13.	Are all samples labeled correctly?	(yes)/no/NA
14.	Have all instructions on the service request been followed? (e.g. Special MRLs, QC on a specific sample, Form V)	(yes)/no/NA
15.	Are detection limits and units reported correctly?	(yes)/no/NA
16.	Is the unused space on the benchsheet crossed out?	(yes)/no/NA
17.	Was analysis turned in by the due date? (n-2) (If not record SR#)	yes/(no)/NA

COMMENTS: K9/0407-9/9d, 407-11/11d, 407-15/15d, 407-2/2d, 407-3/3d, 381-1/1d and 407-13/13d report a high %RSD. However, these samples are less than 5x the MRL.

Final Approved by: [signature] Date: 11/21/19

DQREPORT

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660502 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910407-001	Carbon, Dissolved Organic (DOC)	N/A		Water	1.04 mg/L	10 mL	1.04 mg/L	1	0.07	0.50			11/19/19 16:45:00	N	II
K1910407-002	Carbon, Dissolved Organic (DOC)	N/A		Water	0.34 mg/L	10 mL	0.34 mg/L J	1	0.07	0.50			11/19/19 17:17:00	N	II
K1910407-003	Carbon, Dissolved Organic (DOC)	N/A		Water	0.17 mg/L	10 mL	0.17 mg/L J	1	0.07	0.50			11/19/19 17:49:00	N	II
K1910407-004	Carbon, Dissolved Organic (DOC)	N/A		Water	0.05 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/19/19 18:21:00	N	II
K1910407-005	Carbon, Dissolved Organic (DOC)	N/A		Water	0.47 mg/L	10 mL	0.47 mg/L J	1	0.07	0.50			11/19/19 19:27:00	N	II
K1910407-006	Carbon, Dissolved Organic (DOC)	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/19/19 19:59:00	N	II
K1910407-007	Carbon, Dissolved Organic (DOC)	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/19/19 20:31:00	N	II
K1910407-008	Carbon, Dissolved Organic (DOC)	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/19/19 21:03:00	N	II
K1910407-009	Carbon, Dissolved Organic (DOC)	N/A		Water	0.25 mg/L	10 mL	0.25 mg/L J	1	0.07	0.50			11/19/19 21:35:00	N	II
K1910407-010	Carbon, Dissolved Organic (DOC)	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/19/19 22:07:00	N	II
K1910407-011	Carbon, Dissolved Organic (DOC)	N/A		Water	0.43 mg/L	10 mL	0.43 mg/L J	1	0.07	0.50			11/19/19 22:39:00	N	II
K1910407-012	Carbon, Dissolved Organic (DOC)	N/A		Water	1.03 mg/L	10 mL	1.03 mg/L	1	0.07	0.50			11/19/19 23:11:00	N	II
K1910407-013	Carbon, Dissolved Organic (DOC)	N/A		Water	0.27 mg/L	10 mL	0.27 mg/L J	1	0.07	0.50			11/19/19 23:44:00	N	II
K1910407-014	Carbon, Dissolved Organic (DOC)	N/A		Water	0.02 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 00:16:00	N	II
K1910407-015	Carbon, Dissolved Organic (DOC)	N/A		Water	0.25 mg/L	10 mL	0.25 mg/L J	1	0.07	0.50			11/20/19 01:54:00	N	II
K1910425-009	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	0.95 mg/L	10 mL	0.95 mg/L	1	0.07	0.50			11/20/19 02:26:00	N	II
K1910425-010	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	0.52 mg/L	10 mL	0.52 mg/L	1	0.07	0.50			11/20/19 02:58:00	N	II
K1910425-011	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	0.96 mg/L	10 mL	0.96 mg/L	1	0.07	0.50			11/20/19 03:30:00	N	II
K1910425-012	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	0.76 mg/L	10 mL	0.76 mg/L	1	0.07	0.50			11/20/19 04:03:00	N	II
K1910566-002	Carbon, Dissolved Organic	N/A		Water	3.32 mg/L	10 mL	3.32 mg/L	1	0.07	0.50			11/19/19 15:40:00	N	II
KQ1917160-01	Carbon, Dissolved Organic	CCV		Water	23.87 mg/L	10 mL	23.9 mg/L	1					11/19/19 14:16:00	N	II
KQ1917160-01	Carbon, Dissolved Organic (DOC)	CCV		Water	23.87 mg/L	10 mL	23.9 mg/L	1					11/19/19 14:16:00	N	II
KQ1917160-02	Carbon, Dissolved Organic	CCV		Water	23.81 mg/L	10 mL	23.8 mg/L	1					11/19/19 18:54:00	N	II
KQ1917160-02	Carbon, Dissolved Organic (DOC)	CCV		Water	23.81 mg/L	10 mL	23.8 mg/L	1					11/19/19 18:54:00	N	II
KQ1917160-03	Carbon, Dissolved Organic	CCV		Water	23.75 mg/L	10 mL	23.8 mg/L	1					11/20/19 00:48:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/21/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660502 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917160-03	Carbon, Dissolved Organic (DOC)	CCV		Water	23.75 mg/L	10 mL	23.8 mg/L	1					11/20/19 00:48:00	N	II
KQ1917160-04	Carbon, Dissolved Organic	CCV		Water	23.93 mg/L	10 mL	23.9 mg/L	1					11/20/19 05:55:00	N	II
KQ1917160-04	Carbon, Dissolved Organic (DOC)	CCV		Water	23.93 mg/L	10 mL	23.9 mg/L	1					11/20/19 05:55:00	N	II
KQ1917160-05	Carbon, Dissolved Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/19/19 14:33:00	N	II
KQ1917160-05	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/19/19 14:33:00	N	II
KQ1917160-06	Carbon, Dissolved Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/19/19 19:10:00	N	II
KQ1917160-06	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/19/19 19:10:00	N	II
KQ1917160-07	Carbon, Dissolved Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 01:04:00	N	II
KQ1917160-07	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 01:04:00	N	II
KQ1917160-08	Carbon, Dissolved Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 06:12:00	N	II
KQ1917160-08	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 06:12:00	N	II
KQ1917160-09	Carbon, Dissolved Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/19/19 14:50:00	N	II
KQ1917160-09	Carbon, Dissolved Organic (DOC)	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/19/19 14:50:00	N	II
KQ1917160-10	Carbon, Dissolved Organic	LCS		Water	24.74 mg/L	10 mL	24.7 mg/L	1	0.07	0.50	99		11/19/19 15:06:00	N	II
KQ1917160-10	Carbon, Dissolved Organic (DOC)	LCS		Water	24.74 mg/L	10 mL	24.7 mg/L	1	0.07	0.50	99		11/19/19 15:06:00	N	II
KQ1917160-11	Carbon, Dissolved Organic	MS	K1910566-002	Water	28.89 mg/L	10 mL	28.9 mg/L	1	0.07	0.50	102		11/19/19 16:12:00	N	II
KQ1917160-12	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	3.32 mg/L	10 mL	3.32 mg/L	1	0.07	0.50			11/19/19 15:40:00	N	II
KQ1917160-13	Carbon, Dissolved Organic (DOC)	MS	KQ1917160-12	Surface Water	28.89 mg/L	10 mL	28.9 mg/L	1	0.07	0.50	102		11/19/19 16:12:00	N	II
KQ1917160-14	Carbon, Dissolved Organic	DUP	K1910566-002	Water	3.44 mg/L	10 mL	3.44 mg/L	1	0.07	0.50		4	11/19/19 15:40:00	N	II
KQ1917160-15	Carbon, Dissolved Organic (DOC)	DUP	K1910407-007	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/19/19 20:31:00	N	II
KQ1917160-16	Carbon, Dissolved Organic (DOC)	DUP	K1910407-008	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/19/19 21:03:00	N	II
KQ1917160-17	Carbon, Dissolved Organic (DOC)	DUP	K1910407-009	Water	0.20 mg/L	10 mL	0.20 mg/L J	1	0.07	0.50		19*	11/19/19 21:35:00	N	II
KQ1917160-18	Carbon, Dissolved Organic (DOC)	DUP	K1910407-010	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/19/19 22:07:00	N	II
KQ1917160-19	Carbon, Dissolved Organic (DOC)	DUP	K1910407-011	Water	0.52 mg/L	10 mL	0.52 mg/L	1	0.07	0.50		19*	11/19/19 22:39:00	N	II
KQ1917160-20	Carbon, Dissolved Organic (DOC)	DUP	K1910407-012	Water	1.01 mg/L	10 mL	1.01 mg/L	1	0.07	0.50		2	11/19/19 23:11:00	N	II
KQ1917160-21	Carbon, Dissolved Organic (DOC)	DUP	K1910407-013	Water	0.26 mg/L	10 mL	0.26 mg/L J	1	0.07	0.50		6	11/19/19 23:44:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660502 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917160-22	Carbon, Dissolved Organic (DOC)	DUP	K1910407-014	Water	0.03 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/20/19 00:16:00	N	II
KQ1917160-23	Carbon, Dissolved Organic (DOC)	DUP	K1910407-015	Water	0.12 mg/L	10 mL	0.12 mg/L J	1	0.07	0.50		67*	11/20/19 01:54:00	N	II
KQ1917160-24	Carbon, Dissolved Organic (DOC)	DUP	K1910425-009	Surface Water	0.95 mg/L	10 mL	0.95 mg/L	1	0.07	0.50		<1	11/20/19 02:26:00	N	II
KQ1917160-25	Carbon, Dissolved Organic (DOC)	DUP	K1910425-010	Surface Water	0.54 mg/L	10 mL	0.54 mg/L	1	0.07	0.50		3	11/20/19 02:58:00	N	II
KQ1917160-26	Carbon, Dissolved Organic (DOC)	DUP	K1910407-001	Water	1.08 mg/L	10 mL	1.08 mg/L	1	0.07	0.50		4	11/19/19 16:45:00	N	II
KQ1917160-27	Carbon, Dissolved Organic (DOC)	DUP	K1910425-011	Surface Water	1.01 mg/L	10 mL	1.01 mg/L	1	0.07	0.50		5	11/20/19 03:30:00	N	II
KQ1917160-28	Carbon, Dissolved Organic (DOC)	DUP	K1910425-012	Surface Water	0.74 mg/L	10 mL	0.74 mg/L	1	0.07	0.50		2	11/20/19 04:03:00	N	II
KQ1917160-29	Carbon, Dissolved Organic (DOC)	DUP	K1910407-002	Water	0.38 mg/L	10 mL	0.38 mg/L J	1	0.07	0.50		11*	11/19/19 17:17:00	N	II
KQ1917160-30	Carbon, Dissolved Organic (DOC)	DUP	K1910407-003	Water	0.12 mg/L	10 mL	0.12 mg/L J	1	0.07	0.50		39*	11/19/19 17:49:00	N	II
KQ1917160-31	Carbon, Dissolved Organic (DOC)	DUP	K1910407-004	Water	0.05 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/19/19 18:21:00	N	II
KQ1917160-32	Carbon, Dissolved Organic (DOC)	DUP	K1910407-005	Water	0.47 mg/L	10 mL	0.47 mg/L J	1	0.07	0.50		<1	11/19/19 19:27:00	N	II
KQ1917160-33	Carbon, Dissolved Organic (DOC)	DUP	K1910407-006	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/19/19 19:59:00	N	II
KQ1917160-34	Carbon, Dissolved Organic (DOC)	DUP	KQ1917160-12	Surface Water	3.44 mg/L	10 mL	3.44 mg/L	1	0.07	0.50		4	11/19/19 15:40:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660507 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910461-001	Carbon, Dissolved Organic (DOC)	N/A		Effluent	0.87 mg/L	10 mL	0.87 mg/L	1	0.07	0.50			11/20/19 05:07:00	N	II
K1910461-002	Carbon, Dissolved Organic (DOC)	N/A		Water	0.99 mg/L	10 mL	0.99 mg/L	1	0.07	0.50			11/20/19 04:35:00	N	II
KQ1917161-01	Carbon, Dissolved Organic (DOC)	CCV		Water	23.75 mg/L	10 mL	23.8 mg/L	1					11/20/19 00:48:00	N	II
KQ1917161-02	Carbon, Dissolved Organic (DOC)	CCV		Water	23.93 mg/L	10 mL	23.9 mg/L	1					11/20/19 05:55:00	N	II
KQ1917161-03	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 01:04:00	N	II
KQ1917161-04	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 06:12:00	N	II
KQ1917161-05	Carbon, Dissolved Organic (DOC)	MS	K1910461-001	Effluent	26.37 mg/L	10 mL	26.4 mg/L	1	0.07	0.50	102		11/20/19 05:39:00	N	II
KQ1917161-06	Carbon, Dissolved Organic (DOC)	DUP	K1910461-002	Water	1.02 mg/L	10 mL	1.02 mg/L	1	0.07	0.50		3	11/20/19 04:35:00	N	II
KQ1917161-07	Carbon, Dissolved Organic (DOC)	DUP	K1910461-001	Effluent	0.95 mg/L	10 mL	0.95 mg/L	1	0.07	0.50		8	11/20/19 05:07:00	N	II
KQ1917161-08	Carbon, Dissolved Organic (DOC)	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 01:21:00	N	II
KQ1917161-09	Carbon, Dissolved Organic (DOC)	LCS		Water	24.63 mg/L	10 mL	24.6 mg/L	1	0.07	0.50	99		11/20/19 01:38:00	N	II

11/21/19

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660505 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910254-001	Carbon, Total Organic	N/A		Water	1.73 mg/L	10 mL	1.73 mg/L	1	0.07	0.50			11/20/19 10:46:00	N	IV
K1910378-001	Carbon, Total Organic	N/A		Ground Water	19.65 mg/L	10 mL	19.7 mg/L	1	0.07	0.50			11/20/19 08:05:00	N	II
K1910381-001	Carbon, Total Organic	N/A		Water	1.05 mg/L	10 mL	1.05 mg/L	1	0.07	0.50			11/20/19 08:37:00	N	II
K1910401-001	Carbon, Total Organic	N/A		Water	13.82 mg/L	10 mL	13.8 mg/L	1	0.07	0.50			11/20/19 09:10:00	N	II
K1910401-002	Carbon, Total Organic	N/A		Water	12.19 mg/L	10 mL	12.2 mg/L	1	0.07	0.50			11/20/19 09:42:00	N	II
K1910407-001	Carbon, Total Organic	N/A		Water	1.06 mg/L	10 mL	1.06 mg/L	1	0.07	0.50			11/20/19 12:41:00	N	II
K1910407-002	Carbon, Total Organic	N/A		Water	0.27 mg/L	10 mL	0.27 mg/L J	1	0.07	0.50			11/20/19 13:13:00	N	II
K1910407-003	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 13:45:00	N	II
K1910407-004	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 14:17:00	N	II
K1910407-005	Carbon, Total Organic	N/A		Water	0.31 mg/L	10 mL	0.31 mg/L J	1	0.07	0.50			11/20/19 14:49:00	N	II
K1910407-006	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 15:22:00	N	II
K1910407-007	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 15:54:00	N	II
K1910407-008	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 16:26:00	N	II
K1910407-009	Carbon, Total Organic	N/A		Water	0.12 mg/L	10 mL	0.12 mg/L J	1	0.07	0.50			11/20/19 17:31:00	N	II
K1910407-010	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 18:04:00	N	II
K1910407-011	Carbon, Total Organic	N/A		Water	0.36 mg/L	10 mL	0.36 mg/L J	1	0.07	0.50			11/20/19 18:36:00	N	II
K1910415-001	Carbon, Total Organic	N/A		Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0			11/20/19 10:14:00	N	II
K1910566-001	Carbon, Total Organic	N/A		Water	2.86 mg/L	10 mL	2.86 mg/L	1	0.07	0.50			11/20/19 06:29:00	N	II
K1910617-001	Carbon, Total Organic	N/A		Reagent Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 07:01:00	N	I
K1910617-002	Carbon, Total Organic	N/A		Reagent Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 07:33:00	N	I
KQ1917162-01	Carbon, Total Organic	CCV		Water	23.93 mg/L	10 mL	23.9 mg/L	1					11/20/19 05:55:00	N	II
KQ1917162-01	Carbon, Total Organic	CCV		Water	23.93 mg/L	10 mL	23.9 mg/L	1					11/20/19 05:55:00	N	II
KQ1917162-02	Carbon, Total Organic	CCV		Water	23.73 mg/L	10 mL	23.7 mg/L	1					11/20/19 11:34:00	N	II
KQ1917162-02	Carbon, Total Organic	CCV		Water	23.73 mg/L	10 mL	23.7 mg/L	1					11/20/19 11:34:00	N	II
KQ1917162-03	Carbon, Total Organic	CCV		Water	23.60 mg/L	10 mL	23.6 mg/L	1					11/20/19 16:58:00	N	II
KQ1917162-03	Carbon, Total Organic	CCV		Water	23.60 mg/L	10 mL	23.6 mg/L	1					11/20/19 16:58:00	N	II
KQ1917162-04	Carbon, Total Organic	CCV		Water	23.85 mg/L	10 mL	23.8 mg/L	1					11/20/19 22:52:00	N	II
KQ1917162-04	Carbon, Total Organic	CCV		Water	23.85 mg/L	10 mL	23.8 mg/L	1					11/20/19 22:52:00	N	II
KQ1917162-05	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 06:12:00	N	II
KQ1917162-05	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 06:12:00	N	II
KQ1917162-06	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 11:51:00	N	II
KQ1917162-06	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 11:51:00	N	II
KQ1917162-07	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 17:15:00	N	II
KQ1917162-07	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 17:15:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660505 **Method/Testcode:** 415.1/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917162-08	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 23:09:00	N	II
KQ1917162-08	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 23:09:00	N	II
KQ1917162-09	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 12:08:00	N	II
KQ1917162-09	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 12:08:00	N	II
KQ1917162-10	Carbon, Total Organic	LCS		Water	24.45 mg/L	10 mL	24.4 mg/L	1	0.07	0.50	98		11/20/19 12:24:00	N	II
KQ1917162-10	Carbon, Total Organic	LCS		Water	24.45 mg/L	10 mL	24.4 mg/L	1	0.07	0.50	98		11/20/19 12:24:00	N	II
KQ1917162-11	Carbon, Total Organic	MS	K1910407-001	Water	26.58 mg/L	10 mL	26.6 mg/L	1	0.07	0.50	102		11/20/19 11:18:00	N	II
KQ1917162-12	Carbon, Total Organic	DUP	K1910401-002	Water	12.14 mg/L	10 mL	12.1 mg/L	1	0.07	0.50		<1	11/20/19 09:42:00	N	II
KQ1917162-13	Carbon, Total Organic	DUP	K1910415-001	Ocean Water	0.00 mg/L	10 mL	1.0 mg/L U	2	0.2	1.0		NC	11/20/19 10:14:00	N	II
KQ1917162-14	Carbon, Total Organic	DUP	K1910617-001	Reagent Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/20/19 07:01:00	N	I
KQ1917162-15	Carbon, Total Organic	DUP	K1910617-002	Reagent Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/20/19 07:33:00	N	I
KQ1917162-16	Carbon, Total Organic	DUP	K1910401-001	Water	13.86 mg/L	10 mL	13.9 mg/L	1	0.07	0.50		<1	11/20/19 09:10:00	N	II
KQ1917162-17	Carbon, Total Organic	DUP	K1910566-001	Water	3.03 mg/L	10 mL	3.03 mg/L	1	0.07	0.50		6	11/20/19 06:29:00	N	II
KQ1917162-18	Carbon, Total Organic	DUP	K1910407-008	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/20/19 16:26:00	N	II
KQ1917162-19	Carbon, Total Organic	DUP	K1910407-009	Water	0.16 mg/L	10 mL	0.16 mg/L J	1	0.07	0.50		23*	11/20/19 17:31:00	N	II
KQ1917162-20	Carbon, Total Organic	DUP	K1910407-010	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/20/19 18:04:00	N	II
KQ1917162-21	Carbon, Total Organic	DUP	K1910407-011	Water	0.41 mg/L	10 mL	0.41 mg/L J	1	0.07	0.50		13*	11/20/19 18:36:00	N	II
KQ1917162-22	Carbon, Total Organic	DUP	K1910254-001	Water	1.68 mg/L	10 mL	1.68 mg/L	1	0.07	0.50		3	11/20/19 10:46:00	N	IV
KQ1917162-23	Carbon, Total Organic	DUP	K1910407-001	Water	1.07 mg/L	10 mL	1.07 mg/L	1	0.07	0.50		1	11/20/19 12:41:00	N	II
KQ1917162-24	Carbon, Total Organic	DUP	K1910407-002	Water	0.28 mg/L	10 mL	0.28 mg/L J	1	0.07	0.50		3	11/20/19 13:13:00	N	II
KQ1917162-25	Carbon, Total Organic	DUP	K1910407-003	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/20/19 13:45:00	N	II
KQ1917162-26	Carbon, Total Organic	DUP	K1910407-004	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/20/19 14:17:00	N	II
KQ1917162-27	Carbon, Total Organic	DUP	K1910407-005	Water	0.30 mg/L	10 mL	0.30 mg/L J	1	0.07	0.50		3	11/20/19 14:49:00	N	II
KQ1917162-28	Carbon, Total Organic	DUP	K1910407-006	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/20/19 15:22:00	N	II
KQ1917162-29	Carbon, Total Organic	DUP	K1910407-007	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/20/19 15:54:00	N	II
KQ1917162-30	Carbon, Total Organic	DUP	K1910381-001	Water	0.91 mg/L	10 mL	0.91 mg/L	1	0.07	0.50		14*	11/20/19 08:37:00	N	II
KQ1917162-31	Carbon, Total Organic	DUP	K1910378-001	Ground Water	19.66 mg/L	10 mL	19.7 mg/L	1	0.07	0.50		<1	11/20/19 08:05:00	N	II
KQ1917162-32	Carbon, Total Organic	N/A		Water	1.06 mg/L	10 mL	1.06 mg/L	1	0.07	0.50			11/20/19 12:41:00	N	II
KQ1917162-33	Carbon, Total Organic	MS	KQ1917162-32	Water	26.58 mg/L	10 mL	26.6 mg/L	1	0.07	0.50	102		11/20/19 11:18:00	N	II
KQ1917162-34	Carbon, Total Organic	DUP	KQ1917162-32	Water	1.07 mg/L	10 mL	1.07 mg/L	1	0.07	0.50		1	11/20/19 12:41:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660506 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910157-001	Carbon, Total Organic	N/A		Water	3.09 mg/L	10 mL	77 mg/L	25	2	13			11/21/19 06:59:00	N	II
K1910407-012	Carbon, Total Organic	N/A		Water	1.00 mg/L	10 mL	1.00 mg/L	1	0.07	0.50			11/20/19 19:08:00	N	II
K1910407-013	Carbon, Total Organic	N/A		Water	0.11 mg/L	10 mL	0.11 mg/L J	1	0.07	0.50			11/20/19 19:40:00	N	II
K1910407-014	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 20:12:00	N	II
K1910407-015	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 20:44:00	N	II
K1910432-001	Carbon, Total Organic	N/A		Ground Water	8.76 mg/L	10 mL	8.76 mg/L	1	0.07	0.50			11/20/19 21:16:00	N	I
K1910432-002	Carbon, Total Organic	N/A		Ground Water	15.03 mg/L	10 mL	15.0 mg/L	1	0.07	0.50			11/20/19 21:48:00	N	I
K1910432-003	Carbon, Total Organic	N/A		Ground Water	20.33 mg/L	10 mL	20.3 mg/L	1	0.07	0.50			11/20/19 22:20:00	N	I
K1910432-004	Carbon, Total Organic	N/A		Ground Water	23.61 mg/L	10 mL	23.6 mg/L	1	0.07	0.50			11/21/19 00:00:00	N	I
K1910432-005	Carbon, Total Organic	N/A		Ground Water	26.51 mg/L	10 mL	26.5 mg/L	1	0.07	0.50			11/21/19 00:32:00	N	I
K1910464-002	Carbon, Total Organic	N/A		Water	6.75 mg/L	10 mL	6.75 mg/L	1	0.07	0.50			11/21/19 01:04:00	N	II
K1910759-001	Carbon, Total Organic	N/A		Ground Water	1.01 mg/L	10 mL	1.01 mg/L	1	0.07	0.50			11/21/19 01:36:00	N	IV
K1910759-002	Carbon, Total Organic	N/A		Ground Water	0.83 mg/L	10 mL	0.83 mg/L	1	0.07	0.50			11/21/19 02:41:00	N	IV
K1910759-003	Carbon, Total Organic	N/A		Ground Water	1.63 mg/L	10 mL	1.63 mg/L	1	0.07	0.50			11/21/19 03:13:00	N	IV
K1910759-004	Carbon, Total Organic	N/A		Ground Water	1.49 mg/L	10 mL	1.49 mg/L	1	0.07	0.50			11/21/19 04:18:00	N	IV
K1910759-005	Carbon, Total Organic	N/A		Ground Water	1.11 mg/L	10 mL	1.11 mg/L	1	0.07	0.50			11/21/19 04:51:00	N	IV
K1910759-006	Carbon, Total Organic	N/A		Ground Water	1.19 mg/L	10 mL	1.19 mg/L	1	0.07	0.50			11/21/19 05:23:00	N	IV
K1910765-005	Carbon, Total Organic	N/A		Ground Water	15.32 mg/L	10 mL	15.3 mg/L	1	0.07	0.50			11/21/19 07:31:00	N	IV
K1910837-001	Carbon, Total Organic	N/A		Water	1.66 mg/L	10 mL	1.66 mg/L	1	0.07	0.50			11/21/19 05:55:00	N	II
K1910838-001	Carbon, Total Organic	N/A		Water	2.52 mg/L	10 mL	2.52 mg/L	1	0.07	0.50			11/21/19 06:27:00	N	II
KQ1917163-01	Carbon, Total Organic	CCV		Water	23.60 mg/L	10 mL	23.6 mg/L	1					11/20/19 16:58:00	N	II
KQ1917163-02	Carbon, Total Organic	CCV		Water	23.85 mg/L	10 mL	23.8 mg/L	1					11/20/19 22:52:00	N	II
KQ1917163-03	Carbon, Total Organic	CCV		Water	23.61 mg/L	10 mL	23.6 mg/L	1					11/21/19 03:45:00	N	II
KQ1917163-04	Carbon, Total Organic	CCV		Water	23.55 mg/L	10 mL	23.5 mg/L	1					11/21/19 08:36:00	N	II
KQ1917163-05	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 17:15:00	N	II
KQ1917163-06	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 23:09:00	N	II
KQ1917163-07	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/21/19 04:02:00	N	II
KQ1917163-08	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/21/19 08:52:00	N	II
KQ1917163-09	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			11/20/19 23:26:00	N	II
KQ1917163-10	Carbon, Total Organic	LCS		Water	24.50 mg/L	10 mL	24.5 mg/L	1	0.07	0.50	98		11/20/19 23:43:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 660506 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917163-11	Carbon, Total Organic	MS	K1910759-001	Ground Water	26.00 mg/L	10 mL	26.0 mg/L	1	0.07	0.50	100		11/21/19 02:08:00	N	IV
KQ1917163-12	Carbon, Total Organic	DUP	K1910157-001	Water	3.18 mg/L	10 mL	80 mg/L	25	2	13		3	11/21/19 06:59:00	N	II
KQ1917163-13	Carbon, Total Organic	DUP	K1910407-012	Water	1.05 mg/L	10 mL	1.05 mg/L	1	0.07	0.50		5	11/20/19 19:08:00	N	II
KQ1917163-14	Carbon, Total Organic	DUP	K1910407-013	Water	0.19 mg/L	10 mL	0.19 mg/L J	1	0.07	0.50		53*	11/20/19 19:40:00	N	II
KQ1917163-15	Carbon, Total Organic	DUP	K1910407-014	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/20/19 20:12:00	N	II
KQ1917163-16	Carbon, Total Organic	DUP	K1910407-015	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	11/20/19 20:44:00	N	II
KQ1917163-17	Carbon, Total Organic	DUP	K1910432-001	Ground Water	8.62 mg/L	10 mL	8.62 mg/L	1	0.07	0.50		2	11/20/19 21:16:00	N	I
KQ1917163-18	Carbon, Total Organic	DUP	K1910432-002	Ground Water	15.11 mg/L	10 mL	15.1 mg/L	1	0.07	0.50		<1	11/20/19 21:48:00	N	I
KQ1917163-19	Carbon, Total Organic	DUP	K1910432-003	Ground Water	20.30 mg/L	10 mL	20.3 mg/L	1	0.07	0.50		<1	11/20/19 22:20:00	N	I
KQ1917163-20	Carbon, Total Organic	DUP	K1910432-004	Ground Water	23.33 mg/L	10 mL	23.3 mg/L	1	0.07	0.50		1	11/21/19 00:00:00	N	I
KQ1917163-21	Carbon, Total Organic	DUP	K1910432-005	Ground Water	26.73 mg/L	10 mL	26.7 mg/L	1	0.07	0.50		<1	11/21/19 00:32:00	N	I
KQ1917163-22	Carbon, Total Organic	DUP	K1910464-002	Water	6.63 mg/L	10 mL	6.63 mg/L	1	0.07	0.50		2	11/21/19 01:04:00	N	II
KQ1917163-23	Carbon, Total Organic	DUP	K1910759-002	Ground Water	0.83 mg/L	10 mL	0.83 mg/L	1	0.07	0.50		<1	11/21/19 02:41:00	N	IV
KQ1917163-24	Carbon, Total Organic	DUP	K1910759-001	Ground Water	1.06 mg/L	10 mL	1.06 mg/L	1	0.07	0.50		4	11/21/19 01:36:00	N	IV
KQ1917163-25	Carbon, Total Organic	DUP	K1910759-003	Ground Water	1.59 mg/L	10 mL	1.59 mg/L	1	0.07	0.50		3	11/21/19 03:13:00	N	IV
KQ1917163-26	Carbon, Total Organic	DUP	K1910759-004	Ground Water	1.53 mg/L	10 mL	1.53 mg/L	1	0.07	0.50		3	11/21/19 04:18:00	N	IV
KQ1917163-27	Carbon, Total Organic	DUP	K1910759-005	Ground Water	1.05 mg/L	10 mL	1.05 mg/L	1	0.07	0.50		6	11/21/19 04:51:00	N	IV
KQ1917163-28	Carbon, Total Organic	DUP	K1910759-006	Ground Water	1.15 mg/L	10 mL	1.15 mg/L	1	0.07	0.50		4	11/21/19 05:23:00	N	IV
KQ1917163-29	Carbon, Total Organic	DUP	K1910765-005	Ground Water	15.18 mg/L	10 mL	15.2 mg/L	1	0.07	0.50		<1	11/21/19 07:31:00	N	IV
KQ1917163-30	Carbon, Total Organic	DUP	K1910837-001	Water	1.64 mg/L	10 mL	1.64 mg/L	1	0.07	0.50		1	11/21/19 05:55:00	N	II
KQ1917163-31	Carbon, Total Organic	DUP	K1910838-001	Water	2.51 mg/L	10 mL	2.51 mg/L	1	0.07	0.50		<1	11/21/19 06:27:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

DOC: 660502, 660507
TOC: 660505, 660506

Schedule: 11192019

Version: 7
Instrument: Fusion1
Last Saved by: Fusion1 (Fusion1)
Last Saved on: 2019/11/19 15:46 - Tuesday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps
(Clean)	Clean	Clean		1
(Clean)	Clean	Clean		1
(Clean)	Clean	Clean		1
(Blank)	Blank	Reagent/Acid Blank		1
D	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
1	Sample	MB1	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
2	Sample	ICS	Extended Reaction 021711 (Extended Reaction 021711)	1
3	Sample	K1910566-002.10 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
4	Sample	K1910566-002.10 ms doc	Extended Reaction 021711 (Extended Reaction 021711)	1
5	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
6	Sample	K1910407-001.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
7	Sample	K1910407-002.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
8	Sample	K1910407-003.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
9	Sample	K1910407-004.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
10	Sample	K1910407-005.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
11	Sample	K1910407-006.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
12	Sample	K1910407-007.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
13	Sample	K1910407-008.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
14	Sample	K1910407-009.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
15	Sample	K1910407-010.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
16	Sample	K1910407-011.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
17	Sample	K1910407-012.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
18	Sample	K1910407-013.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
19	Sample	K1910407-014.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
20	Sample	MB2	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
21	Sample	K1910407-015.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
22	Sample	K1910425-009.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
23	Sample	K1910425-010.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
24	Sample	K1910425-011.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
25	Sample	K1910425-012.01 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
26	Sample	K1910461-002.04 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
27	Sample	K1910461-001.03 doc	Extended Reaction 021711 (Extended Reaction 021711)	2
28	Sample	K1910461-001.03 ms doc	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
29	Sample	K1910566-001.08	Extended Reaction 021711 (Extended Reaction 021711)	2
30	Sample	K1910617-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
31	Sample	K1910617-002.01	Extended Reaction 021711 (Extended Reaction 021711)	2
32	Sample	K1910378-001.08	Extended Reaction 021711 (Extended Reaction 021711)	2
33	Sample	K1910381-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
34	Sample	K1910401-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
35	Sample	K1910401-002.01	Extended Reaction 021711 (Extended Reaction 021711)	2
36	Sample	K1910415-001.01 2x	Extended Reaction 021711 (Extended Reaction 021711)	2
37	Sample	K1910254-001.05	Extended Reaction 021711 (Extended Reaction 021711)	2
38	Sample	K1910407-001.02 ms	Extended Reaction 021711 (Extended Reaction 021711)	1
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1

11/21/19

Schedule: 11192019

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
39	Sample	MB3	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
40	Sample	K1910407-001.02	Extended Reaction 021711 (Extended Reaction 021711)	2
41	Sample	K1910407-002.02	Extended Reaction 021711 (Extended Reaction 021711)	2
42	Sample	K1910407-003.02	Extended Reaction 021711 (Extended Reaction 021711)	2
43	Sample	K1910407-004.02	Extended Reaction 021711 (Extended Reaction 021711)	2
44	Sample	K1910407-005.02	Extended Reaction 021711 (Extended Reaction 021711)	2
45	Sample	K1910407-006.02	Extended Reaction 021711 (Extended Reaction 021711)	2
46	Sample	K1910407-007.02	Extended Reaction 021711 (Extended Reaction 021711)	2
47	Sample	K1910407-008.02	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
48	Sample	K1910407-009.02	Extended Reaction 021711 (Extended Reaction 021711)	2
49	Sample	K1910407-010.02	Extended Reaction 021711 (Extended Reaction 021711)	2
50	Sample	K1910407-011.02	Extended Reaction 021711 (Extended Reaction 021711)	2
51	Sample	K1910407-012.02	Extended Reaction 021711 (Extended Reaction 021711)	2
52	Sample	K1910407-013.02	Extended Reaction 021711 (Extended Reaction 021711)	2
53	Sample	K1910407-014.02	Extended Reaction 021711 (Extended Reaction 021711)	2
54	Sample	K1910407-015.02	Extended Reaction 021711 (Extended Reaction 021711)	2
55	Sample	K1910432-001.03	Extended Reaction 021711 (Extended Reaction 021711)	2
56	Sample	K1910432-002.03	Extended Reaction 021711 (Extended Reaction 021711)	2
57	Sample	K1910432-003.03	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
58	Sample	MB4	Extended Reaction 021711 (Extended Reaction 021711)	1
C	Check Standard	[TOC] LCS ER [25.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
59	Sample	K1910432-004.03	Extended Reaction 021711 (Extended Reaction 021711)	2
60	Sample	K1910432-005.03	Extended Reaction 021711 (Extended Reaction 021711)	2
61	Sample	K1910464-002.01	Extended Reaction 021711 (Extended Reaction 021711)	2
62	Sample	K1910759-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
63	Sample	K1910759-001.01 ms	Extended Reaction 021711 (Extended Reaction 021711)	1
64	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	1
65	Sample	K1910759-002.01	Extended Reaction 021711 (Extended Reaction 021711)	2
66	Sample	K1910759-003.01	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
67	Sample	K1910759-004.01	Extended Reaction 021711 (Extended Reaction 021711)	2
68	Sample	K1910759-005.01	Extended Reaction 021711 (Extended Reaction 021711)	2
69	Sample	K1910759-006.01	Extended Reaction 021711 (Extended Reaction 021711)	2
70	Sample	K1910837-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
71	Sample	K1910838-001.01	Extended Reaction 021711 (Extended Reaction 021711)	2
72	Sample	K1910157-001.02 25x	Extended Reaction 021711 (Extended Reaction 021711)	2
73	Sample	K1910765-005.01	Extended Reaction 021711 (Extended Reaction 021711)	2
74	Sample	RB	Extended Reaction 021711 (Extended Reaction 021711)	2
B	Check Standard	[TOC] CCV 021711 [25 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1
D	Check Standard	[TOC] CCB 021711 [0.0 ppm]	Extended Reaction 021711 (Extended Reaction 021711)	1

Fusion Report - 11192019
Tuesday, November 19, 2019 12:16 PM

(View - Reps, Unused Reps, Meta-Data, Signature, History)
Printed on 2019/11/21 09:12 - Thursday

Report Summary Information

Company Location:	Gen Chem Lab		
Schedule Name:	11192019	Engine Version:	1.1.5.1
Instrument Name:	Fusion1	Firmware Version:	1.2.0696
Report Version:	1 of 1	Connection:	RS232 COM1
Report Creation by Operators (schedule version):	Fusion1 (Fusion1) (v2) Fusion1 (Fusion1) (v3) Fusion1 (Fusion1) (v4) Fusion1 (Fusion1) (v5) Fusion1 (Fusion1) (v6) Fusion1 (Fusion1) (v7)		
Comment:			

Report Results

11/21/19

Sample Type: Clean — From Schedule Version 2

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/11/19 12:16

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	13.35	19.58	6.23	49.65	05:24
2	TC Clean	15.07	18.91	3.83	50.08	04:04
3	TC Clean	3.36	7.06	3.69	50.09	03:49
4	TC Clean	2.42	6.19	3.77	50.10	03:56

Sample Type: Clean — From Schedule Version 3

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/11/19 12:38

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	12.15	16.05	3.91	49.53	05:23
2	TC Clean	5.62	9.39	3.77	50.09	04:06

3	TC Clean	2.90	6.43	3.53	50.12	03:59
4	TC Clean	2.13	5.68	3.55	50.12	03:55

Sample Type: Clean

From Schedule Version 4

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/11/19 13:04

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	12.14	15.79	3.65	49.66	05:24
2	TC Clean	6.47	10.27	3.80	50.11	04:06
3	TC Clean	2.92	6.53	3.60	50.08	03:47
4	TC Clean	1.89	5.57	3.68	50.12	03:48

Sample Type: Blank (Creating v1321)

From Schedule Version 5

	Pos	Analysis Type	Sample ID	Start Time
◈	(blank)		Reagent/Acid Blank	2019/11/19 13:26

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	1.20	4.89	3.69	49.52	05:21
2	TC Clean	5.17	8.92	3.75	50.09	04:06
3	TC Clean	2.42	6.06	3.64	50.12	03:48
4	TC Clean	1.68	5.44	3.76	50.05	03:46
5	Reagent Blank	4.91	8.53	3.62	50.10	05:06
6	Acid Blank	1.51	5.17	3.66	49.70	05:28

Sample Type: Sample

From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	D	TOC	RB	0.4462 ppm	0.0000 ppm	0.0000%	2019/11/19 13:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.4462	4.4616	13.57	17.37	3.80	50.26	12:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.8685 ppm (PASS)	0.0000 ppm	0%	2019/11/19 14:16

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8685	238.6848	182.31	185.93	3.62	50.28	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/19 14:33

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	9.51	13.09	3.58	50.32	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	1	TOC	MB1	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/19 14:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.19	11.78	3.59	50.28	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 6

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.7443 ppm (PASS)	0.0000 ppm	0%	2019/11/19 15:06

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.7443	247.4432	188.59	192.17	3.59	50.27	12:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample

From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	2	TOC	ICS	0.0850 ppm	0.0000 ppm	0.0000%	2019/11/19 15:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0850	0.8495	10.98	14.63	3.65	50.29	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	3	TOC	K1910566-002.10 doc	3.3789 ppm	0.0902 ppm	2.6700%	2019/11/19 15:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3151	33.1509	34.14	37.82	3.67	50.32	12:31
2	TOC	3.4427	34.4270	35.06	38.69	3.63	50.29	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Sample

From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	4	TOC	K1910566-002.10 ms doc	28.8933 ppm	0.0000 ppm	0.0000%	2019/11/19 16:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	28.8933	288.9328	217.55	221.30	3.75	50.32	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	5	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/19 16:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	0.0000	0.0000	8.94	12.67	3.74	50.33	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	6	TOC	K1910407-001.01 doc	1.0567 ppm	0.0297 ppm	2.8100%	2019/11/19 16:45

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.0357	10.3568	17.80	21.42	3.62	50.35	12:30
2	TOC	1.0777	10.7766	18.10	21.73	3.63	50.33	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	7	TOC	K1910407-002.01 doc	0.3628 ppm	0.0293 ppm	8.0700%	2019/11/19 17:17

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3421	3.4212	12.83	16.56	3.73	50.35	12:25
2	TOC	0.3835	3.8354	13.12	16.85	3.72	50.33	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	8	TOC	K1910407-003.01 doc	0.1462 ppm	0.0398 ppm	27.2600%	2019/11/19 17:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.1743	1.7435	11.62	15.17	3.54	50.37	12:30
2	TOC	0.1180	1.1800	11.22	14.92	3.70	50.35	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	9	TOC	K1910407-004.01 doc	0.0523 ppm	0.0022 ppm	4.1500%	2019/11/19 18:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0539	0.5385	10.76	14.34	3.58	50.40	12:27
2	TOC	0.0508	0.5078	10.74	14.41	3.67	50.39	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711

From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.8078 ppm (PASS)	0.0000 ppm	0%	2019/11/19 18:54

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8078	238.0782	181.87	185.48	3.61	50.39	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711

From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/19 19:10

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	8.08	11.77	3.68	50.40	12:35

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample

From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	10	TOC	K1910407-005.01 doc	0.4734 ppm	0.0010 ppm	0.2100%	2019/11/19 19:27

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.4741	4.7406	13.77	17.46	3.69	50.41	12:25
2	TOC	0.4727	4.7266	13.76	17.54	3.78	50.40	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	11	TOC	K1910407-006.01 doc	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/19 19:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	10.23	14.02	3.79	50.38	12:30
2	TOC	0.0000	0.0000	10.20	13.97	3.77	50.45	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	12	TOC	K1910407-007.01 doc	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/19 20:31

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.09	12.87	3.78	50.40	12:27
2	TOC	0.0000	0.0000	8.75	12.49	3.74	50.40	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	13	TOC	K1910407-008.01 doc	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/19 21:03

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.11	12.90	3.80	50.39	12:29
2	TOC	0.0000	0.0000	9.39	13.13	3.74	50.39	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	14	TOC	K1910407-009.01 doc	0.2241 ppm	0.0300 ppm	13.3800%	2019/11/19 21:35

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2453	2.4533	12.13	15.68	3.55	50.33	12:27
2	TOC	0.2029	2.0294	11.83	15.49	3.66	50.35	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	15	TOC	K1910407-010.01 doc	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/19 22:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.96	11.43	3.46	50.32	12:28
2	TOC	0.0000	0.0000	8.22	11.93	3.71	50.29	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	16	TOC	K1910407-011.01 doc	0.4763 ppm	0.0623 ppm	13.0900%	2019/11/19 22:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.4322	4.3222	13.47	17.04	3.56	50.27	12:29
2	TOC	0.5204	5.2036	14.11	17.69	3.58	50.28	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	17	TOC	K1910407-012.01 doc	1.0186 ppm	0.0153 ppm	1.5000%	2019/11/19 23:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.0294	10.2940	17.76	21.19	3.43	50.26	12:30
2	TOC	1.0078	10.0779	17.60	21.03	3.42	50.24	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	18	TOC	K1910407-013.01 doc	0.2658 ppm	0.0110 ppm	4.1500%	2019/11/19 23:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2736	2.7365	12.34	15.87	3.53	50.23	12:27
2	TOC	0.2580	2.5803	12.23	15.77	3.54	50.22	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	19	TOC	K1910407-014.01 doc	0.0256 ppm	0.0023 ppm	8.8600%	2019/11/20 00:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0240	0.2400	10.55	14.11	3.56	50.21	12:27
2	TOC	0.0272	0.2721	10.57	14.23	3.66	50.22	12:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.7504 ppm (PASS)	0.0000 ppm	0%	2019/11/20 00:48

Pos	Base Analysis	ID	Rep	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run

	Type		#							Time
B	TOC	25 ppm	1	23.7504	237.5036	181.46	185.01	3.55	50.20	12:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/20 01:04

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.35	10.98	3.63	50.17	12:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	20	TOC	MB2	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 01:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.15	10.65	3.50	50.20	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.6336 ppm (PASS)	0.0000 ppm	0%	2019/11/20 01:38

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.6336	246.3359	187.79	191.19	3.39	50.19	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	21	TOC	K1910407-015.01 doc	0.1853 ppm	0.0879 ppm	47.4200%	2019/11/20 01:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2474	2.4743	12.15	15.74	3.60	50.15	12:27
2	TOC	0.1232	1.2316	11.26	14.77	3.51	50.15	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	22	TOC	K1910425-009.01 doc	0.9495 ppm	0.0034 ppm	0.3500%	2019/11/20 02:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9519	9.5186	17.20	20.61	3.41	50.15	12:27
2	TOC	0.9471	9.4712	17.17	20.72	3.55	50.14	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	23	TOC	K1910425-010.01 doc	0.5284 ppm	0.0119 ppm	2.2600%	2019/11/20 02:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5199	5.1994	14.10	17.70	3.60	50.14	12:31
2	TOC	0.5368	5.3682	14.22	17.74	3.51	50.16	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	24	TOC	K1910425-011.01 doc	0.9867 ppm	0.0340 ppm	3.4500%	2019/11/20 03:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9626	9.6260	17.28	20.91	3.63	50.15	12:27
2	TOC	1.0107	10.1072	17.62	21.25	3.63	50.17	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	25	TOC	K1910425-012.01 doc	0.7528 ppm	0.0119 ppm	1.5900%	2019/11/20 04:03

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	0.7612	7.6121	15.83	19.46	3.62	50.15	12:30
2	TOC	0.7443	7.4434	15.71	19.30	3.59	50.12	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	26	TOC	K1910461-002.04 doc	1.0037 ppm	0.0183 ppm	1.8300%	2019/11/20 04:35

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9908	9.9077	17.48	20.99	3.51	50.10	12:28
2	TOC	1.0167	10.1671	17.66	21.10	3.44	50.10	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	27	TOC	K1910461-001.03 doc	0.9093 ppm	0.0518 ppm	5.6900%	2019/11/20 05:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8726	8.7265	16.63	20.21	3.58	50.09	12:30
2	TOC	0.9459	9.4586	17.16	20.58	3.43	50.15	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	28	TOC	K1910461-001.03 ms doc	26.3715 ppm	0.0000 ppm	0.0000%	2019/11/20 05:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.3715	263.7148	199.47	202.99	3.53	50.11	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.9275 ppm (PASS)	0.0000 ppm	0%	2019/11/20 05:55

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.9275	239.2748	182.73	186.31	3.58	50.10	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/20 06:12

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.73	11.34	3.61	50.10	12:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	29	TOC	K1910566-001.08	2.9436 ppm	0.1200 ppm	4.0800%	2019/11/20 06:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8588	28.5876	30.87	34.52	3.65	50.11	12:29
2	TOC	3.0285	30.2849	32.09	35.70	3.61	50.11	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	30	TOC	K1910617-001.01	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 07:01

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.37	10.95	3.58	50.08	12:28
2	TOC	0.0000	0.0000	7.66	11.32	3.66	50.07	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	31	TOC	K1910617-002.01	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 07:33

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.85	10.43	3.59	50.07	12:29

2	TOC	0.0000	0.0000	7.94	11.55	3.61	50.08	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	32	TOC	K1910378-001.08	19.6572 ppm	0.0035 ppm	0.0200%	2019/11/20 08:05

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	19.6547	196.5474	151.30	154.78	3.47	50.06	12:25
2	TOC	19.6596	196.5962	151.34	154.85	3.51	50.06	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	33	TOC	K1910381-001.01	0.9788 ppm	0.0939 ppm	9.5900%	2019/11/20 08:37

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.0452	10.4516	17.87	21.41	3.55	50.14	12:26
2	TOC	0.9124	9.1239	16.92	20.56	3.64	50.11	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	34	TOC	K1910401-001.01	13.8407 ppm	0.0255 ppm	0.1800%	2019/11/20 09:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	13.8226	138.2261	109.49	113.05	3.56	50.14	12:26
2	TOC	13.8587	138.5873	109.75	113.30	3.55	50.14	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	35	TOC	K1910401-002.01	12.1641 ppm	0.0398 ppm	0.3300%	2019/11/20 09:42

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	12.1923	121.9227	97.80	101.19	3.39	50.18	12:28
2	TOC	12.1359	121.3593	97.39	100.90	3.51	50.20	12:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◆	36	TOC	K1910415-001.01 2x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 10:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.60	12.26	3.66	50.22	12:24
2	TOC	0.0000	0.0000	8.23	11.87	3.64	50.22	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	37	TOC	K1910254-001.05	1.7054 ppm	0.0394 ppm	2.3100%	2019/11/20 10:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.7333	17.3328	22.80	26.36	3.55	50.22	12:26
2	TOC	1.6775	16.7749	22.40	26.06	3.66	50.21	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	38	TOC	K1910407-001.02 ms	26.5836 ppm	0.0000 ppm	0.0000%	2019/11/20 11:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.5836	265.8361	200.99	204.49	3.50	50.24	12:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.7272 ppm (PASS)	0.0000 ppm	0%	2019/11/20 11:34

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.7272	237.2721	181.30	184.90	3.60	50.27	12:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time

◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/20 11:51

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	7.06	10.60	3.54	50.27	12:32

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos D: 0 ppmC

Sample Type: Sample — From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	39	TOC	MB3	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 12:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.25	9.91	3.66	50.29	12:35

Dilution: 1:10
Blank Contribution: (TC) 10.3749 (IC) (v1321)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER — From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.4498 ppm (PASS)	0.0000 ppm	0%	2019/11/20 12:24

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.4498	244.4977	186.48	190.12	3.65	50.28	12:29

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos C: 25 ppmC

Sample Type: Sample — From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	40	TOC	K1910407-001.02	1.0674 ppm	0.0096 ppm	0.9000%	2019/11/20 12:41

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.0606	10.6064	17.98	21.56	3.58	50.27	12:25
2	TOC	1.0742	10.7417	18.08	21.58	3.50	50.26	12:25

Dilution **Blank Contribution** **Method** **Calibration**

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	41	TOC	K1910407-002.02	0.2728 ppm	0.0063 ppm	2.3100%	2019/11/20 13:13

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2683	2.6835	12.30	15.98	3.68	50.26	12:24
2	TOC	0.2773	2.7727	12.36	15.83	3.47	50.24	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	42	TOC	K1910407-003.02	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 13:45

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.96	13.59	3.62	50.24	12:29
2	TOC	0.0000	0.0000	10.02	13.45	3.43	50.24	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	43	TOC	K1910407-004.02	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 14:17

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.82	13.51	3.69	50.23	12:29
2	TOC	0.0000	0.0000	10.22	13.71	3.50	50.28	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	44	TOC	K1910407-005.02	0.3080 ppm	0.0065 ppm	2.1100%	2019/11/20 14:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3126	3.1256	12.62	16.26	3.64	50.23	12:29
2	TOC	0.3034	3.0335	12.55	16.25	3.70	50.22	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	45	TOC	K1910407-006.02	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 15:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.41	12.92	3.51	50.24	12:28
2	TOC	0.0000	0.0000	9.34	12.91	3.57	50.22	12:32

Dilution 1:10 | **Blank Contribution** (TC) 10.3749 (IC) (v1321) | **Method** Extended Reaction 021711 (v4) | **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	46	TOC	K1910407-007.02	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 15:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.98	11.60	3.62	50.25	12:28
2	TOC	0.0000	0.0000	7.87	11.52	3.66	50.26	12:30

Dilution 1:10 | **Blank Contribution** (TC) 10.3749 (IC) (v1321) | **Method** Extended Reaction 021711 (v4) | **Calibration** Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	47	TOC	K1910407-008.02	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 16:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.32	11.95	3.63	50.30	12:29
2	TOC	0.0000	0.0000	8.49	12.08	3.59	50.35	12:31

Dilution 1:10 | **Blank Contribution** (TC) 10.3749 (IC) (v1321) | **Method** Extended Reaction 021711 (v4) | **Calibration** Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.5990 ppm (PASS)	0.0000 ppm	0%	2019/11/20 16:58

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.5990	235.9904	180.38	183.84	3.47	50.35	12:32

Completion State Success - Criteria met. | **Success Action** Do Nothing | **Method** Extended Reaction 021711 (v4) | **Calibration** Extended Reaction 021711 (v27) | **STD Conc - Pos B** 50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time

◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/20 17:15

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.76	10.46	3.70	50.36	12:32

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)
STD Conc - Pos D: 0 ppmC

Sample Type: Sample — From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	48	TOC	K1910407-009.02	0.1397 ppm	0.0232 ppm	16.5900%	2019/11/20 17:31

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.1233	1.2330	11.26	14.92	3.66	50.32	12:27
2	TOC	0.1561	1.5608	11.49	15.24	3.74	50.31	12:27

Dilution: 1:10
Blank Contribution: (TC) 10.3749 (IC) (v1321)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	49	TOC	K1910407-010.02	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 18:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.08	10.63	3.54	50.31	12:29
2	TOC	0.0000	0.0000	7.32	10.75	3.44	50.36	12:25

Dilution: 1:10
Blank Contribution: (TC) 10.3749 (IC) (v1321)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	50	TOC	K1910407-011.02	0.3881 ppm	0.0347 ppm	8.9400%	2019/11/20 18:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3636	3.6360	12.98	16.39	3.40	50.34	12:28
2	TOC	0.4127	4.1269	13.33	16.85	3.52	50.28	12:28

Dilution: 1:10
Blank Contribution: (TC) 10.3749 (IC) (v1321)
Method: Extended Reaction 021711 (v4)
Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	51	TOC	K1910407-012.02	1.0268 ppm	0.0368 ppm	3.5800%	2019/11/20 19:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.0008	10.0081	17.55	21.05	3.50	50.26	12:26
2	TOC	1.0528	10.5283	17.92	21.50	3.57	50.29	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	52	TOC	K1910407-013.02	0.1464 ppm	0.0551 ppm	37.6600%	2019/11/20 19:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.1074	1.0740	11.14	14.63	3.48	50.24	12:34
2	TOC	0.1854	1.8537	11.70	15.25	3.54	50.23	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	53	TOC	K1910407-014.02	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 20:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.62	13.19	3.57	50.22	12:28
2	TOC	0.0000	0.0000	9.69	13.33	3.64	50.22	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	54	TOC	K1910407-015.02	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 20:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.75	13.32	3.57	50.23	12:30
2	TOC	0.0000	0.0000	9.71	13.51	3.80	50.22	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	55	TOC	K1910432-001.03	8.6884 ppm	0.1011 ppm	1.1600%	2019/11/20 21:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	8.7599	87.5992	73.19	76.87	3.69	50.19	12:26
2	TOC	8.6170	86.1696	72.16	75.86	3.70	50.18	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC)	Extended Reaction	Extended Reaction

(v1321) 021711 (v4) 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	56	TOC	K1910432-002.03	15.0661 ppm	0.0563 ppm	0.3700%	2019/11/20 21:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	15.0263	150.2633	118.12	121.55	3.43	50.17	12:27
2	TOC	15.1060	151.0596	118.69	122.17	3.48	50.15	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	57	TOC	K1910432-003.03	20.3168 ppm	0.0184 ppm	0.0900%	2019/11/20 22:20

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	20.3299	203.2988	156.15	159.56	3.42	50.14	12:28
2	TOC	20.3038	203.0380	155.96	159.49	3.53	50.15	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.8483 ppm (PASS)	0.0000 ppm	0%	2019/11/20 22:52

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.8483	238.4826	182.16	185.69	3.52	50.14	12:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/20 23:09

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.60	10.29	3.68	50.17	12:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Sample Type: Sample — From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/20 23:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.78	9.37	3.59	50.10	12:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> LCS ER — From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS ER [25.0 ppm]	0 / infinity (NA / NA)	24.4997 ppm (PASS)	0.0000 ppm	0%	2019/11/20 23:43

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.4997	244.9970	186.83	190.47	3.63	50.12	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	25 ppmC

Sample Type: Sample — From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	59	TOC	K1910432-004.03	23.4712 ppm	0.1981 ppm	0.8400%	2019/11/21 00:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	23.6113	236.1134	179.68	183.22	3.54	50.11	12:26
2	TOC	23.3312	233.3116	177.67	181.23	3.57	50.10	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	60	TOC	K1910432-005.03	26.6166 ppm	0.1567 ppm	0.5900%	2019/11/21 00:32

Rep	Base	ppm	µg	Adjusted	NDIR (Abs)	Baseline	Pressure	Run

#	Analysis Type			(Abs)		(Abs)	(psig)	Time
1	TOC	26.5058	265.0578	200.43	203.98	3.55	50.10	12:29
2	TOC	26.7274	267.2739	202.02	205.65	3.63	50.08	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	61	TOC	K1910464-002.01	6.6893 ppm	0.0832 ppm	1.2400%	2019/11/21 01:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.7481	67.4814	58.76	62.55	3.79	50.06	12:26
2	TOC	6.6304	66.3043	57.92	61.57	3.66	50.04	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	62	TOC	K1910759-001.01	1.0334 ppm	0.0306 ppm	2.9600%	2019/11/21 01:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.0118	10.1183	17.63	21.28	3.65	50.04	12:26
2	TOC	1.0551	10.5507	17.94	21.44	3.50	50.02	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	63	TOC	K1910759-001.01 ms	26.0016 ppm	0.0000 ppm	0.0000%	2019/11/21 02:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.0016	260.0162	196.81	200.52	3.70	50.03	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	64	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/21 02:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.97	10.59	3.62	50.07	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◆	65	TOC	K1910759-002.01	0.8346 ppm	0.0004 ppm	0.0500%	2019/11/21 02:41

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8349	8.3485	16.36	19.91	3.55	50.05	12:28
2	TOC	0.8343	8.3429	16.36	19.89	3.53	50.10	12:27

Dilution: 1:10

Blank Contribution: (TC) 10.3749 (IC) (v1321)

Method: Extended Reaction 021711 (v4)

Calibration: Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	66	TOC	K1910759-003.01	1.6060 ppm	0.0289 ppm	1.8000%	2019/11/21 03:13

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6265	16.2645	22.04	25.72	3.68	50.10	12:30
2	TOC	1.5856	15.8559	21.74	25.49	3.75	50.04	12:25

Dilution: 1:10

Blank Contribution: (TC) 10.3749 (IC) (v1321)

Method: Extended Reaction 021711 (v4)

Calibration: Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.6066 ppm (PASS)	0.0000 ppm	0%	2019/11/21 03:45

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	23.6066	236.0657	180.43	184.01	3.58	50.06	12:31

Completion State: Success - Criteria met.

Success Action: Do Nothing

Method: Extended Reaction 021711 (v4)

Calibration: Extended Reaction 021711 (v27)

STD Conc - Pos B: 50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/21 04:02

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.15	9.95	3.80	50.06	12:29

Completion State: Success - Criteria met.

Success Action: Do Nothing

Method: Extended Reaction 021711 (v4)

Calibration: Extended Reaction 021711 (v27)

STD Conc - Pos D: 0 ppmC

Sample Type: Sample From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	67	TOC	K1910759-004.01	1.5096 ppm	0.0341 ppm	2.2600%	2019/11/21 04:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4855	14.8545	21.03	24.73	3.70	50.08	12:27
2	TOC	1.5337	15.3371	21.37	24.95	3.58	50.04	12:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	68	TOC	K1910759-005.01	1.0800 ppm	0.0452 ppm	4.1800%	2019/11/21 04:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.1120	11.1197	18.35	21.93	3.58	50.03	12:25
2	TOC	1.0481	10.4809	17.89	21.55	3.66	50.04	12:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	69	TOC	K1910759-006.01	1.1674 ppm	0.0315 ppm	2.6900%	2019/11/21 05:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.1896	11.8965	18.90	22.57	3.67	50.01	12:30
2	TOC	1.1452	11.4516	18.59	22.17	3.59	50.02	12:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	70	TOC	K1910837-001.01	1.6524 ppm	0.0164 ppm	0.9900%	2019/11/21 05:55

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6640	16.6397	22.31	25.89	3.59	50.07	12:29
2	TOC	1.6408	16.4082	22.14	25.69	3.55	50.07	12:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	71	TOC	K1910838-001.01	2.5144 ppm	0.0110 ppm	0.4400%	2019/11/21 06:27

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.5222	25.2223	28.46	32.00	3.54	50.06	12:25
2	TOC	2.5066	25.0661	28.35	31.91	3.56	50.04	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	72	TOC	K1910157-001.02 25x	3.1366 ppm	0.0614 ppm	1.9600%	2019/11/21 06:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.0932	30.9320	32.55	36.29	3.73	50.04	12:30
2	TOC	3.1801	31.8008	33.18	36.83	3.65	50.08	12:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	73	TOC	K1910765-005.01	15.2500 ppm	0.1025 ppm	0.6700%	2019/11/21 07:31

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	15.3224	153.2241	120.24	123.86	3.61	50.04	12:28
2	TOC	15.1775	151.7751	119.20	122.83	3.63	50.07	12:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	74	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/21 08:03

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.59	10.23	3.63	50.01	12:28
2	TOC	0.0000	0.0000	6.47	10.16	3.69	50.02	12:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 10.3749 (IC) (v1321)	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)

Sample Type: Check Standard --> CCV 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 021711 [25 ppm]	0 / infinity (NA / NA)	23.5480 ppm (PASS)	0.0000 ppm	0%	2019/11/21 08:36

Pos	Base Analysis	ID	Rep	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run

	Type		#							Time
B	TOC	25 ppm	1	23.5480	235.4799	180.01	183.60	3.59	50.05	12:28

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	50 ppmC

Sample Type: Check Standard --> CCB 021711 From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:2	[TOC] CCB 021711 [0.0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/21 08:52

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0.0 ppm	1	0.0000	0.0000	6.36	10.02	3.66	50.03	12:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	Extended Reaction 021711 (v4)	Extended Reaction 021711 (v27)	0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v1320	2.3307	1.7570	0.0000	0.0000	0.0000	2019/11/15 13:57	Fusion1 (Fusion1)
v1321	1.6360	1.5100	0.0000	0.0000	0.0000	2019/11/19 13:59	Fusion1 (Fusion1)

Calibrations

Name: Extended Reaction 021711 (TOC)

Version:	v27	Calibration curve formula:	TOC: y = 7.170x + 11.164
Ver Creation:	2019/03/11 21:51	r^2 value:	TOC: r^2 = 0.99991
Comment:			
Operator:	Fusion1 (Fusion1)		
Basic Analysis Type	TOC		

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
0.0 ppm	10.4100	0.0000		2019/03/11 20:12

0.50 ppm	14.7740	0.5000		2019/03/11 20:28
1.00 ppm	18.0020	1.0000		2019/03/11 20:44
5.00 ppm	47.2310	5.0000		2019/03/11 21:01
10.0 ppm	85.1320	10.0000		2019/03/11 21:17
25.0 ppm	188.5200	25.0000		2019/03/11 21:33
50.0 ppm	370.1610	50.0000		2019/03/11 21:49

Methods

Name: Extended Reaction 021711 (TOC)

Version: v4 Operator: Fusion1 (Fusion1)

Ver Creation: 2019/01/31 11:21

Comment:

Parameter	Value
SampleVolume	10.0 mL
Dilution	1:10
AcidVolume	0.5 ml
ReagentVolume	2.0 ml
UVReactorPrerinse	Off
UVReactorPrerinseVolume	5.0
NumberOfUVReactorPrerinses	1
ICSpargeTime	1.00 mins
DetectorSweepFlow	500 ml/min
PreSpargeTime	4.00 mins
SystemFlow	500 ml/min

Advanced Parameter	Value
NeedleRinseVolume	5.0 ml
VialPrimeVolume	2.0 ml
ICSamplePrimeVolume	2.0 ml
ICSpargeRinseVolume	12.0 ml
BaselineStabilizeTime	0.70 min
DetectorPressureFlow	150 ml/min
SyringeSpeedWaste	10
SyringeSpeedAcid	7
SyringeSpeedReagent	7
SyringeSpeedDIWater	7
NDIRPressurization	60 psig
SyringeSpeedSampleDispense	5
SyringeSpeedSampleAspirate	4
SyringeSpeedUVDispense	5
SyringeSpeedUVAspirate	5
SyringeSpeedICDispense	5
SyringeSpeedICAspirate	5
NDIRPressureStabilize	1.75 min
SampleMixing	Off
SampleMixingCycles	1
SampleMixingVolume	10.0
LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Fusion1 (Fusion1)	Schedule completed	Schedule completed	2019/11/21 09:10

ALS Environmental

StarLIMS Run: 660502, 660505, 660506, 660507

Analysis: DOC/TOC

Method: SM 5310 C, 9060A, 415.1, 9060

CCV: 11-GEN-05-82C 50 ppm LCS: 11-GEN-05-79J 25.0 ppm

ICAL Date: 3/6/19

ICAL ID: 11-GEN-05-76H

ICS ID: 11-GEN-05-78M

ICS TV: 25.0 ppm ICS % R < 1

Spike ID: 11-GEN-05-82C 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 ppm x dilution factor

Sodium Persulfate: 11-GEN-05-83C

21 % H3PO4: 11-GEN-05-83B

Equipment ID: K-TOC-03

PIPETTE ID: 124276B, 129001F, N11314F, Marge

FILTER ID: 16967789

Analyzed By:	BD	Date Analyzed:	11/19/19
Reviewed By:		Date Reviewed:	11/21/19

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

WorkOrder: HS19111065

LHAAP-16

Aptim Environmental & Infrastucture, Inc.

Susan Huang
2500 City West Blvd., Suite 1700
Houston TX 77042

07-Dec-2019

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

HS19111065 Cover Page
- CoverPage
- HS19111065 LHAAP16 Final
  - CoverLetter
  - Sample Summary
  - CaseNarrative
  - 16RW01-191119
  - 16RW04-191119
  - 16RW04-191119-FD
  - 16WW26-191119
  - 16RW05-191119
  - 16RW02-191119
  - 16RW03-191119
  - 16IW09-191119
  - 16WW42-191119
  - Dates Report
  - QC
  - Acronyms
  - Certifications
  - SampleReceiptCheckList
  - COC
  - HS19111065 ALS Kelso Sub Data K1911033

Table of Contents (continued)

HS19111065 Wet Chem Raw Data

HS19111065 LHAAP16 Final

ALS WO# HS19111065

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

December 04, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19111065**

Laboratory Results for: **LHAAP-16**

Dear Susan,

ALS Environmental received 9 sample(s) on Nov 21, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19111065

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19111065-01	16RW01-191119	Groundwater		19-Nov-2019 07:25	21-Nov-2019 08:35	☐
HS19111065-02	16RW04-191119	Groundwater		19-Nov-2019 08:15	21-Nov-2019 08:35	☐
HS19111065-03	16RW04-191119-FD	Groundwater		19-Nov-2019 08:15	21-Nov-2019 08:35	☐
HS19111065-04	16WW26-191119	Groundwater		19-Nov-2019 09:10	21-Nov-2019 08:35	☐
HS19111065-05	16RW05-191119	Groundwater		19-Nov-2019 10:00	21-Nov-2019 08:35	☐
HS19111065-06	16RW02-191119	Groundwater		19-Nov-2019 10:45	21-Nov-2019 08:35	☐
HS19111065-07	16RW03-191119	Groundwater		19-Nov-2019 11:35	21-Nov-2019 08:35	☐
HS19111065-08	16IW09-191119	Groundwater		19-Nov-2019 12:25	21-Nov-2019 08:35	☐
HS19111065-09	16WW42-191119	Groundwater		19-Nov-2019 13:20	21-Nov-2019 08:35	☐

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19111065

CASE NARRATIVE

Work Order Comments

- The analysis for TOC was subcontracted to ALS Environmental in Kelso, WA. Final Report attached.

WetChemistry by Method SW9056

Batch ID: R351781

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW01-191119
Collection Date: 19-Nov-2019 07:25

ANALYTICAL REPORT
WorkOrder:HS19111065
Lab ID:HS19111065-01
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**0.520**		**0.150**	**0.500**	**0.500**	**mg/L**	5	04-Dec-2019 04:43
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	30-Nov-2019 11:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW04-191119
Collection Date: 19-Nov-2019 08:15

ANALYTICAL REPORT
WorkOrder:HS19111065
Lab ID:HS19111065-02
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**0.660**		**0.150**	**0.500**	**0.500**	**mg/L**	5	04-Dec-2019 05:00
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	30-Nov-2019 11:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW04-191119-FD
Collection Date: 19-Nov-2019 08:15

ANALYTICAL REPORT
WorkOrder:HS19111065
Lab ID:HS19111065-03
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**0.656**		**0.150**	**0.500**	**0.500**	**mg/L**	5	04-Dec-2019 05:16
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	30-Nov-2019 11:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW26-191119
Collection Date: 19-Nov-2019 09:10

ANALYTICAL REPORT
WorkOrder:HS19111065
Lab ID:HS19111065-04
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**0.262**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	04-Dec-2019 10:32
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	30-Nov-2019 11:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW05-191119
Collection Date: 19-Nov-2019 10:00

ANALYTICAL REPORT
WorkOrder:HS19111065
Lab ID:HS19111065-05
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**75.4**		**1.50**	**5.00**	**5.00**	**mg/L**	50	04-Dec-2019 05:50
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	30-Nov-2019 11:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW02-191119
Collection Date: 19-Nov-2019 10:45

ANALYTICAL REPORT
WorkOrder:HS19111065
Lab ID:HS19111065-06
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**0.130**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	04-Dec-2019 10:49
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	30-Nov-2019 11:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW03-191119
Collection Date: 19-Nov-2019 11:35

ANALYTICAL REPORT
WorkOrder:HS19111065
Lab ID:HS19111065-07
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**0.713**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	04-Dec-2019 11:05
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	30-Nov-2019 11:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16IW09-191119
Collection Date: 19-Nov-2019 12:25

ANALYTICAL REPORT
WorkOrder:HS19111065
Lab ID:HS19111065-08
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**70.7**		**15.0**	**50.0**	**50.0**	**mg/L**	500	04-Dec-2019 07:13
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	30-Nov-2019 11:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16WW42-191119
Collection Date: 19-Nov-2019 13:20

ANALYTICAL REPORT
WorkOrder:HS19111065
Lab ID:HS19111065-09
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**0.662**		**0.150**	**0.500**	**0.500**	**mg/L**	5	04-Dec-2019 07:29
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	30-Nov-2019 11:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19111065

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R351528 (0)	**Test Name :** SUBCONTRACT ANALYSIS - TOC ANALYSIS				**Matrix:** Groundwater	
HS19111065-01	16RW01-191119	19 Nov 2019 07:25			30 Nov 2019 11:02	1
HS19111065-02	16RW04-191119	19 Nov 2019 08:15			30 Nov 2019 11:02	1
HS19111065-03	16RW04-191119-FD	19 Nov 2019 08:15			30 Nov 2019 11:02	1
HS19111065-04	16WW26-191119	19 Nov 2019 09:10			30 Nov 2019 11:02	1
HS19111065-05	16RW05-191119	19 Nov 2019 10:00			30 Nov 2019 11:02	1
HS19111065-06	16RW02-191119	19 Nov 2019 10:45			30 Nov 2019 11:02	1
HS19111065-07	16RW03-191119	19 Nov 2019 11:35			30 Nov 2019 11:02	1
HS19111065-08	16IW09-191119	19 Nov 2019 12:25			30 Nov 2019 11:02	1
HS19111065-09	16WW42-191119	19 Nov 2019 13:20			30 Nov 2019 11:02	1
Batch ID: R351781 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS19111065-01	16RW01-191119	19 Nov 2019 07:25			04 Dec 2019 04:43	5
HS19111065-02	16RW04-191119	19 Nov 2019 08:15			04 Dec 2019 05:00	5
HS19111065-03	16RW04-191119-FD	19 Nov 2019 08:15			04 Dec 2019 05:16	5
HS19111065-04	16WW26-191119	19 Nov 2019 09:10			04 Dec 2019 10:32	1
HS19111065-05	16RW05-191119	19 Nov 2019 10:00			04 Dec 2019 05:50	50
HS19111065-06	16RW02-191119	19 Nov 2019 10:45			04 Dec 2019 10:49	1
HS19111065-07	16RW03-191119	19 Nov 2019 11:35			04 Dec 2019 11:05	1
HS19111065-08	16IW09-191119	19 Nov 2019 12:25			04 Dec 2019 07:13	500
HS19111065-09	16WW42-191119	19 Nov 2019 13:20			04 Dec 2019 07:29	5

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19111065

QC BATCH REPORT

Batch ID: R351781 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW2-120319** Units: **mg/L** Analysis Date: **04-Dec-2019 03:54**
Client ID: Run ID: **ICS-Integrion_351781** SeqNo: **5373567** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW2-120319** Units: **mg/L** Analysis Date: **04-Dec-2019 04:10**
Client ID: Run ID: **ICS-Integrion_351781** SeqNo: **5373568** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.86	0.100	4	0	96.5	80 - 120				

LCSD Sample ID: **WLCSDW2-120319** Units: **mg/L** Analysis Date: **04-Dec-2019 04:27**
Client ID: Run ID: **ICS-Integrion_351781** SeqNo: **5373569** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.856	0.100	4	0	96.4	80 - 120	3.86	0.127	20	

MS Sample ID: **HS19111065-09MS** Units: **mg/L** Analysis Date: **04-Dec-2019 07:46**
Client ID: **16WW42-191119** Run ID: **ICS-Integrion_351781** SeqNo: **5373581** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	9.392	0.500	10	0.6615	87.3	80 - 120				

MSD Sample ID: **HS19111065-09MSD** Units: **mg/L** Analysis Date: **04-Dec-2019 08:03**
Client ID: **16WW42-191119** Run ID: **ICS-Integrion_351781** SeqNo: **5373582** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	9.373	0.500	10	0.6615	87.1	80 - 120	9.392	0.197	20	

The following samples were analyzed in this batch:

HS19111065-01	HS19111065-02	HS19111065-03	HS19111065-04
HS19111065-05	HS19111065-06	HS19111065-07	HS19111065-08
HS19111065-09			

ALS Houston, US Date: 04-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19111065**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 04-Dec-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19111065
Date/Time Received: **21-Nov-2019 08:35**
Received by: **PMG**

Checklist completed by: *Paresh M. Giga* eSignature — 21-Nov-2019 Date
Reviewed by: *RJ Modashia* eSignature — 21-Nov-2019 Date

Matrices: **GW**
Carrier name: **FedEx**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:None
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	0.9c U/C	IR11
Cooler(s)/Kit(s):	45371	
Date/Time sample(s) sent to storage:	11/21/19 15:05	

Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

Page 1 of ____

COC ID: 16NOV2019-LF1-1911__-ALS

TURNAROUND TIME:

RUSH:

PROJECT/CLIENT INFO

Facility Name	Longhorn AAP
Project Number	501032
	LHAAP-16
Address	1203-B East Grand Avenue
	PMB 202
City	Marshall
State	TX
Postal Code	75670
Country	USA
Phone Number	713.243 7264
Project Manager	Praveen Srivastav

LABORATORY

Lab Name	ALS Laboratories
Lab Contact	RJ Modashia
Email	RJ.Modashia@alsglobal.com
Address	10450 Stanchiff Rd., Suite 210
City	Houston
State	TX
Postal Code	77099
Country	USA
Phone Number	281.575.2279 or 281 530.5656

OTHER INFO

Email Invoice To	FedInvoices@aptim.com
Email Report To	Susan.Huang@aptim.com
Mail Reports To	Susan Huang
Address	4005 Port Chicago Highway, Suite 200
City	Concord
State	CA
Postal Code	94520
Country	USA
Shipping Company	

SAMPLE DETAILS

ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	Sample Container and Preservatives: 2-40ml Amber/H2SO4 — TOC by SM5310	Sample Container and Preservatives: 1-250ml /Cool to 6 deg C — Bromide by SW9056
16RW01-191119	LHAAP 16				WG	11/19/19	0725	3	X	X
16RW04-191119	LHAAP 16				WG	11/19/19	0815	3	X	X
16RW04-191119-FD	LHAAP 16				WG	11/19/19	0815	3	X	X
16WW26-191119	LHAAP 16				WG	11/19/19	0910	3	X	X
16RW05-191119	LHAAP 16				WG	11/19/19	1000	3	X	X
16RW02-191119	LHAAP 16				WG	11/19/19	1045	3	X	X
16RW03-191119	LHAAP 16				WG	11/19/19	1135	3	X	X
16IW09-191119	LHAAP 16				WG	11/19/19	1225	3	X	X
16WW42-191119	LHAAP 16				WG	11/19/19	1320	3	X	X
16WW42-191119-MS	LHAAP 16				WG	11/19/19	1320	3	X	X
16WW42-191119-MSD	LHAAP 16				WG	11/19/19	1320	3	X	X

ANALYSIS

HS19111065

Aptim Environmental & Infrastucture, Inc.

Longhorn Army Ammunition Plant

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
uIC 0-9 IR 11 C/F-0 45371	Smith Bhatt/BHATT	11/20/19 1415	PG Nov/21/19	Nov/21/19 8:35

01031304

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

45371

CUSTODY SEAL

Date: 11/20/19 Time: 1430
Name: Scott Beesinger
Company: APTIM

Seal Broken By: SMJ
Date: 11/21/19

45371

Must Deliver Next Business Day
Time and Tempature Sensitive!

45371

ORIGIN ID:SGRA (903) 930-6193
SCOTT BEESINGER
APTIM ENVIROMENTAL & INFASTRUCTURE
1203-B EAST GRAND AVE
SMB 202
SAPSHALL, TX 75670
UNITED STATES US

SHIP DATE: 05NOV19
ACTWGT: 1.00 LB MAN
CAD: 300130/CAFE3211
DIMS: 19x16x13 IN

CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP-16-BD 68473-RJ
RMA:

FedEx Express

FedEx
TRK# 0221 1251 0291 3761

THU - 21 NOV 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US
IAH

FTD 5187232 20NOV19 GGGA 66AC1/F330/05A2

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

November 27, 2019 **Analytical Report for Service Request No:** K1911033

RJ Modashia
ALS Laboratory Group
10450 Stancliff Road
Suite 210
Houston, TX 77099-4338

RE: HS19111065

Dear RJ,

Enclosed are the results of the sample(s) submitted to our laboratory November 22, 2019
For your reference, these analyses have been assigned our service request number **K1911033.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3350. You may also contact me via email at Kelley.Lovejoy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Kelley Lovejoy

Kelley Lovejoy
Project Manager

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

Acronyms
Qualifiers
State Certifications, Accreditations, And Licenses
Case Narrative
Chain of Custody
General Chemistry
Raw Data
    General Chemistry

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable. See case narrative.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Case Narrative

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

ALS Environmental

Client: ALS Environmental - US
Project: HS19111065
Sample Matrix: Ground Water

Service Request: K1911033
Date Received: 11/22/2019

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier level IV requested by the client.

Sample Receipt:

Nine ground water samples were received for analysis at ALS Environmental on 11/22/2019. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

General Chemistry:

Method SM 5310 C, 11/24/2019: The Relative Percent Difference (RPD) for the replicate analysis of Total Organic Carbon in samples 16RW02-191119 and 16RW03-191119 was outside the normal ALS control limits. The associated QA/QC results (e.g. control sample, matrix spike, method blank, calibration standards, etc.) indicate the analysis was in control. No further corrective action was appropriate.

Approved by Kelley Lovejoy Date 11/27/2019

Chain of Custody

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

K1911033

10450 Stancliff Rd, Ste 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **12684**

SUBCONTRACT TO:

ALS Environmental Kelso
1317 S. 13th Avenue
Kelso, WA 98626 **Phone:** +1 360 501 3312

CUSTOMER INFORMATION:

Company:	ALS Houston
Contact:	RJ Modashia
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Email:	RJ.Modashia@alsglobal.com
Alternate Contact:	
Email:	

INVOICE INFORMATION:

Company:	ALS Houston
Contact:	Accounts Payable
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Reference:	HS19111065
TSR:	Sonia West

	LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
	ANALYSIS REQUESTED			DUE DATE
1.	**HS19111065-01**	**16RW01-191119**	**Groundwater**	**19 Nov 2019 07:25**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
2.	**HS19111065-02**	**16RW04-191119**	**Groundwater**	**19 Nov 2019 08:15**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
3.	**HS19111065-03**	**16RW04-191119-FD**	**Groundwater**	**19 Nov 2019 08:15**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
4.	**HS19111065-04**	**16WW26-191119**	**Groundwater**	**19 Nov 2019 09:10**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
5.	**HS19111065-05**	**16RW05-191119**	**Groundwater**	**19 Nov 2019 10:00**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
6.	**HS19111065-06**	**16RW02-191119**	**Groundwater**	**19 Nov 2019 10:45**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
7.	**HS19111065-07**	**16RW03-191119**	**Groundwater**	**19 Nov 2019 11:35**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
8.	**HS19111065-08**	**16IW09-191119**	**Groundwater**	**19 Nov 2019 12:25**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
9.	**HS19111065-09**	**16WW42-191119** MS/MSD	**Groundwater**	**19 Nov 2019 13:20**

BRIGHT SOLUTIONS | BRIGHT PARTNER

Rec'd 11/22/19 0940

K1911033

Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **12684**

LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
ANALYSIS REQUESTED			DUE DATE
TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019

Comments: Please analyze for the analysis listed above.
Send report to the emails shown above.
HS19111065-09A = MS/MSD

QC Level: DOD IV (DoD Data Package)

Relinquished By: J. Mraunn Date/Time: 11/21/19 18:00

Received By: [signature] Date/Time: 11/22/19 0940

Cooler ID(s): _____ Temperature(s): _____

PC KL

Cooler Receipt and Preservation Form

Client ALS Houston Service Request K19 110 33

Received: 11/22/19 Opened: 11/22/19 By: CG Unloaded: 11/22/19 By: CG

1. Samples were received via? *USPS* (*Fed Ex*) *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other* _____ *NA*
3. Were custody seals on coolers? NA (Y) N If yes, how many and where? 2 Front
   If present, were custody seals intact? (Y) N If present, were they signed and dated? (Y) N

Raw Cooler Temp	Corrected Cooler Temp	Raw Temp Blank	Corrected Temp Blank	Corr. Factor	Thermometer ID	Cooler/COC ID NA	Tracking Number NA	Filed
-0.6	-0.5	-0.2	-0.1	+0.1	360	12684	1251 0292 0914	

4. Packing material: *Inserts* (*Baggies*) (*Bubble Wrap*) *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____
5. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
6. Were samples received in good condition (temperature, unbroken)? *Indicate in the table below.* NA (Y) N
   If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*
7. Were all sample labels complete (i.e analysis, preservation, etc.)? NA (Y) N
8. Did all sample labels and tags agree with custody papers? *Indicate major discrepancies in the table on page 2.* NA (Y) N
9. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N
10. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA (Y) N
11. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
12. Was C12/Res negative? (NA) Y N

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Out of Temp	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

otes, Discrepancies, & Resolutions: _____

RUSH

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	ALS Environmental - US	**Service Request:**	K1911033
Project:	HS19111065	**Date Collected:**	11/19/19
Sample Matrix:	Ground Water	**Date Received:**	11/22/19
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Carbon, Total Organic

Sample Name	Lab Code	Result	LOQ	LOD	MDL	Dil.	Date Analyzed	Q
16RW01-191119	K1911033-001	**3.66**	0.50	0.20	0.07	1	11/24/19 07:24	
16RW04-191119	K1911033-002	**2.81**	0.50	0.20	0.07	1	11/24/19 07:52	
16RW04-191119-FD	K1911033-003	**2.80**	0.50	0.20	0.07	1	11/24/19 08:20	
16WW26-191119	K1911033-004	**2.38**	0.50	0.20	0.07	1	11/24/19 08:48	
16RW05-191119	K1911033-005	**791**	10	4	2	20	11/24/19 09:16	
16RW02-191119	K1911033-006	**4.37**	0.50	0.20	0.07	1	11/24/19 09:44	
16RW03-191119	K1911033-007	**2.51**	0.50	0.20	0.07	1	11/24/19 10:12	
16IW09-191119	K1911033-008	**7820**	500	200	70	1000	11/24/19 10:41	
16WW42-191119	K1911033-009	**3.94**	0.50	0.20	0.07	1	11/24/19 11:09	
Method Blank	K1911033-MB	ND	0.50	0.20	0.07	1	11/24/19 02:41	U

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1911033
Project	HS19111065	**Date Collected:**	11/19/19
Sample Matrix:	Ground Water	**Date Received:**	11/22/19
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Replicate Sample Summary
Carbon, Total Organic

Sample Name:	Lab Code:	LOQ	LOD	MDL	Sample Result	Duplicate Result	Average	RPD	RPD Limit	Date Analyzed
16RW01-191119	K1911033-001DUP	0.50	0.20	0.07	3.66	3.65	3.65	<1	10	11/24/19
16RW04-191119	K1911033-002DUP	0.50	0.20	0.07	2.81	2.74	2.77	3	10	11/24/19
16RW04-191119-FD	K1911033-003DUP	0.50	0.20	0.07	2.80	2.76	2.78	1	10	11/24/19
16WW26-191119	K1911033-004DUP	0.50	0.20	0.07	2.38	2.31	2.35	3	10	11/24/19
16RW05-191119	K1911033-005DUP	10	4	2	791	775	783	2	10	11/24/19
16RW02-191119	K1911033-006DUP	0.50	0.20	0.07	4.37	3.18	3.77	31 *	10	11/24/19
16RW03-191119	K1911033-007DUP	0.50	0.20	0.07	2.51	2.24	2.37	11 *	10	11/24/19
16IW09-191119	K1911033-008DUP	500	200	70	7820	8010	7920	2	10	11/24/19
16WW42-191119	K1911033-009DUP	0.50	0.20	0.07	3.94	3.61	3.77	9	10	11/24/19

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1911033
Project:	HS19111065	**Date Collected:**	11/19/19
Sample Matrix:	Ground Water	**Date Received:**	11/22/19
		Date Analyzed:	11/24/19
		Date Extracted:	NA

Matrix Spike Summary
Carbon, Total Organic

Sample Name:	16WW42-191119	**Units:**	mg/L
Lab Code:	K1911033-009	**Basis:**	NA
Analysis Method:	SM 5310 C		
Prep Method:	None		

Matrix Spike
K1911033-009MS

Analyte Name	Sample Result	Result	Spike Amount	% Rec	% Rec Limits
Carbon, Total Organic	3.94	52.2	50.0	97	83-117

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1911033
Project:	HS19111065	**Date Analyzed:**	11/24/19
Sample Matrix:	Ground Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	661077

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1911033-LCS	25.1	25.0	100	83-117

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:** K1911033
Project: HS19111065

Continuing Calibration Verification (CCV) Summary

Carbon, Total Organic

Analysis Method: SM 5310 C **Units:** mg/L

	Analysis Lot	Lab Code	Date Analyzed	True Value	Measured Value	Percent Recovery	Acceptance Limits
CCV1	661077	KQ1917447-01	11/24/19 02:11	25.0	24.6	98	90-110
CCV2	661077	KQ1917447-02	11/24/19 06:54	25.0	24.2	97	90-110
CCV3	661077	KQ1917447-03	11/24/19 11:51	25.0	24.7	99	90-110
CCV4	661077	KQ1917447-04	11/24/19 16:22	25.0	24.3	97	90-110

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:**K1911033
Project: HS19111065

Continuing Calibration Blank (CCB) Summary
Carbon, Total Organic

Analysis Method: SM 5310 C **Units:**mg/L

	Analysis Lot	Lab Code	Date Analyzed	LOQ	LOD	MDL	Result	Q
CCB1	661077	KQ1917447-05	11/24/19 02:26	0.50	0.20	0.07	ND	U
CCB2	661077	KQ1917447-06	11/24/19 07:09	0.50	0.20	0.07	ND	U
CCB3	661077	KQ1917447-07	11/24/19 12:06	0.50	0.20	0.07	0.23	J
CCB4	661077	KQ1917447-08	11/24/19 16:36	0.50	0.20	0.07	ND	U

Raw Data

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

Work Request # Original ( ) K1910680,796,847,861,929,969,11031,11032,11033,10803,11028,11032,11047,11049,975,11043

Tier: II IV IV II II I IV IV IV IV V IV II II I II

Date Analyzed: 11/23/19

Analyst: BCV

Analysis: TOC/DOC

TOC: 661076, 661077, 661078

Run # DOC: 661079

DATA QUALITY REPORT
INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1.	Is the method name and number correct and appropriate?	yes/no/NA
2.	Holding times met for all analyses and for all samples?	yes/no/NA
3.	Are calculations correct?	yes/no/NA
4.	Is the reporting basis correct? (Dry Weight)	yes/no/NA
5.	All quality control criteria met?	yes/no
6.	Is the calibration curve correlation coefficient ≥ 0.995?	yes/no/NA
7.	MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency?	yes/no/NA
8.	Are ICVs, CCVs, and CCBs all within acceptance limits?	yes/no/NA
9.	Are results for methods blanks all ND?	yes/no/NA
10.	Are all QC samples within acceptance criteria? (LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.)	yes/no/NA
11.	Are all exceptions explained?	yes/no/NA
12.	Have all applicable service requests been reviewed?	yes/no/NA
13.	Are all samples labeled correctly?	yes/no/NA
14.	Have all instructions on the service request been followed? (e.g. Special MRLs, QC on a specific sample, Form V)	yes/no/NA
15.	Are detection limits and units reported correctly?	yes/no/NA
16.	Is the unused space on the benchsheet crossed out?	yes/no/NA
17.	Was analysis turned in by the due date? (n-2) (If not record SR#)	yes/no/NA

COMMENTS: K1910847-4/4d, K1910903-2/2d, 803-4/4d sent for CA due to being above calibration curve.
K1910903-3/3d, 803-5/5d sent for CA due to sample carry over
K1911043-2 sent for CA due to being overcalibrated.
K1910680-2/2d, 680-4/4d, 680-5/5d, 796-2/2d, 929-2/2d, 11031-1/1d, 11028-3/3d, and 10975-1/1d report a high %RSD. However these samples are less than 5x the MRL.
K1911033-6/6d, 11033-7/7d, 10803-3, 10803-5, 11047-1/1d report a high %RSD due to suspected non-homogenous samples

Final Approved by: _____ Date: 11/26/19

DQREPORT

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661076 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910680-001	Carbon, Total Organic	N/A		Water	0.36 mg/L	10 ml	0.36 mg/L J	1	0.07	0.50			11/23/19 17:58	N	II
K1910680-002	Carbon, Total Organic	N/A		Water	0.30 mg/L	10 ml	0.30 mg/L J	1	0.07	0.50			11/23/19 18:26	N	II
K1910680-003	Carbon, Total Organic	N/A		Water	0.63 mg/L	10 ml	0.63 mg/L	1	0.07	0.50			11/23/19 18:54	N	II
K1910680-004	Carbon, Total Organic	N/A		Water	0.56 mg/L	10 ml	0.56 mg/L	1	0.07	0.50			11/23/19 19:22	N	II
K1910680-005	Carbon, Total Organic	N/A		Water	0.17 mg/L	10 ml	0.17 mg/L J	1	0.07	0.50			11/23/19 19:50	N	II
K1910796-001	Carbon, Total Organic	N/A		Ground Water	1.05 mg/L	10 ml	1.05 mg/L	1	0.07	0.50			11/23/19 21:30	N	IV
K1910796-002	Carbon, Total Organic	N/A		Ground Water	0.88 mg/L	10 ml	0.88 mg/L	1	0.07	0.50			11/23/19 21:59	N	IV
K1910796-003	Carbon, Total Organic	N/A		Ground Water	1.78 mg/L	10 ml	1.78 mg/L	1	0.07	0.50			11/23/19 22:27	N	IV
K1910796-004	Carbon, Total Organic	N/A		Ground Water	0.20 mg/L	10 ml	0.20 mg/L J	1	0.07	0.50			11/23/19 20:18	Y	IV
K1910847-001	Carbon, Total Organic	N/A		Ground Water	34.01 mg/L	10 ml	680 mg/L	20	2	10			11/23/19 22:55	N	IV
K1910847-002	Carbon, Total Organic	N/A		Ground Water	32.82 mg/L	10 ml	32.8 mg/L	1	0.07	0.50			11/23/19 23:23	N	IV
K1910847-003	Carbon, Total Organic	N/A		Ground Water	35.27 mg/L	10 ml	35.3 mg/L	1	0.07	0.50			11/23/19 23:51	N	IV
K1910847-004	Carbon, Total Organic	N/A		Ground Water	61.27 mg/L	10 ml	61.3 mg/L	1	0.07	0.50			11/24/19 00:19	N	IV
K1910861-001	Carbon, Total Organic	N/A		Water	7.26 mg/L	10 ml	726 mg/L	100	7	50			11/24/19 00:47	N	II
K1910861-002	Carbon, Total Organic	N/A		Water	5.98 mg/L	10 ml	598 mg/L	100	7	50			11/24/19 01:15	N	II
K1910861-003	Carbon, Total Organic	N/A		Water	5.96 mg/L	10 ml	596 mg/L	100	7	50			11/24/19 01:43	N	II
K1910861-004	Carbon, Total Organic	N/A		Water	7.78 mg/L	10 ml	778 mg/L	100	7	50			11/24/19 03:10	N	II
K1910861-005	Carbon, Total Organic	N/A		Water	7.46 mg/L	10 ml	746 mg/L	100	7	50			11/24/19 03:38	N	II
K1910861-006	Carbon, Total Organic	N/A		Water	10.75 mg/L	10 ml	1080 mg/L	100	7	50			11/24/19 04:06	N	II
K1910861-007	Carbon, Total Organic	N/A		Water	8.35 mg/L	10 ml	835 mg/L	100	7	50			11/24/19 04:34	N	II
KQ1917446-01	Carbon, Total Organic	CCV		Water	24.53 mg/L	10 ml	24.5 mg/L	1					11/23/19 16:45	N	II
KQ1917446-02	Carbon, Total Organic	CCV		Water	24.61 mg/L	10 ml	24.6 mg/L	1					11/23/19 21:01	N	II
KQ1917446-03	Carbon, Total Organic	CCV		Water	24.56 mg/L	10 ml	24.6 mg/L	1					11/24/19 02:11	N	II
KQ1917446-04	Carbon, Total Organic	CCV		Water	24.22 mg/L	10 ml	24.2 mg/L	1					11/24/19 06:54	N	II
KQ1917446-05	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/23/19 16:59	N	II
KQ1917446-06	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/23/19 21:15	N	II
KQ1917446-07	Carbon, Total Organic	CCB		Water	-0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 02:26	N	II
KQ1917446-08	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 07:09	N	II
KQ1917446-09	Carbon, Total Organic	MB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/23/19 17:14	N	II
KQ1917446-10	Carbon, Total Organic	LCS		Water	24.74 mg/L	10 ml	24.7 mg/L	1	0.07	0.50	99		11/23/19 17:29	N	II
KQ1917446-11	Carbon, Total Organic	MS	K1910796-004	Ground Water	22.48 mg/L	10 ml	22.5 mg/L	1	0.07	0.50	89		11/23/19 20:46	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/26/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661076 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917446-12	Carbon, Total Organic	DUP	K1910680-001	Water	0.36 mg/L	10 ml	0.36 mg/L J	1	0.07	0.50		2	11/23/19 17:58	N	II
KQ1917446-13	Carbon, Total Organic	DUP	K1910680-002	Water	0.26 mg/L	10 ml	0.26 mg/L J	1	0.07	0.50		13*	11/23/19 18:26	N	II
KQ1917446-14	Carbon, Total Organic	DUP	K1910680-003	Water	0.61 mg/L	10 ml	0.61 mg/L	1	0.07	0.50		3	11/23/19 18:54	N	II
KQ1917446-15	Carbon, Total Organic	DUP	K1910680-004	Water	0.67 mg/L	10 ml	0.67 mg/L	1	0.07	0.50		17*	11/23/19 19:22	N	II
KQ1917446-16	Carbon, Total Organic	DUP	K1910680-005	Water	0.20 mg/L	10 ml	0.20 mg/L J	1	0.07	0.50		15*	11/23/19 19:50	N	II
KQ1917446-17	Carbon, Total Organic	DUP	K1910796-002	Ground Water	0.77 mg/L	10 ml	0.77 mg/L	1	0.07	0.50		14*	11/23/19 21:59	N	IV
KQ1917446-18	Carbon, Total Organic	DUP	K1910796-001	Ground Water	1.14 mg/L	10 ml	1.14 mg/L	1	0.07	0.50		8	11/23/19 21:30	N	IV
KQ1917446-19	Carbon, Total Organic	DUP	K1910796-003	Ground Water	1.75 mg/L	10 ml	1.75 mg/L	1	0.07	0.50		1	11/23/19 22:27	N	IV
KQ1917446-20	Carbon, Total Organic	DUP	K1910796-004	Ground Water	0.21 mg/L	10 ml	0.21 mg/L J	1	0.07	0.50		6	11/23/19 20:18	N	IV
KQ1917446-21	Carbon, Total Organic	DUP	K1910847-002	Ground Water	32.44 mg/L	10 ml	32.4 mg/L	1	0.07	0.50		1	11/23/19 23:23	N	IV
KQ1917446-22	Carbon, Total Organic	DUP	K1910847-001	Ground Water	33.78 mg/L	10 ml	676 mg/L	20	2	10		<1	11/23/19 22:55	N	IV
KQ1917446-23	Carbon, Total Organic	DUP	K1910847-003	Ground Water	34.76 mg/L	10 ml	34.8 mg/L	1	0.07	0.50		1	11/23/19 23:51	N	IV
KQ1917446-24	Carbon, Total Organic	DUP	K1910847-004	Ground Water	60.91 mg/L	10 ml	60.9 mg/L	1	0.07	0.50		<1	11/24/19 00:19	N	IV
KQ1917446-25	Carbon, Total Organic	DUP	K1910861-001	Water	6.74 mg/L	10 ml	674 mg/L	100	7	50		7	11/24/19 00:47	N	II
KQ1917446-26	Carbon, Total Organic	DUP	K1910861-002	Water	5.82 mg/L	10 ml	582 mg/L	100	7	50		3	11/24/19 01:15	N	II
KQ1917446-27	Carbon, Total Organic	DUP	K1910861-003	Water	5.90 mg/L	10 ml	590 mg/L	100	7	50		1	11/24/19 01:43	N	II
KQ1917446-28	Carbon, Total Organic	DUP	K1910861-004	Water	7.76 mg/L	10 ml	776 mg/L	100	7	50		<1	11/24/19 03:10	N	II
KQ1917446-29	Carbon, Total Organic	DUP	K1910861-005	Water	7.41 mg/L	10 ml	741 mg/L	100	7	50		<1	11/24/19 03:38	N	II
KQ1917446-30	Carbon, Total Organic	DUP	K1910861-006	Water	10.62 mg/L	10 ml	1060 mg/L	100	7	50		1	11/24/19 04:06	N	II
KQ1917446-31	Carbon, Total Organic	DUP	K1910861-007	Water	8.16 mg/L	10 ml	816 mg/L	100	7	50		2	11/24/19 04:34	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661077 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910929-001	Carbon, Total Organic	N/A		Water	1.49 mg/L	10 ml	1.49 mg/L	1	0.07	0.50			11/24/19 05:02	N	II
K1910929-002	Carbon, Total Organic	N/A		Water	0.79 mg/L	10 ml	0.79 mg/L	1	0.07	0.50			11/24/19 05:30	N	II
K1910929-003	Carbon, Total Organic	N/A		Water	1.91 mg/L	10 ml	1.91 mg/L	1	0.07	0.50			11/24/19 05:58	N	II
K1910969-002	Carbon, Total Organic	N/A		Drinking Water	1.16 mg/L	10 ml	1.16 mg/L	1	0.07	0.50			11/24/19 06:26	N	I
K1911031-001	Carbon, Total Organic	N/A		Water	0.90 mg/L	10 ml	0.90 mg/L	1	0.07	0.50			11/24/19 12:50	N	IV
K1911032-001	Carbon, Total Organic	N/A		Ground Water	1.54 mg/L	10 ml	1.54 mg/L	1	0.07	0.50			11/24/19 13:19	N	IV
K1911032-002	Carbon, Total Organic	N/A		Ground Water	1.55 mg/L	10 ml	1.55 mg/L	1	0.07	0.50			11/24/19 13:47	N	IV
K1911032-003	Carbon, Total Organic	N/A		Ground Water	1.59 mg/L	10 ml	1.59 mg/L	1	0.07	0.50			11/24/19 14:15	N	IV
K1911032-004	Carbon, Total Organic	N/A		Ground Water	2.02 mg/L	10 ml	2.02 mg/L	1	0.07	0.50			11/24/19 14:43	N	IV
K1911032-005	Carbon, Total Organic	N/A		Ground Water	4.63 mg/L	10 ml	1850 mg/L	400	30	200			11/24/19 15:11	N	IV
K1911032-006	Carbon, Total Organic	N/A		Ground Water	1.99 mg/L	10 ml	1.99 mg/L	1	0.07	0.50			11/24/19 15:39	N	IV
K1911033-001	Carbon, Total Organic	N/A		Ground Water	3.66 mg/L	10 ml	3.66 mg/L	1	0.07	0.50			11/24/19 07:24	N	IV
K1911033-002	Carbon, Total Organic	N/A		Ground Water	2.81 mg/L	10 ml	2.81 mg/L	1	0.07	0.50			11/24/19 07:52	N	IV
K1911033-003	Carbon, Total Organic	N/A		Ground Water	2.80 mg/L	10 ml	2.80 mg/L	1	0.07	0.50			11/24/19 08:20	N	IV
K1911033-004	Carbon, Total Organic	N/A		Ground Water	2.38 mg/L	10 ml	2.38 mg/L	1	0.07	0.50			11/24/19 08:48	N	IV
K1911033-005	Carbon, Total Organic	N/A		Ground Water	39.57 mg/L	10 ml	791 mg/L	20	2	10			11/24/19 09:16	N	IV
K1911033-006	Carbon, Total Organic	N/A		Ground Water	4.37 mg/L	10 ml	4.37 mg/L	1	0.07	0.50			11/24/19 09:44	N	IV
K1911033-007	Carbon, Total Organic	N/A		Ground Water	2.51 mg/L	10 ml	2.51 mg/L	1	0.07	0.50			11/24/19 10:12	N	IV
K1911033-008	Carbon, Total Organic	N/A		Ground Water	7.82 mg/L	10 ml	7820 mg/L	1000	70	500			11/24/19 10:41	N	IV
K1911033-009	Carbon, Total Organic	N/A		Ground Water	3.94 mg/L	10 ml	3.94 mg/L	1	0.07	0.50			11/24/19 11:09	Y	IV
KQ1917447-01	Carbon, Total Organic	CCV		Water	24.56 mg/L	10 ml	24.6 mg/L	1					11/24/19 02:11	N	II
KQ1917447-02	Carbon, Total Organic	CCV		Water	24.22 mg/L	10 ml	24.2 mg/L	1					11/24/19 06:54	N	II
KQ1917447-03	Carbon, Total Organic	CCV		Water	24.73 mg/L	10 ml	24.7 mg/L	1					11/24/19 11:51	N	II
KQ1917447-04	Carbon, Total Organic	CCV		Water	24.32 mg/L	10 ml	24.3 mg/L	1					11/24/19 16:22	N	II
KQ1917447-05	Carbon, Total Organic	CCB		Water	-0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 02:26	N	II
KQ1917447-06	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 07:09	N	II
KQ1917447-07	Carbon, Total Organic	CCB		Water	0.23 mg/L	10 ml	0.23 mg/L J	1	0.07	0.50			11/24/19 12:06	N	II
KQ1917447-08	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 16:36	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Printed 11/26/19 13:34

Results Summary

11/26/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661077 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917447-09	Carbon, Total Organic	MB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 02:41	N	II
KQ1917447-10	Carbon, Total Organic	LCS		Water	25.09 mg/L	10 ml	25.1 mg/L	1	0.07	0.50	100		11/24/19 02:55	N	II
KQ1917447-11	Carbon, Total Organic	MS	K1911033-009	Ground Water	26.11 mg/L	10 ml	52.2 mg/L	2	0.2	1.0	97		11/24/19 11:37	N	IV
KQ1917447-12	Carbon, Total Organic	DUP	K1910929-001	Water	1.39 mg/L	10 ml	1.39 mg/L	1	0.07	0.50		7	11/24/19 05:02	N	II
KQ1917447-13	Carbon, Total Organic	DUP	K1910929-002	Water	0.88 mg/L	10 ml	0.88 mg/L	1	0.07	0.50		11*	11/24/19 05:30	N	II
KQ1917447-14	Carbon, Total Organic	DUP	K1910929-003	Water	1.94 mg/L	10 ml	1.94 mg/L	1	0.07	0.50		2	11/24/19 05:58	N	II
KQ1917447-15	Carbon, Total Organic	DUP	K1910969-002	Drinking Water	1.11 mg/L	10 ml	1.11 mg/L	1	0.07	0.50		5	11/24/19 06:26	N	I
KQ1917447-16	Carbon, Total Organic	DUP	K1911031-001	Water	0.79 mg/L	10 ml	0.79 mg/L	1	0.07	0.50		13*	11/24/19 12:50	N	IV
KQ1917447-17	Carbon, Total Organic	DUP	K1911032-002	Ground Water	1.60 mg/L	10 ml	1.60 mg/L	1	0.07	0.50		3	11/24/19 13:47	N	IV
KQ1917447-18	Carbon, Total Organic	DUP	K1911032-001	Ground Water	1.42 mg/L	10 ml	1.42 mg/L	1	0.07	0.50		8	11/24/19 13:19	N	IV
KQ1917447-19	Carbon, Total Organic	DUP	K1911032-003	Ground Water	1.50 mg/L	10 ml	1.50 mg/L	1	0.07	0.50		5	11/24/19 14:15	N	IV
KQ1917447-20	Carbon, Total Organic	DUP	K1911032-004	Ground Water	1.87 mg/L	10 ml	1.87 mg/L	1	0.07	0.50		8	11/24/19 14:43	N	IV
KQ1917447-21	Carbon, Total Organic	DUP	K1911032-005	Ground Water	4.83 mg/L	10 ml	1930 mg/L	400	30	200		4	11/24/19 15:11	N	IV
KQ1917447-22	Carbon, Total Organic	DUP	K1911032-006	Ground Water	1.82 mg/L	10 ml	1.82 mg/L	1	0.07	0.50		9	11/24/19 15:39	N	IV
KQ1917447-23	Carbon, Total Organic	DUP	K1911033-001	Ground Water	3.65 mg/L	10 ml	3.65 mg/L	1	0.07	0.50		<1	11/24/19 07:24	N	IV
KQ1917447-24	Carbon, Total Organic	DUP	K1911033-002	Ground Water	2.74 mg/L	10 ml	2.74 mg/L	1	0.07	0.50		3	11/24/19 07:52	N	IV
KQ1917447-25	Carbon, Total Organic	DUP	K1911033-003	Ground Water	2.76 mg/L	10 ml	2.76 mg/L	1	0.07	0.50		1	11/24/19 08:20	N	IV
KQ1917447-26	Carbon, Total Organic	DUP	K1911033-004	Ground Water	2.31 mg/L	10 ml	2.31 mg/L	1	0.07	0.50		3	11/24/19 08:48	N	IV
KQ1917447-27	Carbon, Total Organic	DUP	K1911033-005	Ground Water	38.77 mg/L	10 ml	775 mg/L	20	2	10		2	11/24/19 09:16	N	IV
KQ1917447-28	Carbon, Total Organic	DUP	K1911033-006	Ground Water	3.18 mg/L	10 ml	3.18 mg/L	1	0.07	0.50		31*	11/24/19 09:44	N	IV
KQ1917447-29	Carbon, Total Organic	DUP	K1911033-007	Ground Water	2.24 mg/L	10 ml	2.24 mg/L	1	0.07	0.50		11*	11/24/19 10:12	N	IV
KQ1917447-30	Carbon, Total Organic	DUP	K1911033-008	Ground Water	8.01 mg/L	10 ml	8010 mg/L	1000	70	500		2	11/24/19 10:41	N	IV
KQ1917447-31	Carbon, Total Organic	DUP	K1911033-009	Ground Water	3.61 mg/L	10 ml	3.61 mg/L	1	0.07	0.50		9	11/24/19 11:09	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661078 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910803-001	Carbon, Total Organic	N/A		Water	43.43 mg/L	10 ml	43.4 mg/L	1	0.07	0.50			11/24/19 17:19	N	IV
K1910803-002	Carbon, Total Organic	N/A		Water	119.98 mg/L	10 ml	120 mg/L	1	0.07	0.50			11/24/19 17:47	N	IV
K1910803-003	Carbon, Total Organic	N/A		Water	21.79 mg/L	10 ml	21.8 mg/L	1	0.07	0.50			11/24/19 18:15	N	IV
K1910803-004	Carbon, Total Organic	N/A		Water	67.32 mg/L	10 ml	67.3 mg/L	1	0.07	0.50			11/24/19 18:43	N	IV
K1910803-005	Carbon, Total Organic	N/A		Water	39.95 mg/L	10 ml	39.9 mg/L	1	0.07	0.50			11/24/19 19:11	N	IV
K1910803-006	Carbon, Total Organic	N/A		Water	14.93 mg/L	10 ml	14.9 mg/L	1	0.07	0.50			11/24/19 19:40	N	IV
K1911028-001	Carbon, Total Organic	N/A		Water	0.89 mg/L	10 ml	0.89 mg/L	1	0.07	0.50			11/25/19 00:24	N	V
K1911028-002	Carbon, Total Organic	N/A		Water	22.10 mg/L	10 ml	22.1 mg/L	1	0.07	0.50			11/25/19 00:52	N	V
K1911028-003	Carbon, Total Organic	N/A		Water	0.73 mg/L	10 ml	0.73 mg/L	1	0.07	0.50			11/25/19 01:21	N	V
K1911028-004	Carbon, Total Organic	N/A		Water	1.41 mg/L	10 ml	1.41 mg/L	1	0.07	0.50			11/25/19 02:18	N	V
K1911028-005	Carbon, Total Organic	N/A		Water	1.44 mg/L	10 ml	1.44 mg/L	1	0.07	0.50			11/25/19 02:47	N	V
K1911032-007	Carbon, Total Organic	N/A		Ground Water	4.08 mg/L	10 ml	4.08 mg/L	1	0.07	0.50			11/24/19 16:51	Y	IV
K1911047-001	Carbon, Total Organic	N/A		Water	3.61 mg/L	10 ml	361 mg/L	100	7	50			11/24/19 20:08	N	II
K1911047-002	Carbon, Total Organic	N/A		Water	26.84 mg/L	10 ml	2680 mg/L	100	7	50			11/24/19 20:36	N	II
K1911049-001	Carbon, Total Organic	N/A		Water	4.21 mg/L	10 ml	84 mg/L	20	2	10			11/24/19 21:04	N	II
K1911049-002	Carbon, Total Organic	N/A		Water	9.04 mg/L	10 ml	181 mg/L	20	2	10			11/24/19 22:31	Y	II
K1911049-003	Carbon, Total Organic	N/A		Water	11.75 mg/L	10 ml	11.7 mg/L	1	0.07	0.50			11/24/19 23:28	N	II
K1911049-004	Carbon, Total Organic	N/A		Water	1.62 mg/L	10 ml	1.62 mg/L	1	0.07	0.50			11/24/19 23:56	N	II
KQ1917448-01	Carbon, Total Organic	CCV		Ground Water	24.73 mg/L	10 ml	24.7 mg/L	1					11/24/19 11:51	N	IV
KQ1917448-02	Carbon, Total Organic	CCV		Ground Water	24.32 mg/L	10 ml	24.3 mg/L	1					11/24/19 16:22	N	IV
KQ1917448-03	Carbon, Total Organic	CCV		Ground Water	24.63 mg/L	10 ml	24.6 mg/L	1					11/24/19 21:32	N	IV
KQ1917448-04	Carbon, Total Organic	CCV		Ground Water	24.22 mg/L	10 ml	24.2 mg/L	1					11/25/19 01:49	N	IV
KQ1917448-05	Carbon, Total Organic	CCV		Ground Water	24.12 mg/L	10 ml	24.1 mg/L	1					11/25/19 06:19	N	IV
KQ1917448-06	Carbon, Total Organic	CCB		Ground Water	0.23 mg/L	10 ml	0.23 mg/L J	1	0.07	0.50			11/24/19 12:06	N	IV
KQ1917448-07	Carbon, Total Organic	CCB		Ground Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 16:36	N	IV
KQ1917448-08	Carbon, Total Organic	CCB		Ground Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 21:47	N	IV
KQ1917448-09	Carbon, Total Organic	CCB		Ground Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/25/19 02:04	N	IV
KQ1917448-10	Carbon, Total Organic	CCB		Ground Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/25/19 06:34	N	IV
KQ1917448-11	Carbon, Total Organic	MB		Ground Water	0.14 mg/L	10 ml	0.14 mg/L J	1	0.07	0.50			11/24/19 12:21	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Printed 11/26/19 13:39

Results Summary

11/26/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661078 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917448-12	Carbon, Total Organic	LCS		Ground Water	24.93 mg/L	10 ml	24.9 mg/L	1	0.07	0.50	100		11/24/19 12:36	N	IV
KQ1917448-13	Carbon, Total Organic	MS	K1911032-007	Ground Water	26.35 mg/L	10 ml	52.7 mg/L	2	0.2	1.0	97		11/24/19 16:07	N	IV
KQ1917448-14	Carbon, Total Organic	MS	K1911049-002	Water	29.03 mg/L	10 ml	2900 mg/L	100	7	50	109		11/24/19 22:59	N	II
KQ1917448-15	Carbon, Total Organic	DUP	K1910803-002	Water	122.07 mg/L	10 ml	122 mg/L	1	0.07	0.50		2	11/24/19 17:47	N	IV
KQ1917448-16	Carbon, Total Organic	DUP	K1910803-003	Water	18.16 mg/L	10 ml	18.2 mg/L	1	0.07	0.50		18*	11/24/19 18:15	N	IV
KQ1917448-17	Carbon, Total Organic	DUP	K1910803-004	Water	69.64 mg/L	10 ml	69.6 mg/L	1	0.07	0.50		3	11/24/19 18:43	N	IV
KQ1917448-18	Carbon, Total Organic	DUP	K1910803-005	Water	22.58 mg/L	10 ml	22.6 mg/L	1	0.07	0.50		56*	11/24/19 19:11	N	IV
KQ1917448-19	Carbon, Total Organic	DUP	K1910803-006	Water	13.68 mg/L	10 ml	13.7 mg/L	1	0.07	0.50		9	11/24/19 19:40	N	IV
KQ1917448-20	Carbon, Total Organic	DUP	K1910803-001	Water	44.82 mg/L	10 ml	44.8 mg/L	1	0.07	0.50		3	11/24/19 17:19	N	IV
KQ1917448-21	Carbon, Total Organic	DUP	K1911028-003	Water	0.66 mg/L	10 ml	0.66 mg/L	1	0.07	0.50		11*	11/25/19 01:21	N	V
KQ1917448-22	Carbon, Total Organic	DUP	K1911028-004	Water	1.38 mg/L	10 ml	1.38 mg/L	1	0.07	0.50		2	11/25/19 02:18	N	V
KQ1917448-23	Carbon, Total Organic	DUP	K1911028-005	Water	1.42 mg/L	10 ml	1.42 mg/L	1	0.07	0.50		1	11/25/19 02:47	N	V
KQ1917448-24	Carbon, Total Organic	DUP	K1911028-001	Water	0.82 mg/L	10 ml	0.82 mg/L	1	0.07	0.50		9	11/25/19 00:24	N	V
KQ1917448-25	Carbon, Total Organic	DUP	K1911028-002	Water	21.52 mg/L	10 ml	21.5 mg/L	1	0.07	0.50		3	11/25/19 00:52	N	V
KQ1917448-26	Carbon, Total Organic	DUP	K1911032-007	Ground Water	4.18 mg/L	10 ml	4.18 mg/L	1	0.07	0.50		2	11/24/19 16:51	N	IV
KQ1917448-27	Carbon, Total Organic	DUP	K1911047-001	Water	3.03 mg/L	10 ml	303 mg/L	100	7	50		18*	11/24/19 20:08	N	II
KQ1917448-28	Carbon, Total Organic	DUP	K1911047-002	Water	26.76 mg/L	10 ml	2680 mg/L	100	7	50		<1	11/24/19 20:36	N	II
KQ1917448-29	Carbon, Total Organic	DUP	K1911049-001	Water	3.99 mg/L	10 ml	80 mg/L	20	2	10		5	11/24/19 21:04	N	II
KQ1917448-30	Carbon, Total Organic	DUP	K1911049-002	Water	8.98 mg/L	10 ml	179 mg/L	20	2	10		<1	11/24/19 22:31	N	II
KQ1917448-31	Carbon, Total Organic	DUP	K1911049-003	Water	11.81 mg/L	10 ml	11.8 mg/L	1	0.07	0.50		<1	11/24/19 23:28	N	II
KQ1917448-32	Carbon, Total Organic	DUP	K1911049-004	Water	1.50 mg/L	10 ml	1.50 mg/L	1	0.07	0.50		8	11/24/19 23:56	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661079 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910975-001	Carbon, Dissolved Organic (DOC)	N/A		Water	0.89 mg/L	10 ml	0.89 mg/L	1	0.07	0.50			11/25/19 05:08	N	I
K1910975-002	Carbon, Dissolved Organic (DOC)	N/A		Water	7.97 mg/L	10 ml	79.7 mg/L	10	0.7	5.0			11/25/19 04:40	N	I
K1911043-001	Carbon, Dissolved Organic (DOC)	N/A		Water	11.72 mg/L	10 ml	11700 mg/L	1000	70	500			11/25/19 03:44	N	II
K1911043-002.R01	Carbon, Dissolved Organic (DOC)	N/A		Water	-0.04 mg/L	10 ml	500 mg/L U	1000	70	500			11/25/19 04:12	N	II
KQ1917449-01	Carbon, Dissolved Organic (DOC)	CCV		Water	-0.04 mg/L	10 ml	-0.0368 mg/L	1					11/24/19 22:01	N	II
KQ1917449-02	Carbon, Dissolved Organic (DOC)	CCV		Water	24.12 mg/L	10 ml	24.1 mg/L	1					11/25/19 06:19	N	II
KQ1917449-03	Carbon, Dissolved Organic (DOC)	CCB		Water	24.68 mg/L	10 ml	24.7 mg/L	1	0.07	0.50			11/24/19 22:16	N	II
KQ1917449-04	Carbon, Dissolved Organic (DOC)	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/25/19 06:34	N	II
KQ1917449-05	Carbon, Dissolved Organic (DOC)	MB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/25/19 01:49	N	II
KQ1917449-06	Carbon, Dissolved Organic (DOC)	LCS		Water	24.22 mg/L	10 ml	24.2 mg/L	1	0.07	0.50	97		11/25/19 02:04	N	II
KQ1917449-07	Carbon, Dissolved Organic (DOC)	MS	K1910975-001	Water	26.58 mg/L	10 ml	26.6 mg/L	1	0.07	0.50	103		11/25/19 05:36	N	I
KQ1917449-08	Carbon, Dissolved Organic (DOC)	DUP	K1910975-001	Water	0.72 mg/L	10 ml	0.72 mg/L	1	0.07	0.50		21*	11/25/19 05:08	N	I
KQ1917449-09	Carbon, Dissolved Organic (DOC)	DUP	K1910975-002	Water	8.27 mg/L	10 ml	82.7 mg/L	10	0.7	5.0		4	11/25/19 04:40	N	I
KQ1917449-10	Carbon, Dissolved Organic (DOC)	DUP	K1911043-001	Water	11.71 mg/L	10 ml	11700 mg/L	1000	70	500		<1	11/25/19 03:44	N	II
KQ1917449-11	Carbon, Dissolved Organic (DOC)	DUP	K1911043-002	Water	-0.04 mg/L	10 ml	500 mg/L U	1000	70	500		NC	11/25/19 04:12	N	II

11/26/19

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

0.031	0.031	#DIV/0!	#DIV/0!	OBSERVATIONS 13	0.031
0.000				STD Deviation 0.08537	0
0.000				AVERAGE 0.03675	0
0.000				UCL 0.12213	0
0.000				LCL -0.04862	0
0.000					0
0.270					ABOVE
0.177				OBSERVATIONS 1	ABOVE
0.000				STD Deviation #DIV/0!	0
0.000				AVERAGE 0.03100	0
0.000				UCL #DIV/0!	0
0.000				LCL #DIV/0!	0
0.000					0
					0
				OBSERVATIONS 0	0
				STD Deviation #DIV/0!	0
				AVERAGE #DIV/0!	0
				UCL #DIV/0!	0
				LCL #DIV/0!	0
					0
					0
				OBSERVATIONS 0	0
				STD Deviation #DIV/0!	0
				AVERAGE #DIV/0!	0
					0
					0
					0
					0
					0
					0

11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	24.567	0.0368	24.5300	24.52995	24.5	11/23/2019
3	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/23/2019
4	mb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/23/2019
5	lcs	1	24.774	0.0368	24.7370	24.73695	24.7	11/23/2019
6	K1910680-001	1	0.394	0.0368	0.3575	0.35745	<0.5	11/23/2019
7	K1910680-001	1	0.400	0.0368	0.3632	0.36315	<0.5	11/23/2019
8	K1910680-002	1	0.336	0.0368	0.2995	0.29945	<0.5	11/23/2019
9	K1910680-002	1	0.301	0.0368	0.2638	0.26375	<0.5	11/23/2019
10	K1910680-003	1	0.665	0.0368	0.6281	0.62805	0.63	11/23/2019
11	K1910680-003	1	0.645	0.0368	0.6085	0.60845	0.6	11/23/2019
12	K1910680-004	1	0.598	0.0368	0.5611	0.56105	0.56	11/23/2019
13	K1910680-004	1	0.704	0.0368	0.6673	0.66725	0.67	11/23/2019
14	K1910680-005	1	0.209	0.0368	0.1722	0.17215	<0.5	11/23/2019
15	K1910680-005	1	0.237	0.0368	0.1999	0.19985	<0.5	11/23/2019
16	K1910796-004	1	0.235	0.0368	0.1982	0.19815	<0.5	11/23/2019
17	K1910796-004	1	0.247	0.0368	0.2103	0.21025	<0.5	11/23/2019
18	KQ1917446-11	1	22.520	0.0368	22.4829	22.48285	22.5	11/23/2019
19	ccv	1	24.651	0.0368	24.6140	24.61395	24.6	11/23/2019
20	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/23/2019
21	K1910796-001	1	1.085	0.0368	1.0481	1.04805	1.05	11/23/2019
22	K1910796-001	1	1.173	0.0368	1.1367	1.13665	1.1	11/23/2019
23	K1910796-002	1	0.917	0.0368	0.8806	0.88055	0.9	11/23/2019
24	K1910796-002	1	0.803	0.0368	0.7659	0.76585	0.77	11/23/2019
25	K1910796-003	1	1.814	0.0368	1.7772	1.77715	1.78	11/23/2019

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

23 BKP 11/26/19 date time

Analyzed By: BKP	Date Analyzed 11/26/19
Reviewed By:	Date Reviewed 11/26/19

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1910796-003	1	1.791	0.0368	1.7545	1.75445	1.75	11/23/2019
27	K1910847-001	20	34.048	0.0368	34.0116	680.231	680.23	11/23/2019
28	K1910847-001	20	33.816	0.0368	33.7788	675.575	675.6	11/23/2019
29	K1910847-002	1	32.858	0.0368	32.8211	32.82105	32.8	11/23/2019
30	K1910847-002	1	32.481	0.0368	32.4447	32.44465	32.4	11/23/2019
31	K1910847-003	1	35.302	0.0368	35.2656	35.26555	35.3	11/23/2019
32	K1910847-003	1	34.801	0.0368	34.7641	34.76405	34.8	11/23/2019
33	K1910847-004	1	61.309	0.0368	61.2726	61.27255	61.3	11/24/2019
34	K1910847-004	1	60.948	0.0368	60.9109	60.91085	60.9	11/24/2019
35	K1910861-001	100	7.292	0.0368	7.2555	725.545	725.5	11/24/2019
36	K1910861-001	100	6.781	0.0368	6.7447	674.465	674.5	11/24/2019
37	K1910861-002	100	6.013	0.0368	5.9758	597.575	597.6	11/24/2019
38	K1910861-002	100	5.852	0.0368	5.8151	581.505	581.5	11/24/2019
39	K1910861-003	100	5.998	0.0368	5.9616	596.155	596.2	11/24/2019
40	K1910861-003	100	5.934	0.0368	5.8973	589.725	589.7	11/24/2019
41	ccv	1	24.592	0.0368	24.5555	24.55545	24.6	11/24/2019
42	ccb	1	0.031	0.0368	-0.0058	-0.00575	<0.5	11/24/2019
43	K1910861-004	100	7.819	0.0368	7.7823	778.225	778.2	11/24/2019
44	K1910861-004	100	7.801	0.0368	7.7640	776.395	776.4	11/24/2019
45	K1910861-005	100	7.497	0.0368	7.4601	746.005	746.0	11/24/2019
46	K1910861-005	100	7.442	0.0368	7.4053	740.525	740.5	11/24/2019
47	K1910861-006	100	10.791	0.0368	10.7546	1075.455	1075.5	11/24/2019
48	K1910861-006	100	10.652	0.0368	10.6153	1061.525	1061.5	11/24/2019
49	K1910861-007	100	8.384	0.0368	8.3476	834.755	834.8	11/24/2019
50	K1910861-007	100	8.194	0.0368	8.1568	815.675	815.7	11/24/2019

Analyzed By: BW	Date Analyzed 11/23/19
Reviewed By:	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
51	ccv	1	24.259	0.0368	24.2227	24.22265	24.22	11/24/2019
52	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
53		1		0.0000	0.0000	0	<0.5	
54		1		0.0000	0.0000	0	<0.5	
55		1		0.0000	0.0000	0	<0.5	
56		1		0.0000	0.0000	0	<0.5	
57		1		0.0000	0.0000	0	<0.5	
58		1		0.0000	0.0000	0	<0.5	
59		1		0.0000	0.0000	0	<0.5	
60		1		0.0000	0.0000	0	<0.5	
61		1		0.0000	0.0000	0	<0.5	
62		1		0.0000	0.0000	0	<0.5	
63		1		0.0000	0.0000	0	<0.5	
64		1		0.0000	0.0000	0	<0.5	
65		1		0.0000	0.0000	0	<0.5	
66		1		0.0000	0.0000	0	<0.5	
67		1		0.0000	0.0000	0	<0.5	
68		1		0.0000	0.0000	0	<0.5	
69		1		0.0000	0.0000	0	<0.5	
70		1		0.0000	0.0000	0	<0.5	
71		1		0.0000	0.0000	0	<0.5	
72		1		0.0000	0.0000	0	<0.5	
73		1		0.0000	0.0000	0	<0.5	
74		1		0.0000	0.0000	0	<0.5	
75		1		0.0000	0.0000	0	<0.5	

Analyzed By:	BCP	Date Analyzed	11/25/19
Reviewed By:		Date Reviewed	11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	24.592	0.0368	24.5555	24.55545	24.6	11/24/2019
3	ccb	1	0.031	0.0368	-0.0058	-0.00575	<0.5	11/24/2019
4	mb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
5	lcs	1	25.123	0.0368	25.0866	25.08655	25.1	11/24/2019
6	K1910929-001	1	1.527	0.0368	1.4898	1.48975	1.49	11/24/2019
7	K1910929-001	1	1.429	0.0368	1.3918	1.39175	1.4	11/24/2019
8	K1910929-002	1	0.827	0.0368	0.7902	0.79015	1	11/24/2019
9	K1910929-002	1	0.919	0.0368	0.8820	0.88195	0.88	11/24/2019
10	K1910929-003	1	1.943	0.0368	1.9064	1.90635	1.91	11/24/2019
11	K1910929-003	1	1.976	0.0368	1.9391	1.93905	1.9	11/24/2019
12	K1910969-002	1	1.201	0.0368	1.1638	1.16375	1.16	11/24/2019
13	K1910969-002	1	1.147	0.0368	1.1100	1.10995	1.11	11/24/2019
14	ccv	1	24.259	0.0368	24.2227	24.22265	24.22	11/24/2019
15	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
16	K1911033-001	1	3.696	0.0368	3.6588	3.65875	3.7	11/24/2019
17	K1911033-001	1	3.684	0.0368	3.6472	3.64715	3.65	11/24/2019
18	K1911033-002	1	2.845	0.0368	2.8083	2.80825	2.8	11/24/2019
19	K1911033-002	1	2.775	0.0368	2.7385	2.73845	2.7	11/24/2019
20	K1911033-003	1	2.836	0.0368	2.7992	2.79915	2.80	11/24/2019
21	K1911033-003	1	2.795	0.0368	2.7582	2.75815	2.76	11/24/2019
22	K1911033-004	1	2.422	0.0368	2.3849	2.38485	2.4	11/24/2019
23	K1911033-004	1	2.347	0.0368	2.3104	2.31035	2.3	11/24/2019
24	K1911033-005	20	39.603	0.0368	39.5660	791.319	791.32	11/24/2019
25	K1911033-005	20	38.802	0.0368	38.7653	775.305	775.31	11/24/2019

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

		date time
Analyzed By: BCP	Date Analyzed	11/23/19
Reviewed By:	Date Reviewed	11/26/19

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1911033-006	1	4.402	0.0368	4.3652	4.36515	4.37	11/24/2019
27	K1911033-006	1	3.221	0.0368	3.1843	3.18425	3.18	11/24/2019
28	K1911033-007	1	2.543	0.0368	2.5060	2.50595	2.5	11/24/2019
29	K1911033-007	1	2.273	0.0368	2.2363	2.23625	2.2	11/24/2019
30	K1911033-008	1000	7.861	0.0368	7.8241	7824.05	7824.1	11/24/2019
31	K1911033-008	1000	8.044	0.0368	8.0074	8007.35	8007.4	11/24/2019
32	K1911033-009	1	3.972	0.0368	3.9355	3.93545	3.9	11/24/2019
33	K1911033-009	1	3.647	0.0368	3.6099	3.60985	3.6	11/24/2019
34	KQ1917447-11	2	26.144	0.0368	26.1076	52.2151	52.2	11/24/2019
35	ccv	1	24.762	0.0368	24.7255	24.72545	24.7	11/24/2019
36	ccb	1	0.270	0.0368	0.2328	0.23275	<0.5	11/24/2019
37	K1911031-001	1	0.934	0.0368	0.8970	0.89695	0.9	11/24/2019
38	K1911031-001	1	0.826	0.0368	0.7890	0.78895	0.8	11/24/2019
39	K1911032-001	1	1.580	0.0368	1.5437	1.54365	1.5	11/24/2019
40	K1911032-001	1	1.458	0.0368	1.4216	1.42155	1.4	11/24/2019
41	K1911032-002	1	1.585	0.0368	1.5487	1.54865	1.5	11/24/2019
42	K1911032-002	1	1.638	0.0368	1.6012	1.60115	1.6	11/24/2019
43	K1911032-003	1	1.623	0.0368	1.5864	1.58635	1.6	11/24/2019
44	K1911032-003	1	1.541	0.0368	1.5038	1.50375	1.5	11/24/2019
45	K1911032-004	1	2.055	0.0368	2.0187	2.01865	2.0	11/24/2019
46	K1911032-004	1	1.904	0.0368	1.8668	1.86675	1.9	11/24/2019
47	K1911032-005	400	4.671	0.0368	4.6341	1853.62	1853.6	11/24/2019
48	K1911032-005	400	4.867	0.0368	4.8300	1931.98	1932.0	11/24/2019
49	K1911032-006	1	2.028	0.0368	1.9917	1.99165	2.0	11/24/2019
50	K1911032-006	1	1.861	0.0368	1.8238	1.82375	1.8	11/24/2019

Analyzed By: BCD	Date Analyzed 11/23/19
Reviewed By:	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
51	ccv	1	24.356	0.0368	24.3194	24.31935	24.32	11/24/2019
52	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
53		1		0.0000	0.0000	0	<0.5	
54		1		0.0000	0.0000	0	<0.5	
55		1		0.0000	0.0000	0	<0.5	
56		1		0.0000	0.0000	0	<0.5	
57		1		0.0000	0.0000	0	<0.5	
58		1		0.0000	0.0000	0	<0.5	
59		1		0.0000	0.0000	0	<0.5	
60		1		0.0000	0.0000	0	<0.5	
61		1		0.0000	0.0000	0	<0.5	
62		1		0.0000	0.0000	0	<0.5	
63		1		0.0000	0.0000	0	<0.5	
64		1		0.0000	0.0000	0	<0.5	
65		1		0.0000	0.0000	0	<0.5	
66		1		0.0000	0.0000	0	<0.5	
67		1		0.0000	0.0000	0	<0.5	
68		1		0.0000	0.0000	0	<0.5	
69		1		0.0000	0.0000	0	<0.5	
70		1		0.0000	0.0000	0	<0.5	
71		1		0.0000	0.0000	0	<0.5	
72		1		0.0000	0.0000	0	<0.5	
73		1		0.0000	0.0000	0	<0.5	
74		1		0.0000	0.0000	0	<0.5	
75		1		0.0000	0.0000	0	<0.5	

Analyzed By: BAP	Date Analyzed 11/23/19
Reviewed By:	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	24.762	0.0368	24.7255	24.72545	24.7	11/24/2019
3	ccb	1	0.270	0.0368	0.2328	0.23275	<0.5	11/24/2019
4	mb	1	0.177	0.0368	0.1406	0.14055	<0.5	11/24/2019
5	lcs	1	24.962	0.0368	24.9254	24.92535	24.9	11/24/2019
6	KQ1917448-13	2	26.387	0.0368	26.3507	52.7013	52.70	11/24/2019
7	ccv	1	24.356	0.0368	24.3194	24.31935	24.3	11/24/2019
8	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
9	K1911032-007	1	4.121	0.0368	4.0838	4.08375	4.08	11/24/2019
10	K1911032-007	1	4.215	0.0368	4.1781	4.17805	4.18	11/24/2019
11	K1910803-001	1	43.462	0.0368	43.4256	43.42555	43.4	11/24/2019
12	K1910803-001	1	44.855	0.0368	44.8186	44.81855	44.82	11/24/2019
13	K1910803-002	1	120.019	0.0368	119.9820	119.98195	119.98	11/24/2019
14	K1910803-002	1	122.103	0.0368	122.0664	122.06635	122.07	11/24/2019
15	K1910803-003	1	21.826	0.0368	21.7893	21.78925	21.8	11/24/2019
16	K1910803-003	1	18.201	0.0368	18.1638	18.16375	18.2	11/24/2019
17	K1910803-004	1	67.352	0.0368	67.3154	67.31535	67.32	11/24/2019
18	K1910803-004	1	69.680	0.0368	69.6435	69.64345	69.6	11/24/2019
19	K1910803-005	1	39.984	0.0368	39.9477	39.94765	39.9	11/24/2019
20	K1910803-005	1	22.612	0.0368	22.5756	22.57555	22.58	11/24/2019
21	K1910803-006	1	14.967	0.0368	14.9307	14.93065	14.93	11/24/2019
22	K1910803-006	1	13.722	0.0368	13.6848	13.68475	13.7	11/24/2019
23	K1911047-001	100	3.650	0.0368	3.6131	361.305	361.3	11/24/2019
24	K1911047-001	100	3.066	0.0368	3.0297	302.965	302.97	11/24/2019
25	K1911047-002	100	26.873	0.0368	26.8364	2683.635	2683.64	11/24/2019

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

		date	time
Analyzed By: BCP	Date Analyzed	11/23/19	
Reviewed By:	Date Reviewed	11/26/19	

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1911047-002	100	26.799	0.0368	26.7618	2676.175	2676.18	11/24/2019
27	K1911049-001	20	4.249	0.0368	4.2124	84.247	84.25	11/24/2019
28	K1911049-001	20	4.029	0.0368	3.9925	79.849	79.8	11/24/2019
29	ccv	1	24.669	0.0368	24.6320	24.63195	24.6	11/24/2019
30	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
31	K1911049-002	20	9.079	0.0368	9.0426	180.851	180.9	11/24/2019
32	K1911049-002	20	9.012	0.0368	8.9750	179.499	179.5	11/24/2019
33	KQ1917448-14	100	29.072	0.0368	29.0348	2903.475	2903.5	11/24/2019
34	K1911049-003	1	11.784	0.0368	11.7471	11.74705	11.7	11/24/2019
35	K1911049-003	1	11.848	0.0368	11.8116	11.81155	11.8	11/24/2019
36	K1911049-004	1	1.659	0.0368	1.6225	1.62245	1.6	11/24/2019
37	K1911049-004	1	1.541	0.0368	1.5039	1.50385	1.5	11/24/2019
38	K1911028-001	1	0.932	0.0368	0.8949	0.89485	0.9	11/25/2019
39	K1911028-001	1	0.858	0.0368	0.8217	0.82165	0.8	11/25/2019
40	K1911028-002	1	22.140	0.0368	22.1030	22.10295	22.1	11/25/2019
41	K1911028-002	1	21.561	0.0368	21.5239	21.52385	21.5	11/25/2019
42	K1911028-003	1	0.771	0.0368	0.7346	0.73455	0.7	11/25/2019
43	K1911028-003	1	0.696	0.0368	0.6592	0.65915	0.7	11/25/2019
44	ccv	1	24.254	0.0368	24.2171	24.21705	24.2	11/25/2019
45	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/25/2019
46	K1911028-004	1	1.442	0.0368	1.4057	1.40565	1.4	11/25/2019
47	K1911028-004	1	1.412	0.0368	1.3753	1.37525	1.4	11/25/2019
48	K1911028-005	1	1.478	0.0368	1.4409	1.44085	1.4	11/25/2019
49	K1911028-005	1	1.461	0.0368	1.4244	1.42435	1.4	11/25/2019
50	ccv	1	24.161	0.0368	24.1246	24.12455	24.1	11/25/2019

Analyzed By: RD	Date Analyzed 11/23/19
Reviewed By:	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
51	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/25/2019
52		1		0.0000	0.0000	0	<0.5	
53		1		0.0000	0.0000	0	<0.5	
54		1		0.0000	0.0000	0	<0.5	
55		1		0.0000	0.0000	0	<0.5	
56		1		0.0000	0.0000	0	<0.5	
57		1		0.0000	0.0000	0	<0.5	
58		1		0.0000	0.0000	0	<0.5	
59		1		0.0000	0.0000	0	<0.5	
60		1		0.0000	0.0000	0	<0.5	
61		1		0.0000	0.0000	0	<0.5	
62		1		0.0000	0.0000	0	<0.5	
63		1		0.0000	0.0000	0	<0.5	
64		1		0.0000	0.0000	0	<0.5	
65		1		0.0000	0.0000	0	<0.5	
66		1		0.0000	0.0000	0	<0.5	
67		1		0.0000	0.0000	0	<0.5	
68		1		0.0000	0.0000	0	<0.5	
69		1		0.0000	0.0000	0	<0.5	
70		1		0.0000	0.0000	0	<0.5	
71		1		0.0000	0.0000	0	<0.5	
72		1		0.0000	0.0000	0	<0.5	
73		1		0.0000	0.0000	0	<0.5	
74		1		0.0000	0.0000	0	<0.5	
75		1		0.0000	0.0000	0	<0.5	

Analyzed By: BCP	Date Analyzed 11/25/19
Reviewed By:	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	mb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
3	lcs	1	24.714	0.0368	24.6774	24.67735	24.7	11/24/2019
4	ccv	1	24.254	0.0368	24.2171	24.21705	24.2	11/25/2019
5	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/25/2019
6	K1911043-001	1000	11.760	0.0368	11.7231	11723.05	11723.05	11/25/2019
7	K1911043-001	1000	11.743	0.0368	11.7062	11706.15	11706.2	11/25/2019
8	K1911043-002	1000	0.000	0.0368	-0.0368	-36.75	<0.5	11/25/2019
9	K1911043-002	1000	0.000	0.0368	-0.0368	-36.75	<0.5	11/25/2019
10	K1910975-002	10	8.002	0.0368	7.9657	79.6565	79.66	11/25/2019
11	K1910975-002	10	8.302	0.0368	8.2651	82.6505	82.7	11/25/2019
12	K1910975-001	1	0.922	0.0368	0.8852	0.88515	0.89	11/25/2019
13	K1910975-001	1	0.756	0.0368	0.7189	0.71885	0.72	11/25/2019
14	KQ1917449-07	1	26.613	0.0368	26.5764	26.57635	26.58	11/25/2019
15	ccv	1	24.161	0.0368	24.1246	24.12455	24.1	11/25/2019
16	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/25/2019
17		1		0.0000	0.0000	0	<0.5	
18		1		0.0000	0.0000	0	<0.5	
19		1		0.0000	0.0000	0	<0.5	
20		1		0.0000	0.0000	0	<0.5	
21		1		0.0000	0.0000	0	<0.5	
22		1		0.0000	0.0000	0	<0.5	
23		1		0.0000	0.0000	0	<0.5	
24		1		0.0000	0.0000	0	<0.5	
25		1		0.0000	0.0000	0	<0.5	

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

		date	time
Analyzed By: BCP	Date Analyzed	11/23/19	
Reviewed By: [signature]	Date Reviewed	11/26/19	

TOC: 661076,
661077,
661078
DOC: 661079

Schedule: 11232019

Version: 8
Instrument: Fusion1
Last Saved by: Fusion1 (Fusion1)
Last Saved on: 2019/11/23 17:20 - Saturday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Blank)	Blank	Reagent/Acid Blank		1	True	Ready
D	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
1	Sample	MB1	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
2	Sample	ICS	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
3	Sample	K1910680-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
4	Sample	K1910680-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
5	Sample	K1910680-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
6	Sample	K1910680-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
7	Sample	K1910680-005.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
8	Sample	K1910796-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
9	Sample	K1910796-004.01 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
10	Sample	K1910796-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
11	Sample	K1910796-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
12	Sample	K1910796-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
13	Sample	K1910847-001.01 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
14	Sample	K1910847-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
15	Sample	K1910847-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
16	Sample	K1910847-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
17	Sample	K1910861-001.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
18	Sample	K1910861-002.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
19	Sample	K1910861-003.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
20	Sample	MB2	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
21	Sample	K1910861-004.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
22	Sample	K1910861-005.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
23	Sample	K1910861-006.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
24	Sample	K1910861-007.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
25	Sample	K1910929-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
26	Sample	K1910929-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
27	Sample	K1910929-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
28	Sample	K1910969-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
29	Sample	K1911033-001.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
30	Sample	K1911033-002.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
31	Sample	K1911033-003.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
32	Sample	K1911033-004.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
33	Sample	K1911033-005.03 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
34	Sample	K1911033-006.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
35	Sample	K1911033-007.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
36	Sample	K1911033-008.03 1000x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
37	Sample	K1911033-009.08	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
38	Sample	K1911033-009.08 ms 2x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready

11/26/19

Schedule: 11232019

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
39	Sample	MB3	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
40	Sample	K1911031-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
41	Sample	K1911032-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
42	Sample	K1911032-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
43	Sample	K1911032-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
44	Sample	K1911032-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
45	Sample	K1911032-005.01 400x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
46	Sample	K1911032-006.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
47	Sample	K1911032-007.03 ms 2x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
48	Sample	K1911032-007.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
49	Sample	K1910803-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
50	Sample	K1910803-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
51	Sample	K1910803-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
52	Sample	K1910803-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
53	Sample	K1910803-005.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
54	Sample	K1910803-006.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
55	Sample	K1911047-001.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
56	Sample	K1911047-002.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
57	Sample	K1911049-001.01 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
58	Sample	MB4	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
59	Sample	K1911049-002.01 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
60	Sample	K1911049-002.01 ms 100x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
61	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
62	Sample	K1911049-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
63	Sample	K1911049-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
64	Sample	K1911028-001.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
65	Sample	K1911028-002.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
66	Sample	K1911028-003.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
67	Sample	K1911028-004.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
68	Sample	K1911028-005.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
69	Sample	FB 11/21/19	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
70	Sample	FB 11/22/19	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
71	Sample	K1911043-001.01 doc 1000x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
72	Sample	K1911043-002.01 doc 1000x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
73	Sample	K1910975-002.01 doc 10x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
74	Sample	K1910975-001.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
75	Sample	K1910975-001.01 ms doc	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
61	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
					False	

Fusion Report - 11232019
Saturday, November 23, 2019 02:23 PM

(View - Reps, Unused Reps, Meta-Data, Signature, History)
Printed on 2019/11/26 09:09 - Tuesday

Report Summary Information

Company Location: Gen Chem Lab
Schedule Name: 11232019
Instrument Name: Fusion1
Report Version: 1 of 1
Report Creation by Operators (schedule version): Fusion1 (Fusion1) (v2), Fusion1 (Fusion1) (v3), Fusion1 (Fusion1) (v4), Fusion1 (Fusion1) (v5), Fusion1 (Fusion1) (v6), Fusion1 (Fusion1) (v7), Fusion1 (Fusion1) (v8)
Comment:

Engine Version: 1.1.5.1
Firmware Version: 1.2.0696
Connection: RS232 COM1

11/26/19

Report Results

Sample Type: Clean — From Schedule Version 2

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/11/23 14:23

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	13.02	17.16	4.14	49.59	05:26
2	TC Clean	7.50	10.99	3.49	49.85	07:19
3	TC Clean	2.01	5.61	3.60	49.88	07:04
4	TC Clean	1.40	5.11	3.71	49.85	07:02

Sample Type: Clean — From Schedule Version 3

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/11/23 14:55

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.72	15.29	3.57	49.65	05:23

2	TC Clean	3.64	7.23	3.59	49.87	07:17
3	TC Clean	1.59	5.34	3.74	49.87	07:02
4	TC Clean	1.19	4.93	3.74	49.91	07:02

Sample Type: Clean From Schedule Version 4

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/11/23 15:34

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.48	15.13	3.65	49.68	05:24
2	TC Clean	3.90	7.40	3.51	50.02	04:07
3	TC Clean	1.55	5.07	3.52	50.06	03:50
4	TC Clean	1.18	4.74	3.56	50.06	03:48

Sample Type: Blank (Creating v1323) From Schedule Version 5

	Pos	Analysis Type	Sample ID	Start Time
◆	(blank)		Reagent/Acid Blank	2019/11/23 15:56

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.31	14.93	3.62	49.60	05:13
2	TC Clean	3.39	7.01	3.62	50.04	04:06
3	TC Clean	1.31	4.93	3.61	50.06	03:48
4	TC Clean	1.45	4.95	3.50	50.05	03:47
5	Reagent Blank	4.02	7.68	3.66	50.07	05:09
6	Acid Blank	1.14	4.93	3.79	49.74	05:31

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	D	TOC	RB	0.0324 ppm	0.0000 ppm	0.0000%	2019/11/23 16:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0324	0.3238	9.00	12.79	3.79	50.19	10:34

Dilution **Blank Contribution** **Method** **Calibration**

1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.5667 ppm (PASS)	0.0000 ppm	0%	2019/11/23 16:45

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.5667	245.6673	176.22	180.09	3.87	50.19	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/23 16:59

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.20	10.93	3.73	50.19	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	1	TOC	MB1	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/23 17:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.91	9.77	3.86	50.22	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 8

	Pos	BAT	Concentration	Dil	Sample ID	Min / Max	Result	Std. Dev.	RSD	Start Time

			(ppm)			(% dev)				
◆	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	24.7737 ppm (PASS)	0.0000 ppm	0%	2019/11/23 17:29

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.7737	247.7372	177.62	181.34	3.71	50.22	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	2	TOC	ICS	0.0515 ppm	0.0000 ppm	0.0000%	2019/11/23 17:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0515	0.5154	9.13	12.75	3.61	50.28	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	3	TOC	K1910680-001.01	0.3971 ppm	0.0041 ppm	1.0200%	2019/11/23 17:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3942	3.9420	11.46	15.12	3.66	50.22	10:23
2	TOC	0.3999	3.9995	11.50	15.20	3.70	50.24	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	4	TOC	K1910680-002.01	0.3183 ppm	0.0252 ppm	7.9200%	2019/11/23 18:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3362	3.3616	11.07	14.56	3.49	50.27	10:28
2	TOC	0.3005	3.0051	10.82	14.32	3.50	50.24	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	5	TOC	K1910680-003.01	0.6550 ppm	0.0139 ppm	2.1200%	2019/11/23 18:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6648	6.6483	13.30	17.08	3.79	50.23	10:28
2	TOC	0.6452	6.4524	13.16	16.93	3.77	50.22	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	6	TOC	K1910680-004.01	0.6509 ppm	0.0751 ppm	11.5400%	2019/11/23 19:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5978	5.9780	12.84	16.55	3.71	50.24	10:25
2	TOC	0.7040	7.0402	13.56	17.06	3.50	50.21	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	7	TOC	K1910680-005.03	0.2227 ppm	0.0196 ppm	8.7900%	2019/11/23 19:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2089	2.0887	10.20	13.79	3.59	50.22	10:27
2	TOC	0.2366	2.3657	10.39	13.99	3.60	50.18	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	8	TOC	K1910796-004.01	0.2410 ppm	0.0085 ppm	3.5400%	2019/11/23 20:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2349	2.3495	10.38	14.07	3.70	50.17	10:30
2	TOC	0.2470	2.4703	10.46	14.10	3.64	50.21	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	9	TOC	K1910796-004.01 ms	22.5196 ppm	0.0000 ppm	0.0000%	2019/11/23 20:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	22.5196	225.1962	161.65	165.26	3.61	50.18	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.6507 ppm (PASS)	0.0000 ppm	0%	2019/11/23 21:01

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.6507	246.5070	176.79	180.47	3.68	50.17	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/23 21:15

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.20	10.96	3.76	50.20	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	10	TOC	K1910796-001.01	1.1291 ppm	0.0626 ppm	5.5400%	2019/11/23 21:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.0848	10.8484	16.15	19.70	3.56	50.19	10:28
2	TOC	1.1734	11.7338	16.75	20.53	3.78	50.20	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	11	TOC	K1910796-002.01	0.8600 ppm	0.0811 ppm	9.4400%	2019/11/23 21:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9173	9.1734	15.01	18.72	3.71	50.17	10:29

2	TOC	0.8026	8.0257	14.23	17.85	3.62	50.21	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	12	TOC	K1910796-003.01	1.8026 ppm	0.0160 ppm	0.8900%	2019/11/23 22:27

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.8139	18.1393	21.10	24.61	3.52	50.15	10:27
2	TOC	1.7912	17.9124	20.94	24.64	3.70	50.17	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	13	TOC	K1910847-001.01 20x	33.9319 ppm	0.1646 ppm	0.4900%	2019/11/23 22:55

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	34.0483	340.4830	239.90	243.51	3.61	50.13	10:25
2	TOC	33.8155	338.1553	238.32	242.06	3.74	50.17	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	14	TOC	K1910847-002.01	32.6696 ppm	0.2662 ppm	0.8100%	2019/11/23 23:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	32.8578	328.5780	231.82	235.44	3.62	50.13	10:29
2	TOC	32.4814	324.8140	229.27	232.83	3.57	50.16	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	15	TOC	K1910847-003.01	35.0515 ppm	0.3546 ppm	1.0100%	2019/11/23 23:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	35.3023	353.0229	248.41	251.92	3.51	50.15	10:24
2	TOC	34.8008	348.0081	245.01	248.71	3.70	50.19	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◈	16	TOC	K1910847-004.01	61.1285 ppm	0.2557 ppm	0.4200%	2019/11/24 00:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	61.3093	613.0929	424.95	428.74	3.79	50.16	10:26
2	TOC	60.9476	609.4762	422.49	426.28	3.78	50.18	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	17	TOC	K1910861-001.01 100x	7.0368 ppm	0.3612 ppm	5.1300%	2019/11/24 00:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.2922	72.9217	58.28	62.10	3.82	50.15	10:27
2	TOC	6.7814	67.8141	54.82	58.35	3.54	50.11	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	18	TOC	K1910861-002.01 100x	5.9322 ppm	0.1137 ppm	1.9200%	2019/11/24 01:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.0125	60.1255	49.60	53.26	3.66	50.14	10:29
2	TOC	5.8518	58.5182	48.51	52.12	3.61	50.05	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	19	TOC	K1910861-003.01 100x	5.9661 ppm	0.0454 ppm	0.7600%	2019/11/24 01:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.9983	59.9826	49.50	53.04	3.54	50.09	10:26
2	TOC	5.9340	59.3403	49.06	52.60	3.54	50.03	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.5922 ppm (PASS)	0.0000 ppm	0%	2019/11/24 02:11

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.5922	245.9222	176.39	179.84	3.44	50.03	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0310 ppm (PASS)	0.0000 ppm	0%	2019/11/24 02:26

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0310	0.3101	9.67	13.33	3.66	50.08	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	20	TOC	MB2	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/24 02:41

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.75	12.48	3.72	49.99	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	25.1233 ppm (PASS)	0.0000 ppm	0%	2019/11/24 02:55

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	25.1233	251.2331	180.00	183.53	3.53	50.03	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	21	TOC	K1910861-004.01 100x	7.8099 ppm	0.0129 ppm	0.1700%	2019/11/24 03:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.8190	78.1899	61.86	65.43	3.57	50.08	10:27
2	TOC	7.8007	78.0072	61.74	65.35	3.62	50.02	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	22	TOC	K1910861-005.01 100x	7.4694 ppm	0.0388 ppm	0.5200%	2019/11/24 03:38

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.4968	74.9680	59.67	63.39	3.72	50.08	10:26
2	TOC	7.4420	74.4200	59.30	62.89	3.59	50.04	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	23	TOC	K1910861-006.01 100x	10.7216 ppm	0.0985 ppm	0.9200%	2019/11/24 04:06

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	10.7913	107.9132	82.04	85.66	3.63	50.12	10:29
2	TOC	10.6520	106.5195	81.09	84.72	3.63	50.06	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	24	TOC	K1910861-007.01 100x	8.2889 ppm	0.1349 ppm	1.6300%	2019/11/24 04:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	8.3843	83.8426	65.70	69.24	3.54	50.09	10:26
2	TOC	8.1935	81.9348	64.40	67.94	3.54	50.10	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	25	TOC	K1910929-001.01	1.4775 ppm	0.0693 ppm	4.6900%	2019/11/24 05:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5265	15.2651	19.15	22.67	3.52	50.08	10:26
2	TOC	1.4285	14.2854	18.48	22.07	3.59	50.12	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	26	TOC	K1910929-002.01	0.8728 ppm	0.0649 ppm	7.4400%	2019/11/24 05:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8269	8.2688	14.40	17.92	3.52	50.11	10:29
2	TOC	0.9187	9.1866	15.02	18.57	3.55	50.11	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	27	TOC	K1910929-003.01	1.9595 ppm	0.0231 ppm	1.1800%	2019/11/24 05:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9431	19.4313	21.97	25.45	3.48	50.14	10:29
2	TOC	1.9758	19.7583	22.20	25.88	3.69	50.11	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	28	TOC	K1910969-002.01	1.1736 ppm	0.0380 ppm	3.2400%	2019/11/24 06:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.2005	12.0049	16.93	20.49	3.56	50.15	10:28
2	TOC	1.1467	11.4671	16.57	20.16	3.59	50.15	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.2594 ppm (PASS)	0.0000 ppm	0%	2019/11/24 06:54

Pos	Base Analysis	ID	Rep	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run

	Type		#							Time
B	TOC	25 ppm	1	24.2594	242.5942	174.13	177.81	3.67	50.11	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/24 07:09

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.62	11.38	3.76	50.13	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	29	TOC	K1911033-001.03	3.6897 ppm	0.0082 ppm	0.2200%	2019/11/24 07:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.6955	36.9550	33.87	37.44	3.58	50.10	10:30
2	TOC	3.6839	36.8386	33.79	37.44	3.65	50.12	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	30	TOC	K1911033-002.03	2.8101 ppm	0.0494 ppm	1.7600%	2019/11/24 07:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8450	28.4502	28.10	31.78	3.68	50.13	10:24
2	TOC	2.7752	27.7519	27.62	31.38	3.76	50.10	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	31	TOC	K1911033-003.03	2.8154 ppm	0.0290 ppm	1.0300%	2019/11/24 08:20

Rep	Base			Adjusted		Baseline	Pressure	Run

#	Analysis Type	ppm	µg	(Abs)	NDIR (Abs)	(Abs)	(psig)	Time
1	TOC	2.8359	28.3589	28.03	31.72	3.68	50.10	10:27
2	TOC	2.7949	27.9493	27.76	31.45	3.69	50.12	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	32	TOC	K1911033-004.03	2.3843 ppm	0.0527 ppm	2.2100%	2019/11/24 08:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.4216	24.2162	25.22	28.84	3.62	50.11	10:29
2	TOC	2.3471	23.4708	24.72	28.28	3.57	50.10	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	33	TOC	K1911033-005.03 20x	39.2024 ppm	0.5662 ppm	1.4400%	2019/11/24 09:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	39.6027	396.0271	277.60	281.33	3.73	50.11	10:27
2	TOC	38.8020	388.0202	272.17	276.09	3.92	50.14	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	34	TOC	K1911033-006.03	3.8114 ppm	0.8350 ppm	21.9100%	2019/11/24 09:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.4019	44.0190	38.66	42.53	3.86	50.11	10:29
2	TOC	3.2210	32.2098	30.65	34.21	3.56	50.10	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	35	TOC	K1911033-007.03	2.4078 ppm	0.1907 ppm	7.9200%	2019/11/24 10:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.5427	25.4272	26.04	29.72	3.67	50.12	10:29
2	TOC	2.2730	22.7298	24.21	27.75	3.54	50.10	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.8608	78.6083	62.14	65.77	3.63	50.14	10:31
2	TOC	8.0441	80.4409	63.39	67.04	3.65	50.09	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	37	TOC	K1911033-009.08	3.8094 ppm	0.2302 ppm	6.0400%	2019/11/24 11:09

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.9722	39.7217	35.75	39.38	3.63	50.12	10:30
2	TOC	3.6466	36.4659	33.54	37.02	3.49	50.11	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	38	TOC	K1911033-009.08 ms 2x	26.1443 ppm	0.0000 ppm	0.0000%	2019/11/24 11:37

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.1443	261.4428	186.25	189.80	3.55	50.11	10:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.7622 ppm (PASS)	0.0000 ppm	0%	2019/11/24 11:51

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.7622	247.6222	177.55	181.02	3.47	50.15	10:28

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.2695 ppm (PASS)	0.0000 ppm	0%	2019/11/24 12:06

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.2695	2.6952	11.29	14.85	3.56	50.13	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	39	TOC	MB3	0.1773 ppm	0.0000 ppm	0.0000%	2019/11/24 12:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.1773	1.7735	9.99	13.72	3.73	50.13	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	24.9621 ppm (PASS)	0.0000 ppm	0%	2019/11/24 12:36

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.9621	249.6214	178.90	182.70	3.80	50.17	10:37

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	40	TOC	K1911031-001.01	0.8797 ppm	0.0764 ppm	8.6800%	2019/11/24 12:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	0.9337	9.3369	15.12	18.87	3.75	50.14	10:29
2	TOC	0.8257	8.2570	14.39	18.18	3.79	50.17	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	41	TOC	K1911032-001.01	1.5194 ppm	0.0864 ppm	5.6800%	2019/11/24 13:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5804	15.8042	19.51	23.29	3.78	50.19	10:28
2	TOC	1.4583	14.5830	18.68	22.26	3.58	50.20	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	42	TOC	K1911032-002.01	1.6117 ppm	0.0371 ppm	2.3000%	2019/11/24 13:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5854	15.8543	19.55	22.98	3.44	50.25	10:28
2	TOC	1.6379	16.3788	19.90	23.42	3.52	50.20	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	43	TOC	K1911032-003.01	1.5818 ppm	0.0584 ppm	3.6900%	2019/11/24 14:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6231	16.2315	19.80	23.26	3.46	50.22	10:25
2	TOC	1.5405	15.4050	19.24	22.79	3.54	50.25	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	44	TOC	K1911032-004.01	1.9794 ppm	0.1074 ppm	5.4300%	2019/11/24 14:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.0554	20.5538	22.74	26.37	3.63	50.21	10:30
2	TOC	1.9035	19.0350	21.70	25.32	3.61	50.22	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	45	TOC	K1911032-005.01 400x	4.7687 ppm	0.1385 ppm	2.9100%	2019/11/24 15:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.6708	46.7076	40.49	43.95	3.46	50.26	10:28
2	TOC	4.8667	48.6669	41.82	45.56	3.74	50.27	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	46	TOC	K1911032-006.01	1.9445 ppm	0.1188 ppm	6.1100%	2019/11/24 15:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.0284	20.2842	22.55	26.14	3.58	50.27	10:31
2	TOC	1.8605	18.6048	21.41	25.06	3.65	50.23	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	47	TOC	K1911032-007.03 ms 2x	26.3874 ppm	0.0000 ppm	0.0000%	2019/11/24 16:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.3874	263.8736	187.90	191.52	3.62	50.24	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.3561 ppm (PASS)	0.0000 ppm	0%	2019/11/24 16:22

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.3561	243.5606	174.79	178.42	3.63	50.26	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/24 16:36

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.48	11.05	3.57	50.24	10:31

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)
STD Conc - Pos D: 0 ppmC

Sample Type: Sample — From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	48	TOC	K1911032-007.03	4.1677 ppm	0.0667 ppm	1.6000%	2019/11/24 16:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.1205	41.2052	36.75	40.48	3.73	50.22	10:28
2	TOC	4.2148	42.1480	37.39	40.98	3.59	50.25	10:27

Dilution: 1:10
Blank Contribution: (TC) 8.7842 (IC) (v1323)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	49	TOC	K1910803-001.01	44.1588 ppm	0.9849 ppm	2.2300%	2019/11/24 17:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	43.4623	434.6235	303.80	307.50	3.70	50.24	10:26
2	TOC	44.8553	448.5526	313.26	317.05	3.79	50.20	10:27

Dilution: 1:10
Blank Contribution: (TC) 8.7842 (IC) (v1323)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	50	TOC	K1910803-002.01	121.0609 ppm	1.4739 ppm	1.2200%	2019/11/24 17:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	120.0187	1200.1870	823.46	827.29	3.83	50.25	10:28
2	TOC	122.1031	1221.0313	837.61	842.19	4.58	50.24	10:29

Dilution: 1:10
Blank Contribution: (TC) 8.7842 (IC) (v1323)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◈	51	TOC	K1910803-003.01	20.0133 ppm	2.5636 ppm	12.8100%	2019/11/24 18:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	21.8260	218.2603	156.94	161.38	4.44	50.17	10:27
2	TOC	18.2005	182.0049	132.33	136.43	4.11	50.22	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	52	TOC	K1910803-004.01	68.5161 ppm	1.6462 ppm	2.4000%	2019/11/24 18:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	67.3521	673.5207	465.97	469.89	3.93	50.19	10:27
2	TOC	69.6802	696.8016	481.77	488.04	6.27	50.15	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	53	TOC	K1910803-005.01	31.2983 ppm	12.2840 ppm	39.2500%	2019/11/24 19:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	39.9844	399.8441	280.20	285.79	5.59	50.18	10:30
2	TOC	22.6123	226.1228	162.27	166.53	4.26	50.14	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	54	TOC	K1910803-006.01	14.3445 ppm	0.8810 ppm	6.1400%	2019/11/24 19:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	14.9674	149.6740	110.38	114.24	3.86	50.18	10:28
2	TOC	13.7215	137.2151	101.92	105.81	3.89	50.14	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	55	TOC	K1911047-001.01 100x	3.3581 ppm	0.4125 ppm	12.2800%	2019/11/24 20:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.6498	36.4983	33.56	37.32	3.76	50.14	10:27
2	TOC	3.0664	30.6644	29.60	33.16	3.56	50.17	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	56	TOC	K1911047-002.01 100x	26.8358 ppm	0.0527 ppm	0.2000%	2019/11/24 20:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.8731	268.7307	191.20	194.84	3.64	50.13	10:25
2	TOC	26.7985	267.9853	190.69	194.42	3.73	50.17	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	57	TOC	K1911049-001.01 20x	4.1392 ppm	0.1555 ppm	3.7600%	2019/11/24 21:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.2491	42.4913	37.63	41.27	3.65	50.16	10:28
2	TOC	4.0292	40.2918	36.13	39.75	3.61	50.12	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.6687 ppm (PASS)	0.0000 ppm	0%	2019/11/24 21:32

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.6687	246.6868	176.91	180.57	3.66	50.17	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/24 21:47

Pos	Base Analysis	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time

	Type									
D	TOC	0 ppm	1	0.0000	0.0000	8.80	12.38	3.58	50.14	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample — From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/24 22:01

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.03	11.47	3.43	50.10	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS — From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	24.7141 ppm (PASS)	0.0000 ppm	0%	2019/11/24 22:16

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.7141	247.1405	177.22	180.81	3.59	50.14	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample — From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	59	TOC	K1911049-002.01 20x	9.0455 ppm	0.0478 ppm	0.5300%	2019/11/24 22:31

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	9.0793	90.7931	70.41	74.08	3.66	50.15	10:27
2	TOC	9.0117	90.1169	69.96	73.45	3.50	50.14	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◆	60	TOC	K1911049-002.01 ms 100x	29.0715 ppm	0.0000 ppm	0.0000%	2019/11/24 22:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	29.0715	290.7153	206.12	209.76	3.64	50.16	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	61	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/24 23:13

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.92	11.64	3.72	50.14	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	62	TOC	K1911049-003.01	11.8161 ppm	0.0456 ppm	0.3900%	2019/11/24 23:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	11.7838	117.8381	88.77	92.40	3.62	50.11	10:31
2	TOC	11.8483	118.4834	89.21	92.81	3.60	50.16	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	63	TOC	K1911049-004.01	1.5999 ppm	0.0839 ppm	5.2400%	2019/11/24 23:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6592	16.5924	20.05	23.59	3.54	50.11	10:30
2	TOC	1.5406	15.4065	19.24	22.81	3.57	50.13	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	64	TOC	K1911028-001.04	0.8950 ppm	0.0518 ppm	5.7800%	2019/11/25 00:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9316	9.3163	15.11	18.58	3.47	50.15	10:28
2	TOC	0.8584	8.5841	14.61	18.06	3.45	50.11	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC)	CAS_salt_010711	CAS_salt_010711

(v1323) (v4) (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	65	TOC	K1911028-002.04	21.8501 ppm	0.4095 ppm	1.8700%	2019/11/25 00:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	22.1397	221.3968	159.07	162.59	3.52	50.14	10:29
2	TOC	21.5606	215.6056	155.14	158.84	3.70	50.12	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	66	TOC	K1911028-003.04	0.7336 ppm	0.0533 ppm	7.2700%	2019/11/25 01:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7713	7.7134	14.02	17.61	3.59	50.10	10:26
2	TOC	0.6959	6.9591	13.51	17.14	3.64	50.14	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.2538 ppm (PASS)	0.0000 ppm	0%	2019/11/25 01:49

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.2538	242.5382	174.10	177.84	3.74	50.11	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/25 02:04

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	6.19	9.91	3.72	50.09	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	67	TOC	K1911028-004.04	1.4272 ppm	0.0215 ppm	1.5000%	2019/11/25 02:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4424	14.4239	18.58	22.17	3.60	50.13	10:29
2	TOC	1.4120	14.1204	18.37	22.07	3.70	50.12	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	68	TOC	K1911028-005.04	1.4693 ppm	0.0117 ppm	0.7900%	2019/11/25 02:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4776	14.7759	18.81	22.49	3.68	50.15	10:28
2	TOC	1.4611	14.6110	18.70	22.34	3.64	50.11	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	69	TOC	FB 11/21/19	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/25 03:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.76	9.25	3.49	50.12	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	70	TOC	FB 11/22/19	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/25 03:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.79	9.29	3.50	50.13	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◈	71	TOC	K1911043-001.01 doc 1000x	11.7513 ppm	0.0120 ppm	0.1000%	2019/11/25 03:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	11.7598	117.5980	88.61	92.27	3.66	50.11	10:29
2	TOC	11.7429	117.4286	88.49	92.16	3.67	50.11	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	72	TOC	K1911043-002.01 doc 1000x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/25 04:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.79	11.41	3.62	50.11	10:29
2	TOC	0.0000	0.0000	7.15	10.87	3.72	50.09	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	73	TOC	K1910975-002.01 doc 10x	8.1521 ppm	0.2117 ppm	2.6000%	2019/11/25 04:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	8.0024	80.0240	63.10	66.61	3.51	50.14	10:30
2	TOC	8.3018	83.0176	65.14	68.78	3.64	50.11	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	74	TOC	K1910975-001.01 doc	0.8387 ppm	0.1176 ppm	14.0200%	2019/11/25 05:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9219	9.2190	15.04	18.69	3.65	50.11	10:26
2	TOC	0.7556	7.5558	13.91	17.48	3.57	50.12	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	75	TOC	K1910975-001.01 ms doc	26.6131 ppm	0.0000 ppm	0.0000%	2019/11/25 05:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	26.6131	266.1305	189.43	193.03	3.60	50.14	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	61	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/25 05:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.23	10.93	3.70	50.12	10:28
2	TOC	0.0000	0.0000	6.73	10.14	3.40	50.11	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.1613 ppm (PASS)	0.0000 ppm	0%	2019/11/25 06:19

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.1613	241.6131	173.47	177.17	3.70	50.11	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/25 06:34

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.86	9.52	3.65	50.12	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v1322	1.2997	0.8410	0.0000	0.0000	0.0000	2019/11/21 13:13	Fusion1 (Fusion1)
v1323	1.3397	1.1360	0.0000	0.0000	0.0000	2019/11/23 16:30	Fusion1 (Fusion1)

Calibrations

Name: CAS_salt_010711 (TOC)

Version: v30

Ver Creation: 2019/03/05 17:42

Comment:

Operator: Fusion1 (Fusion1)

Basic Analysis Type: TOC

Calibration curve formula: TOC: y = 6.788x + 9.463

r^2 value: TOC: r^2 = 0.99963

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
DI Water	7.8970	0.0000		2019/03/05 16:15
0.500 ppm	11.5280	0.5000		2019/03/05 16:29
1.0 ppm	14.9760	1.0000		2019/03/05 16:44
5.0 ppm	43.6500	5.0000		2019/03/05 16:58
10 ppm	79.6020	10.0000		2019/03/05 17:12
25 ppm	183.3580	25.0000		2019/03/05 17:26
50 ppm	346.3230	50.0000		2019/03/05 17:40

Methods

Name: CAS_salt_010711 (TOC)

Version: v4

Ver Creation: 2019/02/21 17:57

Comment:

Operator: Fusion1 (Fusion1)

Parameter	Value
SampleVolume	10.0 mL
Dilution	1:10
AcidVolume	0.5 ml
ReagentVolume	2.0 ml
UVReactorPrerinse	Off
UVReactorPrerinseVolume	5.0
NumberOfUVReactorPrerinses	1
ICSpargeTime	1.00 mins
DetectorSweepFlow	500 ml/min

Advanced Parameter	Value
NeedleRinseVolume	5.0 ml
VialPrimeVolume	2.0 ml
ICSamplePrimeVolume	2.0 ml
ICSpargeRinseVolume	12.0 ml
BaselineStabilizeTime	0.70 min
DetectorPressureFlow	150 ml/min
SyringeSpeedWaste	10
SyringeSpeedAcid	7
SyringeSpeedReagent	7

PreSpargeTime	2.00 mins
SystemFlow	500 ml/min

SyringeSpeedDIWater	7
NDIRPressurization	60 psig
SyringeSpeedSampleDispense	5
SyringeSpeedSampleAspirate	4
SyringeSpeedUVDispense	5
SyringeSpeedUVAspirate	5
SyringeSpeedICDispense	5
SyringeSpeedICAspirate	5
NDIRPressureStabilize	1.75 min
SampleMixing	Off
SampleMixingCycles	1
SampleMixingVolume	10.0
LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Fusion1 (Fusion1)	Schedule completed	Schedule completed	2019/11/25 06:49

ALS Environmental

StarLIMS Run: 661076, 661077, 661078, 661079

Analysis: DOC/TOC

Method: SM 5310 C, 9060A, 415.1, 9060

CCV: 11-GEN-05-82C 50 ppm LCS: 11-GEN-05-79J 25.0 ppm

ICAL Date: 3/6/19

ICAL ID: 11-GEN-05-76H

ICS ID: 11-GEN-05-78M

ICS TV: 25.0 ppm ICS % R < 1

Spike ID: 11-GEN-05-82C 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 ppm x dilution factor

Sodium Persulfate: 11-GEN-05-83D

21 % H3PO4: 11-GEN-05-83B

Equipment ID: K-TOC-03

PIPETTE ID: 124276B, 129001F, N11314F, Marge

FILTER ID: 16967789

Analyzed By: BKP	Date Analyzed: 11/26/19
Reviewed By:	Date Reviewed: 11/26/19

23 BKP 11/26/19

HS19111065 Wet Chem Raw Data

ALS WO# HS19111065

Sequence: 120219
Last Update Operator: alshs.nouser

HS19111065

CD	Name	Comment	Type	Position	Dilution	Level	Instrument Method	ng	me	Status	Inject Time
	STD1	2970209205	Calibration	GA1	1.0000	1	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:08:06 PM -05:00
	STD2		Calibration	GA2	1.0000	2	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:24:42 PM -05:00
	STD3		Calibration	GA3	1.0000	3	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:41:19 PM -05:00
	STD4		Calibration	GA4	1.0000	4	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:57:54 PM -05:00
	STD5		Calibration	GA5	1.0000	5	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 3:14:30 PM -05:00
	STD6	F, NO2 MAX 10PPM	Calibration	GB8	1.0000	6	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:37:32 PM -05:00
	ICV	2970209123	Unknown	GA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:54:07 PM -05:00
	ICB		Unknown	GB8	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 7:29:52 PM -05:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 3:20:49 AM -06:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 3:37:26 AM -06:00
	WBLKW2-120319		Unknown	RD7	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 3:54:01 AM -06:00
	WLCSW2-120319		Unknown	RD8	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 4:10:36 AM -06:00
	WLCSDW2-120319		Unknown	RE1	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 4:27:12 AM -06:00
	HS19111065-01DF5		Unknown	RE2	5.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 4:43:48 AM -06:00
	HS19111065-02DF5		Unknown	RE3	5.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 5:00:23 AM -06:00
	HS19111065-03DF5		Unknown	RE4	5.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 5:16:57 AM -06:00
	HS19111065-04DF5		Unknown	RE5	5.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 5:33:32 AM -06:00
	HS19111065-05DF50	matrix	Unknown	RE6	50.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 5:50:08 AM -06:00
	HS19111065-06DF5		Unknown	RE7	5.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 6:06:43 AM -06:00
	HS19111065-07DF5		Unknown	RE8	5.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 6:23:18 AM -06:00
	CCV		Unknown	BA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 6:39:54 AM -06:00
	CCB		Unknown	BA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 6:56:32 AM -06:00
	HS19111065-08DF500	matrix	Unknown	GA1	500.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 7:13:12 AM -06:00
	HS19111065-09DF5		Unknown	GA2	5.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 7:29:49 AM -06:00
	HS19111065-09MSDF5		Unknown	GA3	5.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 7:46:24 AM -06:00
	HS19111065-09MSDDF5		Unknown	GA4	5.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 8:03:02 AM -06:00
	HS19111401-01DF10		Unknown	GA5	10.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 8:19:38 AM -06:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 9:59:15 AM -06:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 10:15:57 AM -06:00
	HS19111065-04		Unknown	GB8	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 10:32:38 AM -06:00
	HS19111065-06		Unknown	GC1	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 10:49:14 AM -06:00
	HS19111065-07		Unknown	GC2	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 11:05:53 AM -06:00
	CCV		Unknown	BA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 1:02:13 PM -06:00
	CCB		Unknown	BA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/4/2019 1:18:50 PM -06:00

Sequence: 120219
Injection #6: STD6


Calibration

Peak No.	Peak Name	Cal.Type	Eval.Type	Number of Points	Rel.Std.Dev. %	Coeff.of Determination	C0 (Offset)	C1 (Slope)	C2 (Curve)
1	*Fluoride*	*Lin, WithOffset, 1/*	*Area*	*5*	*10.1532*	*0.99927*	*-0.0056*	*0.3716*	*0.0000*
2	Chloride	Lin, WithOffset, 1/	Area	6	0.2804	1.00000	-0.0135	0.2355	0.0000
3	Nitrite,N	Lin, WithOffset, 1/	Area	5	15.1147	0.99824	0.0003	0.5120	0.0000
4	Bromide	Lin, WithOffset, 1/	Area	6	14.0217	0.99919	-0.0052	0.1009	0.0000
5	Sulfate	Lin, WithOffset, 1/	Area	6	1.1258	0.99999	-0.0022	0.1717	0.0000
6	Nitrate	Lin, WithOffset, 1/	Area	6	2.2249	0.99998	-0.0102	0.5876	0.0000
7	Chlorate	Lin, WithOffset, 1/	Area	6	10.0265	0.99953	-0.0024	0.0944	0.0000
8	Phosphate	Lin, WithOffset, 1/	Area	6	6.6198	0.99981	-0.0110	0.2321	0.0000
Maximum					**15.1147**	1.00000			
Minimum					0.2804	**0.99824**			

1 STD1

Sample Name:	**STD1**	*Injection Volume:*	**5.00**
Vial Number:	**GA1**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:08**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.031	0.0973	0.0973	1.0000
2	5.12	Chloride	BMB	0.105	0.5026	0.5026	1.0000
3	6.12	Nitrite,N	BMB	0.046	0.0893	0.0893	1.0000
4	8.00	Bromide	BMB	0.007	0.1192	0.1192	1.0000
5	8.64	Sulfate	BM	0.084	0.5042	0.5042	1.0000
6	9.10	Nitrate	M	0.051	0.1034	0.1034	1.0000
7	9.58	Chlorate	MB	0.008	0.1143	0.1143	1.0000
8	12.83	Phosphate	BMB	0.014	0.1085	0.1085	1.0000
Total:			**0.000**	**0.346**		**1.64**	

2 STD2

Sample Name:	**STD2**	*Injection Volume:*	**5.00**
Vial Number:	**GA2**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:24**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.140	0.3929	0.3929	1.0000
2	5.12	Chloride	BMB	0.456	1.9918	1.9918	1.0000
3	6.12	Nitrite,N	BMB	0.211	0.4119	0.4119	1.0000
4	8.00	Bromide	BMB	0.031	0.3593	0.3593	1.0000
5	8.64	Sulfate	BM	0.337	1.9733	1.9733	1.0000
6	9.10	Nitrate	M	0.220	0.3917	0.3917	1.0000
7	9.58	Chlorate	MB	0.033	0.3704	0.3704	1.0000
8	12.80	Phosphate	BMB	0.078	0.3841	0.3841	1.0000
Total:			**0.000**	**1.506**		**6.28**	

3 STD3

Sample Name:	**STD3**	*Injection Volume:*	**5.00**
Vial Number:	**GA3**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:41**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.758	2.0551	2.0551	1.0000
2	5.12	Chloride	BMB	2.339	9.9888	9.9888	1.0000
3	6.12	Nitrite,N	BMB	1.091	2.1305	2.1305	1.0000
4	8.00	Bromide	BMB	0.182	1.8590	1.8590	1.0000
5	8.61	Sulfate	BM	1.715	10.0007	10.0007	1.0000
6	9.07	Nitrate	M	1.153	1.9792	1.9792	1.0000
7	9.57	Chlorate	MB	0.176	1.8940	1.8940	1.0000
8	12.75	Phosphate	BMB	0.436	1.9269	1.9269	1.0000
Total:			**0.000**	**7.851**		**31.83**	

4 STD4

Sample Name:	**STD4**	*Injection Volume:*	**5.00**
Vial Number:	**GA4**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:57**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.535	4.1457	4.1457	1.0000
2	5.12	Chloride	BMB	4.695	19.9948	19.9948	1.0000
3	6.13	Nitrite,N	BMB	2.133	4.1659	4.1659	1.0000
4	8.00	Bromide	BMB	0.385	3.8642	3.8642	1.0000
5	8.58	Sulfate	BM	3.451	20.1082	20.1082	1.0000
6	9.05	Nitrate	M	2.330	3.9823	3.9823	1.0000
7	9.57	Chlorate	MB	0.365	3.8956	3.8956	1.0000
8	12.69	Phosphate	BMB	0.903	3.9395	3.9395	1.0000
Total:			**0.000**	**15.798**		**64.10**	

5 STD5

Sample Name:	**STD5**	*Injection Volume:*	**5.00**
Vial Number:	**GA5**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 15:14**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.639	9.8090	9.8090	1.0000
2	5.11	Chloride	BMB	11.762	49.9996	49.9996	1.0000
3	6.12	Nitrite,N	BMB	4.968	9.7023	9.7023	1.0000
4	7.98	Bromide	BMB	1.001	9.9786	9.9786	1.0000
5	8.50	Sulfate	BM	8.590	50.0271	50.0271	1.0000
6	8.98	Nitrate	M	5.854	9.9805	9.9805	1.0000
7	9.54	Chlorate	MB	0.939	9.9670	9.9670	1.0000
8	12.57	Phosphate	BMB	2.305	9.9803	9.9803	1.0000
Total:			**0.000**	**39.057**		**159.44**	

6 STD6

Sample Name:	**STD6**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:37**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	6.773	18.2418	18.2418	1.0000
2	5.10	Chloride	BMB	23.542	100.0224	100.0224	1.0000
3	6.11	Nitrite,N	BMB	9.157	17.8850	17.8850	1.0000
4	7.95	Bromide	BM	2.045	20.3197	20.3197	1.0000
5	8.40	Sulfate	M	17.153	99.8863	99.8863	1.0000
6	8.91	Nitrate	M	11.778	20.0629	20.0629	1.0000
7	9.51	Chlorate	MB	1.910	20.2586	20.2586	1.0000
8	12.44	Phosphate	BMB	4.668	20.1606	20.1606	1.0000
Total:			**0.000**	**77.025**		**316.84**	

7 ICV

Sample Name:	ICV	Injection Volume:	5.00
Vial Number:	GA7	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	1.0000
Recording Time:	08/12/2019 18:54	Sample Weight:	1.0000

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.495	4.0374	4.0374	1.0000
2	5.12	Chloride	BMB	4.681	19.9333	19.9333	1.0000
3	6.13	Nitrite,N	BMB	2.195	4.2858	4.2858	1.0000
4	8.00	Bromide	BMB	0.384	3.8585	3.8585	1.0000
5	8.57	Sulfate	BM	3.469	20.2132	20.2132	1.0000
6	9.05	Nitrate	M	2.340	3.9993	3.9993	1.0000
7	9.57	Chlorate	MB	0.367	3.9104	3.9104	1.0000
8	12.68	Phosphate	BMB	0.911	3.9732	3.9732	1.0000
Total:			**0.000**	**15.841**		**64.21**	

8 ICB

Sample Name:	**ICB**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 19:29**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.11	Chloride	BMB	0.004	0.0748	0.0748	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.63	Sulfate	BMB	0.008	0.0618	0.0618	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.013**		**0.14**	

131 CCV1

Sample Name:	**CCV1**	*Injection Volume:*	**5.00**
Vial Number:	**BA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/04/2019 03:20**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.509	9.4583	9.4583	1.0000
2	5.06	Chloride	BMB	11.654	49.5448	49.5448	1.0000
3	6.04	Nitrite,N	BMB	4.922	9.6118	9.6118	1.0000
4	7.84	Bromide	BMB	0.981	9.7787	9.7787	1.0000
5	8.43	Sulfate	BM	8.455	49.2402	49.2402	1.0000
6	8.81	Nitrate	M	6.003	10.2347	10.2347	1.0000
7	9.34	Chlorate	MB	0.967	10.2700	10.2700	1.0000
8	12.51	Phosphate	BMB	2.227	9.6427	9.6427	1.0000
Total:			**0.000**	**38.718**		**157.78**	

132 CCB

Sample Name:	CCB	Injection Volume:	5.00
Vial Number:	BA8	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	1.0000
Recording Time:	12/04/2019 03:37	Sample Weight:	1.0000
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.07	Chloride	BMB	0.003	0.0710	0.0710	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.57	Sulfate	BMB	0.004	0.0359	0.0359	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.007**		**0.11**	

133 WBLKW2-120319

Sample Name:	**WBLKW2-120319**	*Injection Volume:*	**5.00**
Vial Number:	**RD7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/04/2019 03:54**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.07	Chloride	BMB	0.004	0.0752	0.0752	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.57	Sulfate	BMB	0.004	0.0332	0.0332	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.008**		**0.11**	

134 WLCSW2-120319

Sample Name:	**WLCSW2-120319**	*Injection Volume:*	**5.00**
Vial Number:	**RD8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/04/2019 04:10**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.455	3.9295	3.9295	1.0000
2	5.07	Chloride	BMB	4.714	20.0746	20.0746	1.0000
3	6.04	Nitrite,N	BMB	2.119	4.1390	4.1390	1.0000
4	7.86	Bromide	BMB	0.384	3.8605	3.8605	1.0000
5	8.51	Sulfate	BM	3.541	20.6327	20.6327	1.0000
6	8.87	Nitrate	M	2.416	4.1299	4.1299	1.0000
7	9.36	Chlorate	MB	0.394	4.1940	4.1940	1.0000
8	12.62	Phosphate	BMB	0.892	3.8921	3.8921	1.0000
Total:			**0.000**	**15.916**		**64.85**	

135 WLCSDW2-120319

Sample Name:	**WLCSDW2-120319**	*Injection Volume:*	**5.00**
Vial Number:	**RE1**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/04/2019 04:27**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.456	3.9347	3.9347	1.0000
2	5.07	Chloride	BMB	4.722	20.1065	20.1065	1.0000
3	6.04	Nitrite,N	BMB	2.121	4.1423	4.1423	1.0000
4	7.86	Bromide	BMB	0.384	3.8556	3.8556	1.0000
5	8.51	Sulfate	BM	3.538	20.6148	20.6148	1.0000
6	8.87	Nitrate	M	2.421	4.1385	4.1385	1.0000
7	9.36	Chlorate	MB	0.394	4.2010	4.2010	1.0000
8	12.62	Phosphate	BMB	0.910	3.9680	3.9680	1.0000
Total:			**0.000**	**15.947**		**64.96**	

136 HS19111065-01DF5

Sample Name:	**HS19111065-01DF5**	*Injection Volume:*	**5.00**
Vial Number:	**RE2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**12/04/2019 04:43**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	5.0000
2	5.07	Chloride	BMB	5.486	23.3526	116.7628	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
3	7.83	Bromide	BMB	0.005	0.1041	0.5205	5.0000
4	8.30	Sulfate	BM	37.651	219.2399	1096.1997	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
5	9.83	Chlorate	MB	0.004	0.0648	0.3242	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**43.146**		**1213.81**	

137 HS19111065-02DF5

Sample Name:	**HS19111065-02DF5**	*Injection Volume:*	**5.00**
Vial Number:	**RE3**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**12/04/2019 05:00**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	5.0000
2	5.07	Chloride	BMB	7.388	31.4265	157.1323	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
3	7.84	Bromide	BMB	0.008	0.1319	0.6594	5.0000
4	8.37	Sulfate	BM	24.292	141.4540	707.2698	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**31.687**		**865.06**	

138 HS19111065-03DF5

Sample Name:	HS19111065-03DF5	Injection Volume:	5.00
Vial Number:	RE4	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	5.0000
Recording Time:	12/04/2019 05:16	Sample Weight:	1.0000

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	5.0000
2	5.07	Chloride	BMB	7.427	31.5927	157.9636	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
3	7.84	Bromide	BMB	0.008	0.1312	0.6561	5.0000
4	8.37	Sulfate	BMB	24.364	141.8717	709.3587	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**31.798**		**867.98**	

139 HS19111065-04DF5

Sample Name:	HS19111065-04DF5	Injection Volume:	5.00
Vial Number:	RE5	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	5.0000
Recording Time:	12/04/2019 05:33	Sample Weight:	1.0000
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.004	0.0261	0.1305	5.0000
2	5.07	Chloride	BMB	3.788	16.1432	80.7158	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
3	7.84	Bromide	BMB	0.003	0.0839	0.4196	5.0000
4	8.42	Sulfate	BMB	16.303	94.9398	474.6991	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**20.099**		**555.96**	

140 HS19111065-05DF50

Sample Name:	**HS19111065-05DF50**	*Injection Volume:*	**5.00**
Vial Number:	**RE6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**50.0000**
Recording Time:	**12/04/2019 05:50**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	50.0000
4	5.07	Chloride	BMB	1.055	4.5361	226.8039	50.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	50.0000
6	7.86	Bromide	BMB	0.147	1.5077	75.3865	50.0000
7	8.57	Sulfate	BMB	0.030	0.1880	9.3990	50.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	50.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	50.0000
8	12.83	Phosphate	BMB	0.010	0.0908	4.5408	50.0000
Total:			**0.000**	**1.242**		**316.13**	

141 HS19111065-06DF5

Sample Name:	**HS19111065-06DF5**	*Injection Volume:*	**5.00**
Vial Number:	**RE7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**12/04/2019 06:06**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	5.0000
1	5.07	Chloride	BMB	0.852	3.6759	18.3793	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	5.0000
2	8.58	Sulfate	BM	0.255	1.4992	7.4960	5.0000
3	8.92	Nitrate	MB	0.017	0.0461	0.2303	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**1.124**		**26.11**	

142 HS19111065-07DF5

Sample Name:	**HS19111065-07DF5**	*Injection Volume:*	**5.00**
Vial Number:	**RE8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**12/04/2019 06:23**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.005	0.0282	0.1412	5.0000
2	5.07	Chloride	BMB	6.642	28.2624	141.3119	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
3	7.85	Bromide	BMB	0.009	0.1425	0.7126	5.0000
4	8.55	Sulfate	BMB	2.047	11.9299	59.6494	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**8.703**		**201.82**	

143 CCV

Sample Name:	CCV	Injection Volume:	5.00
Vial Number:	BA5	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	1.0000
Recording Time:	12/04/2019 06:39	Sample Weight:	1.0000

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.433	3.8714	3.8714	1.0000
2	5.07	Chloride	BMB	4.685	19.9517	19.9517	1.0000
3	6.04	Nitrite,N	BMB	2.104	4.1092	4.1092	1.0000
4	7.86	Bromide	BMB	0.379	3.8126	3.8126	1.0000
5	8.51	Sulfate	BM	3.489	20.3268	20.3268	1.0000
6	8.87	Nitrate	M	2.408	4.1152	4.1152	1.0000
7	9.36	Chlorate	MB	0.393	4.1846	4.1846	1.0000
8	12.64	Phosphate	BMB	0.872	3.8043	3.8043	1.0000
Total:			**0.000**	**15.763**		**64.18**	

144 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/04/2019 06:56**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chloride	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
1	8.57	Sulfate	BMB	0.003	0.0318	0.0318	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.003**		**0.03**	

145 *HS19111065-08DF500*

Sample Name:	**HS19111065-08DF500**	*Injection Volume:*	**5.00**
Vial Number:	**GA1**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**500.0000**
Recording Time:	**12/04/2019 07:13**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	500.0000
4	5.07	Chloride	BMB	0.077	0.3827	191.3508	500.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	500.0000
6	7.86	Bromide	BMB	0.009	0.1414	70.7061	500.0000
7	8.57	Sulfate	BMB	0.015	0.1028	51.4237	500.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	500.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	500.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	500.0000
Total:			**0.000**	**0.101**		**313.48**	

146 HS19111065-09DF5

Sample Name:	**HS19111065-09DF5**	*Injection Volume:*	**5.00**
Vial Number:	**GA2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**12/04/2019 07:29**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	5.0000
1	5.07	Chloride	BMB	1.882	8.0479	40.2397	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
2	7.85	Bromide	BMB	0.008	0.1323	0.6617	5.0000
3	8.49	Sulfate	BMB	7.353	42.8250	214.1250	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**9.243**		**255.03**	

147 HS19111065-09MSDF5

Sample Name:	HS19111065-09MSDF5	Injection Volume:	5.00
Vial Number:	GA3	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	5.0000
Recording Time:	12/04/2019 07:46	Sample Weight:	1.0000
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.687	1.8648	9.3238	5.0000
2	5.07	Chloride	BMB	4.147	17.6685	88.3425	5.0000
3	6.04	Nitrite,N	BMB	1.055	2.0590	10.2951	5.0000
4	7.86	Bromide	BMB	0.184	1.8783	9.3917	5.0000
5	8.47	Sulfate	BM	8.768	51.0644	255.3219	5.0000
6	8.87	Nitrate	M	1.223	2.0997	10.4984	5.0000
7	9.37	Chlorate	MB	0.201	2.1535	10.7675	5.0000
8	12.70	Phosphate	BMB	0.403	1.7843	8.9214	5.0000
Total:			**0.000**	**16.669**		**402.86**	

148 HS19111065-09MSDDF5

Sample Name:	**HS19111065-09MSDDF5**	*Injection Volume:*	**5.00**
Vial Number:	**GA4**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**12/04/2019 08:03**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.683	1.8540	9.2702	5.0000
2	5.07	Chloride	BMB	4.153	17.6903	88.4513	5.0000
3	6.04	Nitrite,N	BMB	1.051	2.0514	10.2568	5.0000
4	7.86	Bromide	BMB	0.184	1.8746	9.3728	5.0000
5	8.47	Sulfate	BM	8.741	50.9075	254.5373	5.0000
6	8.87	Nitrate	M	1.219	2.0919	10.4593	5.0000
7	9.37	Chlorate	MB	0.200	2.1448	10.7241	5.0000
8	12.69	Phosphate	BMB	0.409	1.8114	9.0571	5.0000
Total:			**0.000**	**16.640**		**402.13**	

155 CCV1

Sample Name:	**CCV1**	*Injection Volume:*	**5.00**
Vial Number:	**BA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/04/2019 09:59**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.498	9.4277	9.4277	1.0000
2	5.07	Chloride	BMB	11.685	49.6745	49.6745	1.0000
3	6.04	Nitrite,N	BMB	4.918	9.6048	9.6048	1.0000
4	7.85	Bromide	BMB	0.984	9.8061	9.8061	1.0000
5	8.43	Sulfate	BM	8.475	49.3576	49.3576	1.0000
6	8.81	Nitrate	M	5.992	10.2154	10.2154	1.0000
7	9.34	Chlorate	MB	0.967	10.2714	10.2714	1.0000
8	12.52	Phosphate	BMB	2.233	9.6706	9.6706	1.0000
Total:			**0.000**	**38.752**		**158.03**	

156 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/04/2019 10:15**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.07	Chloride	BMB	0.004	0.0750	0.0750	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.57	Sulfate	BMB	0.005	0.0417	0.0417	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.009**		**0.12**	

157 HS19111065-04

Sample Name:	**HS19111065-04**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/04/2019 10:32**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.031	0.0994	0.0994	1.0000
2	5.06	Chloride	BMB	18.739	79.6275	79.6275	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
3	7.80	Bromide	BMB^	0.021	0.2618	0.2618	1.0000
4	8.14	Sulfate	BM ^	77.781	452.9010	452.9010	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
5	9.74	Chlorate	MB	0.002	0.0512	0.0512	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**96.575**		**532.94**	

158 HS19111065-06

Sample Name:	HS19111065-06	Injection Volume:	5.00
Vial Number:	GC1	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	1.0000
Recording Time:	12/04/2019 10:49	Sample Weight:	1.0000

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.015	0.0560	0.0560	1.0000
2	5.07	Chloride	BMB	4.168	17.7564	17.7564	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
3	7.84	Bromide	BMB	0.008	0.1296	0.1296	1.0000
4	8.55	Sulfate	BM	0.955	5.5718	5.5718	1.0000
5	8.93	Nitrate	M	0.016	0.0453	0.0453	1.0000
6	9.54	Chlorate	MB	0.007	0.0978	0.0978	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**5.169**		**23.66**	

159 HS19111065-07

Sample Name:	HS19111065-07	Injection Volume:	5.00
Vial Number:	GC2	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	1.0000
Recording Time:	12/04/2019 11:05	Sample Weight:	1.0000
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.039	0.1192	0.1192	1.0000
2	5.06	Chloride	BMB	33.262	141.2950	141.2950	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
3	7.85	Bromide	BMB	0.067	0.7133	0.7133	1.0000
4	8.46	Sulfate	BMB	9.548	55.6048	55.6048	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**42.915**		**197.73**	

166 CCV

Sample Name:	CCV	Injection Volume:	5.00
Vial Number:	BA5	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	1.0000
Recording Time:	12/04/2019 13:02	Sample Weight:	1.0000

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.419	3.8349	3.8349	1.0000
2	5.07	Chloride	BMB	4.688	19.9636	19.9636	1.0000
3	6.04	Nitrite,N	BMB	2.106	4.1134	4.1134	1.0000
4	7.86	Bromide	BMB	0.380	3.8230	3.8230	1.0000
5	8.49	Sulfate	BM	3.486	20.3101	20.3101	1.0000
6	8.88	Nitrate	M	2.396	4.0956	4.0956	1.0000
7	9.37	Chlorate	MB	0.390	4.1549	4.1549	1.0000
8	12.61	Phosphate	BMB	0.874	3.8116	3.8116	1.0000
Total:			**0.000**	**15.740**		**64.11**	

167 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/04/2019 13:18**	*Sample Weight:*	**1.0000**
Run Time:			



Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.07	Chloride	BMB	0.002	0.0676	0.0676	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.55	Sulfate	BMB	0.003	0.0310	0.0310	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.006**		**0.10**	

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

WorkOrder: HS19111080

LHAAP-16

Aptim Environmental & Infrastucture, Inc.

Susan Huang
2500 City West Blvd., Suite 1700
Houston TX 77042

04-Dec-2019

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

HS19111080 Cover Page
- CoverPage
- HS19111080 LHAAP16 Final
  - CoverLetter
  - Sample Summary
  - CaseNarrative
  - 16RW06-191120
  - 16RW06-191120-FD
  - 16RW07-191120
  - 16RW08-191120
  - 16IW10-191120
  - 16RW09-191120
  - 16RW10-191120
  - Dates Report
  - QC
  - Acronyms
  - Certifications
  - SampleReceiptCheckList
  - COC
  - HS19111080 ALS Kelso Sub Data K1911032
- HS19111080 Wet Chem Raw Data

HS19111080 LHAAP16 Final

ALS WO# HS19111080

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

November 27, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19111080**

Laboratory Results for: **LHAAP-16**

Dear Susan,

ALS Environmental received 7 sample(s) on Nov 21, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19111080

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19111080-01	16RW06-191120	GW		20-Nov-2019 08:20	21-Nov-2019 08:35	☐
HS19111080-02	16RW06-191120-FD	GW		20-Nov-2019 08:20	21-Nov-2019 08:35	☐
HS19111080-03	16RW07-191120	GW		20-Nov-2019 09:15	21-Nov-2019 08:35	☐
HS19111080-04	16RW08-191120	GW		20-Nov-2019 10:05	21-Nov-2019 08:35	☐
HS19111080-05	16IW10-191120	GW		20-Nov-2019 10:55	21-Nov-2019 08:35	☐
HS19111080-06	16RW09-191120	GW		20-Nov-2019 11:45	21-Nov-2019 08:35	☐
HS19111080-07	16RW10-191120	GW		20-Nov-2019 12:40	21-Nov-2019 08:35	☐

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19111080

CASE NARRATIVE

Work Order Comments

- The analysis for TOC was subcontracted to ALS Environmental in Kelso, WA. Final Report attached.

WetChemistry by Method SW9056

Batch ID: R351461

Sample ID: HS19111269-02MS

- MS and MSD are for an unrelated sample (Bromide)

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW06-191120
Collection Date: 20-Nov-2019 08:20

ANALYTICAL REPORT
WorkOrder:HS19111080
Lab ID:HS19111080-01
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**5.03**		**0.150**	**0.500**	**0.500**	**mg/L**	5	26-Nov-2019 00:22
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	27-Nov-2019 09:14

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW06-191120-FD
Collection Date: 20-Nov-2019 08:20

ANALYTICAL REPORT
WorkOrder:HS19111080
Lab ID:HS19111080-02
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**5.05**		**0.150**	**0.500**	**0.500**	**mg/L**	5	26-Nov-2019 01:12
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	27-Nov-2019 09:14

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW07-191120
Collection Date: 20-Nov-2019 09:15

ANALYTICAL REPORT
WorkOrder:HS19111080
Lab ID:HS19111080-03
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**4.25**		**0.150**	**0.500**	**0.500**	**mg/L**	5	26-Nov-2019 01:28
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	27-Nov-2019 09:14

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW08-191120
Collection Date: 20-Nov-2019 10:05

ANALYTICAL REPORT
WorkOrder:HS19111080
Lab ID:HS19111080-04
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**6.06**		**0.150**	**0.500**	**0.500**	**mg/L**	5	26-Nov-2019 01:45
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	27-Nov-2019 09:14

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16IW10-191120
Collection Date: 20-Nov-2019 10:55

ANALYTICAL REPORT
WorkOrder:HS19111080
Lab ID:HS19111080-05
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**201**		**6.00**	**20.0**	**20.0**	**mg/L**	200	26-Nov-2019 02:01
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	27-Nov-2019 09:14

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW09-191120
Collection Date: 20-Nov-2019 11:45

ANALYTICAL REPORT
WorkOrder:HS19111080
Lab ID:HS19111080-06
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**4.53**		**0.150**	**0.500**	**0.500**	**mg/L**	5	26-Nov-2019 02:18
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	27-Nov-2019 09:14

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16RW10-191120
Collection Date: 20-Nov-2019 12:40

ANALYTICAL REPORT
WorkOrder:HS19111080
Lab ID:HS19111080-07
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.99**		**0.150**	**0.500**	**0.500**	**mg/L**	5	26-Nov-2019 02:34
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	27-Nov-2019 09:14

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19111080

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R351402 (0)	**Test Name :** SUBCONTRACT ANALYSIS - TOC ANALYSIS				**Matrix:** GW	
HS19111080-01	16RW06-191120	20 Nov 2019 08:20			27 Nov 2019 09:14	1
HS19111080-02	16RW06-191120-FD	20 Nov 2019 08:20			27 Nov 2019 09:14	1
HS19111080-03	16RW07-191120	20 Nov 2019 09:15			27 Nov 2019 09:14	1
HS19111080-04	16RW08-191120	20 Nov 2019 10:05			27 Nov 2019 09:14	1
HS19111080-05	16IW10-191120	20 Nov 2019 10:55			27 Nov 2019 09:14	1
HS19111080-06	16RW09-191120	20 Nov 2019 11:45			27 Nov 2019 09:14	1
HS19111080-07	16RW10-191120	20 Nov 2019 12:40			27 Nov 2019 09:14	1
Batch ID: R351461 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** GW	
HS19111080-01	16RW06-191120	20 Nov 2019 08:20			26 Nov 2019 00:22	5
HS19111080-02	16RW06-191120-FD	20 Nov 2019 08:20			26 Nov 2019 01:12	5
HS19111080-03	16RW07-191120	20 Nov 2019 09:15			26 Nov 2019 01:28	5
HS19111080-04	16RW08-191120	20 Nov 2019 10:05			26 Nov 2019 01:45	5
HS19111080-05	16IW10-191120	20 Nov 2019 10:55			26 Nov 2019 02:01	200
HS19111080-06	16RW09-191120	20 Nov 2019 11:45			26 Nov 2019 02:18	5
HS19111080-07	16RW10-191120	20 Nov 2019 12:40			26 Nov 2019 02:34	5

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19111080

QC BATCH REPORT

Batch ID: R351461 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-112519** Units: **mg/L** Analysis Date: **25-Nov-2019 17:13**
Client ID: Run ID: **ICS-Integrion_351461** SeqNo: **5364933** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-112519** Units: **mg/L** Analysis Date: **25-Nov-2019 17:30**
Client ID: Run ID: **ICS-Integrion_351461** SeqNo: **5364934** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.722	0.100	4	0	93.0	80 - 120				

LCSD Sample ID: **WLCSDW1-112519** Units: **mg/L** Analysis Date: **25-Nov-2019 17:46**
Client ID: Run ID: **ICS-Integrion_351461** SeqNo: **5364935** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.736	0.100	4	0	93.4	80 - 120	3.722	0.365	20	

MS Sample ID: **HS19111269-02MS** Units: **mg/L** Analysis Date: **25-Nov-2019 19:39**
Client ID: Run ID: **ICS-Integrion_351461** SeqNo: **5364937** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.736	0.100	2	0.1866	77.5	80 - 120				S

MS Sample ID: **HS19111080-07MS** Units: **mg/L** Analysis Date: **26-Nov-2019 02:51**
Client ID: **16RW10-191120** Run ID: **ICS-Integrion_351461** SeqNo: **5364958** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	12.99	0.500	10	3.988	90.0	80 - 120				

MSD Sample ID: **HS19111269-02MSD** Units: **mg/L** Analysis Date: **25-Nov-2019 19:56**
Client ID: Run ID: **ICS-Integrion_351461** SeqNo: **5364938** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.74	0.100	2	0.1866	77.7	80 - 120	1.736	0.236	20	S

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19111080

QC BATCH REPORT

Batch ID: R351461 (0) **Instrument:** ICS-Integrion **Method:** ANIONS BY SW9056A

MSD Sample ID: **HS19111080-07MSD** Units: **mg/L** Analysis Date: **26-Nov-2019 03:08**
Client ID: **16RW10-191120** Run ID: **ICS-Integrion_351461** SeqNo: **5364959** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	12.92	0.500	10	3.988	89.4	80 - 120	12.99	0.502	20	

The following samples were analyzed in this batch: HS19111080-01 HS19111080-02 HS19111080-03 HS19111080-04 HS19111080-05 HS19111080-06 HS19111080-07

ALS Houston, US Date: 27-Nov-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19111080**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 27-Nov-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19111080
Date/Time Received: **21-Nov-2019 08:35**
Received by: **PMG**

Checklist completed by: *Asad Chaudhry* eSignature 21-Nov-2019 Date
Reviewed by: *RJ Modashia* eSignature 22-Nov-2019 Date

Matrices: **GW**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☐	No ☑	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	0.9c U/C	IR 25	
Cooler(s)/Kit(s):	45371		
Date/Time sample(s) sent to storage:	11/21/2019 17:15		
Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: 16NOV2019-LF3-1911 -ALS

TURNAROUND TIME:

RUSH:

Page 1 of

PROJECT/CLIENT INFO

Facility Name	Longhorn AAP
Project Number	501032
	LHAAP-16
Address	1203-B East Grand Avenue
	PMB 202
City	Marshall
State	
Postal Code	75670
Cour	
Phone Number	713.243.7264
Project Manager	Praveen Srivastav

LABORATORY

Lab Name	ALS Laboratories
Lab Contact	RJ Modashia
Email	RJ.Modashia@alsglobal.com

HS19111080

Aptim Environmental & Infrastucture, Inc.

LHAAP-16

OTHER INFO

Email Invoice To	FedInvoices@aptim.com		
Email Report To	Susan.Huang@aptim.com		
Mail Reports To	Susan Huang		
Address	4005 Port Chicago Highway, Suite 200		
City	Concord	State	CA
Postal Code	94520	Country	USA
Shipping Company			

SAMPLE DETAILS

ANALYSIS REQUESTED

Tool C

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	TOC by SM5310	Bromide by SW9056
16RW06-191120	LHAAP16				WG	11/20/19	0820	3	X	X
16RW06-191120-FD	LHAAP16				WG	11/20/19	0820	3	X	X
16RW07-191120	LHAAP16				WG	11/20/19	0915	3	X	X
16RW08-191120	LHAAP16				WG	11/20/19	1005	3	X	X
[redacted]16IW10-191120	LHAAP16				WG	11/20/19	1055	3	X	X
16RW09-191120	LHAAP16				WG	11/20/19	1145	3	X	X
16RW10-191120	LHAAP16				WG	11/20/19	1240	3	X	X
16RW10-191120-MS	LHAAP16				WG	11/20/19	1240	3	X	X
16RW10-191120-MSD	LHAAP16				WG	11/20/19	1240	3	X	X

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
ulc IP-11 L45371 0.09 c/f-0	Scott Berringer / BHATE	11/20/19 1415	DG	Nov/21/19 8:35

ALS

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

45371

CUSTODY SEAL

Date: 11/20/19 Time: 1430
Name: Scott Beesinger
Company: Bhate

Seal Broken By: SBN
Date: 11/21/19

45371



ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

November 27, 2019 **Analytical Report for Service Request No:** K1911032

RJ Modashia
ALS Laboratory Group
10450 Stancliff Road
Suite 210
Houston, TX 77099-4338

RE: HS19111080

Dear RJ,

Enclosed are the results of the sample(s) submitted to our laboratory November 22, 2019
For your reference, these analyses have been assigned our service request number **K1911032.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3350. You may also contact me via email at Kelley.Lovejoy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Kelley Lovejoy

Kelley Lovejoy
Project Manager



ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

Acronyms
Qualifiers
State Certifications, Accreditations, And Licenses
Case Narrative
Chain of Custody
General Chemistry
Raw Data
    General Chemistry

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable. See case narrative.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Case Narrative

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

1317 South 13th Ave, Kelso, WA 98626 | 1-360-577-7222 | www.alsglobal.com

ALS Environmental

Client: ALS Environmental - US
Project: HS19111080
Sample Matrix: Ground Water

Service Request: K1911032
Date Received: 11/22/2019

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier level IV requested by the client.

Sample Receipt:

Seven ground water samples were received for analysis at ALS Environmental on 11/22/2019. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

General Chemistry:

No significant anomalies were noted with this analysis.

Approved by Kelley Lovejoy Date 11/27/2019

Chain of Custody

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

01031440

K1911032

10450 Stancliff Rd, Ste 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **12690**

SUBCONTRACT TO:

ALS Environmental Kelso
1317 S. 13th Avenue
Kelso, WA 98626

Phone: +1 360 501 3312

CUSTOMER INFORMATION:

Company:	ALS Houston
Contact:	RJ Modashia
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Email:	RJ.Modashia@alsglobal.com
Alternate Contact:	Jumoke M. Lawal
Email:	jumoke.lawal@alsglobal.com

INVOICE INFORMATION:

Company:	ALS Houston
Contact:	Accounts Payable
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Reference:	HS19111080
TSR:	Sonia West

	LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
	ANALYSIS REQUESTED			DUE DATE
1.	**HS19111080-01**	**16RW06-191120**	**GW**	**20 Nov 2019 08:20**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
2.	**HS19111080-02**	**16RW06-191120-FD**	**GW**	**20 Nov 2019 08:20**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
3.	**HS19111080-03**	**16RW07-191120**	**GW**	**20 Nov 2019 09:15**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
4.	**HS19111080-04**	**16RW08-191120**	**GW**	**20 Nov 2019 10:05**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
5.	**HS19111080-05**	**16IW10-191120**	**GW**	**20 Nov 2019 10:55**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
6.	**HS19111080-06**	**16RW09-191120**	**GW**	**20 Nov 2019 11:45**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019
7.	**HS19111080-07**	**16RW10-191120** (MS/MSD)	**GW**	**20 Nov 2019 12:40**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Dec 2019

Comments: Please analyze for the analysis listed above.
Send report to the emails shown above.

Rec'd C Cannon 11/22/19 0940

K1911032

Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **12690**

QC Level: DOD IV (DoD Data Package)

Relinquished By:	J. Mussatti	Date/Time:	11/21/19 18:00
Received By:		Date/Time:	11/22/19 0940
Cooler ID(s):		Temperature(s):	

PC KL

Cooler Receipt and Preservation Form

Client ALS Houston Service Request K19 11032

Received: 11/22/19 Opened: 11/22/19 By: CG Unloaded: 11/22/19 By: CG

1. Samples were received via? *USPS* (*Fed Ex*) *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other* _____ *NA*
3. Were custody seals on coolers? NA (Y) N If yes, how many and where? 2 Front
   If present, were custody seals intact? (Y) N If present, were they signed and dated? (Y) N

Raw Cooler Temp	Corrected Cooler Temp	Raw Temp Blank	Corrected Temp Blank	Corr. Factor	Thermometer ID	Cooler/COC ID NA	Tracking Number NA	Filed
-0.6	-0.5	-0.2	-0.1	+0.1	360	12690	1251 0292 0914	

4. Packing material: *Inserts* (*Baggies*) (*Bubble Wrap*) *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____
5. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
6. Were samples received in good condition (temperature, unbroken)? *Indicate in the table below.* NA (Y) N
   If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*
7. Were all sample labels complete (i.e analysis, preservation, etc.)? NA (Y) N
8. Did all sample labels and tags agree with custody papers? *Indicate major discrepancies in the table on page 2.* NA (Y) N
9. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N
10. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA (Y) N
11. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
12. Was C12/Res negative? (NA) Y N

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Out of Temp	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, & Resolutions: RUSH

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	ALS Environmental - US	**Service Request:**	K1911032
Project:	HS19111080	**Date Collected:**	11/20/19
Sample Matrix:	Ground Water	**Date Received:**	11/22/19
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Carbon, Total Organic

Sample Name	Lab Code	Result	LOQ	LOD	MDL	Dil.	Date Analyzed	Q
16RW06-191120	K1911032-001	**1.54**	0.50	0.20	0.07	1	11/24/19 13:19	
16RW06-191120-FD	K1911032-002	**1.55**	0.50	0.20	0.07	1	11/24/19 13:47	
16RW07-191120	K1911032-003	**1.59**	0.50	0.20	0.07	1	11/24/19 14:15	
16RW08-191120	K1911032-004	**2.02**	0.50	0.20	0.07	1	11/24/19 14:43	
16IW10-191120	K1911032-005	**1850**	200	80	30	400	11/24/19 15:11	
16RW09-191120	K1911032-006	**1.99**	0.50	0.20	0.07	1	11/24/19 15:39	
16RW10-191120	K1911032-007	**4.08**	0.50	0.20	0.07	1	11/24/19 16:51	
Method Blank	K1911032-MB1	ND U	0.50	0.20	0.07	1	11/24/19 02:41	
Method Blank	K1911032-MB2	**0.14 J**	0.50	0.20	0.07	1	11/24/19 12:21	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1911032
Project	HS19111080	**Date Collected:**	11/20/19
Sample Matrix:	Ground Water	**Date Received:**	11/22/19
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Replicate Sample Summary
Carbon, Total Organic

Sample Name:	Lab Code:	LOQ	LOD	MDL	Sample Result	Duplicate Result	Average	RPD	RPD Limit	Date Analyzed
16RW06-191120	K1911032-001DUP	0.50	0.20	0.07	1.54	1.42	1.48	8	10	11/24/19
16RW06-191120-FD	K1911032-002DUP	0.50	0.20	0.07	1.55	1.60	1.57	3	10	11/24/19
16RW07-191120	K1911032-003DUP	0.50	0.20	0.07	1.59	1.50	1.55	5	10	11/24/19
16RW08-191120	K1911032-004DUP	0.50	0.20	0.07	2.02	1.87	1.94	8	10	11/24/19
16IW10-191120	K1911032-005DUP	200	80	30	1850	1930	1890	4	10	11/24/19
16RW09-191120	K1911032-006DUP	0.50	0.20	0.07	1.99	1.82	1.91	9	10	11/24/19
16RW10-191120	K1911032-007DUP	0.50	0.20	0.07	4.08	4.18	4.13	2	10	11/24/19

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1911032
Project:	HS19111080	**Date Collected:**	11/20/19
Sample Matrix:	Ground Water	**Date Received:**	11/22/19
		Date Analyzed:	11/24/19
		Date Extracted:	NA

Matrix Spike Summary
Carbon, Total Organic

Sample Name:	16RW10-191120	**Units:**	mg/L
Lab Code:	K1911032-007	**Basis:**	NA
Analysis Method:	SM 5310 C		
Prep Method:	None		

Matrix Spike
K1911032-007MS

Analyte Name	Sample Result	Result	Spike Amount	% Rec	% Rec Limits
Carbon, Total Organic	4.08	52.7	50.0	97	83-117

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1911032
Project:	HS19111080	**Date Analyzed:**	11/24/19
Sample Matrix:	Ground Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	661077

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1911032-LCS1	25.1	25.0	100	83-117

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K1911032
Project:	HS19111080	**Date Analyzed:**	11/24/19
Sample Matrix:	Ground Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	661078

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1911032-LCS2	24.9	25.0	100	83-117

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:** K1911032
Project: HS19111080

Continuing Calibration Verification (CCV) Summary

Carbon, Total Organic

Analysis Method: SM 5310 C **Units:** mg/L

	Analysis Lot	Lab Code	Date Analyzed	True Value	Measured Value	Percent Recovery	Acceptance Limits
CCV1	661077	KQ1917447-01	11/24/19 02:11	25.0	24.6	98	90-110
CCV2	661077	KQ1917447-02	11/24/19 06:54	25.0	24.2	97	90-110
CCV3	661077	KQ1917447-03	11/24/19 11:51	25.0	24.7	99	90-110
CCV4	661077	KQ1917447-04	11/24/19 16:22	25.0	24.3	97	90-110
CCV5	661078	KQ1917448-01	11/24/19 11:51	25.0	24.7	99	90-110
CCV6	661078	KQ1917448-02	11/24/19 16:22	25.0	24.3	97	90-110
CCV7	661078	KQ1917448-03	11/24/19 21:32	25.0	24.6	99	90-110
CCV8	661078	KQ1917448-04	11/25/19 01:49	25.0	24.2	97	90-110
CCV9	661078	KQ1917448-05	11/25/19 06:19	25.0	24.1	96	90-110

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:**K1911032
Project: HS19111080

Continuing Calibration Blank (CCB) Summary
Carbon, Total Organic

Analysis Method: SM 5310 C **Units:**mg/L

	Analysis Lot	Lab Code	Date Analyzed	LOQ	LOD	MDL	Result	Q
CCB1	661077	KQ1917447-05	11/24/19 02:26	0.50	0.20	0.07	ND	U
CCB2	661077	KQ1917447-06	11/24/19 07:09	0.50	0.20	0.07	ND	U
CCB3	661077	KQ1917447-07	11/24/19 12:06	0.50	0.20	0.07	0.23	J
CCB4	661077	KQ1917447-08	11/24/19 16:36	0.50	0.20	0.07	ND	U
CCB5	661078	KQ1917448-06	11/24/19 12:06	0.50	0.20	0.07	0.23	J
CCB6	661078	KQ1917448-07	11/24/19 16:36	0.50	0.20	0.07	ND	U
CCB7	661078	KQ1917448-08	11/24/19 21:47	0.50	0.20	0.07	ND	U
CCB8	661078	KQ1917448-09	11/25/19 02:04	0.50	0.20	0.07	ND	U
CCB9	661078	KQ1917448-10	11/25/19 06:34	0.50	0.20	0.07	ND	U

Raw Data

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

Work Request # Original ( ) K1910680, 796, 847, 86, 929, 959, 11031, 11032, 11033, 10803, 11028, 11032, 11047, 11049, 975, 11043

Tier: II IV IV II II I IV IV IV IV V IV II II I II

Date Analyzed: 11/23/19

Analyst: BCV

Analysis: TOC/DOC

TOC: 661076, 661077, 661078

Run # DOC: 661079

DATA QUALITY REPORT
INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1.	Is the method name and number correct and appropriate?	yes/no/NA
2.	Holding times met for all analyses and for all samples?	yes/no/NA
3.	Are calculations correct?	yes/no/NA
4.	Is the reporting basis correct? (Dry Weight)	yes/no/NA
5.	All quality control criteria met?	yes/no
6.	Is the calibration curve correlation coefficient ≥ 0.995?	yes/no/NA
7.	MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency?	yes/no/NA
8.	Are ICVs, CCVs, and CCBs all within acceptance limits?	yes/no/NA
9.	Are results for methods blanks all ND?	yes/no/NA
10.	Are all QC samples within acceptance criteria? (LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.)	yes/no/NA
11.	Are all exceptions explained?	yes/no/NA
12.	Have all applicable service requests been reviewed?	yes/no/NA
13.	Are all samples labeled correctly?	yes/no/NA
14.	Have all instructions on the service request been followed? (e.g. Special MRLs, QC on a specific sample, Form V)	yes/no/NA
15.	Are detection limits and units reported correctly?	yes/no/NA
16.	Is the unused space on the benchsheet crossed out?	yes/no/NA
17.	Was analysis turned in by the due date? (n-2) (If not record SR#)	yes/no/NA

COMMENTS: K190847-4/4d, K1910903-2/2d, 803-4/4d sent for CA due to being above calibration curve.
K1910803-3/3d, 803-5/5d sent for CA due to sample carry over.
K1911043-2 sent for CA due to being overdiluted.
K1910680-2/2d, 680-4/4d, 680-5/5d, 796-2/2d, 929-2/2d, 11031-1/1d, 11028-3/3d, and 10975-1/1d report a high %RSD. However these samples are less than 5x the MRL.
K1911033-6/6d, 11033-7/7d, 10803-3, 10803-5, 11047-1/1d report a high %RSD due to suspected non-homogenous samples.

Final Approved by: _____ Date: 11/26/19

DQREPORT

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661076 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910680-001	Carbon, Total Organic	N/A		Water	0.36 mg/L	10 ml	0.36 mg/L J	1	0.07	0.50			11/23/19 17:58	N	II
K1910680-002	Carbon, Total Organic	N/A		Water	0.30 mg/L	10 ml	0.30 mg/L J	1	0.07	0.50			11/23/19 18:26	N	II
K1910680-003	Carbon, Total Organic	N/A		Water	0.63 mg/L	10 ml	0.63 mg/L	1	0.07	0.50			11/23/19 18:54	N	II
K1910680-004	Carbon, Total Organic	N/A		Water	0.56 mg/L	10 ml	0.56 mg/L	1	0.07	0.50			11/23/19 19:22	N	II
K1910680-005	Carbon, Total Organic	N/A		Water	0.17 mg/L	10 ml	0.17 mg/L J	1	0.07	0.50			11/23/19 19:50	N	II
K1910796-001	Carbon, Total Organic	N/A		Ground Water	1.05 mg/L	10 ml	1.05 mg/L	1	0.07	0.50			11/23/19 21:30	N	IV
K1910796-002	Carbon, Total Organic	N/A		Ground Water	0.88 mg/L	10 ml	0.88 mg/L	1	0.07	0.50			11/23/19 21:59	N	IV
K1910796-003	Carbon, Total Organic	N/A		Ground Water	1.78 mg/L	10 ml	1.78 mg/L	1	0.07	0.50			11/23/19 22:27	N	IV
K1910796-004	Carbon, Total Organic	N/A		Ground Water	0.20 mg/L	10 ml	0.20 mg/L J	1	0.07	0.50			11/23/19 20:18	Y	IV
K1910847-001	Carbon, Total Organic	N/A		Ground Water	34.01 mg/L	10 ml	680 mg/L	20	2	10			11/23/19 22:55	N	IV
K1910847-002	Carbon, Total Organic	N/A		Ground Water	32.82 mg/L	10 ml	32.8 mg/L	1	0.07	0.50			11/23/19 23:23	N	IV
K1910847-003	Carbon, Total Organic	N/A		Ground Water	35.27 mg/L	10 ml	35.3 mg/L	1	0.07	0.50			11/23/19 23:51	N	IV
K1910847-004	Carbon, Total Organic	N/A		Ground Water	61.27 mg/L	10 ml	61.3 mg/L	1	0.07	0.50			11/24/19 00:19	N	IV
K1910861-001	Carbon, Total Organic	N/A		Water	7.26 mg/L	10 ml	726 mg/L	100	7	50			11/24/19 00:47	N	II
K1910861-002	Carbon, Total Organic	N/A		Water	5.98 mg/L	10 ml	598 mg/L	100	7	50			11/24/19 01:15	N	II
K1910861-003	Carbon, Total Organic	N/A		Water	5.96 mg/L	10 ml	596 mg/L	100	7	50			11/24/19 01:43	N	II
K1910861-004	Carbon, Total Organic	N/A		Water	7.78 mg/L	10 ml	778 mg/L	100	7	50			11/24/19 03:10	N	II
K1910861-005	Carbon, Total Organic	N/A		Water	7.46 mg/L	10 ml	746 mg/L	100	7	50			11/24/19 03:38	N	II
K1910861-006	Carbon, Total Organic	N/A		Water	10.75 mg/L	10 ml	1080 mg/L	100	7	50			11/24/19 04:06	N	II
K1910861-007	Carbon, Total Organic	N/A		Water	8.35 mg/L	10 ml	835 mg/L	100	7	50			11/24/19 04:34	N	II
KQ1917446-01	Carbon, Total Organic	CCV		Water	24.53 mg/L	10 ml	24.5 mg/L	1					11/23/19 16:45	N	II
KQ1917446-02	Carbon, Total Organic	CCV		Water	24.61 mg/L	10 ml	24.6 mg/L	1					11/23/19 21:01	N	II
KQ1917446-03	Carbon, Total Organic	CCV		Water	24.56 mg/L	10 ml	24.6 mg/L	1					11/24/19 02:11	N	II
KQ1917446-04	Carbon, Total Organic	CCV		Water	24.22 mg/L	10 ml	24.2 mg/L	1					11/24/19 06:54	N	II
KQ1917446-05	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/23/19 16:59	N	II
KQ1917446-06	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/23/19 21:15	N	II
KQ1917446-07	Carbon, Total Organic	CCB		Water	-0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 02:26	N	II
KQ1917446-08	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 07:09	N	II
KQ1917446-09	Carbon, Total Organic	MB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/23/19 17:14	N	II
KQ1917446-10	Carbon, Total Organic	LCS		Water	24.74 mg/L	10 ml	24.7 mg/L	1	0.07	0.50	99		11/23/19 17:29	N	II
KQ1917446-11	Carbon, Total Organic	MS	K1910796-004	Ground Water	22.48 mg/L	10 ml	22.5 mg/L	1	0.07	0.50	89		11/23/19 20:46	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/26/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661076 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917446-12	Carbon, Total Organic	DUP	K1910680-001	Water	0.36 mg/L	10 ml	0.36 mg/L J	1	0.07	0.50		2	11/23/19 17:58	N	II
KQ1917446-13	Carbon, Total Organic	DUP	K1910680-002	Water	0.26 mg/L	10 ml	0.26 mg/L J	1	0.07	0.50		13*	11/23/19 18:26	N	II
KQ1917446-14	Carbon, Total Organic	DUP	K1910680-003	Water	0.61 mg/L	10 ml	0.61 mg/L	1	0.07	0.50		3	11/23/19 18:54	N	II
KQ1917446-15	Carbon, Total Organic	DUP	K1910680-004	Water	0.67 mg/L	10 ml	0.67 mg/L	1	0.07	0.50		17*	11/23/19 19:22	N	II
KQ1917446-16	Carbon, Total Organic	DUP	K1910680-005	Water	0.20 mg/L	10 ml	0.20 mg/L J	1	0.07	0.50		15*	11/23/19 19:50	N	II
KQ1917446-17	Carbon, Total Organic	DUP	K1910796-002	Ground Water	0.77 mg/L	10 ml	0.77 mg/L	1	0.07	0.50		14*	11/23/19 21:59	N	IV
KQ1917446-18	Carbon, Total Organic	DUP	K1910796-001	Ground Water	1.14 mg/L	10 ml	1.14 mg/L	1	0.07	0.50		8	11/23/19 21:30	N	IV
KQ1917446-19	Carbon, Total Organic	DUP	K1910796-003	Ground Water	1.75 mg/L	10 ml	1.75 mg/L	1	0.07	0.50		1	11/23/19 22:27	N	IV
KQ1917446-20	Carbon, Total Organic	DUP	K1910796-004	Ground Water	0.21 mg/L	10 ml	0.21 mg/L J	1	0.07	0.50		6	11/23/19 20:18	N	IV
KQ1917446-21	Carbon, Total Organic	DUP	K1910847-002	Ground Water	32.44 mg/L	10 ml	32.4 mg/L	1	0.07	0.50		1	11/23/19 23:23	N	IV
KQ1917446-22	Carbon, Total Organic	DUP	K1910847-001	Ground Water	33.78 mg/L	10 ml	676 mg/L	20	2	10		<1	11/23/19 22:55	N	IV
KQ1917446-23	Carbon, Total Organic	DUP	K1910847-003	Ground Water	34.76 mg/L	10 ml	34.8 mg/L	1	0.07	0.50		1	11/23/19 23:51	N	IV
KQ1917446-24	Carbon, Total Organic	DUP	K1910847-004	Ground Water	60.91 mg/L	10 ml	60.9 mg/L	1	0.07	0.50		<1	11/24/19 00:19	N	IV
KQ1917446-25	Carbon, Total Organic	DUP	K1910861-001	Water	6.74 mg/L	10 ml	674 mg/L	100	7	50		7	11/24/19 00:47	N	II
KQ1917446-26	Carbon, Total Organic	DUP	K1910861-002	Water	5.82 mg/L	10 ml	582 mg/L	100	7	50		3	11/24/19 01:15	N	II
KQ1917446-27	Carbon, Total Organic	DUP	K1910861-003	Water	5.90 mg/L	10 ml	590 mg/L	100	7	50		1	11/24/19 01:43	N	II
KQ1917446-28	Carbon, Total Organic	DUP	K1910861-004	Water	7.76 mg/L	10 ml	776 mg/L	100	7	50		<1	11/24/19 03:10	N	II
KQ1917446-29	Carbon, Total Organic	DUP	K1910861-005	Water	7.41 mg/L	10 ml	741 mg/L	100	7	50		<1	11/24/19 03:38	N	II
KQ1917446-30	Carbon, Total Organic	DUP	K1910861-006	Water	10.62 mg/L	10 ml	1060 mg/L	100	7	50		1	11/24/19 04:06	N	II
KQ1917446-31	Carbon, Total Organic	DUP	K1910861-007	Water	8.16 mg/L	10 ml	816 mg/L	100	7	50		2	11/24/19 04:34	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661077 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910929-001	Carbon, Total Organic	N/A		Water	1.49 mg/L	10 ml	1.49 mg/L	1	0.07	0.50			11/24/19 05:02	N	II
K1910929-002	Carbon, Total Organic	N/A		Water	0.79 mg/L	10 ml	0.79 mg/L	1	0.07	0.50			11/24/19 05:30	N	II
K1910929-003	Carbon, Total Organic	N/A		Water	1.91 mg/L	10 ml	1.91 mg/L	1	0.07	0.50			11/24/19 05:58	N	II
K1910969-002	Carbon, Total Organic	N/A		Drinking Water	1.16 mg/L	10 ml	1.16 mg/L	1	0.07	0.50			11/24/19 06:26	N	I
K1911031-001	Carbon, Total Organic	N/A		Water	0.90 mg/L	10 ml	0.90 mg/L	1	0.07	0.50			11/24/19 12:50	N	IV
K1911032-001	Carbon, Total Organic	N/A		Ground Water	1.54 mg/L	10 ml	1.54 mg/L	1	0.07	0.50			11/24/19 13:19	N	IV
K1911032-002	Carbon, Total Organic	N/A		Ground Water	1.55 mg/L	10 ml	1.55 mg/L	1	0.07	0.50			11/24/19 13:47	N	IV
K1911032-003	Carbon, Total Organic	N/A		Ground Water	1.59 mg/L	10 ml	1.59 mg/L	1	0.07	0.50			11/24/19 14:15	N	IV
K1911032-004	Carbon, Total Organic	N/A		Ground Water	2.02 mg/L	10 ml	2.02 mg/L	1	0.07	0.50			11/24/19 14:43	N	IV
K1911032-005	Carbon, Total Organic	N/A		Ground Water	4.63 mg/L	10 ml	1850 mg/L	400	30	200			11/24/19 15:11	N	IV
K1911032-006	Carbon, Total Organic	N/A		Ground Water	1.99 mg/L	10 ml	1.99 mg/L	1	0.07	0.50			11/24/19 15:39	N	IV
K1911033-001	Carbon, Total Organic	N/A		Ground Water	3.66 mg/L	10 ml	3.66 mg/L	1	0.07	0.50			11/24/19 07:24	N	IV
K1911033-002	Carbon, Total Organic	N/A		Ground Water	2.81 mg/L	10 ml	2.81 mg/L	1	0.07	0.50			11/24/19 07:52	N	IV
K1911033-003	Carbon, Total Organic	N/A		Ground Water	2.80 mg/L	10 ml	2.80 mg/L	1	0.07	0.50			11/24/19 08:20	N	IV
K1911033-004	Carbon, Total Organic	N/A		Ground Water	2.38 mg/L	10 ml	2.38 mg/L	1	0.07	0.50			11/24/19 08:48	N	IV
K1911033-005	Carbon, Total Organic	N/A		Ground Water	39.57 mg/L	10 ml	791 mg/L	20	2	10			11/24/19 09:16	N	IV
K1911033-006	Carbon, Total Organic	N/A		Ground Water	4.37 mg/L	10 ml	4.37 mg/L	1	0.07	0.50			11/24/19 09:44	N	IV
K1911033-007	Carbon, Total Organic	N/A		Ground Water	2.51 mg/L	10 ml	2.51 mg/L	1	0.07	0.50			11/24/19 10:12	N	IV
K1911033-008	Carbon, Total Organic	N/A		Ground Water	7.82 mg/L	10 ml	7820 mg/L	1000	70	500			11/24/19 10:41	N	IV
K1911033-009	Carbon, Total Organic	N/A		Ground Water	3.94 mg/L	10 ml	3.94 mg/L	1	0.07	0.50			11/24/19 11:09	Y	IV
KQ1917447-01	Carbon, Total Organic	CCV		Water	24.56 mg/L	10 ml	24.6 mg/L	1					11/24/19 02:11	N	II
KQ1917447-02	Carbon, Total Organic	CCV		Water	24.22 mg/L	10 ml	24.2 mg/L	1					11/24/19 06:54	N	II
KQ1917447-03	Carbon, Total Organic	CCV		Water	24.73 mg/L	10 ml	24.7 mg/L	1					11/24/19 11:51	N	II
KQ1917447-04	Carbon, Total Organic	CCV		Water	24.32 mg/L	10 ml	24.3 mg/L	1					11/24/19 16:22	N	II
KQ1917447-05	Carbon, Total Organic	CCB		Water	-0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 02:26	N	II
KQ1917447-06	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 07:09	N	II
KQ1917447-07	Carbon, Total Organic	CCB		Water	0.23 mg/L	10 ml	0.23 mg/L J	1	0.07	0.50			11/24/19 12:06	N	II
KQ1917447-08	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 16:36	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661077 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917447-09	Carbon, Total Organic	MB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 02:41	N	II
KQ1917447-10	Carbon, Total Organic	LCS		Water	25.09 mg/L	10 ml	25.1 mg/L	1	0.07	0.50	100		11/24/19 02:55	N	II
KQ1917447-11	Carbon, Total Organic	MS	K1911033-009	Ground Water	26.11 mg/L	10 ml	52.2 mg/L	2	0.2	1.0	97		11/24/19 11:37	N	IV
KQ1917447-12	Carbon, Total Organic	DUP	K1910929-001	Water	1.39 mg/L	10 ml	1.39 mg/L	1	0.07	0.50		7	11/24/19 05:02	N	II
KQ1917447-13	Carbon, Total Organic	DUP	K1910929-002	Water	0.88 mg/L	10 ml	0.88 mg/L	1	0.07	0.50		11*	11/24/19 05:30	N	II
KQ1917447-14	Carbon, Total Organic	DUP	K1910929-003	Water	1.94 mg/L	10 ml	1.94 mg/L	1	0.07	0.50		2	11/24/19 05:58	N	II
KQ1917447-15	Carbon, Total Organic	DUP	K1910969-002	Drinking Water	1.11 mg/L	10 ml	1.11 mg/L	1	0.07	0.50		5	11/24/19 06:26	N	I
KQ1917447-16	Carbon, Total Organic	DUP	K1911031-001	Water	0.79 mg/L	10 ml	0.79 mg/L	1	0.07	0.50		13*	11/24/19 12:50	N	IV
KQ1917447-17	Carbon, Total Organic	DUP	K1911032-002	Ground Water	1.60 mg/L	10 ml	1.60 mg/L	1	0.07	0.50		3	11/24/19 13:47	N	IV
KQ1917447-18	Carbon, Total Organic	DUP	K1911032-001	Ground Water	1.42 mg/L	10 ml	1.42 mg/L	1	0.07	0.50		8	11/24/19 13:19	N	IV
KQ1917447-19	Carbon, Total Organic	DUP	K1911032-003	Ground Water	1.50 mg/L	10 ml	1.50 mg/L	1	0.07	0.50		5	11/24/19 14:15	N	IV
KQ1917447-20	Carbon, Total Organic	DUP	K1911032-004	Ground Water	1.87 mg/L	10 ml	1.87 mg/L	1	0.07	0.50		8	11/24/19 14:43	N	IV
KQ1917447-21	Carbon, Total Organic	DUP	K1911032-005	Ground Water	4.83 mg/L	10 ml	1930 mg/L	400	30	200		4	11/24/19 15:11	N	IV
KQ1917447-22	Carbon, Total Organic	DUP	K1911032-006	Ground Water	1.82 mg/L	10 ml	1.82 mg/L	1	0.07	0.50		9	11/24/19 15:39	N	IV
KQ1917447-23	Carbon, Total Organic	DUP	K1911033-001	Ground Water	3.65 mg/L	10 ml	3.65 mg/L	1	0.07	0.50		<1	11/24/19 07:24	N	IV
KQ1917447-24	Carbon, Total Organic	DUP	K1911033-002	Ground Water	2.74 mg/L	10 ml	2.74 mg/L	1	0.07	0.50		3	11/24/19 07:52	N	IV
KQ1917447-25	Carbon, Total Organic	DUP	K1911033-003	Ground Water	2.76 mg/L	10 ml	2.76 mg/L	1	0.07	0.50		1	11/24/19 08:20	N	IV
KQ1917447-26	Carbon, Total Organic	DUP	K1911033-004	Ground Water	2.31 mg/L	10 ml	2.31 mg/L	1	0.07	0.50		3	11/24/19 08:48	N	IV
KQ1917447-27	Carbon, Total Organic	DUP	K1911033-005	Ground Water	38.77 mg/L	10 ml	775 mg/L	20	2	10		2	11/24/19 09:16	N	IV
KQ1917447-28	Carbon, Total Organic	DUP	K1911033-006	Ground Water	3.18 mg/L	10 ml	3.18 mg/L	1	0.07	0.50		31*	11/24/19 09:44	N	IV
KQ1917447-29	Carbon, Total Organic	DUP	K1911033-007	Ground Water	2.24 mg/L	10 ml	2.24 mg/L	1	0.07	0.50		11*	11/24/19 10:12	N	IV
KQ1917447-30	Carbon, Total Organic	DUP	K1911033-008	Ground Water	8.01 mg/L	10 ml	8010 mg/L	1000	70	500		2	11/24/19 10:41	N	IV
KQ1917447-31	Carbon, Total Organic	DUP	K1911033-009	Ground Water	3.61 mg/L	10 ml	3.61 mg/L	1	0.07	0.50		9	11/24/19 11:09	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661078 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910803-001	Carbon, Total Organic	N/A		Water	43.43 mg/L	10 ml	43.4 mg/L	1	0.07	0.50			11/24/19 17:19	N	IV
K1910803-002	Carbon, Total Organic	N/A		Water	119.98 mg/L	10 ml	120 mg/L	1	0.07	0.50			11/24/19 17:47	N	IV
K1910803-003	Carbon, Total Organic	N/A		Water	21.79 mg/L	10 ml	21.8 mg/L	1	0.07	0.50			11/24/19 18:15	N	IV
K1910803-004	Carbon, Total Organic	N/A		Water	67.32 mg/L	10 ml	67.3 mg/L	1	0.07	0.50			11/24/19 18:43	N	IV
K1910803-005	Carbon, Total Organic	N/A		Water	39.95 mg/L	10 ml	39.9 mg/L	1	0.07	0.50			11/24/19 19:11	N	IV
K1910803-006	Carbon, Total Organic	N/A		Water	14.93 mg/L	10 ml	14.9 mg/L	1	0.07	0.50			11/24/19 19:40	N	IV
K1911028-001	Carbon, Total Organic	N/A		Water	0.89 mg/L	10 ml	0.89 mg/L	1	0.07	0.50			11/25/19 00:24	N	V
K1911028-002	Carbon, Total Organic	N/A		Water	22.10 mg/L	10 ml	22.1 mg/L	1	0.07	0.50			11/25/19 00:52	N	V
K1911028-003	Carbon, Total Organic	N/A		Water	0.73 mg/L	10 ml	0.73 mg/L	1	0.07	0.50			11/25/19 01:21	N	V
K1911028-004	Carbon, Total Organic	N/A		Water	1.41 mg/L	10 ml	1.41 mg/L	1	0.07	0.50			11/25/19 02:18	N	V
K1911028-005	Carbon, Total Organic	N/A		Water	1.44 mg/L	10 ml	1.44 mg/L	1	0.07	0.50			11/25/19 02:47	N	V
K1911032-007	Carbon, Total Organic	N/A		Ground Water	4.08 mg/L	10 ml	4.08 mg/L	1	0.07	0.50			11/24/19 16:51	Y	IV
K1911047-001	Carbon, Total Organic	N/A		Water	3.61 mg/L	10 ml	361 mg/L	100	7	50			11/24/19 20:08	N	II
K1911047-002	Carbon, Total Organic	N/A		Water	26.84 mg/L	10 ml	2680 mg/L	100	7	50			11/24/19 20:36	N	II
K1911049-001	Carbon, Total Organic	N/A		Water	4.21 mg/L	10 ml	84 mg/L	20	2	10			11/24/19 21:04	N	II
K1911049-002	Carbon, Total Organic	N/A		Water	9.04 mg/L	10 ml	181 mg/L	20	2	10			11/24/19 22:31	Y	II
K1911049-003	Carbon, Total Organic	N/A		Water	11.75 mg/L	10 ml	11.7 mg/L	1	0.07	0.50			11/24/19 23:28	N	II
K1911049-004	Carbon, Total Organic	N/A		Water	1.62 mg/L	10 ml	1.62 mg/L	1	0.07	0.50			11/24/19 23:56	N	II
KQ1917448-01	Carbon, Total Organic	CCV		Ground Water	24.73 mg/L	10 ml	24.7 mg/L	1					11/24/19 11:51	N	IV
KQ1917448-02	Carbon, Total Organic	CCV		Ground Water	24.32 mg/L	10 ml	24.3 mg/L	1					11/24/19 16:22	N	IV
KQ1917448-03	Carbon, Total Organic	CCV		Ground Water	24.63 mg/L	10 ml	24.6 mg/L	1					11/24/19 21:32	N	IV
KQ1917448-04	Carbon, Total Organic	CCV		Ground Water	24.22 mg/L	10 ml	24.2 mg/L	1					11/25/19 01:49	N	IV
KQ1917448-05	Carbon, Total Organic	CCV		Ground Water	24.12 mg/L	10 ml	24.1 mg/L	1					11/25/19 06:19	N	IV
KQ1917448-06	Carbon, Total Organic	CCB		Ground Water	0.23 mg/L	10 ml	0.23 mg/L J	1	0.07	0.50			11/24/19 12:06	N	IV
KQ1917448-07	Carbon, Total Organic	CCB		Ground Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 16:36	N	IV
KQ1917448-08	Carbon, Total Organic	CCB		Ground Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 21:47	N	IV
KQ1917448-09	Carbon, Total Organic	CCB		Ground Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/25/19 02:04	N	IV
KQ1917448-10	Carbon, Total Organic	CCB		Ground Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/25/19 06:34	N	IV
KQ1917448-11	Carbon, Total Organic	MB		Ground Water	0.14 mg/L	10 ml	0.14 mg/L J	1	0.07	0.50			11/24/19 12:21	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Printed 11/26/19 13:39

Results Summary

11/26/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661078 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917448-12	Carbon, Total Organic	LCS		Ground Water	24.93 mg/L	10 ml	24.9 mg/L	1	0.07	0.50	100		11/24/19 12:36	N	IV
KQ1917448-13	Carbon, Total Organic	MS	K1911032-007	Ground Water	26.35 mg/L	10 ml	52.7 mg/L	2	0.2	1.0	97		11/24/19 16:07	N	IV
KQ1917448-14	Carbon, Total Organic	MS	K1911049-002	Water	29.03 mg/L	10 ml	2900 mg/L	100	7	50	109		11/24/19 22:59	N	II
KQ1917448-15	Carbon, Total Organic	DUP	K1910803-002	Water	122.07 mg/L	10 ml	122 mg/L	1	0.07	0.50		2	11/24/19 17:47	N	IV
KQ1917448-16	Carbon, Total Organic	DUP	K1910803-003	Water	18.16 mg/L	10 ml	18.2 mg/L	1	0.07	0.50		18*	11/24/19 18:15	N	IV
KQ1917448-17	Carbon, Total Organic	DUP	K1910803-004	Water	69.64 mg/L	10 ml	69.6 mg/L	1	0.07	0.50		3	11/24/19 18:43	N	IV
KQ1917448-18	Carbon, Total Organic	DUP	K1910803-005	Water	22.58 mg/L	10 ml	22.6 mg/L	1	0.07	0.50		56*	11/24/19 19:11	N	IV
KQ1917448-19	Carbon, Total Organic	DUP	K1910803-006	Water	13.68 mg/L	10 ml	13.7 mg/L	1	0.07	0.50		9	11/24/19 19:40	N	IV
KQ1917448-20	Carbon, Total Organic	DUP	K1910803-001	Water	44.82 mg/L	10 ml	44.8 mg/L	1	0.07	0.50		3	11/24/19 17:19	N	IV
KQ1917448-21	Carbon, Total Organic	DUP	K1911028-003	Water	0.66 mg/L	10 ml	0.66 mg/L	1	0.07	0.50		11*	11/25/19 01:21	N	V
KQ1917448-22	Carbon, Total Organic	DUP	K1911028-004	Water	1.38 mg/L	10 ml	1.38 mg/L	1	0.07	0.50		2	11/25/19 02:18	N	V
KQ1917448-23	Carbon, Total Organic	DUP	K1911028-005	Water	1.42 mg/L	10 ml	1.42 mg/L	1	0.07	0.50		1	11/25/19 02:47	N	V
KQ1917448-24	Carbon, Total Organic	DUP	K1911028-001	Water	0.82 mg/L	10 ml	0.82 mg/L	1	0.07	0.50		9	11/25/19 00:24	N	V
KQ1917448-25	Carbon, Total Organic	DUP	K1911028-002	Water	21.52 mg/L	10 ml	21.5 mg/L	1	0.07	0.50		3	11/25/19 00:52	N	V
KQ1917448-26	Carbon, Total Organic	DUP	K1911032-007	Ground Water	4.18 mg/L	10 ml	4.18 mg/L	1	0.07	0.50		2	11/24/19 16:51	N	IV
KQ1917448-27	Carbon, Total Organic	DUP	K1911047-001	Water	3.03 mg/L	10 ml	303 mg/L	100	7	50		18*	11/24/19 20:08	N	II
KQ1917448-28	Carbon, Total Organic	DUP	K1911047-002	Water	26.76 mg/L	10 ml	2680 mg/L	100	7	50		<1	11/24/19 20:36	N	II
KQ1917448-29	Carbon, Total Organic	DUP	K1911049-001	Water	3.99 mg/L	10 ml	80 mg/L	20	2	10		5	11/24/19 21:04	N	II
KQ1917448-30	Carbon, Total Organic	DUP	K1911049-002	Water	8.98 mg/L	10 ml	179 mg/L	20	2	10		<1	11/24/19 22:31	N	II
KQ1917448-31	Carbon, Total Organic	DUP	K1911049-003	Water	11.81 mg/L	10 ml	11.8 mg/L	1	0.07	0.50		<1	11/24/19 23:28	N	II
KQ1917448-32	Carbon, Total Organic	DUP	K1911049-004	Water	1.50 mg/L	10 ml	1.50 mg/L	1	0.07	0.50		8	11/24/19 23:56	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661079 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910975-001	Carbon, Dissolved Organic (DOC)	N/A		Water	0.89 mg/L	10 ml	0.89 mg/L	1	0.07	0.50			11/25/19 05:08	N	I
K1910975-002	Carbon, Dissolved Organic (DOC)	N/A		Water	7.97 mg/L	10 ml	79.7 mg/L	10	0.7	5.0			11/25/19 04:40	N	I
K1911043-001	Carbon, Dissolved Organic (DOC)	N/A		Water	11.72 mg/L	10 ml	11700 mg/L	1000	70	500			11/25/19 03:44	N	II
K1911043-002.R01	Carbon, Dissolved Organic (DOC)	N/A		Water	-0.04 mg/L	10 ml	500 mg/L U	1000	70	500			11/25/19 04:12	N	II
KQ1917449-01	Carbon, Dissolved Organic (DOC)	CCV		Water	-0.04 mg/L	10 ml	-0.0368 mg/L	1					11/24/19 22:01	N	II
KQ1917449-02	Carbon, Dissolved Organic (DOC)	CCV		Water	24.12 mg/L	10 ml	24.1 mg/L	1					11/25/19 06:19	N	II
KQ1917449-03	Carbon, Dissolved Organic (DOC)	CCB		Water	24.68 mg/L	10 ml	24.7 mg/L	1	0.07	0.50			11/24/19 22:16	N	II
KQ1917449-04	Carbon, Dissolved Organic (DOC)	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/25/19 06:34	N	II
KQ1917449-05	Carbon, Dissolved Organic (DOC)	MB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/25/19 01:49	N	II
KQ1917449-06	Carbon, Dissolved Organic (DOC)	LCS		Water	24.22 mg/L	10 ml	24.2 mg/L	1	0.07	0.50	97		11/25/19 02:04	N	II
KQ1917449-07	Carbon, Dissolved Organic (DOC)	MS	K1910975-001	Water	26.58 mg/L	10 ml	26.6 mg/L	1	0.07	0.50	103		11/25/19 05:36	N	I
KQ1917449-08	Carbon, Dissolved Organic (DOC)	DUP	K1910975-001	Water	0.72 mg/L	10 ml	0.72 mg/L	1	0.07	0.50		21*	11/25/19 05:08	N	I
KQ1917449-09	Carbon, Dissolved Organic (DOC)	DUP	K1910975-002	Water	8.27 mg/L	10 ml	82.7 mg/L	10	0.7	5.0		4	11/25/19 04:40	N	I
KQ1917449-10	Carbon, Dissolved Organic (DOC)	DUP	K1911043-001	Water	11.71 mg/L	10 ml	11700 mg/L	1000	70	500		<1	11/25/19 03:44	N	II
KQ1917449-11	Carbon, Dissolved Organic (DOC)	DUP	K1911043-002	Water	-0.04 mg/L	10 ml	500 mg/L U	1000	70	500		NC	11/25/19 04:12	N	II

11/26/19

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

0.031	0.031	#DIV/0!	#DIV/0!	OBSERVATIONS 13	0.031
0.000				STD Deviation 0.08537	0
0.000				AVERAGE 0.03675	0
0.000				UCL 0.12213	0
0.000				LCL -0.04862	0
0.000					0
0.270					ABOVE
0.177				OBSERVATIONS 1	ABOVE
0.000				STD Deviation #DIV/0!	0
0.000				AVERAGE 0.03100	0
0.000				UCL #DIV/0!	0
0.000				LCL #DIV/0!	0
0.000					0
					0
				OBSERVATIONS 0	0
				STD Deviation #DIV/0!	0
				AVERAGE #DIV/0!	0
				UCL #DIV/0!	0
				LCL #DIV/0!	0
					0
					0
				OBSERVATIONS 0	0
				STD Deviation #DIV/0!	0
				AVERAGE #DIV/0!	0
					0
					0
					0
					0
					0
					0

11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	24.567	0.0368	24.5300	24.52995	24.5	11/23/2019
3	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/23/2019
4	mb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/23/2019
5	lcs	1	24.774	0.0368	24.7370	24.73695	24.7	11/23/2019
6	K1910680-001	1	0.394	0.0368	0.3575	0.35745	<0.5	11/23/2019
7	K1910680-001	1	0.400	0.0368	0.3632	0.36315	<0.5	11/23/2019
8	K1910680-002	1	0.336	0.0368	0.2995	0.29945	<0.5	11/23/2019
9	K1910680-002	1	0.301	0.0368	0.2638	0.26375	<0.5	11/23/2019
10	K1910680-003	1	0.665	0.0368	0.6281	0.62805	0.63	11/23/2019
11	K1910680-003	1	0.645	0.0368	0.6085	0.60845	0.6	11/23/2019
12	K1910680-004	1	0.598	0.0368	0.5611	0.56105	0.56	11/23/2019
13	K1910680-004	1	0.704	0.0368	0.6673	0.66725	0.67	11/23/2019
14	K1910680-005	1	0.209	0.0368	0.1722	0.17215	<0.5	11/23/2019
15	K1910680-005	1	0.237	0.0368	0.1999	0.19985	<0.5	11/23/2019
16	K1910796-004	1	0.235	0.0368	0.1982	0.19815	<0.5	11/23/2019
17	K1910796-004	1	0.247	0.0368	0.2103	0.21025	<0.5	11/23/2019
18	KQ1917446-11	1	22.520	0.0368	22.4829	22.48285	22.5	11/23/2019
19	ccv	1	24.651	0.0368	24.6140	24.61395	24.6	11/23/2019
20	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/23/2019
21	K1910796-001	1	1.085	0.0368	1.0481	1.04805	1.05	11/23/2019
22	K1910796-001	1	1.173	0.0368	1.1367	1.13665	1.1	11/23/2019
23	K1910796-002	1	0.917	0.0368	0.8806	0.88055	0.9	11/23/2019
24	K1910796-002	1	0.803	0.0368	0.7659	0.76585	0.77	11/23/2019
25	K1910796-003	1	1.814	0.0368	1.7772	1.77715	1.78	11/23/2019

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

23 Bkp 1/1/26 date time

Analyzed By: Bkp	Date Analyzed 11/26/19
Reviewed By:	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1910796-003	1	1.791	0.0368	1.7545	1.75445	1.75	11/23/2019
27	K1910847-001	20	34.048	0.0368	34.0116	680.231	680.23	11/23/2019
28	K1910847-001	20	33.816	0.0368	33.7788	675.575	675.6	11/23/2019
29	K1910847-002	1	32.858	0.0368	32.8211	32.82105	32.8	11/23/2019
30	K1910847-002	1	32.481	0.0368	32.4447	32.44465	32.4	11/23/2019
31	K1910847-003	1	35.302	0.0368	35.2656	35.26555	35.3	11/23/2019
32	K1910847-003	1	34.801	0.0368	34.7641	34.76405	34.8	11/23/2019
33	K1910847-004	1	61.309	0.0368	61.2726	61.27255	61.3	11/24/2019
34	K1910847-004	1	60.948	0.0368	60.9109	60.91085	60.9	11/24/2019
35	K1910861-001	100	7.292	0.0368	7.2555	725.545	725.5	11/24/2019
36	K1910861-001	100	6.781	0.0368	6.7447	674.465	674.5	11/24/2019
37	K1910861-002	100	6.013	0.0368	5.9758	597.575	597.6	11/24/2019
38	K1910861-002	100	5.852	0.0368	5.8151	581.505	581.5	11/24/2019
39	K1910861-003	100	5.998	0.0368	5.9616	596.155	596.2	11/24/2019
40	K1910861-003	100	5.934	0.0368	5.8973	589.725	589.7	11/24/2019
41	ccv	1	24.592	0.0368	24.5555	24.55545	24.6	11/24/2019
42	ccb	1	0.031	0.0368	-0.0058	-0.00575	<0.5	11/24/2019
43	K1910861-004	100	7.819	0.0368	7.7823	778.225	778.2	11/24/2019
44	K1910861-004	100	7.801	0.0368	7.7640	776.395	776.4	11/24/2019
45	K1910861-005	100	7.497	0.0368	7.4601	746.005	746.0	11/24/2019
46	K1910861-005	100	7.442	0.0368	7.4053	740.525	740.5	11/24/2019
47	K1910861-006	100	10.791	0.0368	10.7546	1075.455	1075.5	11/24/2019
48	K1910861-006	100	10.652	0.0368	10.6153	1061.525	1061.5	11/24/2019
49	K1910861-007	100	8.384	0.0368	8.3476	834.755	834.8	11/24/2019
50	K1910861-007	100	8.194	0.0368	8.1568	815.675	815.7	11/24/2019

Analyzed By: BW	Date Analyzed 11/23/19
Reviewed By:	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
51	ccv	1	24.259	0.0368	24.2227	24.22265	24.22	11/24/2019
52	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
53		1		0.0000	0.0000	0	<0.5	
54		1		0.0000	0.0000	0	<0.5	
55		1		0.0000	0.0000	0	<0.5	
56		1		0.0000	0.0000	0	<0.5	
57		1		0.0000	0.0000	0	<0.5	
58		1		0.0000	0.0000	0	<0.5	
59		1		0.0000	0.0000	0	<0.5	
60		1		0.0000	0.0000	0	<0.5	
61		1		0.0000	0.0000	0	<0.5	
62		1		0.0000	0.0000	0	<0.5	
63		1		0.0000	0.0000	0	<0.5	
64		1		0.0000	0.0000	0	<0.5	
65		1		0.0000	0.0000	0	<0.5	
66		1		0.0000	0.0000	0	<0.5	
67		1		0.0000	0.0000	0	<0.5	
68		1		0.0000	0.0000	0	<0.5	
69		1		0.0000	0.0000	0	<0.5	
70		1		0.0000	0.0000	0	<0.5	
71		1		0.0000	0.0000	0	<0.5	
72		1		0.0000	0.0000	0	<0.5	
73		1		0.0000	0.0000	0	<0.5	
74		1		0.0000	0.0000	0	<0.5	
75		1		0.0000	0.0000	0	<0.5	

Analyzed By: BCP	Date Analyzed 11/25/19
Reviewed By:	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	24.592	0.0368	24.5555	24.55545	24.6	11/24/2019
3	ccb	1	0.031	0.0368	-0.0058	-0.00575	<0.5	11/24/2019
4	mb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
5	lcs	1	25.123	0.0368	25.0866	25.08655	25.1	11/24/2019
6	K1910929-001	1	1.527	0.0368	1.4898	1.48975	1.49	11/24/2019
7	K1910929-001	1	1.429	0.0368	1.3918	1.39175	1.4	11/24/2019
8	K1910929-002	1	0.827	0.0368	0.7902	0.79015	1	11/24/2019
9	K1910929-002	1	0.919	0.0368	0.8820	0.88195	0.88	11/24/2019
10	K1910929-003	1	1.943	0.0368	1.9064	1.90635	1.91	11/24/2019
11	K1910929-003	1	1.976	0.0368	1.9391	1.93905	1.9	11/24/2019
12	K1910969-002	1	1.201	0.0368	1.1638	1.16375	1.16	11/24/2019
13	K1910969-002	1	1.147	0.0368	1.1100	1.10995	1.11	11/24/2019
14	ccv	1	24.259	0.0368	24.2227	24.22265	24.22	11/24/2019
15	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
16	K1911033-001	1	3.696	0.0368	3.6588	3.65875	3.7	11/24/2019
17	K1911033-001	1	3.684	0.0368	3.6472	3.64715	3.65	11/24/2019
18	K1911033-002	1	2.845	0.0368	2.8083	2.80825	2.8	11/24/2019
19	K1911033-002	1	2.775	0.0368	2.7385	2.73845	2.7	11/24/2019
20	K1911033-003	1	2.836	0.0368	2.7992	2.79915	2.80	11/24/2019
21	K1911033-003	1	2.795	0.0368	2.7582	2.75815	2.76	11/24/2019
22	K1911033-004	1	2.422	0.0368	2.3849	2.38485	2.4	11/24/2019
23	K1911033-004	1	2.347	0.0368	2.3104	2.31035	2.3	11/24/2019
24	K1911033-005	20	39.603	0.0368	39.5660	791.319	791.32	11/24/2019
25	K1911033-005	20	38.802	0.0368	38.7653	775.305	775.31	11/24/2019

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

	date	time
Analyzed By: BP	Date Analyzed 11/23/19	
Reviewed By:	Date Reviewed 11/26/19	

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1911033-006	1	4.402	0.0368	4.3652	4.36515	4.37	11/24/2019
27	K1911033-006	1	3.221	0.0368	3.1843	3.18425	3.18	11/24/2019
28	K1911033-007	1	2.543	0.0368	2.5060	2.50595	2.5	11/24/2019
29	K1911033-007	1	2.273	0.0368	2.2363	2.23625	2.2	11/24/2019
30	K1911033-008	1000	7.861	0.0368	7.8241	7824.05	7824.1	11/24/2019
31	K1911033-008	1000	8.044	0.0368	8.0074	8007.35	8007.4	11/24/2019
32	K1911033-009	1	3.972	0.0368	3.9355	3.93545	3.9	11/24/2019
33	K1911033-009	1	3.647	0.0368	3.6099	3.60985	3.6	11/24/2019
34	KQ1917447-11	2	26.144	0.0368	26.1076	52.2151	52.2	11/24/2019
35	ccv	1	24.762	0.0368	24.7255	24.72545	24.7	11/24/2019
36	ccb	1	0.270	0.0368	0.2328	0.23275	<0.5	11/24/2019
37	K1911031-001	1	0.934	0.0368	0.8970	0.89695	0.9	11/24/2019
38	K1911031-001	1	0.826	0.0368	0.7890	0.78895	0.8	11/24/2019
39	K1911032-001	1	1.580	0.0368	1.5437	1.54365	1.5	11/24/2019
40	K1911032-001	1	1.458	0.0368	1.4216	1.42155	1.4	11/24/2019
41	K1911032-002	1	1.585	0.0368	1.5487	1.54865	1.5	11/24/2019
42	K1911032-002	1	1.638	0.0368	1.6012	1.60115	1.6	11/24/2019
43	K1911032-003	1	1.623	0.0368	1.5864	1.58635	1.6	11/24/2019
44	K1911032-003	1	1.541	0.0368	1.5038	1.50375	1.5	11/24/2019
45	K1911032-004	1	2.055	0.0368	2.0187	2.01865	2.0	11/24/2019
46	K1911032-004	1	1.904	0.0368	1.8668	1.86675	1.9	11/24/2019
47	K1911032-005	400	4.671	0.0368	4.6341	1853.62	1853.6	11/24/2019
48	K1911032-005	400	4.867	0.0368	4.8300	1931.98	1932.0	11/24/2019
49	K1911032-006	1	2.028	0.0368	1.9917	1.99165	2.0	11/24/2019
50	K1911032-006	1	1.861	0.0368	1.8238	1.82375	1.8	11/24/2019

Analyzed By: BCD	Date Analyzed 11/23/19
Reviewed By:	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
51	ccv	1	24.356	0.0368	24.3194	24.31935	24.32	11/24/2019
52	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
53		1		0.0000	0.0000	0	<0.5	
54		1		0.0000	0.0000	0	<0.5	
55		1		0.0000	0.0000	0	<0.5	
56		1		0.0000	0.0000	0	<0.5	
57		1		0.0000	0.0000	0	<0.5	
58		1		0.0000	0.0000	0	<0.5	
59		1		0.0000	0.0000	0	<0.5	
60		1		0.0000	0.0000	0	<0.5	
61		1		0.0000	0.0000	0	<0.5	
62		1		0.0000	0.0000	0	<0.5	
63		1		0.0000	0.0000	0	<0.5	
64		1		0.0000	0.0000	0	<0.5	
65		1		0.0000	0.0000	0	<0.5	
66		1		0.0000	0.0000	0	<0.5	
67		1		0.0000	0.0000	0	<0.5	
68		1		0.0000	0.0000	0	<0.5	
69		1		0.0000	0.0000	0	<0.5	
70		1		0.0000	0.0000	0	<0.5	
71		1		0.0000	0.0000	0	<0.5	
72		1		0.0000	0.0000	0	<0.5	
73		1		0.0000	0.0000	0	<0.5	
74		1		0.0000	0.0000	0	<0.5	
75		1		0.0000	0.0000	0	<0.5	

Analyzed By: BAR	Date Analyzed 11/23/19
Reviewed By:	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	24.762	0.0368	24.7255	24.72545	24.7	11/24/2019
3	ccb	1	0.270	0.0368	0.2328	0.23275	<0.5	11/24/2019
4	mb	1	0.177	0.0368	0.1406	0.14055	<0.5	11/24/2019
5	lcs	1	24.962	0.0368	24.9254	24.92535	24.9	11/24/2019
6	KQ1917448-13	2	26.387	0.0368	26.3507	52.7013	52.70	11/24/2019
7	ccv	1	24.356	0.0368	24.3194	24.31935	24.3	11/24/2019
8	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
9	K1911032-007	1	4.121	0.0368	4.0838	4.08375	4.08	11/24/2019
10	K1911032-007	1	4.215	0.0368	4.1781	4.17805	4.18	11/24/2019
11	K1910803-001	1	43.462	0.0368	43.4256	43.42555	43.4	11/24/2019
12	K1910803-001	1	44.855	0.0368	44.8186	44.81855	44.82	11/24/2019
13	K1910803-002	1	120.019	0.0368	119.9820	119.98195	119.98	11/24/2019
14	K1910803-002	1	122.103	0.0368	122.0664	122.06635	122.07	11/24/2019
15	K1910803-003	1	21.826	0.0368	21.7893	21.78925	21.8	11/24/2019
16	K1910803-003	1	18.201	0.0368	18.1638	18.16375	18.2	11/24/2019
17	K1910803-004	1	67.352	0.0368	67.3154	67.31535	67.32	11/24/2019
18	K1910803-004	1	69.680	0.0368	69.6435	69.64345	69.6	11/24/2019
19	K1910803-005	1	39.984	0.0368	39.9477	39.94765	39.9	11/24/2019
20	K1910803-005	1	22.612	0.0368	22.5756	22.57555	22.58	11/24/2019
21	K1910803-006	1	14.967	0.0368	14.9307	14.93065	14.93	11/24/2019
22	K1910803-006	1	13.722	0.0368	13.6848	13.68475	13.7	11/24/2019
23	K1911047-001	100	3.650	0.0368	3.6131	361.305	361.3	11/24/2019
24	K1911047-001	100	3.066	0.0368	3.0297	302.965	302.97	11/24/2019
25	K1911047-002	100	26.873	0.0368	26.8364	2683.635	2683.64	11/24/2019

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

		date	time
Analyzed By: BCP	Date Analyzed	11/23/19	
Reviewed By:	Date Reviewed	11/26/19	

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1911047-002	100	26.799	0.0368	26.7618	2676.175	2676.18	11/24/2019
27	K1911049-001	20	4.249	0.0368	4.2124	84.247	84.25	11/24/2019
28	K1911049-001	20	4.029	0.0368	3.9925	79.849	79.8	11/24/2019
29	ccv	1	24.669	0.0368	24.6320	24.63195	24.6	11/24/2019
30	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
31	K1911049-002	20	9.079	0.0368	9.0426	180.851	180.9	11/24/2019
32	K1911049-002	20	9.012	0.0368	8.9750	179.499	179.5	11/24/2019
33	KQ1917448-14	100	29.072	0.0368	29.0348	2903.475	2903.5	11/24/2019
34	K1911049-003	1	11.784	0.0368	11.7471	11.74705	11.7	11/24/2019
35	K1911049-003	1	11.848	0.0368	11.8116	11.81155	11.8	11/24/2019
36	K1911049-004	1	1.659	0.0368	1.6225	1.62245	1.6	11/24/2019
37	K1911049-004	1	1.541	0.0368	1.5039	1.50385	1.5	11/24/2019
38	K1911028-001	1	0.932	0.0368	0.8949	0.89485	0.9	11/25/2019
39	K1911028-001	1	0.858	0.0368	0.8217	0.82165	0.8	11/25/2019
40	K1911028-002	1	22.140	0.0368	22.1030	22.10295	22.1	11/25/2019
41	K1911028-002	1	21.561	0.0368	21.5239	21.52385	21.5	11/25/2019
42	K1911028-003	1	0.771	0.0368	0.7346	0.73455	0.7	11/25/2019
43	K1911028-003	1	0.696	0.0368	0.6592	0.65915	0.7	11/25/2019
44	ccv	1	24.254	0.0368	24.2171	24.21705	24.2	11/25/2019
45	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/25/2019
46	K1911028-004	1	1.442	0.0368	1.4057	1.40565	1.4	11/25/2019
47	K1911028-004	1	1.412	0.0368	1.3753	1.37525	1.4	11/25/2019
48	K1911028-005	1	1.478	0.0368	1.4409	1.44085	1.4	11/25/2019
49	K1911028-005	1	1.461	0.0368	1.4244	1.42435	1.4	11/25/2019
50	ccv	1	24.161	0.0368	24.1246	24.12455	24.1	11/25/2019

Analyzed By: BH	Date Analyzed 11/23/19
Reviewed By: [signature]	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
51	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/25/2019
52		1		0.0000	0.0000	0	<0.5	
53		1		0.0000	0.0000	0	<0.5	
54		1		0.0000	0.0000	0	<0.5	
55		1		0.0000	0.0000	0	<0.5	
56		1		0.0000	0.0000	0	<0.5	
57		1		0.0000	0.0000	0	<0.5	
58		1		0.0000	0.0000	0	<0.5	
59		1		0.0000	0.0000	0	<0.5	
60		1		0.0000	0.0000	0	<0.5	
61		1		0.0000	0.0000	0	<0.5	
62		1		0.0000	0.0000	0	<0.5	
63		1		0.0000	0.0000	0	<0.5	
64		1		0.0000	0.0000	0	<0.5	
65		1		0.0000	0.0000	0	<0.5	
66		1		0.0000	0.0000	0	<0.5	
67		1		0.0000	0.0000	0	<0.5	
68		1		0.0000	0.0000	0	<0.5	
69		1		0.0000	0.0000	0	<0.5	
70		1		0.0000	0.0000	0	<0.5	
71		1		0.0000	0.0000	0	<0.5	
72		1		0.0000	0.0000	0	<0.5	
73		1		0.0000	0.0000	0	<0.5	
74		1		0.0000	0.0000	0	<0.5	
75		1		0.0000	0.0000	0	<0.5	

Analyzed By: BLP	Date Analyzed 11/27/19
Reviewed By:	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	mb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
3	lcs	1	24.714	0.0368	24.6774	24.67735	24.7	11/24/2019
4	ccv	1	24.254	0.0368	24.2171	24.21705	24.2	11/25/2019
5	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/25/2019
6	K1911043-001	1000	11.760	0.0368	11.7231	11723.05	11723.05	11/25/2019
7	K1911043-001	1000	11.743	0.0368	11.7062	11706.15	11706.2	11/25/2019
8	K1911043-002	1000	0.000	0.0368	-0.0368	-36.75	<0.5	11/25/2019
9	K1911043-002	1000	0.000	0.0368	-0.0368	-36.75	<0.5	11/25/2019
10	K1910975-002	10	8.002	0.0368	7.9657	79.6565	79.66	11/25/2019
11	K1910975-002	10	8.302	0.0368	8.2651	82.6505	82.7	11/25/2019
12	K1910975-001	1	0.922	0.0368	0.8852	0.88515	0.89	11/25/2019
13	K1910975-001	1	0.756	0.0368	0.7189	0.71885	0.72	11/25/2019
14	KQ1917449-07	1	26.613	0.0368	26.5764	26.57635	26.58	11/25/2019
15	ccv	1	24.161	0.0368	24.1246	24.12455	24.1	11/25/2019
16	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/25/2019
17		1		0.0000	0.0000	0	<0.5	
18		1		0.0000	0.0000	0	<0.5	
19		1		0.0000	0.0000	0	<0.5	
20		1		0.0000	0.0000	0	<0.5	
21		1		0.0000	0.0000	0	<0.5	
22		1		0.0000	0.0000	0	<0.5	
23		1		0.0000	0.0000	0	<0.5	
24		1		0.0000	0.0000	0	<0.5	
25		1		0.0000	0.0000	0	<0.5	

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

		date	time
Analyzed By:		Date Analyzed	11/23/19
Reviewed By:		Date Reviewed	11/26/19

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

TOC: 661076,
661077,
661078
DOC: 661079

Schedule: 11232019

Version: 8
Instrument: Fusion1
Last Saved by: Fusion1 (Fusion1)
Last Saved on: 2019/11/23 17:20 - Saturday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Blank)	Blank	Reagent/Acid Blank		1	True	Ready
D	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
1	Sample	MB1	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
2	Sample	ICS	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
3	Sample	K1910680-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
4	Sample	K1910680-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
5	Sample	K1910680-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
6	Sample	K1910680-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
7	Sample	K1910680-005.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
8	Sample	K1910796-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
9	Sample	K1910796-004.01 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
10	Sample	K1910796-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
11	Sample	K1910796-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
12	Sample	K1910796-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
13	Sample	K1910847-001.01 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
14	Sample	K1910847-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
15	Sample	K1910847-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
16	Sample	K1910847-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
17	Sample	K1910861-001.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
18	Sample	K1910861-002.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
19	Sample	K1910861-003.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
20	Sample	MB2	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
21	Sample	K1910861-004.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
22	Sample	K1910861-005.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
23	Sample	K1910861-006.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
24	Sample	K1910861-007.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
25	Sample	K1910929-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
26	Sample	K1910929-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
27	Sample	K1910929-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
28	Sample	K1910969-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
29	Sample	K1911033-001.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
30	Sample	K1911033-002.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
31	Sample	K1911033-003.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
32	Sample	K1911033-004.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
33	Sample	K1911033-005.03 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
34	Sample	K1911033-006.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
35	Sample	K1911033-007.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
36	Sample	K1911033-008.03 1000x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
37	Sample	K1911033-009.08	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
38	Sample	K1911033-009.08 ms 2x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready

11/26/19

Schedule: 11232019

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
39	Sample	MB3	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
40	Sample	K1911031-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
41	Sample	K1911032-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
42	Sample	K1911032-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
43	Sample	K1911032-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
44	Sample	K1911032-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
45	Sample	K1911032-005.01 400x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
46	Sample	K1911032-006.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
47	Sample	K1911032-007.03 ms 2x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
48	Sample	K1911032-007.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
49	Sample	K1910803-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
50	Sample	K1910803-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
51	Sample	K1910803-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
52	Sample	K1910803-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
53	Sample	K1910803-005.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
54	Sample	K1910803-006.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
55	Sample	K1911047-001.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
56	Sample	K1911047-002.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
57	Sample	K1911049-001.01 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
58	Sample	MB4	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
59	Sample	K1911049-002.01 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
60	Sample	K1911049-002.01 ms 100x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
61	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
62	Sample	K1911049-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
63	Sample	K1911049-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
64	Sample	K1911028-001.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
65	Sample	K1911028-002.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
66	Sample	K1911028-003.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
67	Sample	K1911028-004.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
68	Sample	K1911028-005.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
69	Sample	FB 11/21/19	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
70	Sample	FB 11/22/19	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
71	Sample	K1911043-001.01 doc 1000x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
72	Sample	K1911043-002.01 doc 1000x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
73	Sample	K1910975-002.01 doc 10x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
74	Sample	K1910975-001.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
75	Sample	K1910975-001.01 ms doc	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
61	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
					False	

Fusion Report - 11232019
Saturday, November 23, 2019 02:23 PM

(View - Reps, Unused Reps, Meta-Data, Signature, History)
Printed on 2019/11/26 09:09 - Tuesday

Report Summary Information

Company Location: Gen Chem Lab

Schedule Name: 11232019

Instrument Name: Fusion1

Report Version: 1 of 1

Report Creation by Operators (schedule version):
Fusion1 (Fusion1) (v2)
Fusion1 (Fusion1) (v3)
Fusion1 (Fusion1) (v4)
Fusion1 (Fusion1) (v5)
Fusion1 (Fusion1) (v6)
Fusion1 (Fusion1) (v7)
Fusion1 (Fusion1) (v8)

Engine Version: 1.1.5.1

Firmware Version: 1.2.0696

Connection: RS232 COM1

Comment:

11/26/19

Report Results

Sample Type: Clean — From Schedule Version 2

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/11/23 14:23

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	13.02	17.16	4.14	49.59	05:26
2	TC Clean	7.50	10.99	3.49	49.85	07:19
3	TC Clean	2.01	5.61	3.60	49.88	07:04
4	TC Clean	1.40	5.11	3.71	49.85	07:02

Sample Type: Clean — From Schedule Version 3

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/11/23 14:55

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.72	15.29	3.57	49.65	05:23

2	TC Clean	3.64	7.23	3.59	49.87	07:17
3	TC Clean	1.59	5.34	3.74	49.87	07:02
4	TC Clean	1.19	4.93	3.74	49.91	07:02

Sample Type: Clean From Schedule Version 4

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/11/23 15:34

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.48	15.13	3.65	49.68	05:24
2	TC Clean	3.90	7.40	3.51	50.02	04:07
3	TC Clean	1.55	5.07	3.52	50.06	03:50
4	TC Clean	1.18	4.74	3.56	50.06	03:48

Sample Type: Blank (Creating v1323) From Schedule Version 5

	Pos	Analysis Type	Sample ID	Start Time
◆	(blank)		Reagent/Acid Blank	2019/11/23 15:56

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.31	14.93	3.62	49.60	05:13
2	TC Clean	3.39	7.01	3.62	50.04	04:06
3	TC Clean	1.31	4.93	3.61	50.06	03:48
4	TC Clean	1.45	4.95	3.50	50.05	03:47
5	Reagent Blank	4.02	7.68	3.66	50.07	05:09
6	Acid Blank	1.14	4.93	3.79	49.74	05:31

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	D	TOC	RB	0.0324 ppm	0.0000 ppm	0.0000%	2019/11/23 16:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0324	0.3238	9.00	12.79	3.79	50.19	10:34

Dilution **Blank Contribution** **Method** **Calibration**

1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.5667 ppm (PASS)	0.0000 ppm	0%	2019/11/23 16:45

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.5667	245.6673	176.22	180.09	3.87	50.19	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/23 16:59

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.20	10.93	3.73	50.19	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	1	TOC	MB1	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/23 17:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.91	9.77	3.86	50.22	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 8

	Pos	BAT	Concentration	Dil	Sample ID	Min / Max	Result	Std. Dev.	RSD	Start Time

			(ppm)			(% dev)				
◈	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	24.7737 ppm (PASS)	0.0000 ppm	0%	2019/11/23 17:29

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.7737	247.7372	177.62	181.34	3.71	50.22	10:32

Completion State: Success - Criteria met.
Success Action: Do Nothing
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)
STD Conc - Pos C: 25 ppmC

Sample Type: Sample — From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	2	TOC	ICS	0.0515 ppm	0.0000 ppm	0.0000%	2019/11/23 17:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0515	0.5154	9.13	12.75	3.61	50.28	10:32

Dilution: 1:10
Blank Contribution: (TC) 8.7842 (IC) (v1323)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	3	TOC	K1910680-001.01	0.3971 ppm	0.0041 ppm	1.0200%	2019/11/23 17:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3942	3.9420	11.46	15.12	3.66	50.22	10:23
2	TOC	0.3999	3.9995	11.50	15.20	3.70	50.24	10:31

Dilution: 1:10
Blank Contribution: (TC) 8.7842 (IC) (v1323)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	4	TOC	K1910680-002.01	0.3183 ppm	0.0252 ppm	7.9200%	2019/11/23 18:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3362	3.3616	11.07	14.56	3.49	50.27	10:28
2	TOC	0.3005	3.0051	10.82	14.32	3.50	50.24	10:27

Dilution: 1:10
Blank Contribution: (TC) 8.7842 (IC) (v1323)
Method: CAS_salt_010711 (v4)
Calibration: CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	5	TOC	K1910680-003.01	0.6550 ppm	0.0139 ppm	2.1200%	2019/11/23 18:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6648	6.6483	13.30	17.08	3.79	50.23	10:28
2	TOC	0.6452	6.4524	13.16	16.93	3.77	50.22	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	6	TOC	K1910680-004.01	0.6509 ppm	0.0751 ppm	11.5400%	2019/11/23 19:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5978	5.9780	12.84	16.55	3.71	50.24	10:25
2	TOC	0.7040	7.0402	13.56	17.06	3.50	50.21	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	7	TOC	K1910680-005.03	0.2227 ppm	0.0196 ppm	8.7900%	2019/11/23 19:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2089	2.0887	10.20	13.79	3.59	50.22	10:27
2	TOC	0.2366	2.3657	10.39	13.99	3.60	50.18	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	8	TOC	K1910796-004.01	0.2410 ppm	0.0085 ppm	3.5400%	2019/11/23 20:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2349	2.3495	10.38	14.07	3.70	50.17	10:30
2	TOC	0.2470	2.4703	10.46	14.10	3.64	50.21	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	9	TOC	K1910796-004.01 ms	22.5196 ppm	0.0000 ppm	0.0000%	2019/11/23 20:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	22.5196	225.1962	161.65	165.26	3.61	50.18	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.6507 ppm (PASS)	0.0000 ppm	0%	2019/11/23 21:01

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.6507	246.5070	176.79	180.47	3.68	50.17	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/23 21:15

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.20	10.96	3.76	50.20	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	10	TOC	K1910796-001.01	1.1291 ppm	0.0626 ppm	5.5400%	2019/11/23 21:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.0848	10.8484	16.15	19.70	3.56	50.19	10:28
2	TOC	1.1734	11.7338	16.75	20.53	3.78	50.20	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	11	TOC	K1910796-002.01	0.8600 ppm	0.0811 ppm	9.4400%	2019/11/23 21:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9173	9.1734	15.01	18.72	3.71	50.17	10:29

2	TOC	0.8026	8.0257	14.23	17.85	3.62	50.21	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	12	TOC	K1910796-003.01	1.8026 ppm	0.0160 ppm	0.8900%	2019/11/23 22:27

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.8139	18.1393	21.10	24.61	3.52	50.15	10:27
2	TOC	1.7912	17.9124	20.94	24.64	3.70	50.17	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	13	TOC	K1910847-001.01 20x	33.9319 ppm	0.1646 ppm	0.4900%	2019/11/23 22:55

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	34.0483	340.4830	239.90	243.51	3.61	50.13	10:25
2	TOC	33.8155	338.1553	238.32	242.06	3.74	50.17	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	14	TOC	K1910847-002.01	32.6696 ppm	0.2662 ppm	0.8100%	2019/11/23 23:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	32.8578	328.5780	231.82	235.44	3.62	50.13	10:29
2	TOC	32.4814	324.8140	229.27	232.83	3.57	50.16	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	15	TOC	K1910847-003.01	35.0515 ppm	0.3546 ppm	1.0100%	2019/11/23 23:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	35.3023	353.0229	248.41	251.92	3.51	50.15	10:24
2	TOC	34.8008	348.0081	245.01	248.71	3.70	50.19	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◆	16	TOC	K1910847-004.01	61.1285 ppm	0.2557 ppm	0.4200%	2019/11/24 00:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	61.3093	613.0929	424.95	428.74	3.79	50.16	10:26
2	TOC	60.9476	609.4762	422.49	426.28	3.78	50.18	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	17	TOC	K1910861-001.01 100x	7.0368 ppm	0.3612 ppm	5.1300%	2019/11/24 00:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.2922	72.9217	58.28	62.10	3.82	50.15	10:27
2	TOC	6.7814	67.8141	54.82	58.35	3.54	50.11	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	18	TOC	K1910861-002.01 100x	5.9322 ppm	0.1137 ppm	1.9200%	2019/11/24 01:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.0125	60.1255	49.60	53.26	3.66	50.14	10:29
2	TOC	5.8518	58.5182	48.51	52.12	3.61	50.05	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	19	TOC	K1910861-003.01 100x	5.9661 ppm	0.0454 ppm	0.7600%	2019/11/24 01:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.9983	59.9826	49.50	53.04	3.54	50.09	10:26
2	TOC	5.9340	59.3403	49.06	52.60	3.54	50.03	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.5922 ppm (PASS)	0.0000 ppm	0%	2019/11/24 02:11

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.5922	245.9222	176.39	179.84	3.44	50.03	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0310 ppm (PASS)	0.0000 ppm	0%	2019/11/24 02:26

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0310	0.3101	9.67	13.33	3.66	50.08	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	20	TOC	MB2	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/24 02:41

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.75	12.48	3.72	49.99	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	25.1233 ppm (PASS)	0.0000 ppm	0%	2019/11/24 02:55

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	25.1233	251.2331	180.00	183.53	3.53	50.03	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	21	TOC	K1910861-004.01 100x	7.8099 ppm	0.0129 ppm	0.1700%	2019/11/24 03:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.8190	78.1899	61.86	65.43	3.57	50.08	10:27
2	TOC	7.8007	78.0072	61.74	65.35	3.62	50.02	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	22	TOC	K1910861-005.01 100x	7.4694 ppm	0.0388 ppm	0.5200%	2019/11/24 03:38

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.4968	74.9680	59.67	63.39	3.72	50.08	10:26
2	TOC	7.4420	74.4200	59.30	62.89	3.59	50.04	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	23	TOC	K1910861-006.01 100x	10.7216 ppm	0.0985 ppm	0.9200%	2019/11/24 04:06

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	10.7913	107.9132	82.04	85.66	3.63	50.12	10:29
2	TOC	10.6520	106.5195	81.09	84.72	3.63	50.06	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	24	TOC	K1910861-007.01 100x	8.2889 ppm	0.1349 ppm	1.6300%	2019/11/24 04:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	8.3843	83.8426	65.70	69.24	3.54	50.09	10:26
2	TOC	8.1935	81.9348	64.40	67.94	3.54	50.10	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	25	TOC	K1910929-001.01	1.4775 ppm	0.0693 ppm	4.6900%	2019/11/24 05:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5265	15.2651	19.15	22.67	3.52	50.08	10:26
2	TOC	1.4285	14.2854	18.48	22.07	3.59	50.12	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	26	TOC	K1910929-002.01	0.8728 ppm	0.0649 ppm	7.4400%	2019/11/24 05:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8269	8.2688	14.40	17.92	3.52	50.11	10:29
2	TOC	0.9187	9.1866	15.02	18.57	3.55	50.11	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	27	TOC	K1910929-003.01	1.9595 ppm	0.0231 ppm	1.1800%	2019/11/24 05:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9431	19.4313	21.97	25.45	3.48	50.14	10:29
2	TOC	1.9758	19.7583	22.20	25.88	3.69	50.11	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	28	TOC	K1910969-002.01	1.1736 ppm	0.0380 ppm	3.2400%	2019/11/24 06:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.2005	12.0049	16.93	20.49	3.56	50.15	10:28
2	TOC	1.1467	11.4671	16.57	20.16	3.59	50.15	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.2594 ppm (PASS)	0.0000 ppm	0%	2019/11/24 06:54

Pos	Base Analysis	ID	Rep	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run

	Type		#							Time
B	TOC	25 ppm	1	24.2594	242.5942	174.13	177.81	3.67	50.11	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/24 07:09

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.62	11.38	3.76	50.13	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	29	TOC	K1911033-001.03	3.6897 ppm	0.0082 ppm	0.2200%	2019/11/24 07:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.6955	36.9550	33.87	37.44	3.58	50.10	10:30
2	TOC	3.6839	36.8386	33.79	37.44	3.65	50.12	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	30	TOC	K1911033-002.03	2.8101 ppm	0.0494 ppm	1.7600%	2019/11/24 07:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8450	28.4502	28.10	31.78	3.68	50.13	10:24
2	TOC	2.7752	27.7519	27.62	31.38	3.76	50.10	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	31	TOC	K1911033-003.03	2.8154 ppm	0.0290 ppm	1.0300%	2019/11/24 08:20

Rep	Base			Adjusted		Baseline	Pressure	Run

#	Analysis Type	ppm	µg	(Abs)	NDIR (Abs)	(Abs)	(psig)	Time
1	TOC	2.8359	28.3589	28.03	31.72	3.68	50.10	10:27
2	TOC	2.7949	27.9493	27.76	31.45	3.69	50.12	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	32	TOC	K1911033-004.03	2.3843 ppm	0.0527 ppm	2.2100%	2019/11/24 08:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.4216	24.2162	25.22	28.84	3.62	50.11	10:29
2	TOC	2.3471	23.4708	24.72	28.28	3.57	50.10	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	33	TOC	K1911033-005.03 20x	39.2024 ppm	0.5662 ppm	1.4400%	2019/11/24 09:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	39.6027	396.0271	277.60	281.33	3.73	50.11	10:27
2	TOC	38.8020	388.0202	272.17	276.09	3.92	50.14	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	34	TOC	K1911033-006.03	3.8114 ppm	0.8350 ppm	21.9100%	2019/11/24 09:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.4019	44.0190	38.66	42.53	3.86	50.11	10:29
2	TOC	3.2210	32.2098	30.65	34.21	3.56	50.10	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	35	TOC	K1911033-007.03	2.4078 ppm	0.1907 ppm	7.9200%	2019/11/24 10:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.5427	25.4272	26.04	29.72	3.67	50.12	10:29
2	TOC	2.2730	22.7298	24.21	27.75	3.54	50.10	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.8608	78.6083	62.14	65.77	3.63	50.14	10:31
2	TOC	8.0441	80.4409	63.39	67.04	3.65	50.09	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	37	TOC	K1911033-009.08	3.8094 ppm	0.2302 ppm	6.0400%	2019/11/24 11:09

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.9722	39.7217	35.75	39.38	3.63	50.12	10:30
2	TOC	3.6466	36.4659	33.54	37.02	3.49	50.11	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	38	TOC	K1911033-009.08 ms 2x	26.1443 ppm	0.0000 ppm	0.0000%	2019/11/24 11:37

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.1443	261.4428	186.25	189.80	3.55	50.11	10:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.7622 ppm (PASS)	0.0000 ppm	0%	2019/11/24 11:51

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.7622	247.6222	177.55	181.02	3.47	50.15	10:28

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.2695 ppm (PASS)	0.0000 ppm	0%	2019/11/24 12:06

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.2695	2.6952	11.29	14.85	3.56	50.13	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	39	TOC	MB3	0.1773 ppm	0.0000 ppm	0.0000%	2019/11/24 12:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.1773	1.7735	9.99	13.72	3.73	50.13	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	24.9621 ppm (PASS)	0.0000 ppm	0%	2019/11/24 12:36

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.9621	249.6214	178.90	182.70	3.80	50.17	10:37

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	40	TOC	K1911031-001.01	0.8797 ppm	0.0764 ppm	8.6800%	2019/11/24 12:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	0.9337	9.3369	15.12	18.87	3.75	50.14	10:29
2	TOC	0.8257	8.2570	14.39	18.18	3.79	50.17	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	41	TOC	K1911032-001.01	1.5194 ppm	0.0864 ppm	5.6800%	2019/11/24 13:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5804	15.8042	19.51	23.29	3.78	50.19	10:28
2	TOC	1.4583	14.5830	18.68	22.26	3.58	50.20	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	42	TOC	K1911032-002.01	1.6117 ppm	0.0371 ppm	2.3000%	2019/11/24 13:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5854	15.8543	19.55	22.98	3.44	50.25	10:28
2	TOC	1.6379	16.3788	19.90	23.42	3.52	50.20	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	43	TOC	K1911032-003.01	1.5818 ppm	0.0584 ppm	3.6900%	2019/11/24 14:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6231	16.2315	19.80	23.26	3.46	50.22	10:25
2	TOC	1.5405	15.4050	19.24	22.79	3.54	50.25	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	44	TOC	K1911032-004.01	1.9794 ppm	0.1074 ppm	5.4300%	2019/11/24 14:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.0554	20.5538	22.74	26.37	3.63	50.21	10:30
2	TOC	1.9035	19.0350	21.70	25.32	3.61	50.22	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	45	TOC	K1911032-005.01 400x	4.7687 ppm	0.1385 ppm	2.9100%	2019/11/24 15:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.6708	46.7076	40.49	43.95	3.46	50.26	10:28
2	TOC	4.8667	48.6669	41.82	45.56	3.74	50.27	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	46	TOC	K1911032-006.01	1.9445 ppm	0.1188 ppm	6.1100%	2019/11/24 15:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.0284	20.2842	22.55	26.14	3.58	50.27	10:31
2	TOC	1.8605	18.6048	21.41	25.06	3.65	50.23	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	47	TOC	K1911032-007.03 ms 2x	26.3874 ppm	0.0000 ppm	0.0000%	2019/11/24 16:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.3874	263.8736	187.90	191.52	3.62	50.24	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.3561 ppm (PASS)	0.0000 ppm	0%	2019/11/24 16:22

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.3561	243.5606	174.79	178.42	3.63	50.26	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/24 16:36

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.48	11.05	3.57	50.24	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	48	TOC	K1911032-007.03	4.1677 ppm	0.0667 ppm	1.6000%	2019/11/24 16:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.1205	41.2052	36.75	40.48	3.73	50.22	10:28
2	TOC	4.2148	42.1480	37.39	40.98	3.59	50.25	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	49	TOC	K1910803-001.01	44.1588 ppm	0.9849 ppm	2.2300%	2019/11/24 17:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	43.4623	434.6235	303.80	307.50	3.70	50.24	10:26
2	TOC	44.8553	448.5526	313.26	317.05	3.79	50.20	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	50	TOC	K1910803-002.01	121.0609 ppm	1.4739 ppm	1.2200%	2019/11/24 17:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	120.0187	1200.1870	823.46	827.29	3.83	50.25	10:28
2	TOC	122.1031	1221.0313	837.61	842.19	4.58	50.24	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◈	51	TOC	K1910803-003.01	20.0133 ppm	2.5636 ppm	12.8100%	2019/11/24 18:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	21.8260	218.2603	156.94	161.38	4.44	50.17	10:27
2	TOC	18.2005	182.0049	132.33	136.43	4.11	50.22	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	52	TOC	K1910803-004.01	68.5161 ppm	1.6462 ppm	2.4000%	2019/11/24 18:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	67.3521	673.5207	465.97	469.89	3.93	50.19	10:27
2	TOC	69.6802	696.8016	481.77	488.04	6.27	50.15	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	53	TOC	K1910803-005.01	31.2983 ppm	12.2840 ppm	39.2500%	2019/11/24 19:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	39.9844	399.8441	280.20	285.79	5.59	50.18	10:30
2	TOC	22.6123	226.1228	162.27	166.53	4.26	50.14	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	54	TOC	K1910803-006.01	14.3445 ppm	0.8810 ppm	6.1400%	2019/11/24 19:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	14.9674	149.6740	110.38	114.24	3.86	50.18	10:28
2	TOC	13.7215	137.2151	101.92	105.81	3.89	50.14	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	55	TOC	K1911047-001.01 100x	3.3581 ppm	0.4125 ppm	12.2800%	2019/11/24 20:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.6498	36.4983	33.56	37.32	3.76	50.14	10:27
2	TOC	3.0664	30.6644	29.60	33.16	3.56	50.17	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	56	TOC	K1911047-002.01 100x	26.8358 ppm	0.0527 ppm	0.2000%	2019/11/24 20:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.8731	268.7307	191.20	194.84	3.64	50.13	10:25
2	TOC	26.7985	267.9853	190.69	194.42	3.73	50.17	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	57	TOC	K1911049-001.01 20x	4.1392 ppm	0.1555 ppm	3.7600%	2019/11/24 21:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.2491	42.4913	37.63	41.27	3.65	50.16	10:28
2	TOC	4.0292	40.2918	36.13	39.75	3.61	50.12	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.6687 ppm (PASS)	0.0000 ppm	0%	2019/11/24 21:32

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.6687	246.6868	176.91	180.57	3.66	50.17	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/24 21:47

Pos	Base Analysis	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time

	Type									
D	TOC	0 ppm	1	0.0000	0.0000	8.80	12.38	3.58	50.14	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/24 22:01

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.03	11.47	3.43	50.10	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	24.7141 ppm (PASS)	0.0000 ppm	0%	2019/11/24 22:16

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.7141	247.1405	177.22	180.81	3.59	50.14	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	59	TOC	K1911049-002.01 20x	9.0455 ppm	0.0478 ppm	0.5300%	2019/11/24 22:31

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	9.0793	90.7931	70.41	74.08	3.66	50.15	10:27
2	TOC	9.0117	90.1169	69.96	73.45	3.50	50.14	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◆	60	TOC	K1911049-002.01 ms 100x	29.0715 ppm	0.0000 ppm	0.0000%	2019/11/24 22:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	29.0715	290.7153	206.12	209.76	3.64	50.16	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	61	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/24 23:13

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.92	11.64	3.72	50.14	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	62	TOC	K1911049-003.01	11.8161 ppm	0.0456 ppm	0.3900%	2019/11/24 23:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	11.7838	117.8381	88.77	92.40	3.62	50.11	10:31
2	TOC	11.8483	118.4834	89.21	92.81	3.60	50.16	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	63	TOC	K1911049-004.01	1.5999 ppm	0.0839 ppm	5.2400%	2019/11/24 23:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6592	16.5924	20.05	23.59	3.54	50.11	10:30
2	TOC	1.5406	15.4065	19.24	22.81	3.57	50.13	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	64	TOC	K1911028-001.04	0.8950 ppm	0.0518 ppm	5.7800%	2019/11/25 00:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9316	9.3163	15.11	18.58	3.47	50.15	10:28
2	TOC	0.8584	8.5841	14.61	18.06	3.45	50.11	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC)	CAS_salt_010711	CAS_salt_010711

(v1323) (v4) (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	65	TOC	K1911028-002.04	21.8501 ppm	0.4095 ppm	1.8700%	2019/11/25 00:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	22.1397	221.3968	159.07	162.59	3.52	50.14	10:29
2	TOC	21.5606	215.6056	155.14	158.84	3.70	50.12	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	66	TOC	K1911028-003.04	0.7336 ppm	0.0533 ppm	7.2700%	2019/11/25 01:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7713	7.7134	14.02	17.61	3.59	50.10	10:26
2	TOC	0.6959	6.9591	13.51	17.14	3.64	50.14	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.2538 ppm (PASS)	0.0000 ppm	0%	2019/11/25 01:49

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.2538	242.5382	174.10	177.84	3.74	50.11	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/25 02:04

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	6.19	9.91	3.72	50.09	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	67	TOC	K1911028-004.04	1.4272 ppm	0.0215 ppm	1.5000%	2019/11/25 02:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4424	14.4239	18.58	22.17	3.60	50.13	10:29
2	TOC	1.4120	14.1204	18.37	22.07	3.70	50.12	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	68	TOC	K1911028-005.04	1.4693 ppm	0.0117 ppm	0.7900%	2019/11/25 02:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4776	14.7759	18.81	22.49	3.68	50.15	10:28
2	TOC	1.4611	14.6110	18.70	22.34	3.64	50.11	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	69	TOC	FB 11/21/19	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/25 03:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.76	9.25	3.49	50.12	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	70	TOC	FB 11/22/19	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/25 03:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.79	9.29	3.50	50.13	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◈	71	TOC	K1911043-001.01 doc 1000x	11.7513 ppm	0.0120 ppm	0.1000%	2019/11/25 03:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	11.7598	117.5980	88.61	92.27	3.66	50.11	10:29
2	TOC	11.7429	117.4286	88.49	92.16	3.67	50.11	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	72	TOC	K1911043-002.01 doc 1000x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/25 04:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.79	11.41	3.62	50.11	10:29
2	TOC	0.0000	0.0000	7.15	10.87	3.72	50.09	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	73	TOC	K1910975-002.01 doc 10x	8.1521 ppm	0.2117 ppm	2.6000%	2019/11/25 04:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	8.0024	80.0240	63.10	66.61	3.51	50.14	10:30
2	TOC	8.3018	83.0176	65.14	68.78	3.64	50.11	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	74	TOC	K1910975-001.01 doc	0.8387 ppm	0.1176 ppm	14.0200%	2019/11/25 05:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9219	9.2190	15.04	18.69	3.65	50.11	10:26
2	TOC	0.7556	7.5558	13.91	17.48	3.57	50.12	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	75	TOC	K1910975-001.01 ms doc	26.6131 ppm	0.0000 ppm	0.0000%	2019/11/25 05:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	26.6131	266.1305	189.43	193.03	3.60	50.14	10:29

Dilution 1:10 | **Blank Contribution** (TC) 8.7842 (IC) (v1323) | **Method** CAS_salt_010711 (v4) | **Calibration** CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	61	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/25 05:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.23	10.93	3.70	50.12	10:28
2	TOC	0.0000	0.0000	6.73	10.14	3.40	50.11	10:25

Dilution 1:10 | **Blank Contribution** (TC) 8.7842 (IC) (v1323) | **Method** CAS_salt_010711 (v4) | **Calibration** CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm — From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.1613 ppm (PASS)	0.0000 ppm	0%	2019/11/25 06:19

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.1613	241.6131	173.47	177.17	3.70	50.11	10:33

Completion State Success - Criteria met. | **Success Action** Do Nothing | **Method** CAS_salt_010711 (v4) | **Calibration** CAS_salt_010711 (v30) | **STD Conc - Pos B** 50 ppmC

Sample Type: Check Standard --> CCB — From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/25 06:34

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.86	9.52	3.65	50.12	10:29

Completion State Success - Criteria met. | **Success Action** Do Nothing | **Method** CAS_salt_010711 (v4) | **Calibration** CAS_salt_010711 (v30) | **STD Conc - Pos D** 0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v1322	1.2997	0.8410	0.0000	0.0000	0.0000	2019/11/21 13:13	Fusion1 (Fusion1)
v1323	1.3397	1.1360	0.0000	0.0000	0.0000	2019/11/23 16:30	Fusion1 (Fusion1)

Calibrations

Name: CAS_salt_010711 (TOC)

Version: v30

Ver Creation: 2019/03/05 17:42

Comment:

Operator: Fusion1 (Fusion1)

Basic Analysis Type: TOC

Calibration curve formula: TOC: y = 6.788x + 9.463

r^2 value: TOC: r^2 = 0.99963

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
DI Water	7.8970	0.0000		2019/03/05 16:15
0.500 ppm	11.5280	0.5000		2019/03/05 16:29
1.0 ppm	14.9760	1.0000		2019/03/05 16:44
5.0 ppm	43.6500	5.0000		2019/03/05 16:58
10 ppm	79.6020	10.0000		2019/03/05 17:12
25 ppm	183.3580	25.0000		2019/03/05 17:26
50 ppm	346.3230	50.0000		2019/03/05 17:40

Methods

Name: CAS_salt_010711 (TOC)

Version: v4

Ver Creation: 2019/02/21 17:57

Comment:

Operator: Fusion1 (Fusion1)

Parameter	Value
SampleVolume	10.0 mL
Dilution	1:10
AcidVolume	0.5 ml
ReagentVolume	2.0 ml
UVReactorPrerinse	Off
UVReactorPrerinseVolume	5.0
NumberOfUVReactorPrerinses	1
ICSpargeTime	1.00 mins
DetectorSweepFlow	500 ml/min

Advanced Parameter	Value
NeedleRinseVolume	5.0 ml
VialPrimeVolume	2.0 ml
ICSamplePrimeVolume	2.0 ml
ICSpargeRinseVolume	12.0 ml
BaselineStabilizeTime	0.70 min
DetectorPressureFlow	150 ml/min
SyringeSpeedWaste	10
SyringeSpeedAcid	7
SyringeSpeedReagent	7

PreSpargeTime	2.00 mins	SyringeSpeedDIWater	7
SystemFlow	500 ml/min	NDIRPressurization	60 psig
		SyringeSpeedSampleDispense	5
		SyringeSpeedSampleAspirate	4
		SyringeSpeedUVDispense	5
		SyringeSpeedUVAspirate	5
		SyringeSpeedICDispense	5
		SyringeSpeedICAspirate	5
		NDIRPressureStabilize	1.75 min
		SampleMixing	Off
		SampleMixingCycles	1
		SampleMixingVolume	10.0
		LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Fusion1 (Fusion1)	Schedule completed	Schedule completed	2019/11/25 06:49

ALS Environmental

StarLIMS Run: 661076, 661077, 661078, 661079

Analysis: DOC/TOC

Method: SM 5310 C, 9060A, 415.1, 9060

CCV: 11-GEN-05-82C 50 ppm LCS: 11-GEN-05-79J 25.0 ppm

ICAL Date: 3/6/19

ICAL ID: 11-GEN-05-76H

ICS ID: 11-GEN-05-78M

ICS TV: 25.0 ppm ICS % R < 1

Spike ID: 11-GEN-05-82C 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 ppm x dilution factor

Sodium Persulfate: 11-GEN-05-83D

21 % H3PO4: 11-GEN-05-83B

Equipment ID: K-TOC-03

PIPETTE ID: 124276B, 129001F, N11314F, Marge

FILTER ID: 16967789

Analyzed By: BKP	Date Analyzed: 11/26/19
Reviewed By:	Date Reviewed: 11/26/19

23 BKP 11/26/19

Work Request # (Original) K1910680, 796, 847, 861, 929, 959, 11031, 11032, 11033, 10803, 11028, 11032, 11047, 11049, 9975, 11043

Tier: II IV IV II II I IV IV IV IV V IV II II I II

Date Analyzed: 11/23/19

Analyst: BCV

Analysis: TOC/DOC

TOC: 661076, 661077, 661078

Run # DOC: 661079

DATA QUALITY REPORT
INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1.	Is the method name and number correct and appropriate?	yes/no/NA
2.	Holding times met for all analyses and for all samples?	yes/no/NA
3.	Are calculations correct?	yes/no/NA
4.	Is the reporting basis correct? (Dry Weight)	yes/no/NA
5.	All quality control criteria met?	yes/no
6.	Is the calibration curve correlation coefficient ≥ 0.995?	yes/no/NA
7.	MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency?	yes/no/NA
8.	Are ICVs, CCVs, and CCBs all within acceptance limits?	yes/no/NA
9.	Are results for methods blanks all ND?	yes/no/NA
10.	Are all QC samples within acceptance criteria? (LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.)	yes/no/NA
11.	Are all exceptions explained?	yes/no/NA
12.	Have all applicable service requests been reviewed?	yes/no/NA
13.	Are all samples labeled correctly?	yes/no/NA
14.	Have all instructions on the service request been followed? (e.g. Special MRLs, QC on a specific sample, Form V)	yes/no/NA
15.	Are detection limits and units reported correctly?	yes/no/NA
16.	Is the unused space on the benchsheet crossed out?	yes/no/NA
17.	Was analysis turned in by the due date? (n-2) (If not record SR#)	yes/no/NA

COMMENTS: K1910847-4/4d, K1910803-2/2d, 803-4/4d sent for CA due to being above calibration curve.
K1910803-3/3d, 803-5/5d sent for CA due to sample carry over
K1911033-2 sent for CA due to being overdiluted.
K1910680-2/2d, 680-4/4d, 680-5/5d, 796-2/2d, 929-2/2d, 11031-1/1d, 11028-3/3d, and 10975-1/1d report a high %RSD. However these samples are less than 5x the MRL.
K1911033-6/6d, 11033-7/7d, 10803-3, 10803-5, 11047-1/1d report a high %RSD due to suspected non-homogenous sample.

Final Approved by: _____ Date: 11/26/19

DQREPORT

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661076 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910680-001	Carbon, Total Organic	N/A		Water	0.36 mg/L	10 ml	0.36 mg/L J	1	0.07	0.50			11/23/19 17:58	N	II
K1910680-002	Carbon, Total Organic	N/A		Water	0.30 mg/L	10 ml	0.30 mg/L J	1	0.07	0.50			11/23/19 18:26	N	II
K1910680-003	Carbon, Total Organic	N/A		Water	0.63 mg/L	10 ml	0.63 mg/L	1	0.07	0.50			11/23/19 18:54	N	II
K1910680-004	Carbon, Total Organic	N/A		Water	0.56 mg/L	10 ml	0.56 mg/L	1	0.07	0.50			11/23/19 19:22	N	II
K1910680-005	Carbon, Total Organic	N/A		Water	0.17 mg/L	10 ml	0.17 mg/L J	1	0.07	0.50			11/23/19 19:50	N	II
K1910796-001	Carbon, Total Organic	N/A		Ground Water	1.05 mg/L	10 ml	1.05 mg/L	1	0.07	0.50			11/23/19 21:30	N	IV
K1910796-002	Carbon, Total Organic	N/A		Ground Water	0.88 mg/L	10 ml	0.88 mg/L	1	0.07	0.50			11/23/19 21:59	N	IV
K1910796-003	Carbon, Total Organic	N/A		Ground Water	1.78 mg/L	10 ml	1.78 mg/L	1	0.07	0.50			11/23/19 22:27	N	IV
K1910796-004	Carbon, Total Organic	N/A		Ground Water	0.20 mg/L	10 ml	0.20 mg/L J	1	0.07	0.50			11/23/19 20:18	Y	IV
K1910847-001	Carbon, Total Organic	N/A		Ground Water	34.01 mg/L	10 ml	680 mg/L	20	2	10			11/23/19 22:55	N	IV
K1910847-002	Carbon, Total Organic	N/A		Ground Water	32.82 mg/L	10 ml	32.8 mg/L	1	0.07	0.50			11/23/19 23:23	N	IV
K1910847-003	Carbon, Total Organic	N/A		Ground Water	35.27 mg/L	10 ml	35.3 mg/L	1	0.07	0.50			11/23/19 23:51	N	IV
K1910847-004	Carbon, Total Organic	N/A		Ground Water	61.27 mg/L	10 ml	61.3 mg/L	1	0.07	0.50			11/24/19 00:19	N	IV
K1910861-001	Carbon, Total Organic	N/A		Water	7.26 mg/L	10 ml	726 mg/L	100	7	50			11/24/19 00:47	N	II
K1910861-002	Carbon, Total Organic	N/A		Water	5.98 mg/L	10 ml	598 mg/L	100	7	50			11/24/19 01:15	N	II
K1910861-003	Carbon, Total Organic	N/A		Water	5.96 mg/L	10 ml	596 mg/L	100	7	50			11/24/19 01:43	N	II
K1910861-004	Carbon, Total Organic	N/A		Water	7.78 mg/L	10 ml	778 mg/L	100	7	50			11/24/19 03:10	N	II
K1910861-005	Carbon, Total Organic	N/A		Water	7.46 mg/L	10 ml	746 mg/L	100	7	50			11/24/19 03:38	N	II
K1910861-006	Carbon, Total Organic	N/A		Water	10.75 mg/L	10 ml	1080 mg/L	100	7	50			11/24/19 04:06	N	II
K1910861-007	Carbon, Total Organic	N/A		Water	8.35 mg/L	10 ml	835 mg/L	100	7	50			11/24/19 04:34	N	II
KQ1917446-01	Carbon, Total Organic	CCV		Water	24.53 mg/L	10 ml	24.5 mg/L	1					11/23/19 16:45	N	II
KQ1917446-02	Carbon, Total Organic	CCV		Water	24.61 mg/L	10 ml	24.6 mg/L	1					11/23/19 21:01	N	II
KQ1917446-03	Carbon, Total Organic	CCV		Water	24.56 mg/L	10 ml	24.6 mg/L	1					11/24/19 02:11	N	II
KQ1917446-04	Carbon, Total Organic	CCV		Water	24.22 mg/L	10 ml	24.2 mg/L	1					11/24/19 06:54	N	II
KQ1917446-05	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/23/19 16:59	N	II
KQ1917446-06	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/23/19 21:15	N	II
KQ1917446-07	Carbon, Total Organic	CCB		Water	-0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 02:26	N	II
KQ1917446-08	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 07:09	N	II
KQ1917446-09	Carbon, Total Organic	MB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/23/19 17:14	N	II
KQ1917446-10	Carbon, Total Organic	LCS		Water	24.74 mg/L	10 ml	24.7 mg/L	1	0.07	0.50	99		11/23/19 17:29	N	II
KQ1917446-11	Carbon, Total Organic	MS	K1910796-004	Ground Water	22.48 mg/L	10 ml	22.5 mg/L	1	0.07	0.50	89		11/23/19 20:46	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

11/26/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661076 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917446-12	Carbon, Total Organic	DUP	K1910680-001	Water	0.36 mg/L	10 ml	0.36 mg/L J	1	0.07	0.50		2	11/23/19 17:58	N	II
KQ1917446-13	Carbon, Total Organic	DUP	K1910680-002	Water	0.26 mg/L	10 ml	0.26 mg/L J	1	0.07	0.50		13*	11/23/19 18:26	N	II
KQ1917446-14	Carbon, Total Organic	DUP	K1910680-003	Water	0.61 mg/L	10 ml	0.61 mg/L	1	0.07	0.50		3	11/23/19 18:54	N	II
KQ1917446-15	Carbon, Total Organic	DUP	K1910680-004	Water	0.67 mg/L	10 ml	0.67 mg/L	1	0.07	0.50		17*	11/23/19 19:22	N	II
KQ1917446-16	Carbon, Total Organic	DUP	K1910680-005	Water	0.20 mg/L	10 ml	0.20 mg/L J	1	0.07	0.50		15*	11/23/19 19:50	N	II
KQ1917446-17	Carbon, Total Organic	DUP	K1910796-002	Ground Water	0.77 mg/L	10 ml	0.77 mg/L	1	0.07	0.50		14*	11/23/19 21:59	N	IV
KQ1917446-18	Carbon, Total Organic	DUP	K1910796-001	Ground Water	1.14 mg/L	10 ml	1.14 mg/L	1	0.07	0.50		8	11/23/19 21:30	N	IV
KQ1917446-19	Carbon, Total Organic	DUP	K1910796-003	Ground Water	1.75 mg/L	10 ml	1.75 mg/L	1	0.07	0.50		1	11/23/19 22:27	N	IV
KQ1917446-20	Carbon, Total Organic	DUP	K1910796-004	Ground Water	0.21 mg/L	10 ml	0.21 mg/L J	1	0.07	0.50		6	11/23/19 20:18	N	IV
KQ1917446-21	Carbon, Total Organic	DUP	K1910847-002	Ground Water	32.44 mg/L	10 ml	32.4 mg/L	1	0.07	0.50		1	11/23/19 23:23	N	IV
KQ1917446-22	Carbon, Total Organic	DUP	K1910847-001	Ground Water	33.78 mg/L	10 ml	676 mg/L	20	2	10		<1	11/23/19 22:55	N	IV
KQ1917446-23	Carbon, Total Organic	DUP	K1910847-003	Ground Water	34.76 mg/L	10 ml	34.8 mg/L	1	0.07	0.50		1	11/23/19 23:51	N	IV
KQ1917446-24	Carbon, Total Organic	DUP	K1910847-004	Ground Water	60.91 mg/L	10 ml	60.9 mg/L	1	0.07	0.50		<1	11/24/19 00:19	N	IV
KQ1917446-25	Carbon, Total Organic	DUP	K1910861-001	Water	6.74 mg/L	10 ml	674 mg/L	100	7	50		7	11/24/19 00:47	N	II
KQ1917446-26	Carbon, Total Organic	DUP	K1910861-002	Water	5.82 mg/L	10 ml	582 mg/L	100	7	50		3	11/24/19 01:15	N	II
KQ1917446-27	Carbon, Total Organic	DUP	K1910861-003	Water	5.90 mg/L	10 ml	590 mg/L	100	7	50		1	11/24/19 01:43	N	II
KQ1917446-28	Carbon, Total Organic	DUP	K1910861-004	Water	7.76 mg/L	10 ml	776 mg/L	100	7	50		<1	11/24/19 03:10	N	II
KQ1917446-29	Carbon, Total Organic	DUP	K1910861-005	Water	7.41 mg/L	10 ml	741 mg/L	100	7	50		<1	11/24/19 03:38	N	II
KQ1917446-30	Carbon, Total Organic	DUP	K1910861-006	Water	10.62 mg/L	10 ml	1060 mg/L	100	7	50		1	11/24/19 04:06	N	II
KQ1917446-31	Carbon, Total Organic	DUP	K1910861-007	Water	8.16 mg/L	10 ml	816 mg/L	100	7	50		2	11/24/19 04:34	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661077 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910929-001	Carbon, Total Organic	N/A		Water	1.49 mg/L	10 ml	1.49 mg/L	1	0.07	0.50			11/24/19 05:02	N	II
K1910929-002	Carbon, Total Organic	N/A		Water	0.79 mg/L	10 ml	0.79 mg/L	1	0.07	0.50			11/24/19 05:30	N	II
K1910929-003	Carbon, Total Organic	N/A		Water	1.91 mg/L	10 ml	1.91 mg/L	1	0.07	0.50			11/24/19 05:58	N	II
K1910969-002	Carbon, Total Organic	N/A		Drinking Water	1.16 mg/L	10 ml	1.16 mg/L	1	0.07	0.50			11/24/19 06:26	N	I
K1911031-001	Carbon, Total Organic	N/A		Water	0.90 mg/L	10 ml	0.90 mg/L	1	0.07	0.50			11/24/19 12:50	N	IV
K1911032-001	Carbon, Total Organic	N/A		Ground Water	1.54 mg/L	10 ml	1.54 mg/L	1	0.07	0.50			11/24/19 13:19	N	IV
K1911032-002	Carbon, Total Organic	N/A		Ground Water	1.55 mg/L	10 ml	1.55 mg/L	1	0.07	0.50			11/24/19 13:47	N	IV
K1911032-003	Carbon, Total Organic	N/A		Ground Water	1.59 mg/L	10 ml	1.59 mg/L	1	0.07	0.50			11/24/19 14:15	N	IV
K1911032-004	Carbon, Total Organic	N/A		Ground Water	2.02 mg/L	10 ml	2.02 mg/L	1	0.07	0.50			11/24/19 14:43	N	IV
K1911032-005	Carbon, Total Organic	N/A		Ground Water	4.63 mg/L	10 ml	1850 mg/L	400	30	200			11/24/19 15:11	N	IV
K1911032-006	Carbon, Total Organic	N/A		Ground Water	1.99 mg/L	10 ml	1.99 mg/L	1	0.07	0.50			11/24/19 15:39	N	IV
K1911033-001	Carbon, Total Organic	N/A		Ground Water	3.66 mg/L	10 ml	3.66 mg/L	1	0.07	0.50			11/24/19 07:24	N	IV
K1911033-002	Carbon, Total Organic	N/A		Ground Water	2.81 mg/L	10 ml	2.81 mg/L	1	0.07	0.50			11/24/19 07:52	N	IV
K1911033-003	Carbon, Total Organic	N/A		Ground Water	2.80 mg/L	10 ml	2.80 mg/L	1	0.07	0.50			11/24/19 08:20	N	IV
K1911033-004	Carbon, Total Organic	N/A		Ground Water	2.38 mg/L	10 ml	2.38 mg/L	1	0.07	0.50			11/24/19 08:48	N	IV
K1911033-005	Carbon, Total Organic	N/A		Ground Water	39.57 mg/L	10 ml	791 mg/L	20	2	10			11/24/19 09:16	N	IV
K1911033-006	Carbon, Total Organic	N/A		Ground Water	4.37 mg/L	10 ml	4.37 mg/L	1	0.07	0.50			11/24/19 09:44	N	IV
K1911033-007	Carbon, Total Organic	N/A		Ground Water	2.51 mg/L	10 ml	2.51 mg/L	1	0.07	0.50			11/24/19 10:12	N	IV
K1911033-008	Carbon, Total Organic	N/A		Ground Water	7.82 mg/L	10 ml	7820 mg/L	1000	70	500			11/24/19 10:41	N	IV
K1911033-009	Carbon, Total Organic	N/A		Ground Water	3.94 mg/L	10 ml	3.94 mg/L	1	0.07	0.50			11/24/19 11:09	Y	IV
KQ1917447-01	Carbon, Total Organic	CCV		Water	24.56 mg/L	10 ml	24.6 mg/L	1					11/24/19 02:11	N	II
KQ1917447-02	Carbon, Total Organic	CCV		Water	24.22 mg/L	10 ml	24.2 mg/L	1					11/24/19 06:54	N	II
KQ1917447-03	Carbon, Total Organic	CCV		Water	24.73 mg/L	10 ml	24.7 mg/L	1					11/24/19 11:51	N	II
KQ1917447-04	Carbon, Total Organic	CCV		Water	24.32 mg/L	10 ml	24.3 mg/L	1					11/24/19 16:22	N	II
KQ1917447-05	Carbon, Total Organic	CCB		Water	-0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 02:26	N	II
KQ1917447-06	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 07:09	N	II
KQ1917447-07	Carbon, Total Organic	CCB		Water	0.23 mg/L	10 ml	0.23 mg/L J	1	0.07	0.50			11/24/19 12:06	N	II
KQ1917447-08	Carbon, Total Organic	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 16:36	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661077 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917447-09	Carbon, Total Organic	MB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 02:41	N	II
KQ1917447-10	Carbon, Total Organic	LCS		Water	25.09 mg/L	10 ml	25.1 mg/L	1	0.07	0.50	100		11/24/19 02:55	N	II
KQ1917447-11	Carbon, Total Organic	MS	K1911033-009	Ground Water	26.11 mg/L	10 ml	52.2 mg/L	2	0.2	1.0	97		11/24/19 11:37	N	IV
KQ1917447-12	Carbon, Total Organic	DUP	K1910929-001	Water	1.39 mg/L	10 ml	1.39 mg/L	1	0.07	0.50		7	11/24/19 05:02	N	II
KQ1917447-13	Carbon, Total Organic	DUP	K1910929-002	Water	0.88 mg/L	10 ml	0.88 mg/L	1	0.07	0.50		11*	11/24/19 05:30	N	II
KQ1917447-14	Carbon, Total Organic	DUP	K1910929-003	Water	1.94 mg/L	10 ml	1.94 mg/L	1	0.07	0.50		2	11/24/19 05:58	N	II
KQ1917447-15	Carbon, Total Organic	DUP	K1910969-002	Drinking Water	1.11 mg/L	10 ml	1.11 mg/L	1	0.07	0.50		5	11/24/19 06:26	N	I
KQ1917447-16	Carbon, Total Organic	DUP	K1911031-001	Water	0.79 mg/L	10 ml	0.79 mg/L	1	0.07	0.50		13*	11/24/19 12:50	N	IV
KQ1917447-17	Carbon, Total Organic	DUP	K1911032-002	Ground Water	1.60 mg/L	10 ml	1.60 mg/L	1	0.07	0.50		3	11/24/19 13:47	N	IV
KQ1917447-18	Carbon, Total Organic	DUP	K1911032-001	Ground Water	1.42 mg/L	10 ml	1.42 mg/L	1	0.07	0.50		8	11/24/19 13:19	N	IV
KQ1917447-19	Carbon, Total Organic	DUP	K1911032-003	Ground Water	1.50 mg/L	10 ml	1.50 mg/L	1	0.07	0.50		5	11/24/19 14:15	N	IV
KQ1917447-20	Carbon, Total Organic	DUP	K1911032-004	Ground Water	1.87 mg/L	10 ml	1.87 mg/L	1	0.07	0.50		8	11/24/19 14:43	N	IV
KQ1917447-21	Carbon, Total Organic	DUP	K1911032-005	Ground Water	4.83 mg/L	10 ml	1930 mg/L	400	30	200		4	11/24/19 15:11	N	IV
KQ1917447-22	Carbon, Total Organic	DUP	K1911032-006	Ground Water	1.82 mg/L	10 ml	1.82 mg/L	1	0.07	0.50		9	11/24/19 15:39	N	IV
KQ1917447-23	Carbon, Total Organic	DUP	K1911033-001	Ground Water	3.65 mg/L	10 ml	3.65 mg/L	1	0.07	0.50		<1	11/24/19 07:24	N	IV
KQ1917447-24	Carbon, Total Organic	DUP	K1911033-002	Ground Water	2.74 mg/L	10 ml	2.74 mg/L	1	0.07	0.50		3	11/24/19 07:52	N	IV
KQ1917447-25	Carbon, Total Organic	DUP	K1911033-003	Ground Water	2.76 mg/L	10 ml	2.76 mg/L	1	0.07	0.50		1	11/24/19 08:20	N	IV
KQ1917447-26	Carbon, Total Organic	DUP	K1911033-004	Ground Water	2.31 mg/L	10 ml	2.31 mg/L	1	0.07	0.50		3	11/24/19 08:48	N	IV
KQ1917447-27	Carbon, Total Organic	DUP	K1911033-005	Ground Water	38.77 mg/L	10 ml	775 mg/L	20	2	10		2	11/24/19 09:16	N	IV
KQ1917447-28	Carbon, Total Organic	DUP	K1911033-006	Ground Water	3.18 mg/L	10 ml	3.18 mg/L	1	0.07	0.50		31*	11/24/19 09:44	N	IV
KQ1917447-29	Carbon, Total Organic	DUP	K1911033-007	Ground Water	2.24 mg/L	10 ml	2.24 mg/L	1	0.07	0.50		11*	11/24/19 10:12	N	IV
KQ1917447-30	Carbon, Total Organic	DUP	K1911033-008	Ground Water	8.01 mg/L	10 ml	8010 mg/L	1000	70	500		2	11/24/19 10:41	N	IV
KQ1917447-31	Carbon, Total Organic	DUP	K1911033-009	Ground Water	3.61 mg/L	10 ml	3.61 mg/L	1	0.07	0.50		9	11/24/19 11:09	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661078 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910803-001	Carbon, Total Organic	N/A		Water	43.43 mg/L	10 ml	43.4 mg/L	1	0.07	0.50			11/24/19 17:19	N	IV
K1910803-002	Carbon, Total Organic	N/A		Water	119.98 mg/L	10 ml	120 mg/L	1	0.07	0.50			11/24/19 17:47	N	IV
K1910803-003	Carbon, Total Organic	N/A		Water	21.79 mg/L	10 ml	21.8 mg/L	1	0.07	0.50			11/24/19 18:15	N	IV
K1910803-004	Carbon, Total Organic	N/A		Water	67.32 mg/L	10 ml	67.3 mg/L	1	0.07	0.50			11/24/19 18:43	N	IV
K1910803-005	Carbon, Total Organic	N/A		Water	39.95 mg/L	10 ml	39.9 mg/L	1	0.07	0.50			11/24/19 19:11	N	IV
K1910803-006	Carbon, Total Organic	N/A		Water	14.93 mg/L	10 ml	14.9 mg/L	1	0.07	0.50			11/24/19 19:40	N	IV
K1911028-001	Carbon, Total Organic	N/A		Water	0.89 mg/L	10 ml	0.89 mg/L	1	0.07	0.50			11/25/19 00:24	N	V
K1911028-002	Carbon, Total Organic	N/A		Water	22.10 mg/L	10 ml	22.1 mg/L	1	0.07	0.50			11/25/19 00:52	N	V
K1911028-003	Carbon, Total Organic	N/A		Water	0.73 mg/L	10 ml	0.73 mg/L	1	0.07	0.50			11/25/19 01:21	N	V
K1911028-004	Carbon, Total Organic	N/A		Water	1.41 mg/L	10 ml	1.41 mg/L	1	0.07	0.50			11/25/19 02:18	N	V
K1911028-005	Carbon, Total Organic	N/A		Water	1.44 mg/L	10 ml	1.44 mg/L	1	0.07	0.50			11/25/19 02:47	N	V
K1911032-007	Carbon, Total Organic	N/A		Ground Water	4.08 mg/L	10 ml	4.08 mg/L	1	0.07	0.50			11/24/19 16:51	Y	IV
K1911047-001	Carbon, Total Organic	N/A		Water	3.61 mg/L	10 ml	361 mg/L	100	7	50			11/24/19 20:08	N	II
K1911047-002	Carbon, Total Organic	N/A		Water	26.84 mg/L	10 ml	2680 mg/L	100	7	50			11/24/19 20:36	N	II
K1911049-001	Carbon, Total Organic	N/A		Water	4.21 mg/L	10 ml	84 mg/L	20	2	10			11/24/19 21:04	N	II
K1911049-002	Carbon, Total Organic	N/A		Water	9.04 mg/L	10 ml	181 mg/L	20	2	10			11/24/19 22:31	Y	II
K1911049-003	Carbon, Total Organic	N/A		Water	11.75 mg/L	10 ml	11.7 mg/L	1	0.07	0.50			11/24/19 23:28	N	II
K1911049-004	Carbon, Total Organic	N/A		Water	1.62 mg/L	10 ml	1.62 mg/L	1	0.07	0.50			11/24/19 23:56	N	II
KQ1917448-01	Carbon, Total Organic	CCV		Ground Water	24.73 mg/L	10 ml	24.7 mg/L	1					11/24/19 11:51	N	IV
KQ1917448-02	Carbon, Total Organic	CCV		Ground Water	24.32 mg/L	10 ml	24.3 mg/L	1					11/24/19 16:22	N	IV
KQ1917448-03	Carbon, Total Organic	CCV		Ground Water	24.63 mg/L	10 ml	24.6 mg/L	1					11/24/19 21:32	N	IV
KQ1917448-04	Carbon, Total Organic	CCV		Ground Water	24.22 mg/L	10 ml	24.2 mg/L	1					11/25/19 01:49	N	IV
KQ1917448-05	Carbon, Total Organic	CCV		Ground Water	24.12 mg/L	10 ml	24.1 mg/L	1					11/25/19 06:19	N	IV
KQ1917448-06	Carbon, Total Organic	CCB		Ground Water	0.23 mg/L	10 ml	0.23 mg/L J	1	0.07	0.50			11/24/19 12:06	N	IV
KQ1917448-07	Carbon, Total Organic	CCB		Ground Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 16:36	N	IV
KQ1917448-08	Carbon, Total Organic	CCB		Ground Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/24/19 21:47	N	IV
KQ1917448-09	Carbon, Total Organic	CCB		Ground Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/25/19 02:04	N	IV
KQ1917448-10	Carbon, Total Organic	CCB		Ground Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/25/19 06:34	N	IV
KQ1917448-11	Carbon, Total Organic	MB		Ground Water	0.14 mg/L	10 ml	0.14 mg/L J	1	0.07	0.50			11/24/19 12:21	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Printed 11/26/19 13:39

Results Summary

11/26/19

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661078 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ1917448-12	Carbon, Total Organic	LCS		Ground Water	24.93 mg/L	10 ml	24.9 mg/L	1	0.07	0.50	100		11/24/19 12:36	N	IV
KQ1917448-13	Carbon, Total Organic	MS	K1911032-007	Ground Water	26.35 mg/L	10 ml	52.7 mg/L	2	0.2	1.0	97		11/24/19 16:07	N	IV
KQ1917448-14	Carbon, Total Organic	MS	K1911049-002	Water	29.03 mg/L	10 ml	2900 mg/L	100	7	50	109		11/24/19 22:59	N	II
KQ1917448-15	Carbon, Total Organic	DUP	K1910803-002	Water	122.07 mg/L	10 ml	122 mg/L	1	0.07	0.50		2	11/24/19 17:47	N	IV
KQ1917448-16	Carbon, Total Organic	DUP	K1910803-003	Water	18.16 mg/L	10 ml	18.2 mg/L	1	0.07	0.50		18*	11/24/19 18:15	N	IV
KQ1917448-17	Carbon, Total Organic	DUP	K1910803-004	Water	69.64 mg/L	10 ml	69.6 mg/L	1	0.07	0.50		3	11/24/19 18:43	N	IV
KQ1917448-18	Carbon, Total Organic	DUP	K1910803-005	Water	22.58 mg/L	10 ml	22.6 mg/L	1	0.07	0.50		56*	11/24/19 19:11	N	IV
KQ1917448-19	Carbon, Total Organic	DUP	K1910803-006	Water	13.68 mg/L	10 ml	13.7 mg/L	1	0.07	0.50		9	11/24/19 19:40	N	IV
KQ1917448-20	Carbon, Total Organic	DUP	K1910803-001	Water	44.82 mg/L	10 ml	44.8 mg/L	1	0.07	0.50		3	11/24/19 17:19	N	IV
KQ1917448-21	Carbon, Total Organic	DUP	K1911028-003	Water	0.66 mg/L	10 ml	0.66 mg/L	1	0.07	0.50		11*	11/25/19 01:21	N	V
KQ1917448-22	Carbon, Total Organic	DUP	K1911028-004	Water	1.38 mg/L	10 ml	1.38 mg/L	1	0.07	0.50		2	11/25/19 02:18	N	V
KQ1917448-23	Carbon, Total Organic	DUP	K1911028-005	Water	1.42 mg/L	10 ml	1.42 mg/L	1	0.07	0.50		1	11/25/19 02:47	N	V
KQ1917448-24	Carbon, Total Organic	DUP	K1911028-001	Water	0.82 mg/L	10 ml	0.82 mg/L	1	0.07	0.50		9	11/25/19 00:24	N	V
KQ1917448-25	Carbon, Total Organic	DUP	K1911028-002	Water	21.52 mg/L	10 ml	21.5 mg/L	1	0.07	0.50		3	11/25/19 00:52	N	V
KQ1917448-26	Carbon, Total Organic	DUP	K1911032-007	Ground Water	4.18 mg/L	10 ml	4.18 mg/L	1	0.07	0.50		2	11/24/19 16:51	N	IV
KQ1917448-27	Carbon, Total Organic	DUP	K1911047-001	Water	3.03 mg/L	10 ml	303 mg/L	100	7	50		18*	11/24/19 20:08	N	II
KQ1917448-28	Carbon, Total Organic	DUP	K1911047-002	Water	26.76 mg/L	10 ml	2680 mg/L	100	7	50		<1	11/24/19 20:36	N	II
KQ1917448-29	Carbon, Total Organic	DUP	K1911049-001	Water	3.99 mg/L	10 ml	80 mg/L	20	2	10		5	11/24/19 21:04	N	II
KQ1917448-30	Carbon, Total Organic	DUP	K1911049-002	Water	8.98 mg/L	10 ml	179 mg/L	20	2	10		<1	11/24/19 22:31	N	II
KQ1917448-31	Carbon, Total Organic	DUP	K1911049-003	Water	11.81 mg/L	10 ml	11.8 mg/L	1	0.07	0.50		<1	11/24/19 23:28	N	II
KQ1917448-32	Carbon, Total Organic	DUP	K1911049-004	Water	1.50 mg/L	10 ml	1.50 mg/L	1	0.07	0.50		8	11/24/19 23:56	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 661079 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K1910975-001	Carbon, Dissolved Organic (DOC)	N/A		Water	0.89 mg/L	10 ml	0.89 mg/L	1	0.07	0.50			11/25/19 05:08	N	I
K1910975-002	Carbon, Dissolved Organic (DOC)	N/A		Water	7.97 mg/L	10 ml	79.7 mg/L	10	0.7	5.0			11/25/19 04:40	N	I
K1911043-001	Carbon, Dissolved Organic (DOC)	N/A		Water	11.72 mg/L	10 ml	11700 mg/L	1000	70	500			11/25/19 03:44	N	II
K1911043-002.R01	Carbon, Dissolved Organic (DOC)	N/A		Water	-0.04 mg/L	10 ml	500 mg/L U	1000	70	500			11/25/19 04:12	N	II
KQ1917449-01	Carbon, Dissolved Organic (DOC)	CCV		Water	-0.04 mg/L	10 ml	-0.0368 mg/L	1					11/24/19 22:01	N	II
KQ1917449-02	Carbon, Dissolved Organic (DOC)	CCV		Water	24.12 mg/L	10 ml	24.1 mg/L	1					11/25/19 06:19	N	II
KQ1917449-03	Carbon, Dissolved Organic (DOC)	CCB		Water	24.68 mg/L	10 ml	24.7 mg/L	1	0.07	0.50			11/24/19 22:16	N	II
KQ1917449-04	Carbon, Dissolved Organic (DOC)	CCB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/25/19 06:34	N	II
KQ1917449-05	Carbon, Dissolved Organic (DOC)	MB		Water	-0.04 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			11/25/19 01:49	N	II
KQ1917449-06	Carbon, Dissolved Organic (DOC)	LCS		Water	24.22 mg/L	10 ml	24.2 mg/L	1	0.07	0.50	97		11/25/19 02:04	N	II
KQ1917449-07	Carbon, Dissolved Organic (DOC)	MS	K1910975-001	Water	26.58 mg/L	10 ml	26.6 mg/L	1	0.07	0.50	103		11/25/19 05:36	N	I
KQ1917449-08	Carbon, Dissolved Organic (DOC)	DUP	K1910975-001	Water	0.72 mg/L	10 ml	0.72 mg/L	1	0.07	0.50		21*	11/25/19 05:08	N	I
KQ1917449-09	Carbon, Dissolved Organic (DOC)	DUP	K1910975-002	Water	8.27 mg/L	10 ml	82.7 mg/L	10	0.7	5.0		4	11/25/19 04:40	N	I
KQ1917449-10	Carbon, Dissolved Organic (DOC)	DUP	K1911043-001	Water	11.71 mg/L	10 ml	11700 mg/L	1000	70	500		<1	11/25/19 03:44	N	II
KQ1917449-11	Carbon, Dissolved Organic (DOC)	DUP	K1911043-002	Water	-0.04 mg/L	10 ml	500 mg/L U	1000	70	500		NC	11/25/19 04:12	N	II

11/26/19

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

0.031	0.031	#DIV/0!	#DIV/0!	OBSERVATIONS 13	0.031
0.000				STD Deviation 0.08537	0
0.000				AVERAGE 0.03675	0
0.000				UCL 0.12213	0
0.000				LCL -0.04862	0
0.000					0
0.270					ABOVE
0.177				OBSERVATIONS 1	ABOVE
0.000				STD Deviation #DIV/0!	0
0.000				AVERAGE 0.03100	0
0.000				UCL #DIV/0!	0
0.000				LCL #DIV/0!	0
0.000					0
					0
				OBSERVATIONS 0	0
				STD Deviation #DIV/0!	0
				AVERAGE #DIV/0!	0
				UCL #DIV/0!	0
				LCL #DIV/0!	0
					0
					0
				OBSERVATIONS 0	0
				STD Deviation #DIV/0!	0
				AVERAGE #DIV/0!	0
					0
					0
					0
					0
					0
					0

11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	24.567	0.0368	24.5300	24.52995	24.5	11/23/2019
3	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/23/2019
4	mb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/23/2019
5	lcs	1	24.774	0.0368	24.7370	24.73695	24.7	11/23/2019
6	K1910680-001	1	0.394	0.0368	0.3575	0.35745	<0.5	11/23/2019
7	K1910680-001	1	0.400	0.0368	0.3632	0.36315	<0.5	11/23/2019
8	K1910680-002	1	0.336	0.0368	0.2995	0.29945	<0.5	11/23/2019
9	K1910680-002	1	0.301	0.0368	0.2638	0.26375	<0.5	11/23/2019
10	K1910680-003	1	0.665	0.0368	0.6281	0.62805	0.63	11/23/2019
11	K1910680-003	1	0.645	0.0368	0.6085	0.60845	0.6	11/23/2019
12	K1910680-004	1	0.598	0.0368	0.5611	0.56105	0.56	11/23/2019
13	K1910680-004	1	0.704	0.0368	0.6673	0.66725	0.67	11/23/2019
14	K1910680-005	1	0.209	0.0368	0.1722	0.17215	<0.5	11/23/2019
15	K1910680-005	1	0.237	0.0368	0.1999	0.19985	<0.5	11/23/2019
16	K1910796-004	1	0.235	0.0368	0.1982	0.19815	<0.5	11/23/2019
17	K1910796-004	1	0.247	0.0368	0.2103	0.21025	<0.5	11/23/2019
18	KQ1917446-11	1	22.520	0.0368	22.4829	22.48285	22.5	11/23/2019
19	ccv	1	24.651	0.0368	24.6140	24.61395	24.6	11/23/2019
20	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/23/2019
21	K1910796-001	1	1.085	0.0368	1.0481	1.04805	1.05	11/23/2019
22	K1910796-001	1	1.173	0.0368	1.1367	1.13665	1.1	11/23/2019
23	K1910796-002	1	0.917	0.0368	0.8806	0.88055	0.9	11/23/2019
24	K1910796-002	1	0.803	0.0368	0.7659	0.76585	0.77	11/23/2019
25	K1910796-003	1	1.814	0.0368	1.7772	1.77715	1.78	11/23/2019

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

23 Bad Batch date time

Analyzed By: BAD	Date Analyzed 11/26/19
Reviewed By:	Date Reviewed 11/26/19

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1910796-003	1	1.791	0.0368	1.7545	1.75445	1.75	11/23/2019
27	K1910847-001	20	34.048	0.0368	34.0116	680.231	680.23	11/23/2019
28	K1910847-001	20	33.816	0.0368	33.7788	675.575	675.6	11/23/2019
29	K1910847-002	1	32.858	0.0368	32.8211	32.82105	32.8	11/23/2019
30	K1910847-002	1	32.481	0.0368	32.4447	32.44465	32.4	11/23/2019
31	K1910847-003	1	35.302	0.0368	35.2656	35.26555	35.3	11/23/2019
32	K1910847-003	1	34.801	0.0368	34.7641	34.76405	34.8	11/23/2019
33	K1910847-004	1	61.309	0.0368	61.2726	61.27255	61.3	11/24/2019
34	K1910847-004	1	60.948	0.0368	60.9109	60.91085	60.9	11/24/2019
35	K1910861-001	100	7.292	0.0368	7.2555	725.545	725.5	11/24/2019
36	K1910861-001	100	6.781	0.0368	6.7447	674.465	674.5	11/24/2019
37	K1910861-002	100	6.013	0.0368	5.9758	597.575	597.6	11/24/2019
38	K1910861-002	100	5.852	0.0368	5.8151	581.505	581.5	11/24/2019
39	K1910861-003	100	5.998	0.0368	5.9616	596.155	596.2	11/24/2019
40	K1910861-003	100	5.934	0.0368	5.8973	589.725	589.7	11/24/2019
41	ccv	1	24.592	0.0368	24.5555	24.55545	24.6	11/24/2019
42	ccb	1	0.031	0.0368	-0.0058	-0.00575	<0.5	11/24/2019
43	K1910861-004	100	7.819	0.0368	7.7823	778.225	778.2	11/24/2019
44	K1910861-004	100	7.801	0.0368	7.7640	776.395	776.4	11/24/2019
45	K1910861-005	100	7.497	0.0368	7.4601	746.005	746.0	11/24/2019
46	K1910861-005	100	7.442	0.0368	7.4053	740.525	740.5	11/24/2019
47	K1910861-006	100	10.791	0.0368	10.7546	1075.455	1075.5	11/24/2019
48	K1910861-006	100	10.652	0.0368	10.6153	1061.525	1061.5	11/24/2019
49	K1910861-007	100	8.384	0.0368	8.3476	834.755	834.8	11/24/2019
50	K1910861-007	100	8.194	0.0368	8.1568	815.675	815.7	11/24/2019

Analyzed By: [illegible]	Date Analyzed 11/23/19
Reviewed By: [signature]	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
51	ccv	1	24.259	0.0368	24.2227	24.22265	24.22	11/24/2019
52	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
53		1		0.0000	0.0000	0	<0.5	
54		1		0.0000	0.0000	0	<0.5	
55		1		0.0000	0.0000	0	<0.5	
56		1		0.0000	0.0000	0	<0.5	
57		1		0.0000	0.0000	0	<0.5	
58		1		0.0000	0.0000	0	<0.5	
59		1		0.0000	0.0000	0	<0.5	
60		1		0.0000	0.0000	0	<0.5	
61		1		0.0000	0.0000	0	<0.5	
62		1		0.0000	0.0000	0	<0.5	
63		1		0.0000	0.0000	0	<0.5	
64		1		0.0000	0.0000	0	<0.5	
65		1		0.0000	0.0000	0	<0.5	
66		1		0.0000	0.0000	0	<0.5	
67		1		0.0000	0.0000	0	<0.5	
68		1		0.0000	0.0000	0	<0.5	
69		1		0.0000	0.0000	0	<0.5	
70		1		0.0000	0.0000	0	<0.5	
71		1		0.0000	0.0000	0	<0.5	
72		1		0.0000	0.0000	0	<0.5	
73		1		0.0000	0.0000	0	<0.5	
74		1		0.0000	0.0000	0	<0.5	
75		1		0.0000	0.0000	0	<0.5	

Analyzed By:	BCP	Date Analyzed	11/25/19
Reviewed By:		Date Reviewed	11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	24.592	0.0368	24.5555	24.55545	24.6	11/24/2019
3	ccb	1	0.031	0.0368	-0.0058	-0.00575	<0.5	11/24/2019
4	mb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
5	lcs	1	25.123	0.0368	25.0866	25.08655	25.1	11/24/2019
6	K1910929-001	1	1.527	0.0368	1.4898	1.48975	1.49	11/24/2019
7	K1910929-001	1	1.429	0.0368	1.3918	1.39175	1.4	11/24/2019
8	K1910929-002	1	0.827	0.0368	0.7902	0.79015	1	11/24/2019
9	K1910929-002	1	0.919	0.0368	0.8820	0.88195	0.88	11/24/2019
10	K1910929-003	1	1.943	0.0368	1.9064	1.90635	1.91	11/24/2019
11	K1910929-003	1	1.976	0.0368	1.9391	1.93905	1.9	11/24/2019
12	K1910969-002	1	1.201	0.0368	1.1638	1.16375	1.16	11/24/2019
13	K1910969-002	1	1.147	0.0368	1.1100	1.10995	1.11	11/24/2019
14	ccv	1	24.259	0.0368	24.2227	24.22265	24.22	11/24/2019
15	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
16	K1911033-001	1	3.696	0.0368	3.6588	3.65875	3.7	11/24/2019
17	K1911033-001	1	3.684	0.0368	3.6472	3.64715	3.65	11/24/2019
18	K1911033-002	1	2.845	0.0368	2.8083	2.80825	2.8	11/24/2019
19	K1911033-002	1	2.775	0.0368	2.7385	2.73845	2.7	11/24/2019
20	K1911033-003	1	2.836	0.0368	2.7992	2.79915	2.80	11/24/2019
21	K1911033-003	1	2.795	0.0368	2.7582	2.75815	2.76	11/24/2019
22	K1911033-004	1	2.422	0.0368	2.3849	2.38485	2.4	11/24/2019
23	K1911033-004	1	2.347	0.0368	2.3104	2.31035	2.3	11/24/2019
24	K1911033-005	20	39.603	0.0368	39.5660	791.319	791.32	11/24/2019
25	K1911033-005	20	38.802	0.0368	38.7653	775.305	775.31	11/24/2019

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

		date	time
Analyzed By: BCP	Date Analyzed	11/23/19	
Reviewed By: [signature]	Date Reviewed	11/26/19	

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1911033-006	1	4.402	0.0368	4.3652	4.36515	4.37	11/24/2019
27	K1911033-006	1	3.221	0.0368	3.1843	3.18425	3.18	11/24/2019
28	K1911033-007	1	2.543	0.0368	2.5060	2.50595	2.5	11/24/2019
29	K1911033-007	1	2.273	0.0368	2.2363	2.23625	2.2	11/24/2019
30	K1911033-008	1000	7.861	0.0368	7.8241	7824.05	7824.1	11/24/2019
31	K1911033-008	1000	8.044	0.0368	8.0074	8007.35	8007.4	11/24/2019
32	K1911033-009	1	3.972	0.0368	3.9355	3.93545	3.9	11/24/2019
33	K1911033-009	1	3.647	0.0368	3.6099	3.60985	3.6	11/24/2019
34	KQ1917447-11	2	26.144	0.0368	26.1076	52.2151	52.2	11/24/2019
35	ccv	1	24.762	0.0368	24.7255	24.72545	24.7	11/24/2019
36	ccb	1	0.270	0.0368	0.2328	0.23275	<0.5	11/24/2019
37	K1911031-001	1	0.934	0.0368	0.8970	0.89695	0.9	11/24/2019
38	K1911031-001	1	0.826	0.0368	0.7890	0.78895	0.8	11/24/2019
39	K1911032-001	1	1.580	0.0368	1.5437	1.54365	1.5	11/24/2019
40	K1911032-001	1	1.458	0.0368	1.4216	1.42155	1.4	11/24/2019
41	K1911032-002	1	1.585	0.0368	1.5487	1.54865	1.5	11/24/2019
42	K1911032-002	1	1.638	0.0368	1.6012	1.60115	1.6	11/24/2019
43	K1911032-003	1	1.623	0.0368	1.5864	1.58635	1.6	11/24/2019
44	K1911032-003	1	1.541	0.0368	1.5038	1.50375	1.5	11/24/2019
45	K1911032-004	1	2.055	0.0368	2.0187	2.01865	2.0	11/24/2019
46	K1911032-004	1	1.904	0.0368	1.8668	1.86675	1.9	11/24/2019
47	K1911032-005	400	4.671	0.0368	4.6341	1853.62	1853.6	11/24/2019
48	K1911032-005	400	4.867	0.0368	4.8300	1931.98	1932.0	11/24/2019
49	K1911032-006	1	2.028	0.0368	1.9917	1.99165	2.0	11/24/2019
50	K1911032-006	1	1.861	0.0368	1.8238	1.82375	1.8	11/24/2019

Analyzed By: BCD	Date Analyzed 11/23/19
Reviewed By:	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
51	ccv	1	24.356	0.0368	24.3194	24.31935	24.32	11/24/2019
52	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
53		1		0.0000	0.0000	0	<0.5	
54		1		0.0000	0.0000	0	<0.5	
55		1		0.0000	0.0000	0	<0.5	
56		1		0.0000	0.0000	0	<0.5	
57		1		0.0000	0.0000	0	<0.5	
58		1		0.0000	0.0000	0	<0.5	
59		1		0.0000	0.0000	0	<0.5	
60		1		0.0000	0.0000	0	<0.5	
61		1		0.0000	0.0000	0	<0.5	
62		1		0.0000	0.0000	0	<0.5	
63		1		0.0000	0.0000	0	<0.5	
64		1		0.0000	0.0000	0	<0.5	
65		1		0.0000	0.0000	0	<0.5	
66		1		0.0000	0.0000	0	<0.5	
67		1		0.0000	0.0000	0	<0.5	
68		1		0.0000	0.0000	0	<0.5	
69		1		0.0000	0.0000	0	<0.5	
70		1		0.0000	0.0000	0	<0.5	
71		1		0.0000	0.0000	0	<0.5	
72		1		0.0000	0.0000	0	<0.5	
73		1		0.0000	0.0000	0	<0.5	
74		1		0.0000	0.0000	0	<0.5	
75		1		0.0000	0.0000	0	<0.5	

Analyzed By: BCP Date Analyzed 11/23/19

Reviewed By: [signature] Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	ccv	1	24.762	0.0368	24.7255	24.72545	24.7	11/24/2019
3	ccb	1	0.270	0.0368	0.2328	0.23275	<0.5	11/24/2019
4	mb	1	0.177	0.0368	0.1406	0.14055	<0.5	11/24/2019
5	lcs	1	24.962	0.0368	24.9254	24.92535	24.9	11/24/2019
6	KQ1917448-13	2	26.387	0.0368	26.3507	52.7013	52.70	11/24/2019
7	ccv	1	24.356	0.0368	24.3194	24.31935	24.3	11/24/2019
8	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
9	K1911032-007	1	4.121	0.0368	4.0838	4.08375	4.08	11/24/2019
10	K1911032-007	1	4.215	0.0368	4.1781	4.17805	4.18	11/24/2019
11	K1910803-001	1	43.462	0.0368	43.4256	43.42555	43.4	11/24/2019
12	K1910803-001	1	44.855	0.0368	44.8186	44.81855	44.82	11/24/2019
13	K1910803-002	1	120.019	0.0368	119.9820	119.98195	119.98	11/24/2019
14	K1910803-002	1	122.103	0.0368	122.0664	122.06635	122.07	11/24/2019
15	K1910803-003	1	21.826	0.0368	21.7893	21.78925	21.8	11/24/2019
16	K1910803-003	1	18.201	0.0368	18.1638	18.16375	18.2	11/24/2019
17	K1910803-004	1	67.352	0.0368	67.3154	67.31535	67.32	11/24/2019
18	K1910803-004	1	69.680	0.0368	69.6435	69.64345	69.6	11/24/2019
19	K1910803-005	1	39.984	0.0368	39.9477	39.94765	39.9	11/24/2019
20	K1910803-005	1	22.612	0.0368	22.5756	22.57555	22.58	11/24/2019
21	K1910803-006	1	14.967	0.0368	14.9307	14.93065	14.93	11/24/2019
22	K1910803-006	1	13.722	0.0368	13.6848	13.68475	13.7	11/24/2019
23	K1911047-001	100	3.650	0.0368	3.6131	361.305	361.3	11/24/2019
24	K1911047-001	100	3.066	0.0368	3.0297	302.965	302.97	11/24/2019
25	K1911047-002	100	26.873	0.0368	26.8364	2683.635	2683.64	11/24/2019

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

		date	time
Analyzed By: BR	Date Analyzed	11/23/19	
Reviewed By:	Date Reviewed	11/26/19	

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1911047-002	100	26.799	0.0368	26.7618	2676.175	2676.18	11/24/2019
27	K1911049-001	20	4.249	0.0368	4.2124	84.247	84.25	11/24/2019
28	K1911049-001	20	4.029	0.0368	3.9925	79.849	79.8	11/24/2019
29	ccv	1	24.669	0.0368	24.6320	24.63195	24.6	11/24/2019
30	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
31	K1911049-002	20	9.079	0.0368	9.0426	180.851	180.9	11/24/2019
32	K1911049-002	20	9.012	0.0368	8.9750	179.499	179.5	11/24/2019
33	KQ1917448-14	100	29.072	0.0368	29.0348	2903.475	2903.5	11/24/2019
34	K1911049-003	1	11.784	0.0368	11.7471	11.74705	11.7	11/24/2019
35	K1911049-003	1	11.848	0.0368	11.8116	11.81155	11.8	11/24/2019
36	K1911049-004	1	1.659	0.0368	1.6225	1.62245	1.6	11/24/2019
37	K1911049-004	1	1.541	0.0368	1.5039	1.50385	1.5	11/24/2019
38	K1911028-001	1	0.932	0.0368	0.8949	0.89485	0.9	11/25/2019
39	K1911028-001	1	0.858	0.0368	0.8217	0.82165	0.8	11/25/2019
40	K1911028-002	1	22.140	0.0368	22.1030	22.10295	22.1	11/25/2019
41	K1911028-002	1	21.561	0.0368	21.5239	21.52385	21.5	11/25/2019
42	K1911028-003	1	0.771	0.0368	0.7346	0.73455	0.7	11/25/2019
43	K1911028-003	1	0.696	0.0368	0.6592	0.65915	0.7	11/25/2019
44	ccv	1	24.254	0.0368	24.2171	24.21705	24.2	11/25/2019
45	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/25/2019
46	K1911028-004	1	1.442	0.0368	1.4057	1.40565	1.4	11/25/2019
47	K1911028-004	1	1.412	0.0368	1.3753	1.37525	1.4	11/25/2019
48	K1911028-005	1	1.478	0.0368	1.4409	1.44085	1.4	11/25/2019
49	K1911028-005	1	1.461	0.0368	1.4244	1.42435	1.4	11/25/2019
50	ccv	1	24.161	0.0368	24.1246	24.12455	24.1	11/25/2019

Analyzed By: [illegible]	Date Analyzed 11/23/19
Reviewed By: [signature]	Date Reviewed 11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
51	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/25/2019
52		1		0.0000	0.0000	0	<0.5	
53		1		0.0000	0.0000	0	<0.5	
54		1		0.0000	0.0000	0	<0.5	
55		1		0.0000	0.0000	0	<0.5	
56		1		0.0000	0.0000	0	<0.5	
57		1		0.0000	0.0000	0	<0.5	
58		1		0.0000	0.0000	0	<0.5	
59		1		0.0000	0.0000	0	<0.5	
60		1		0.0000	0.0000	0	<0.5	
61		1		0.0000	0.0000	0	<0.5	
62		1		0.0000	0.0000	0	<0.5	
63		1		0.0000	0.0000	0	<0.5	
64		1		0.0000	0.0000	0	<0.5	
65		1		0.0000	0.0000	0	<0.5	
66		1		0.0000	0.0000	0	<0.5	
67		1		0.0000	0.0000	0	<0.5	
68		1		0.0000	0.0000	0	<0.5	
69		1		0.0000	0.0000	0	<0.5	
70		1		0.0000	0.0000	0	<0.5	
71		1		0.0000	0.0000	0	<0.5	
72		1		0.0000	0.0000	0	<0.5	
73		1		0.0000	0.0000	0	<0.5	
74		1		0.0000	0.0000	0	<0.5	
75		1		0.0000	0.0000	0	<0.5	

Analyzed By:	BCP	Date Analyzed	11/25/19
Reviewed By:		Date Reviewed	11/26/19

ALS ENVIRONMENTAL

Matrix: WATER

Analysis: Total Organic Carbon (WATER) Method:Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc.,mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1			0.0000	0	<0.5	
2	mb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/24/2019
3	lcs	1	24.714	0.0368	24.6774	24.67735	24.7	11/24/2019
4	ccv	1	24.254	0.0368	24.2171	24.21705	24.2	11/25/2019
5	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/25/2019
6	K1911043-001	1000	11.760	0.0368	11.7231	11723.05	11723.05	11/25/2019
7	K1911043-001	1000	11.743	0.0368	11.7062	11706.15	11706.2	11/25/2019
8	K1911043-002	1000	0.000	0.0368	-0.0368	-36.75	<0.5	11/25/2019
9	K1911043-002	1000	0.000	0.0368	-0.0368	-36.75	<0.5	11/25/2019
10	K1910975-002	10	8.002	0.0368	7.9657	79.6565	79.66	11/25/2019
11	K1910975-002	10	8.302	0.0368	8.2651	82.6505	82.7	11/25/2019
12	K1910975-001	1	0.922	0.0368	0.8852	0.88515	0.89	11/25/2019
13	K1910975-001	1	0.756	0.0368	0.7189	0.71885	0.72	11/25/2019
14	KQ1917449-07	1	26.613	0.0368	26.5764	26.57635	26.58	11/25/2019
15	ccv	1	24.161	0.0368	24.1246	24.12455	24.1	11/25/2019
16	ccb	1	0.000	0.0368	-0.0368	-0.03675	<0.5	11/25/2019
17		1		0.0000	0.0000	0	<0.5	
18		1		0.0000	0.0000	0	<0.5	
19		1		0.0000	0.0000	0	<0.5	
20		1		0.0000	0.0000	0	<0.5	
21		1		0.0000	0.0000	0	<0.5	
22		1		0.0000	0.0000	0	<0.5	
23		1		0.0000	0.0000	0	<0.5	
24		1		0.0000	0.0000	0	<0.5	
25		1		0.0000	0.0000	0	<0.5	

ICAL Date 10/20/16 ICAL ID#:11-GEN-05-51A

LCS =24.0 ppm APG 4013 Lot #010615 (REF# 11-GEN-05-50N)

CCV = 25.0 ppm (Ref.#11-GEN-05-52E)

Spike: 0.05 ml of 5000 ppm stock ----> 10.0 ml =25.0 ppm x Dilution Factor (Ref.# 11-GEN-05-51M)

		date	time
Analyzed By: KD	Date Analyzed	11/23/19	
Reviewed By:	Date Reviewed	11/26/19	

Revision 1, 2010 R:\WET\ANALYSES\TOC\TEMPLATE\TOCwaterLIMS

TOC: 661076,
661077,
661078
DOC: 661079

Schedule: 11232019

Version: 8
Instrument: Fusion1
Last Saved by: Fusion1 (Fusion1)
Last Saved on: 2019/11/23 17:20 - Saturday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Blank)	Blank	Reagent/Acid Blank		1	True	Ready
D	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
1	Sample	MB1	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
2	Sample	ICS	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
3	Sample	K1910680-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
4	Sample	K1910680-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
5	Sample	K1910680-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
6	Sample	K1910680-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
7	Sample	K1910680-005.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
8	Sample	K1910796-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
9	Sample	K1910796-004.01 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
10	Sample	K1910796-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
11	Sample	K1910796-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
12	Sample	K1910796-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
13	Sample	K1910847-001.01 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
14	Sample	K1910847-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
15	Sample	K1910847-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
16	Sample	K1910847-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
17	Sample	K1910861-001.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
18	Sample	K1910861-002.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
19	Sample	K1910861-003.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
20	Sample	MB2	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
21	Sample	K1910861-004.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
22	Sample	K1910861-005.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
23	Sample	K1910861-006.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
24	Sample	K1910861-007.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
25	Sample	K1910929-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
26	Sample	K1910929-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
27	Sample	K1910929-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
28	Sample	K1910969-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
29	Sample	K1911033-001.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
30	Sample	K1911033-002.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
31	Sample	K1911033-003.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
32	Sample	K1911033-004.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
33	Sample	K1911033-005.03 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
34	Sample	K1911033-006.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
35	Sample	K1911033-007.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
36	Sample	K1911033-008.03 1000x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
37	Sample	K1911033-009.08	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
38	Sample	K1911033-009.08 ms 2x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready

11/26/19

Schedule: 11232019

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
39	Sample	MB3	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
40	Sample	K1911031-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
41	Sample	K1911032-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
42	Sample	K1911032-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
43	Sample	K1911032-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
44	Sample	K1911032-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
45	Sample	K1911032-005.01 400x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
46	Sample	K1911032-006.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
47	Sample	K1911032-007.03 ms 2x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
48	Sample	K1911032-007.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
49	Sample	K1910803-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
50	Sample	K1910803-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
51	Sample	K1910803-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
52	Sample	K1910803-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
53	Sample	K1910803-005.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
54	Sample	K1910803-006.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
55	Sample	K1911047-001.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
56	Sample	K1911047-002.01 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
57	Sample	K1911049-001.01 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
58	Sample	MB4	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
59	Sample	K1911049-002.01 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
60	Sample	K1911049-002.01 ms 100x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
61	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
62	Sample	K1911049-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
63	Sample	K1911049-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
64	Sample	K1911028-001.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
65	Sample	K1911028-002.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
66	Sample	K1911028-003.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
67	Sample	K1911028-004.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
68	Sample	K1911028-005.04	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
69	Sample	FB 11/21/19	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
70	Sample	FB 11/22/19	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
71	Sample	K1911043-001.01 doc 1000x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
72	Sample	K1911043-002.01 doc 1000x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
73	Sample	K1910975-002.01 doc 10x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
74	Sample	K1910975-001.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
75	Sample	K1910975-001.01 ms doc	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
61	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
					False	

Fusion Report - 11232019
Saturday, November 23, 2019 02:23 PM

(View - Reps, Unused Reps, Meta-Data, Signature, History)
Printed on 2019/11/26 09:09 - Tuesday

Report Summary Information

Company Location: Gen Chem Lab
Schedule Name: 11232019
Instrument Name: Fusion1
Report Version: 1 of 1
Report Creation by Operators (schedule version): Fusion1 (Fusion1) (v2), Fusion1 (Fusion1) (v3), Fusion1 (Fusion1) (v4), Fusion1 (Fusion1) (v5), Fusion1 (Fusion1) (v6), Fusion1 (Fusion1) (v7), Fusion1 (Fusion1) (v8)
Comment:

Engine Version: 1.1.5.1
Firmware Version: 1.2.0696
Connection: RS232 COM1

11/26/19

Report Results

Sample Type: Clean — From Schedule Version 2

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/11/23 14:23

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	13.02	17.16	4.14	49.59	05:26
2	TC Clean	7.50	10.99	3.49	49.85	07:19
3	TC Clean	2.01	5.61	3.60	49.88	07:04
4	TC Clean	1.40	5.11	3.71	49.85	07:02

Sample Type: Clean — From Schedule Version 3

	Pos	Analysis Type	Sample ID	Start Time
◈	(clean)		Clean	2019/11/23 14:55

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.72	15.29	3.57	49.65	05:23

2	TC Clean	3.64	7.23	3.59	49.87	07:17
3	TC Clean	1.59	5.34	3.74	49.87	07:02
4	TC Clean	1.19	4.93	3.74	49.91	07:02

Sample Type: Clean From Schedule Version 4

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2019/11/23 15:34

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.48	15.13	3.65	49.68	05:24
2	TC Clean	3.90	7.40	3.51	50.02	04:07
3	TC Clean	1.55	5.07	3.52	50.06	03:50
4	TC Clean	1.18	4.74	3.56	50.06	03:48

Sample Type: Blank (Creating v1323) From Schedule Version 5

	Pos	Analysis Type	Sample ID	Start Time
◆	(blank)		Reagent/Acid Blank	2019/11/23 15:56

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.31	14.93	3.62	49.60	05:13
2	TC Clean	3.39	7.01	3.62	50.04	04:06
3	TC Clean	1.31	4.93	3.61	50.06	03:48
4	TC Clean	1.45	4.95	3.50	50.05	03:47
5	Reagent Blank	4.02	7.68	3.66	50.07	05:09
6	Acid Blank	1.14	4.93	3.79	49.74	05:31

Sample Type: Sample From Schedule Version 6

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	D	TOC	RB	0.0324 ppm	0.0000 ppm	0.0000%	2019/11/23 16:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0324	0.3238	9.00	12.79	3.79	50.19	10:34

Dilution **Blank Contribution** **Method** **Calibration**

1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.5667 ppm (PASS)	0.0000 ppm	0%	2019/11/23 16:45

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.5667	245.6673	176.22	180.09	3.87	50.19	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 7

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/23 16:59

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.20	10.93	3.73	50.19	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 7

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	1	TOC	MB1	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/23 17:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.91	9.77	3.86	50.22	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 8

	Pos	BAT	Concentration	Dil	Sample ID	Min / Max	Result	Std. Dev.	RSD	Start Time

			(ppm)			(% dev)				
◈	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	24.7737 ppm (PASS)	0.0000 ppm	0%	2019/11/23 17:29

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.7737	247.7372	177.62	181.34	3.71	50.22	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	2	TOC	ICS	0.0515 ppm	0.0000 ppm	0.0000%	2019/11/23 17:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0515	0.5154	9.13	12.75	3.61	50.28	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	3	TOC	K1910680-001.01	0.3971 ppm	0.0041 ppm	1.0200%	2019/11/23 17:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3942	3.9420	11.46	15.12	3.66	50.22	10:23
2	TOC	0.3999	3.9995	11.50	15.20	3.70	50.24	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	4	TOC	K1910680-002.01	0.3183 ppm	0.0252 ppm	7.9200%	2019/11/23 18:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3362	3.3616	11.07	14.56	3.49	50.27	10:28
2	TOC	0.3005	3.0051	10.82	14.32	3.50	50.24	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	5	TOC	K1910680-003.01	0.6550 ppm	0.0139 ppm	2.1200%	2019/11/23 18:54

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6648	6.6483	13.30	17.08	3.79	50.23	10:28
2	TOC	0.6452	6.4524	13.16	16.93	3.77	50.22	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	6	TOC	K1910680-004.01	0.6509 ppm	0.0751 ppm	11.5400%	2019/11/23 19:22

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5978	5.9780	12.84	16.55	3.71	50.24	10:25
2	TOC	0.7040	7.0402	13.56	17.06	3.50	50.21	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	7	TOC	K1910680-005.03	0.2227 ppm	0.0196 ppm	8.7900%	2019/11/23 19:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2089	2.0887	10.20	13.79	3.59	50.22	10:27
2	TOC	0.2366	2.3657	10.39	13.99	3.60	50.18	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	8	TOC	K1910796-004.01	0.2410 ppm	0.0085 ppm	3.5400%	2019/11/23 20:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2349	2.3495	10.38	14.07	3.70	50.17	10:30
2	TOC	0.2470	2.4703	10.46	14.10	3.64	50.21	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	9	TOC	K1910796-004.01 ms	22.5196 ppm	0.0000 ppm	0.0000%	2019/11/23 20:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	22.5196	225.1962	161.65	165.26	3.61	50.18	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.6507 ppm (PASS)	0.0000 ppm	0%	2019/11/23 21:01

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.6507	246.5070	176.79	180.47	3.68	50.17	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/23 21:15

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.20	10.96	3.76	50.20	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	10	TOC	K1910796-001.01	1.1291 ppm	0.0626 ppm	5.5400%	2019/11/23 21:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.0848	10.8484	16.15	19.70	3.56	50.19	10:28
2	TOC	1.1734	11.7338	16.75	20.53	3.78	50.20	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	11	TOC	K1910796-002.01	0.8600 ppm	0.0811 ppm	9.4400%	2019/11/23 21:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9173	9.1734	15.01	18.72	3.71	50.17	10:29

2	TOC	0.8026	8.0257	14.23	17.85	3.62	50.21	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	12	TOC	K1910796-003.01	1.8026 ppm	0.0160 ppm	0.8900%	2019/11/23 22:27

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.8139	18.1393	21.10	24.61	3.52	50.15	10:27
2	TOC	1.7912	17.9124	20.94	24.64	3.70	50.17	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	13	TOC	K1910847-001.01 20x	33.9319 ppm	0.1646 ppm	0.4900%	2019/11/23 22:55

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	34.0483	340.4830	239.90	243.51	3.61	50.13	10:25
2	TOC	33.8155	338.1553	238.32	242.06	3.74	50.17	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	14	TOC	K1910847-002.01	32.6696 ppm	0.2662 ppm	0.8100%	2019/11/23 23:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	32.8578	328.5780	231.82	235.44	3.62	50.13	10:29
2	TOC	32.4814	324.8140	229.27	232.83	3.57	50.16	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	15	TOC	K1910847-003.01	35.0515 ppm	0.3546 ppm	1.0100%	2019/11/23 23:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	35.3023	353.0229	248.41	251.92	3.51	50.15	10:24
2	TOC	34.8008	348.0081	245.01	248.71	3.70	50.19	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◆	16	TOC	K1910847-004.01	61.1285 ppm	0.2557 ppm	0.4200%	2019/11/24 00:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	61.3093	613.0929	424.95	428.74	3.79	50.16	10:26
2	TOC	60.9476	609.4762	422.49	426.28	3.78	50.18	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	17	TOC	K1910861-001.01 100x	7.0368 ppm	0.3612 ppm	5.1300%	2019/11/24 00:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.2922	72.9217	58.28	62.10	3.82	50.15	10:27
2	TOC	6.7814	67.8141	54.82	58.35	3.54	50.11	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	18	TOC	K1910861-002.01 100x	5.9322 ppm	0.1137 ppm	1.9200%	2019/11/24 01:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.0125	60.1255	49.60	53.26	3.66	50.14	10:29
2	TOC	5.8518	58.5182	48.51	52.12	3.61	50.05	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	19	TOC	K1910861-003.01 100x	5.9661 ppm	0.0454 ppm	0.7600%	2019/11/24 01:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.9983	59.9826	49.50	53.04	3.54	50.09	10:26
2	TOC	5.9340	59.3403	49.06	52.60	3.54	50.03	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.5922 ppm (PASS)	0.0000 ppm	0%	2019/11/24 02:11

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.5922	245.9222	176.39	179.84	3.44	50.03	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0310 ppm (PASS)	0.0000 ppm	0%	2019/11/24 02:26

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0310	0.3101	9.67	13.33	3.66	50.08	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	20	TOC	MB2	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/24 02:41

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.75	12.48	3.72	49.99	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	25.1233 ppm (PASS)	0.0000 ppm	0%	2019/11/24 02:55

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	25.1233	251.2331	180.00	183.53	3.53	50.03	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	21	TOC	K1910861-004.01 100x	7.8099 ppm	0.0129 ppm	0.1700%	2019/11/24 03:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.8190	78.1899	61.86	65.43	3.57	50.08	10:27
2	TOC	7.8007	78.0072	61.74	65.35	3.62	50.02	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	22	TOC	K1910861-005.01 100x	7.4694 ppm	0.0388 ppm	0.5200%	2019/11/24 03:38

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.4968	74.9680	59.67	63.39	3.72	50.08	10:26
2	TOC	7.4420	74.4200	59.30	62.89	3.59	50.04	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	23	TOC	K1910861-006.01 100x	10.7216 ppm	0.0985 ppm	0.9200%	2019/11/24 04:06

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	10.7913	107.9132	82.04	85.66	3.63	50.12	10:29
2	TOC	10.6520	106.5195	81.09	84.72	3.63	50.06	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	24	TOC	K1910861-007.01 100x	8.2889 ppm	0.1349 ppm	1.6300%	2019/11/24 04:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	8.3843	83.8426	65.70	69.24	3.54	50.09	10:26
2	TOC	8.1935	81.9348	64.40	67.94	3.54	50.10	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	25	TOC	K1910929-001.01	1.4775 ppm	0.0693 ppm	4.6900%	2019/11/24 05:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5265	15.2651	19.15	22.67	3.52	50.08	10:26
2	TOC	1.4285	14.2854	18.48	22.07	3.59	50.12	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	26	TOC	K1910929-002.01	0.8728 ppm	0.0649 ppm	7.4400%	2019/11/24 05:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8269	8.2688	14.40	17.92	3.52	50.11	10:29
2	TOC	0.9187	9.1866	15.02	18.57	3.55	50.11	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	27	TOC	K1910929-003.01	1.9595 ppm	0.0231 ppm	1.1800%	2019/11/24 05:58

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9431	19.4313	21.97	25.45	3.48	50.14	10:29
2	TOC	1.9758	19.7583	22.20	25.88	3.69	50.11	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	28	TOC	K1910969-002.01	1.1736 ppm	0.0380 ppm	3.2400%	2019/11/24 06:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.2005	12.0049	16.93	20.49	3.56	50.15	10:28
2	TOC	1.1467	11.4671	16.57	20.16	3.59	50.15	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.2594 ppm (PASS)	0.0000 ppm	0%	2019/11/24 06:54

Pos	Base Analysis	ID	Rep	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run

	Type		#							Time
B	TOC	25 ppm	1	24.2594	242.5942	174.13	177.81	3.67	50.11	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/24 07:09

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.62	11.38	3.76	50.13	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	29	TOC	K1911033-001.03	3.6897 ppm	0.0082 ppm	0.2200%	2019/11/24 07:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.6955	36.9550	33.87	37.44	3.58	50.10	10:30
2	TOC	3.6839	36.8386	33.79	37.44	3.65	50.12	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	30	TOC	K1911033-002.03	2.8101 ppm	0.0494 ppm	1.7600%	2019/11/24 07:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8450	28.4502	28.10	31.78	3.68	50.13	10:24
2	TOC	2.7752	27.7519	27.62	31.38	3.76	50.10	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	31	TOC	K1911033-003.03	2.8154 ppm	0.0290 ppm	1.0300%	2019/11/24 08:20

Rep	Base			Adjusted		Baseline	Pressure	Run

#	Analysis Type	ppm	µg	(Abs)	NDIR (Abs)	(Abs)	(psig)	Time
1	TOC	2.8359	28.3589	28.03	31.72	3.68	50.10	10:27
2	TOC	2.7949	27.9493	27.76	31.45	3.69	50.12	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	32	TOC	K1911033-004.03	2.3843 ppm	0.0527 ppm	2.2100%	2019/11/24 08:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.4216	24.2162	25.22	28.84	3.62	50.11	10:29
2	TOC	2.3471	23.4708	24.72	28.28	3.57	50.10	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	33	TOC	K1911033-005.03 20x	39.2024 ppm	0.5662 ppm	1.4400%	2019/11/24 09:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	39.6027	396.0271	277.60	281.33	3.73	50.11	10:27
2	TOC	38.8020	388.0202	272.17	276.09	3.92	50.14	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	34	TOC	K1911033-006.03	3.8114 ppm	0.8350 ppm	21.9100%	2019/11/24 09:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.4019	44.0190	38.66	42.53	3.86	50.11	10:29
2	TOC	3.2210	32.2098	30.65	34.21	3.56	50.10	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	35	TOC	K1911033-007.03	2.4078 ppm	0.1907 ppm	7.9200%	2019/11/24 10:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.5427	25.4272	26.04	29.72	3.67	50.12	10:29
2	TOC	2.2730	22.7298	24.21	27.75	3.54	50.10	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.8608	78.6083	62.14	65.77	3.63	50.14	10:31
2	TOC	8.0441	80.4409	63.39	67.04	3.65	50.09	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	37	TOC	K1911033-009.08	3.8094 ppm	0.2302 ppm	6.0400%	2019/11/24 11:09

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.9722	39.7217	35.75	39.38	3.63	50.12	10:30
2	TOC	3.6466	36.4659	33.54	37.02	3.49	50.11	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	38	TOC	K1911033-009.08 ms 2x	26.1443 ppm	0.0000 ppm	0.0000%	2019/11/24 11:37

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.1443	261.4428	186.25	189.80	3.55	50.11	10:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.7622 ppm (PASS)	0.0000 ppm	0%	2019/11/24 11:51

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.7622	247.6222	177.55	181.02	3.47	50.15	10:28

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.2695 ppm (PASS)	0.0000 ppm	0%	2019/11/24 12:06

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.2695	2.6952	11.29	14.85	3.56	50.13	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	39	TOC	MB3	0.1773 ppm	0.0000 ppm	0.0000%	2019/11/24 12:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.1773	1.7735	9.99	13.72	3.73	50.13	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	24.9621 ppm (PASS)	0.0000 ppm	0%	2019/11/24 12:36

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.9621	249.6214	178.90	182.70	3.80	50.17	10:37

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	40	TOC	K1911031-001.01	0.8797 ppm	0.0764 ppm	8.6800%	2019/11/24 12:50

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	0.9337	9.3369	15.12	18.87	3.75	50.14	10:29
2	TOC	0.8257	8.2570	14.39	18.18	3.79	50.17	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	41	TOC	K1911032-001.01	1.5194 ppm	0.0864 ppm	5.6800%	2019/11/24 13:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5804	15.8042	19.51	23.29	3.78	50.19	10:28
2	TOC	1.4583	14.5830	18.68	22.26	3.58	50.20	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	42	TOC	K1911032-002.01	1.6117 ppm	0.0371 ppm	2.3000%	2019/11/24 13:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5854	15.8543	19.55	22.98	3.44	50.25	10:28
2	TOC	1.6379	16.3788	19.90	23.42	3.52	50.20	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	43	TOC	K1911032-003.01	1.5818 ppm	0.0584 ppm	3.6900%	2019/11/24 14:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6231	16.2315	19.80	23.26	3.46	50.22	10:25
2	TOC	1.5405	15.4050	19.24	22.79	3.54	50.25	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	44	TOC	K1911032-004.01	1.9794 ppm	0.1074 ppm	5.4300%	2019/11/24 14:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.0554	20.5538	22.74	26.37	3.63	50.21	10:30
2	TOC	1.9035	19.0350	21.70	25.32	3.61	50.22	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	45	TOC	K1911032-005.01 400x	4.7687 ppm	0.1385 ppm	2.9100%	2019/11/24 15:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.6708	46.7076	40.49	43.95	3.46	50.26	10:28
2	TOC	4.8667	48.6669	41.82	45.56	3.74	50.27	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	46	TOC	K1911032-006.01	1.9445 ppm	0.1188 ppm	6.1100%	2019/11/24 15:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.0284	20.2842	22.55	26.14	3.58	50.27	10:31
2	TOC	1.8605	18.6048	21.41	25.06	3.65	50.23	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	47	TOC	K1911032-007.03 ms 2x	26.3874 ppm	0.0000 ppm	0.0000%	2019/11/24 16:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.3874	263.8736	187.90	191.52	3.62	50.24	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.3561 ppm (PASS)	0.0000 ppm	0%	2019/11/24 16:22

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.3561	243.5606	174.79	178.42	3.63	50.26	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/24 16:36

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.48	11.05	3.57	50.24	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	48	TOC	K1911032-007.03	4.1677 ppm	0.0667 ppm	1.6000%	2019/11/24 16:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.1205	41.2052	36.75	40.48	3.73	50.22	10:28
2	TOC	4.2148	42.1480	37.39	40.98	3.59	50.25	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	49	TOC	K1910803-001.01	44.1588 ppm	0.9849 ppm	2.2300%	2019/11/24 17:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	43.4623	434.6235	303.80	307.50	3.70	50.24	10:26
2	TOC	44.8553	448.5526	313.26	317.05	3.79	50.20	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	50	TOC	K1910803-002.01	121.0609 ppm	1.4739 ppm	1.2200%	2019/11/24 17:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	120.0187	1200.1870	823.46	827.29	3.83	50.25	10:28
2	TOC	122.1031	1221.0313	837.61	842.19	4.58	50.24	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◆	51	TOC	K1910803-003.01	20.0133 ppm	2.5636 ppm	12.8100%	2019/11/24 18:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	21.8260	218.2603	156.94	161.38	4.44	50.17	10:27
2	TOC	18.2005	182.0049	132.33	136.43	4.11	50.22	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	52	TOC	K1910803-004.01	68.5161 ppm	1.6462 ppm	2.4000%	2019/11/24 18:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	67.3521	673.5207	465.97	469.89	3.93	50.19	10:27
2	TOC	69.6802	696.8016	481.77	488.04	6.27	50.15	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	53	TOC	K1910803-005.01	31.2983 ppm	12.2840 ppm	39.2500%	2019/11/24 19:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	39.9844	399.8441	280.20	285.79	5.59	50.18	10:30
2	TOC	22.6123	226.1228	162.27	166.53	4.26	50.14	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	54	TOC	K1910803-006.01	14.3445 ppm	0.8810 ppm	6.1400%	2019/11/24 19:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	14.9674	149.6740	110.38	114.24	3.86	50.18	10:28
2	TOC	13.7215	137.2151	101.92	105.81	3.89	50.14	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	55	TOC	K1911047-001.01 100x	3.3581 ppm	0.4125 ppm	12.2800%	2019/11/24 20:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.6498	36.4983	33.56	37.32	3.76	50.14	10:27
2	TOC	3.0664	30.6644	29.60	33.16	3.56	50.17	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	56	TOC	K1911047-002.01 100x	26.8358 ppm	0.0527 ppm	0.2000%	2019/11/24 20:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.8731	268.7307	191.20	194.84	3.64	50.13	10:25
2	TOC	26.7985	267.9853	190.69	194.42	3.73	50.17	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	57	TOC	K1911049-001.01 20x	4.1392 ppm	0.1555 ppm	3.7600%	2019/11/24 21:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.2491	42.4913	37.63	41.27	3.65	50.16	10:28
2	TOC	4.0292	40.2918	36.13	39.75	3.61	50.12	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm — From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.6687 ppm (PASS)	0.0000 ppm	0%	2019/11/24 21:32

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.6687	246.6868	176.91	180.57	3.66	50.17	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB — From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/24 21:47

Pos	Base Analysis	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time

	Type									
D	TOC	0 ppm	1	0.0000	0.0000	8.80	12.38	3.58	50.14	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/24 22:01

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	8.03	11.47	3.43	50.10	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> LCS From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	24.7141 ppm (PASS)	0.0000 ppm	0%	2019/11/24 22:16

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	24.7141	247.1405	177.22	180.81	3.59	50.14	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	25 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	59	TOC	K1911049-002.01 20x	9.0455 ppm	0.0478 ppm	0.5300%	2019/11/24 22:31

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	9.0793	90.7931	70.41	74.08	3.66	50.15	10:27
2	TOC	9.0117	90.1169	69.96	73.45	3.50	50.14	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◈	60	TOC	K1911049-002.01 ms 100x	29.0715 ppm	0.0000 ppm	0.0000%	2019/11/24 22:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	29.0715	290.7153	206.12	209.76	3.64	50.16	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	61	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/24 23:13

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.92	11.64	3.72	50.14	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	62	TOC	K1911049-003.01	11.8161 ppm	0.0456 ppm	0.3900%	2019/11/24 23:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	11.7838	117.8381	88.77	92.40	3.62	50.11	10:31
2	TOC	11.8483	118.4834	89.21	92.81	3.60	50.16	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	63	TOC	K1911049-004.01	1.5999 ppm	0.0839 ppm	5.2400%	2019/11/24 23:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6592	16.5924	20.05	23.59	3.54	50.11	10:30
2	TOC	1.5406	15.4065	19.24	22.81	3.57	50.13	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	64	TOC	K1911028-001.04	0.8950 ppm	0.0518 ppm	5.7800%	2019/11/25 00:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9316	9.3163	15.11	18.58	3.47	50.15	10:28
2	TOC	0.8584	8.5841	14.61	18.06	3.45	50.11	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC)	CAS_salt_010711	CAS_salt_010711

(v1323) (v4) (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	65	TOC	K1911028-002.04	21.8501 ppm	0.4095 ppm	1.8700%	2019/11/25 00:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	22.1397	221.3968	159.07	162.59	3.52	50.14	10:29
2	TOC	21.5606	215.6056	155.14	158.84	3.70	50.12	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	66	TOC	K1911028-003.04	0.7336 ppm	0.0533 ppm	7.2700%	2019/11/25 01:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7713	7.7134	14.02	17.61	3.59	50.10	10:26
2	TOC	0.6959	6.9591	13.51	17.14	3.64	50.14	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.2538 ppm (PASS)	0.0000 ppm	0%	2019/11/25 01:49

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.2538	242.5382	174.10	177.84	3.74	50.11	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/25 02:04

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	6.19	9.91	3.72	50.09	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Sample Type: Sample From Schedule Version 8

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	67	TOC	K1911028-004.04	1.4272 ppm	0.0215 ppm	1.5000%	2019/11/25 02:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4424	14.4239	18.58	22.17	3.60	50.13	10:29
2	TOC	1.4120	14.1204	18.37	22.07	3.70	50.12	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	68	TOC	K1911028-005.04	1.4693 ppm	0.0117 ppm	0.7900%	2019/11/25 02:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4776	14.7759	18.81	22.49	3.68	50.15	10:28
2	TOC	1.4611	14.6110	18.70	22.34	3.64	50.11	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	69	TOC	FB 11/21/19	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/25 03:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.76	9.25	3.49	50.12	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	70	TOC	FB 11/22/19	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/25 03:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	5.79	9.29	3.50	50.13	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

◈	71	TOC	K1911043-001.01 doc 1000x	11.7513 ppm	0.0120 ppm	0.1000%	2019/11/25 03:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	11.7598	117.5980	88.61	92.27	3.66	50.11	10:29
2	TOC	11.7429	117.4286	88.49	92.16	3.67	50.11	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	72	TOC	K1911043-002.01 doc 1000x	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/25 04:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.79	11.41	3.62	50.11	10:29
2	TOC	0.0000	0.0000	7.15	10.87	3.72	50.09	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	73	TOC	K1910975-002.01 doc 10x	8.1521 ppm	0.2117 ppm	2.6000%	2019/11/25 04:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	8.0024	80.0240	63.10	66.61	3.51	50.14	10:30
2	TOC	8.3018	83.0176	65.14	68.78	3.64	50.11	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	74	TOC	K1910975-001.01 doc	0.8387 ppm	0.1176 ppm	14.0200%	2019/11/25 05:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9219	9.2190	15.04	18.69	3.65	50.11	10:26
2	TOC	0.7556	7.5558	13.91	17.48	3.57	50.12	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	75	TOC	K1910975-001.01 ms doc	26.6131 ppm	0.0000 ppm	0.0000%	2019/11/25 05:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	26.6131	266.1305	189.43	193.03	3.60	50.14	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	61	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2019/11/25 05:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.23	10.93	3.70	50.12	10:28
2	TOC	0.0000	0.0000	6.73	10.14	3.40	50.11	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 8.7842 (IC) (v1323)	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.1613 ppm (PASS)	0.0000 ppm	0%	2019/11/25 06:19

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.1613	241.6131	173.47	177.17	3.70	50.11	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 8

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2019/11/25 06:34

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.86	9.52	3.65	50.12	10:29

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v30)	0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v1322	1.2997	0.8410	0.0000	0.0000	0.0000	2019/11/21 13:13	Fusion1 (Fusion1)
v1323	1.3397	1.1360	0.0000	0.0000	0.0000	2019/11/23 16:30	Fusion1 (Fusion1)

Calibrations

Name: CAS_salt_010711 (TOC)

Version: v30

Ver Creation: 2019/03/05 17:42

Comment:

Operator: Fusion1 (Fusion1)

Basic Analysis Type: TOC

Calibration curve formula: TOC: y = 6.788x + 9.463

r^2 value: TOC: r^2 = 0.99963

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
DI Water	7.8970	0.0000		2019/03/05 16:15
0.500 ppm	11.5280	0.5000		2019/03/05 16:29
1.0 ppm	14.9760	1.0000		2019/03/05 16:44
5.0 ppm	43.6500	5.0000		2019/03/05 16:58
10 ppm	79.6020	10.0000		2019/03/05 17:12
25 ppm	183.3580	25.0000		2019/03/05 17:26
50 ppm	346.3230	50.0000		2019/03/05 17:40

Methods

Name: CAS_salt_010711 (TOC)

Version: v4

Ver Creation: 2019/02/21 17:57

Comment:

Operator: Fusion1 (Fusion1)

Parameter	Value
SampleVolume	10.0 mL
Dilution	1:10
AcidVolume	0.5 ml
ReagentVolume	2.0 ml
UVReactorPrerinse	Off
UVReactorPrerinseVolume	5.0
NumberOfUVReactorPrerinses	1
ICSpargeTime	1.00 mins
DetectorSweepFlow	500 ml/min

Advanced Parameter	Value
NeedleRinseVolume	5.0 ml
VialPrimeVolume	2.0 ml
ICSamplePrimeVolume	2.0 ml
ICSpargeRinseVolume	12.0 ml
BaselineStabilizeTime	0.70 min
DetectorPressureFlow	150 ml/min
SyringeSpeedWaste	10
SyringeSpeedAcid	7
SyringeSpeedReagent	7

PreSpargeTime	2.00 mins	SyringeSpeedDIWater	7
SystemFlow	500 ml/min	NDIRPressurization	60 psig
		SyringeSpeedSampleDispense	5
		SyringeSpeedSampleAspirate	4
		SyringeSpeedUVDispense	5
		SyringeSpeedUVAspirate	5
		SyringeSpeedICDispense	5
		SyringeSpeedICAspirate	5
		NDIRPressureStabilize	1.75 min
		SampleMixing	Off
		SampleMixingCycles	1
		SampleMixingVolume	10.0
		LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Fusion1 (Fusion1)	Schedule completed	Schedule completed	2019/11/25 06:49

ALS Environmental

StarLIMS Run: 661076, 661077, 661078, 661079

Analysis: DOC/TOC

Method: SM 5310 C, 9060A, 415.1, 9060

CCV: 11-GEN-05-82C 50 ppm LCS: 11-GEN-05-79J 25.0 ppm

ICAL Date: 3/6/19

ICAL ID: 11-GEN-05-76H

ICS ID: 11-GEN-05-78M

ICS TV: 25.0 ppm ICS % R < 1

Spike ID: 11-GEN-05-82C 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 ppm x dilution factor

Sodium Persulfate: 11-GEN-05-83D

21 % H3PO4: 11-GEN-05-83B

Equipment ID: K-TOC-03

PIPETTE ID: 124276B, 129001F, N11314F, Marge

FILTER ID: 16967789

Analyzed By: BD	Date Analyzed: 11/26/19
Reviewed By:	Date Reviewed: 11/26/19

23 BD 11/26/19

HS19111080 Wet Chem Raw Data

ALS WO# HS19111080

Sequence: 112519
Last Update Operator: alshs.nouser

HS19111080

CD	Name	Comment	Type	Position	Dilution	Level	Instrument Method	ng	me	Status	Inject Time
	STD1	2970209205	Calibration	GA1	1.0000	1	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:08:06 PM -05:00
	STD2		Calibration	GA2	1.0000	2	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:24:42 PM -05:00
	STD3		Calibration	GA3	1.0000	3	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:41:19 PM -05:00
	STD4		Calibration	GA4	1.0000	4	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:57:54 PM -05:00
	STD5		Calibration	GA5	1.0000	5	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 3:14:30 PM -05:00
	STD6	F, NO2 MAX 10PPM	Calibration	GB8	1.0000	6	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:37:32 PM -05:00
	ICV	2970209123	Unknown	GA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:54:07 PM -05:00
	ICB		Unknown	GB8	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 7:29:52 PM -05:00
	CCV		Unknown	BA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 3:15:15 PM -06:00
	CCB		Unknown	BA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 3:31:51 PM -06:00
	WBLKW1-112519		Unknown	GA1	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 5:13:48 PM -06:00
	WLCSW1-112519		Unknown	GA2	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 5:30:23 PM -06:00
	WLCSDW1-112519		Unknown	GA3	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 5:46:58 PM -06:00
	HS19111269-02		Unknown	GA4	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 7:23:03 PM -06:00
	HS19111269-02MS		Unknown	GA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 7:39:39 PM -06:00
	HS19111269-02MSD		Unknown	GA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 7:56:15 PM -06:00
	HS19111269-03		Unknown	GA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 8:12:53 PM -06:00
	HS19111269-04		Unknown	GA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 8:29:28 PM -06:00
	HS19111269-05		Unknown	GB1	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 8:46:04 PM -06:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 9:02:44 PM -06:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 9:19:26 PM -06:00
	HS19111101-01		Unknown	GD3	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 9:36:06 PM -06:00
	HS19111250-01		Unknown	GB2	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 9:52:43 PM -06:00
	DI H2O		Unknown	BA1	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 10:09:19 PM -06:00
	HS19111069-07DF50		Unknown	GB3	50.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 10:25:58 PM -06:00
	HS19111069-08DF50		Unknown	GB4	50.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 10:42:33 PM -06:00
	HS19110634-01DF10		Unknown	GB5	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 10:59:10 PM -06:00
	HS19110634-02DF10		Unknown	GB6	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 11:15:45 PM -06:00
	HS19110634-03DF10		Unknown	GB7	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 11:32:22 PM -06:00
	HS19110634-04DF10		Unknown	GB8	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/25/2019 11:48:57 PM -06:00
	HS19110634-05DF10		Unknown	GC1	10.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 12:05:33 AM -06:00
	HS19111080-01DF5		Unknown	GC2	5.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 12:22:08 AM -06:00
	CCV		Unknown	BA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 12:38:47 AM -06:00
	CCB		Unknown	BA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 12:55:23 AM -06:00
	HS19111080-02DF5		Unknown	GC3	5.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 1:12:00 AM -06:00
	HS19111080-03DF5		Unknown	GC4	5.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 1:28:35 AM -06:00
	HS19111080-04DF5		Unknown	GC5	5.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 1:45:12 AM -06:00
	HS19111080-05DF200	matrix	Unknown	GC6	200.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 2:01:48 AM -06:00
	HS19111080-06DF5		Unknown	GC7	5.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 2:18:23 AM -06:00

Sequence: 112519
Last Update Operator: alshs.nouser

CD	Name	Comment	Type	Position	Dilution	Level	Instrument Method	ng	me	Status	Inject Time
	HS19111080-07DF5		Unknown	GC8	5.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 2:34:58 AM -06:00
	HS19111080-07MSDF5		Unknown	GD1	5.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 2:51:35 AM -06:00
	HS19111080-07MSDDF5		Unknown	GD2	5.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 3:08:11 AM -06:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 3:24:47 AM -06:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	11/26/2019 3:41:23 AM -06:00

Sequence: 112519
Injection #6: STD6


Calibration

Peak No.	Peak Name	Cal.Type	Eval.Type	Number of Points	Rel.Std.Dev. %	Coeff.of Determination	C0 (Offset)	C1 (Slope)	C2 (Curve)
1	*Fluoride*	*Lin, WithOffset, 1/x*	*Area*	*5*	*10.1532*	*0.99927*	*-0.0056*	*0.3716*	*0.0000*
2	Chloride	Lin, WithOffset, 1/x	Area	6	0.2804	1.00000	-0.0135	0.2355	0.0000
3	Nitrite,N	Lin, WithOffset, 1/x	Area	5	15.1147	0.99824	0.0003	0.5120	0.0000
4	Bromide	Lin, WithOffset, 1/x	Area	6	14.0217	0.99919	-0.0052	0.1009	0.0000
5	Sulfate	Lin, WithOffset, 1/x	Area	6	1.1258	0.99999	-0.0022	0.1717	0.0000
6	Nitrate	Lin, WithOffset, 1/x	Area	6	2.2249	0.99998	-0.0102	0.5876	0.0000
7	Chlorate	Lin, WithOffset, 1/x	Area	6	10.0265	0.99953	-0.0024	0.0944	0.0000
8	Phosphate	Lin, WithOffset, 1/x	Area	6	6.6198	0.99981	-0.0110	0.2321	0.0000
Maximum					15.1147	1.00000			
Minimum					0.2804	0.99824			

1 STD1

Sample Name:	**STD1**	*Injection Volume:*	**5.00**
Vial Number:	**GA1**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:08**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.031	0.0973	0.0973	1.0000
2	5.12	Chloride	BMB	0.105	0.5026	0.5026	1.0000
3	6.12	Nitrite,N	BMB	0.046	0.0893	0.0893	1.0000
4	8.00	Bromide	BMB	0.007	0.1192	0.1192	1.0000
5	8.64	Sulfate	BM	0.084	0.5042	0.5042	1.0000
6	9.10	Nitrate	M	0.051	0.1034	0.1034	1.0000
7	9.58	Chlorate	MB	0.008	0.1143	0.1143	1.0000
8	12.83	Phosphate	BMB	0.014	0.1085	0.1085	1.0000
Total:			**0.000**	**0.346**		**1.64**	

2 STD2

Sample Name:	**STD2**	*Injection Volume:*	**5.00**
Vial Number:	**GA2**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:24**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.140	0.3929	0.3929	1.0000
2	5.12	Chloride	BMB	0.456	1.9918	1.9918	1.0000
3	6.12	Nitrite,N	BMB	0.211	0.4119	0.4119	1.0000
4	8.00	Bromide	BMB	0.031	0.3593	0.3593	1.0000
5	8.64	Sulfate	BM	0.337	1.9733	1.9733	1.0000
6	9.10	Nitrate	M	0.220	0.3917	0.3917	1.0000
7	9.58	Chlorate	MB	0.033	0.3704	0.3704	1.0000
8	12.80	Phosphate	BMB	0.078	0.3841	0.3841	1.0000
Total:			**0.000**	**1.506**		**6.28**	

3 STD3

Sample Name:	**STD3**	*Injection Volume:*	**5.00**
Vial Number:	**GA3**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:41**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.758	2.0551	2.0551	1.0000
2	5.12	Chloride	BMB	2.339	9.9888	9.9888	1.0000
3	6.12	Nitrite,N	BMB	1.091	2.1305	2.1305	1.0000
4	8.00	Bromide	BMB	0.182	1.8590	1.8590	1.0000
5	8.61	Sulfate	BM	1.715	10.0007	10.0007	1.0000
6	9.07	Nitrate	M	1.153	1.9792	1.9792	1.0000
7	9.57	Chlorate	MB	0.176	1.8940	1.8940	1.0000
8	12.75	Phosphate	BMB	0.436	1.9269	1.9269	1.0000
Total:			**0.000**	**7.851**		**31.83**	

4 STD4

Sample Name:	**STD4**	*Injection Volume:*	**5.00**
Vial Number:	**GA4**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:57**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.535	4.1457	4.1457	1.0000
2	5.12	Chloride	BMB	4.695	19.9948	19.9948	1.0000
3	6.13	Nitrite,N	BMB	2.133	4.1659	4.1659	1.0000
4	8.00	Bromide	BMB	0.385	3.8642	3.8642	1.0000
5	8.58	Sulfate	BM	3.451	20.1082	20.1082	1.0000
6	9.05	Nitrate	M	2.330	3.9823	3.9823	1.0000
7	9.57	Chlorate	MB	0.365	3.8956	3.8956	1.0000
8	12.69	Phosphate	BMB	0.903	3.9395	3.9395	1.0000
Total:			**0.000**	**15.798**		**64.10**	

5 STD5

Sample Name:	**STD5**	*Injection Volume:*	**5.00**
Vial Number:	**GA5**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 15:14**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.639	9.8090	9.8090	1.0000
2	5.11	Chloride	BMB	11.762	49.9996	49.9996	1.0000
3	6.12	Nitrite,N	BMB	4.968	9.7023	9.7023	1.0000
4	7.98	Bromide	BMB	1.001	9.9786	9.9786	1.0000
5	8.50	Sulfate	BM	8.590	50.0271	50.0271	1.0000
6	8.98	Nitrate	M	5.854	9.9805	9.9805	1.0000
7	9.54	Chlorate	MB	0.939	9.9670	9.9670	1.0000
8	12.57	Phosphate	BMB	2.305	9.9803	9.9803	1.0000
Total:			**0.000**	**39.057**		**159.44**	

6 STD6

Sample Name:	**STD6**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:37**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	6.773	18.2418	18.2418	1.0000
2	5.10	Chloride	BMB	23.542	100.0224	100.0224	1.0000
3	6.11	Nitrite,N	BMB	9.157	17.8850	17.8850	1.0000
4	7.95	Bromide	BM	2.045	20.3197	20.3197	1.0000
5	8.40	Sulfate	M	17.153	99.8863	99.8863	1.0000
6	8.91	Nitrate	M	11.778	20.0629	20.0629	1.0000
7	9.51	Chlorate	MB	1.910	20.2586	20.2586	1.0000
8	12.44	Phosphate	BMB	4.668	20.1606	20.1606	1.0000
Total:			**0.000**	**77.025**		**316.84**	

7 ICV

Sample Name:	**ICV**	*Injection Volume:*	**5.00**
Vial Number:	**GA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:54**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.495	4.0374	4.0374	1.0000
2	5.12	Chloride	BMB	4.681	19.9333	19.9333	1.0000
3	6.13	Nitrite,N	BMB	2.195	4.2858	4.2858	1.0000
4	8.00	Bromide	BMB	0.384	3.8585	3.8585	1.0000
5	8.57	Sulfate	BM	3.469	20.2132	20.2132	1.0000
6	9.05	Nitrate	M	2.340	3.9993	3.9993	1.0000
7	9.57	Chlorate	MB	0.367	3.9104	3.9104	1.0000
8	12.68	Phosphate	BMB	0.911	3.9732	3.9732	1.0000
Total:			**0.000**	**15.841**		**64.21**	

8 ICB

Sample Name:	**ICB**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 19:29**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.11	Chloride	BMB	0.004	0.0748	0.0748	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.63	Sulfate	BMB	0.008	0.0618	0.0618	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.013**		**0.14**	

9 CCV

Sample Name:	**CCV**	*Injection Volume:*	**5.00**
Vial Number:	**BA5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/25/2019 15:15**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.457	3.9353	3.9353	1.0000
2	5.07	Chloride	BMB	4.637	19.7478	19.7478	1.0000
3	6.04	Nitrite,N	BMB	2.105	4.1108	4.1108	1.0000
4	7.86	Bromide	BMB	0.376	3.7816	3.7816	1.0000
5	8.51	Sulfate	BM	3.347	19.4994	19.4994	1.0000
6	8.87	Nitrate	M	2.351	4.0181	4.0181	1.0000
7	9.37	Chlorate	MB	0.375	4.0006	4.0006	1.0000
8	12.66	Phosphate	BMB	0.797	3.4824	3.4824	1.0000
Total:			**0.000**	**15.445**		**62.58**	

10 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/25/2019 15:31**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.07	Chloride	BMB	0.003	0.0685	0.0685	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.003**		**0.07**	

11 WBLKW1-112519

Sample Name:	**WBLKW1-112519**	*Injection Volume:*	**5.00**
Vial Number:	**GA1**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/25/2019 17:13**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.06	Chloride	BMB	0.002	0.0668	0.0668	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.002**		**0.07**	

12 *WLCSW1-112519*

Sample Name:	**WLCSW1-112519**	*Injection Volume:*	**5.00**
Vial Number:	**GA2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/25/2019 17:30**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.449	3.9144	3.9144	1.0000
2	5.07	Chloride	BMB	4.684	19.9463	19.9463	1.0000
3	6.04	Nitrite,N	BMB	2.115	4.1295	4.1295	1.0000
4	7.86	Bromide	BMB	0.370	3.7220	3.7220	1.0000
5	8.53	Sulfate	BM	3.344	19.4825	19.4825	1.0000
6	8.87	Nitrate	M	2.383	4.0732	4.0732	1.0000
7	9.37	Chlorate	MB	0.378	4.0342	4.0342	1.0000
8	12.67	Phosphate	BMB	0.781	3.4132	3.4132	1.0000
Total:			**0.000**	**15.504**		**62.72**	

13 WLCSDW1-112519

Sample Name:	WLCSDW1-112519	Injection Volume:	5.00
Vial Number:	GA3	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	1.0000
Recording Time:	11/25/2019 17:46	Sample Weight:	1.0000

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.474	3.9811	3.9811	1.0000
2	5.07	Chloride	BMB	4.692	19.9805	19.9805	1.0000
3	6.04	Nitrite,N	BMB	2.119	4.1382	4.1382	1.0000
4	7.86	Bromide	BMB	0.372	3.7356	3.7356	1.0000
5	8.52	Sulfate	BM	3.366	19.6127	19.6127	1.0000
6	8.87	Nitrate	M	2.376	4.0614	4.0614	1.0000
7	9.37	Chlorate	MB	0.378	4.0319	4.0319	1.0000
8	12.66	Phosphate	BMB	0.818	3.5725	3.5725	1.0000
Total:			**0.000**	**15.595**		**63.11**	

14 HS19111269-02

Sample Name:	**HS19111269-02**	*Injection Volume:*	**5.00**
Vial Number:	**GA4**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/25/2019 19:23**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.135	0.3792	0.3792	1.0000
2	5.07	Chloride	BMB	2.409	10.2861	10.2861	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
4	7.83	Bromide	BMB	0.014	0.1866	0.1866	1.0000
5	8.48	Sulfate	BMB	6.345	36.9585	36.9585	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**8.903**		**47.81**	

15 *HS19111269-02MS*

Sample Name:	**HS19111269-02MS**	*Injection Volume:*	**5.00**
Vial Number:	**GA5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/25/2019 19:39**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	0.815	2.2076	2.2076	1.0000
2	5.07	Chloride	BMB	4.635	19.7386	19.7386	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
5	7.84	Bromide	BMB	0.170	1.7361	1.7361	1.0000
6	8.45	Sulfate	BM	7.849	45.7169	45.7169	1.0000
7	8.90	Nitrate	M	1.139	1.9568	1.9568	1.0000
8	9.38	Chlorate	MB	0.198	2.1195	2.1195	1.0000
9	12.89	Phosphate	BMB	0.228	1.0300	1.0300	1.0000
Total:			**0.000**	**15.034**		**74.51**	

16 HS19111269-02MSD

Sample Name:	**HS19111269-02MSD**	*Injection Volume:*	**5.00**
Vial Number:	**GA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/25/2019 19:56**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.843	2.2828	2.2828	1.0000
2	5.07	Chloride	BMB	4.633	19.7319	19.7319	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
5	7.84	Bromide	BMB	0.170	1.7402	1.7402	1.0000
6	8.45	Sulfate	BM	7.835	45.6334	45.6334	1.0000
7	8.90	Nitrate	M	1.141	1.9590	1.9590	1.0000
8	9.38	Chlorate	MB	0.195	2.0919	2.0919	1.0000
9	12.93	Phosphate	BMB	0.223	1.0077	1.0077	1.0000
Total:			**0.000**	**15.040**		**74.45**	

20 CCV1

Sample Name:	**CCV1**	*Injection Volume:*	**5.00**
Vial Number:	**BA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/25/2019 21:02**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.564	9.6077	9.6077	1.0000
2	5.07	Chloride	BMB	11.670	49.6096	49.6096	1.0000
3	6.04	Nitrite,N	BMB	4.942	9.6525	9.6525	1.0000
4	7.85	Bromide	BMB	0.979	9.7585	9.7585	1.0000
5	8.42	Sulfate	BM	8.407	48.9607	48.9607	1.0000
6	8.83	Nitrate	M	5.921	10.0955	10.0955	1.0000
7	9.36	Chlorate	MB	1.031	10.9504	10.9504	1.0000
8	12.56	Phosphate	BMB	2.051	8.8847	8.8847	1.0000
Total:			**0.000**	**38.566**		**157.52**	

21 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/25/2019 21:19**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.07	Chloride	BMB	0.004	0.0744	0.0744	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.004**		**0.07**	

32 *HS19111080-01DF5*

Sample Name:	**HS19111080-01DF5**	*Injection Volume:*	**5.00**
Vial Number:	**GC2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**11/26/2019 00:22**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.006	0.0312	0.1562	5.0000
3	5.05	Chloride	BMB	55.734	236.7179	1183.5896	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
5	7.86	Bromide	BMB	0.096	1.0055	5.0276	5.0000
6	8.45	Sulfate	BMB	10.376	60.4293	302.1463	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**66.212**		**1490.92**	

33 CCV

Sample Name:	**CCV**	*Injection Volume:*	**5.00**
Vial Number:	**BA5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/26/2019 00:38**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.454	3.9290	3.9290	1.0000
2	5.07	Chloride	BMB	4.647	19.7903	19.7903	1.0000
3	6.05	Nitrite,N	BMB	2.102	4.1056	4.1056	1.0000
4	7.87	Bromide	BMB	0.372	3.7423	3.7423	1.0000
5	8.50	Sulfate	BM	3.346	19.4944	19.4944	1.0000
6	8.88	Nitrate	M	2.343	4.0052	4.0052	1.0000
7	9.38	Chlorate	MB	0.369	3.9378	3.9378	1.0000
8	12.70	Phosphate	BMB	0.725	3.1735	3.1735	1.0000
Total:			**0.000**	**15.360**		**62.18**	

34 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/26/2019 00:55**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.07	Chloride	BMB	0.004	0.0726	0.0726	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.004**		**0.07**	

35 *HS19111080-02DF5*

Sample Name:	**HS19111080-02DF5**	*Injection Volume:*	**5.00**
Vial Number:	**GC3**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**11/26/2019 01:12**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.006	0.0309	0.1544	5.0000
2	5.06	Chloride	BMB	56.172	238.5771	1192.8856	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
4	7.86	Bromide	BMB	0.097	1.0103	5.0514	5.0000
5	8.46	Sulfate	BMB	10.499	61.1434	305.7171	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**66.773**		**1503.81**	

36 HS19111080-03DF5

Sample Name:	**HS19111080-03DF5**	*Injection Volume:*	**5.00**
Vial Number:	**GC4**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**11/26/2019 01:28**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.005	0.0289	0.1447	5.0000
3	5.06	Chloride	BMB	48.095	204.2805	1021.4025	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
5	7.86	Bromide	BMB	0.081	0.8502	4.2509	5.0000
6	8.50	Sulfate	BMB	6.122	35.6569	178.2843	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**54.302**		**1204.08**	

37 HS19111080-04DF5

Sample Name:	**HS19111080-04DF5**	*Injection Volume:*	**5.00**
Vial Number:	**GC5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**11/26/2019 01:45**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.012	0.0460	0.2299	5.0000
3	5.05	Chloride	BMB	57.579	244.5513	1222.7564	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
5	7.86	Bromide	BMB	0.117	1.2120	6.0602	5.0000
6	8.47	Sulfate	BMB	9.070	52.8246	264.1230	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**66.777**		**1493.17**	

38 HS19111080-05DF200

Sample Name:	HS19111080-05DF200	Injection Volume:	5.00
Vial Number:	GC6	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	200.0000
Recording Time:	11/26/2019 02:01	Sample Weight:	1.0000

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	200.0000
4	5.08	Chloride	BMB	0.282	1.2557	251.1489	200.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	200.0000
6	7.87	Bromide	BMB	0.096	1.0031	200.6143	200.0000
7	8.58	Sulfate	BMB	0.021	0.1327	26.5401	200.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	200.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	200.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	200.0000
Total:			**0.000**	**0.399**		**478.30**	

39 HS19111080-06DF5

Sample Name:	**HS19111080-06DF5**	*Injection Volume:*	**5.00**
Vial Number:	**GC7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**11/26/2019 02:18**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.005	0.0292	0.1462	5.0000
3	5.06	Chloride	BMB	51.123	217.1391	1085.6955	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
5	7.86	Bromide	BMB	0.086	0.9054	4.5268	5.0000
6	8.49	Sulfate	BMB	7.727	45.0009	225.0045	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**58.941**		**1315.37**	

40 HS19111080-07DF5

Sample Name:	HS19111080-07DF5	Injection Volume:	5.00
Vial Number:	GC8	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	5.0000
Recording Time:	11/26/2019 02:34	Sample Weight:	1.0000

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.009	0.0385	0.1923	5.0000
3	5.06	Chloride	BMB	47.518	201.8318	1009.1592	5.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	5.0000
4	7.84	Bromide	BMB	0.075	0.7976	3.9881	5.0000
5	8.34	Sulfate	BMB	32.563	189.6106	948.0528	5.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	5.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	5.0000
Total:			**0.000**	**80.165**		**1961.39**	

41 HS19111080-07MSDF5

Sample Name:	**HS19111080-07MSDF5**	*Injection Volume:*	**5.00**
Vial Number:	**GD1**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**11/26/2019 02:51**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.635	1.7233	8.6163	5.0000
3	5.06	Chloride	BMB	49.081	208.4668	1042.3342	5.0000
4	6.04	Nitrite,N	BMB	1.050	2.0509	10.2546	5.0000
6	7.84	Bromide	BMB	0.257	2.5977	12.9883	5.0000
7	8.33	Sulfate	BM	33.697	196.2130	981.0652	5.0000
8	8.86	Nitrate	M	1.232	2.1150	10.5750	5.0000
9	9.37	Chlorate	MB	0.196	2.1024	10.5120	5.0000
10	12.99	Phosphate	BMB	0.203	0.9209	4.6046	5.0000
Total:			**0.000**	**86.350**		**2080.95**	

42 *HS19111080-07MSDDF5*

Sample Name:	**HS19111080-07MSDDF5**	*Injection Volume:*	**5.00**
Vial Number:	**GD2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**5.0000**
Recording Time:	**11/26/2019 03:08**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.633	1.7197	8.5987	5.0000
3	5.05	Chloride	BMB	48.932	207.8349	1039.1743	5.0000
4	6.04	Nitrite,N	BMB	1.046	2.0431	10.2153	5.0000
6	7.84	Bromide	BMB	0.256	2.5847	12.9233	5.0000
7	8.33	Sulfate	BM	33.506	195.1039	975.5195	5.0000
8	8.86	Nitrate	M	1.221	2.0958	10.4788	5.0000
9	9.37	Chlorate	MB	0.194	2.0771	10.3856	5.0000
10	13.00	Phosphate	BMB	0.202	0.9192	4.5960	5.0000
Total:			**0.000**	**85.990**		**2071.89**	

43 CCV1

Sample Name:	**CCV1**	*Injection Volume:*	**5.00**
Vial Number:	**BA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/26/2019 03:24**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.570	9.6229	9.6229	1.0000
2	5.07	Chloride	BMB	11.687	49.6824	49.6824	1.0000
3	6.04	Nitrite,N	BMB	4.945	9.6568	9.6568	1.0000
4	7.85	Bromide	BMB	0.975	9.7137	9.7137	1.0000
5	8.45	Sulfate	BM	8.345	48.6026	48.6026	1.0000
6	8.81	Nitrate	M	6.007	10.2415	10.2415	1.0000
7	9.34	Chlorate	MB	0.955	10.1373	10.1373	1.0000
8	12.63	Phosphate	BMB	2.000	8.6657	8.6657	1.0000
Total:			**0.000**	**38.483**		**156.32**	

44 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**11/26/2019 03:41**	*Sample Weight:*	**1.0000**

Run Time:



Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.07	Chloride	BMB	0.005	0.0805	0.0805	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.005**		**0.08**	

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

December 06, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19120208**

Laboratory Results for: **Longhorn Army Ammunition Plant -16**

Dear Susan,

ALS Environmental received 5 sample(s) on Dec 05, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Work Order: HS19120208

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19120208-01	16EW11-191203	Groundwater		03-Dec-2019 14:05	05-Dec-2019 09:15	☐
HS19120208-02	16EW12B-191203	Groundwater		03-Dec-2019 14:09	05-Dec-2019 09:15	☐
HS19120208-03	16EW13-191203	Groundwater		03-Dec-2019 14:17	05-Dec-2019 09:15	☐
HS19120208-04	16EW14B-191203	Groundwater		03-Dec-2019 14:26	05-Dec-2019 09:15	☐
HS19120208-05	16EW15-191203	Groundwater		03-Dec-2019 14:36	05-Dec-2019 09:15	☐

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Work Order: HS19120208

CASE NARRATIVE

WetChemistry by Method SM5310B

Batch ID: R351965

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW11-191203
Collection Date: 03-Dec-2019 14:05

ANALYTICAL REPORT
WorkOrder:HS19120208
Lab ID:HS19120208-01
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**6.36**		**0.500**	**1.00**	**1.00**	**mg/L**	1	06-Dec-2019 11:42

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW12B-191203
Collection Date: 03-Dec-2019 14:09

ANALYTICAL REPORT
WorkOrder:HS19120208
Lab ID:HS19120208-02
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**9.15**		**1.00**	**2.00**	**2.00**	**mg/L**	2	06-Dec-2019 12:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW13-191203
Collection Date: 03-Dec-2019 14:17

ANALYTICAL REPORT
WorkOrder:HS19120208
Lab ID:HS19120208-03
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**9.85**		**1.00**	**2.00**	**2.00**	**mg/L**	2	06-Dec-2019 12:26

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW14B-191203
Collection Date: 03-Dec-2019 14:26

ANALYTICAL REPORT
WorkOrder:HS19120208
Lab ID:HS19120208-04
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**21.6**		**2.50**	**5.00**	**5.00**	**mg/L**	5	06-Dec-2019 12:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW15-191203
Collection Date: 03-Dec-2019 14:36

ANALYTICAL REPORT
WorkOrder:HS19120208
Lab ID:HS19120208-05
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**21.0**		**2.50**	**5.00**	**5.00**	**mg/L**	5	06-Dec-2019 12:56

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: HS19120208

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R351965 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS19120208-01	16EW11-191203	03 Dec 2019 14:05			06 Dec 2019 11:42	1
HS19120208-02	16EW12B-191203	03 Dec 2019 14:09			06 Dec 2019 12:11	2
HS19120208-03	16EW13-191203	03 Dec 2019 14:17			06 Dec 2019 12:26	2
HS19120208-04	16EW14B-191203	03 Dec 2019 14:26			06 Dec 2019 12:41	5
HS19120208-05	16EW15-191203	03 Dec 2019 14:36			06 Dec 2019 12:56	5

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: HS19120208

QC BATCH REPORT

Batch ID: R351965 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW1-120619** Units: **mg/L** Analysis Date: **06-Dec-2019 11:02**
Client ID: Run ID: **TOC_02_351965** SeqNo: **5377688** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW1-120619** Units: **mg/L** Analysis Date: **06-Dec-2019 11:15**
Client ID: Run ID: **TOC_02_351965** SeqNo: **5377689** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	10.13	1.00	10	0	101	85 - 115				

LCSD Sample ID: **WLCSDW1-120619** Units: **mg/L** Analysis Date: **06-Dec-2019 11:28**
Client ID: Run ID: **TOC_02_351965** SeqNo: **5377690** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	10.58	1.00	10	0	106	85 - 115	10.13	4.35	20	

MS Sample ID: **HS19120208-01MS** Units: **mg/L** Analysis Date: **06-Dec-2019 11:55**
Client ID: **16EW11-191203** Run ID: **TOC_02_351965** SeqNo: **5377692** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	17.11	1.00	10	6.356	108	80 - 120				

The following samples were analyzed in this batch: HS19120208-01 HS19120208-02 HS19120208-03 HS19120208-04 HS19120208-05

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: **HS19120208**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 06-Dec-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19120208
Date/Time Received: **05-Dec-2019 09:15**
Received by: **JRM**

Checklist completed by: *Paresh M. Giga* eSignature 5-Dec-2019 Date
Reviewed by: *RJ Modashia* eSignature 5-Dec-2019 Date

Matrices: **GW**
Carrier name: **FedEx**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:None
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	1.8c U/C	IR25	
Cooler(s)/Kit(s):	43968		
Date/Time sample(s) sent to storage:	12/5/19 16:45		
Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-BB2-TOC-ALSHT-191203-BL TURNAROUND TIME: 24 hr TAT RUSH: 24 hr TAT Page 1 of 1

PROJECT/CLIENT INFO				LABORATORY					
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Fedinvoices @aptim.com	
Project Number	501032			Lab Contact	RJ Modashia				
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Susan.Huang@aptim.com	
Address	1203-B East Grand Avenue			Address	10450 Stanciff Rd., Suite 210			Susan Huang	
	PMB 202							4005 Port Chicago Hwy	
City	Marshall	State	TX	City	Houston	State	TX	Concord	State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	94520	Country USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656				
Project Manager	Praveen Srivastav								

SAMPLE DETAILS / ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS: Bromide by SW9056 (Containers and Preservative: 1-250 ml HDPE, Ice)	ANALYSIS: TOC by SM5310 (2-40ml Amber VOA H2SO4)
16EW11-191203	16EW11				GW	12/3/2019	1405	2		2
16EW12B-191203	16EW12B				GW	12/3/2019	1409	2		2
16EW13-191203	16EW13				GW	12/3/2019	1417	2		2
16EW14B-191203	16EW14B				GW	12/3/2019	1426	2		2
16EW15-191203	16EW15				GW	12/3/2019	1436	2		2

HS19120208

Aptim Environmental & Infrastructure, Inc.
Longhorn Army Ammunition Plant -16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	[illegible] ARMY	12/4/19 1730	J M / ALS	12/5/19 09:15

UK
1.8
IR#25
CF0.C
43963

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

43968

CUSTODY SEAL
Date: 12-4-19 Time: 1736
Name:
Company:

Seal Broken By:
Date: 12/05/19

43968 DEC 0 5 2019

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

43968

CUSTODY SEAL
Date: 12-4-19 Time: 1736
Name:
Company:

Seal Broken By:
Date: 12/05/19

Must Deliver Next Business Day
Time and Tempature Sensitive!

43968

ORIGIN ID:SGRA (903) 930-6193
SCOTT BEESINGER
APTIM ENVIROMENTAL & INFASTRUCTURE
1203-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 05NOV19
ACTWGT: 1.00 LB MAN
CAD: 0130/CAFE3211
DIM: 3x16x13 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP-16-B0 68473-FU

RMA:

FedEx Express

FedEx
TRK# 0221 1251 0291 3772

THU - 05 DEC 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US IAH

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

December 06, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19120210**

Laboratory Results for: **Longhorn Army Ammunition Plant -16**

Dear Susan,

ALS Environmental received 5 sample(s) on Dec 05, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Work Order: HS19120210

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19120210-01	16EW11-191204	Groundwater		04-Dec-2019 16:11	05-Dec-2019 09:15	☐
HS19120210-02	16EW12B-191204	Groundwater		04-Dec-2019 16:21	05-Dec-2019 09:15	☐
HS19120210-03	16EW13-191204	Groundwater		04-Dec-2019 16:29	05-Dec-2019 09:15	☐
HS19120210-04	16EW14B-191204	Groundwater		04-Dec-2019 16:38	05-Dec-2019 09:15	☐
HS19120210-05	16EW15-191204	Groundwater		04-Dec-2019 16:44	05-Dec-2019 09:15	☐

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc. **CASE NARRATIVE**
Project: Longhorn Army Ammunition Plant -16
Work Order: HS19120210

WetChemistry by Method SM5310B

Batch ID: R351965

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SW9056

Batch ID: R351948

Sample ID: HS19120212-01MS

- MS and MSD are for an unrelated sample (Bromide)

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW11-191204
Collection Date: 04-Dec-2019 16:11

ANALYTICAL REPORT
WorkOrder:HS19120210
Lab ID:HS19120210-01
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**7.02**		**2.50**	**5.00**	**5.00**	**mg/L**	5	06-Dec-2019 13:11
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**4.12**		**0.300**	**1.00**	**1.00**	**mg/L**	10	06-Dec-2019 10:00

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW12B-191204
Collection Date: 04-Dec-2019 16:21

ANALYTICAL REPORT
WorkOrder:HS19120210
Lab ID:HS19120210-02
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**9.24**		**2.50**	**5.00**	**5.00**	**mg/L**	5	06-Dec-2019 13:57
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.32**		**0.300**	**1.00**	**1.00**	**mg/L**	10	06-Dec-2019 10:16

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW13-191204
Collection Date: 04-Dec-2019 16:29

ANALYTICAL REPORT
WorkOrder:HS19120210
Lab ID:HS19120210-03
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**8.50**		**2.50**	**5.00**	**5.00**	**mg/L**	5	06-Dec-2019 14:10
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.28**		**0.300**	**1.00**	**1.00**	**mg/L**	10	06-Dec-2019 10:33

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW14B-191204
Collection Date: 04-Dec-2019 16:38

ANALYTICAL REPORT
WorkOrder:HS19120210
Lab ID:HS19120210-04
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**21.0**		**2.50**	**5.00**	**5.00**	**mg/L**	5	06-Dec-2019 14:26
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.40**		**0.300**	**1.00**	**1.00**	**mg/L**	10	06-Dec-2019 10:49

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW15-191204
Collection Date: 04-Dec-2019 16:44

ANALYTICAL REPORT
WorkOrder:HS19120210
Lab ID:HS19120210-05
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**27.7**		**2.50**	**5.00**	**5.00**	**mg/L**	5	06-Dec-2019 14:41
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.54**		**0.300**	**1.00**	**1.00**	**mg/L**	10	06-Dec-2019 11:06

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: HS19120210

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R351948 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS19120210-01	16EW11-191204	04 Dec 2019 16:11			06 Dec 2019 10:00	10
HS19120210-02	16EW12B-191204	04 Dec 2019 16:21			06 Dec 2019 10:16	10
HS19120210-03	16EW13-191204	04 Dec 2019 16:29			06 Dec 2019 10:33	10
HS19120210-04	16EW14B-191204	04 Dec 2019 16:38			06 Dec 2019 10:49	10
HS19120210-05	16EW15-191204	04 Dec 2019 16:44			06 Dec 2019 11:06	10
Batch ID: R351965 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS19120210-01	16EW11-191204	04 Dec 2019 16:11			06 Dec 2019 13:11	5
HS19120210-02	16EW12B-191204	04 Dec 2019 16:21			06 Dec 2019 13:57	5
HS19120210-03	16EW13-191204	04 Dec 2019 16:29			06 Dec 2019 14:10	5
HS19120210-04	16EW14B-191204	04 Dec 2019 16:38			06 Dec 2019 14:26	5
HS19120210-05	16EW15-191204	04 Dec 2019 16:44			06 Dec 2019 14:41	5

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: HS19120210

QC BATCH REPORT

Batch ID: R351948 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW3-120519** Units: **mg/L** Analysis Date: **06-Dec-2019 03:23**
Client ID: Run ID: **ICS-Integrion_351948** SeqNo: **5377275** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW3-120519** Units: **mg/L** Analysis Date: **06-Dec-2019 03:39**
Client ID: Run ID: **ICS-Integrion_351948** SeqNo: **5377276** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.806	0.100	4	0	95.2	80 - 120				

LCSD Sample ID: **WLCSDW3-120519** Units: **mg/L** Analysis Date: **06-Dec-2019 03:56**
Client ID: Run ID: **ICS-Integrion_351948** SeqNo: **5377277** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.792	0.100	4	0	94.8	80 - 120	3.806	0.363	20	

MS Sample ID: **HS19120212-01MS** Units: **mg/L** Analysis Date: **06-Dec-2019 11:39**
Client ID: Run ID: **ICS-Integrion_351948** SeqNo: **5377288** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.653	0.100	2	0.0732	79.0	80 - 120				S

MS Sample ID: **HS19120192-06MS** Units: **mg/L** Analysis Date: **06-Dec-2019 06:42**
Client ID: Run ID: **ICS-Integrion_351948** SeqNo: **5377293** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.645	0.100	2	0	82.2	80 - 120				

MSD Sample ID: **HS19120212-01MSD** Units: **mg/L** Analysis Date: **06-Dec-2019 11:56**
Client ID: Run ID: **ICS-Integrion_351948** SeqNo: **5377289** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.675	0.100	2	0.0732	80.1	80 - 120	1.653	1.36	20	

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: HS19120210

QC BATCH REPORT

Batch ID: R351948 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MSD Sample ID: **HS19120192-06MSD** Units: **mg/L** Analysis Date: **06-Dec-2019 06:59**
Client ID: Run ID: **ICS-Integrion_351948** SeqNo: **5377294** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.663	0.100	2	0	83.2	80 - 120	1.645	1.11	20	

The following samples were analyzed in this batch: HS19120210-01 HS19120210-02 HS19120210-03 HS19120210-04 HS19120210-05

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: HS19120210

QC BATCH REPORT

Batch ID: R351965 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW1-120619** Units: **mg/L** Analysis Date: **06-Dec-2019 11:02**
Client ID: Run ID: **TOC_02_351965** SeqNo: **5377688** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW1-120619** Units: **mg/L** Analysis Date: **06-Dec-2019 11:15**
Client ID: Run ID: **TOC_02_351965** SeqNo: **5377689** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	10.13	1.00	10	0	101	85 - 115				

LCSD Sample ID: **WLCSDW1-120619** Units: **mg/L** Analysis Date: **06-Dec-2019 11:28**
Client ID: Run ID: **TOC_02_351965** SeqNo: **5377690** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	10.58	1.00	10	0	106	85 - 115	10.13	4.35	20	

MS Sample ID: **HS19120208-01MS** Units: **mg/L** Analysis Date: **06-Dec-2019 11:55**
Client ID: Run ID: **TOC_02_351965** SeqNo: **5377692** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	17.11	1.00	10	6.356	108	80 - 120				

The following samples were analyzed in this batch: HS19120210-01 HS19120210-02 HS19120210-03 HS19120210-04 HS19120210-05

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: **HS19120210**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 06-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Work Order: HS19120210

SAMPLE TRACKING

Lab Samp ID	Client Sample ID	Action	Date	Person	New Location
HS19120210-01	16EW11-191204	Login	12/5/2019 4:38:01 PM	PMG	WET199
HS19120210-02	16EW12B-191204	Login	12/5/2019 4:38:01 PM	PMG	WET199
HS19120210-03	16EW13-191204	Login	12/5/2019 4:38:01 PM	PMG	WET199
HS19120210-04	16EW14B-191204	Login	12/5/2019 4:38:01 PM	PMG	WET199
HS19120210-05	16EW15-191204	Login	12/5/2019 4:38:01 PM	PMG	WET199

ALS Houston, US Date: 06-Dec-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19120210
Date/Time Received: **05-Dec-2019 09:15**
Received by: **JRM**

Checklist completed by: *Paresh M. Giga* eSignature 5-Dec-2019 Date
Reviewed by: *RJ Modashia* eSignature 5-Dec-2019 Date

Matrices: **GW**
Carrier name: **FedEx**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:None
Samplers name present on COC?	Yes ☐	No ☑	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	1.8c U/C	IR25
Cooler(s)/Kit(s):	43968	
Date/Time sample(s) sent to storage:	12/5/19 16:50	

Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

Page 1 of 1

COC ID: 16NOV2019-Post Injection-191204-ALS

TURNAROUND TIME: 1 business day

RUSH: 1 business day

PROJECT/CLIENT INFO				LABORATORY				OTHER INFO			
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Email Invoice To	FedInvoices@aptim.com		
Project Number	501032			Lab Contact	RJ Modashia						
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Email Report To	Susan.Huang@aptim.com		
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210			Mail Reports To	Susan Huang		
	PMB 202							Address	4005 Port Chicago Highway, Suite 200		
City	Marshall	State	TX	City	Houston	State	TX	City	Concord	State	CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	Postal Code	94520	Country	USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656						
Project Manager	Praveen Srivastav							Shipping Company			

SAMPLE DETAILS

ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS: Sample Container and Preservatives	TOC by SM5310: 2-40ml Amber/H2SO4	Bromide by SW9056: 1-250ml /Cool to 6 deg C
16EW11-191204	16EW11				GW	12/4/2019	1611	3		2	1
16EW12B-191204	16EW12B				GW	12/4/2019	1621	3		2	1
16EW13-191204	16EW13				GW	12/4/2019	1629	3		2	1
16EW14B-191204	16EW14B				GW	12/4/2019	1638	3		2	1
16EW15-191204	16EW15				GW	12/4/2019	1644	3		2	1

HS19120210

Aptim Environmental & Infrastucture, Inc.
Longhorn Army Ammunition Plant -16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	[illegible] APTIM	12-4-19/1730	JM / ALS	12/5/19 0915

J/C 18 IR#25 CF-5.0 43963

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

43968

CUSTODY SEAL
Date: 12-4-19 Time: 1736
Name:
Company:

Seal Broken By:
Date: 12/05/19

43968 DEC 0 5 2019

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

43968

CUSTODY SEAL
Date: 12-4-19 Time: 1736
Name:
Company:

Seal Broken By:
Date: 12/05/19

Must Deliver Next Business Day
Time and Tempature Sensitive!

43968

ORIGIN ID:SGRA (903) 930-6193
SCOTT BEESINGER
APTIM ENVIROMENTAL & INFASTRUCTURE
1203-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 05NOV19
ACTWGT: 1.00 LB MAN
CAD: 0130/CAFE3211
DIM: 3x16x13 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP-16-BD 68473-RJ
RMA:

FedEx Express

FedEx
TRK# 0221 1251 0291 3772

THU - 05 DEC 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US IAH

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

December 09, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19120309**

Laboratory Results for: **LHAAP-16**

Dear Susan,

ALS Environmental received 5 sample(s) on Dec 06, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19120309

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19120309-01	16EW11-191205	GW		05-Dec-2019 16:40	06-Dec-2019 08:48	☐
HS19120309-02	16EW12B-191205	GW		05-Dec-2019 16:45	06-Dec-2019 08:48	☐
HS19120309-03	16EW13-191205	GW		05-Dec-2019 16:51	06-Dec-2019 08:48	☐
HS19120309-04	16EW14B-191205	GW		05-Dec-2019 16:58	06-Dec-2019 08:48	☐
HS19120309-05	16EW15-191205	GW		05-Dec-2019 17:06	06-Dec-2019 08:48	☐

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19120309

CASE NARRATIVE

WetChemistry by Method SM5310B

Batch ID: R352090

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SW9056

Batch ID: R352044

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16EW11-191205
Collection Date: 05-Dec-2019 16:40

ANALYTICAL REPORT
WorkOrder:HS19120309
Lab ID:HS19120309-01
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**8.32**		**2.50**	**5.00**	**5.00**	**mg/L**	5	09-Dec-2019 12:49
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**4.00**		**0.300**	**1.00**	**1.00**	**mg/L**	10	07-Dec-2019 15:47

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16EW12B-191205
Collection Date: 05-Dec-2019 16:45

ANALYTICAL REPORT
WorkOrder:HS19120309
Lab ID:HS19120309-02
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**38.2**		**2.50**	**5.00**	**5.00**	**mg/L**	5	09-Dec-2019 13:15
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.43**		**0.300**	**1.00**	**1.00**	**mg/L**	10	07-Dec-2019 16:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16EW13-191205
Collection Date: 05-Dec-2019 16:51

ANALYTICAL REPORT
WorkOrder:HS19120309
Lab ID:HS19120309-03
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**9.09**		**1.00**	**2.00**	**2.00**	**mg/L**	2	09-Dec-2019 13:29
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.33**		**0.300**	**1.00**	**1.00**	**mg/L**	10	07-Dec-2019 16:54

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16EW14B-191205
Collection Date: 05-Dec-2019 16:58

ANALYTICAL REPORT
WorkOrder:HS19120309
Lab ID:HS19120309-04
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**21.0**		**2.50**	**5.00**	**5.00**	**mg/L**	5	09-Dec-2019 13:44
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.43**		**0.300**	**1.00**	**1.00**	**mg/L**	10	07-Dec-2019 17:10

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16EW15-191205
Collection Date: 05-Dec-2019 17:06

ANALYTICAL REPORT
WorkOrder:HS19120309
Lab ID:HS19120309-05
Matrix:GW

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**30.8**		**5.00**	**10.0**	**10.0**	**mg/L**	10	09-Dec-2019 13:59
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.59**		**0.300**	**1.00**	**1.00**	**mg/L**	10	07-Dec-2019 17:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19120309

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R352044 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** GW	
HS19120309-01	16EW11-191205	05 Dec 2019 16:40			07 Dec 2019 15:47	10
HS19120309-02	16EW12B-191205	05 Dec 2019 16:45			07 Dec 2019 16:37	10
HS19120309-03	16EW13-191205	05 Dec 2019 16:51			07 Dec 2019 16:54	10
HS19120309-04	16EW14B-191205	05 Dec 2019 16:58			07 Dec 2019 17:10	10
HS19120309-05	16EW15-191205	05 Dec 2019 17:06			07 Dec 2019 17:27	10
Batch ID: R352090 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** GW	
HS19120309-01	16EW11-191205	05 Dec 2019 16:40			09 Dec 2019 12:49	5
HS19120309-02	16EW12B-191205	05 Dec 2019 16:45			09 Dec 2019 13:15	5
HS19120309-03	16EW13-191205	05 Dec 2019 16:51			09 Dec 2019 13:29	2
HS19120309-04	16EW14B-191205	05 Dec 2019 16:58			09 Dec 2019 13:44	5
HS19120309-05	16EW15-191205	05 Dec 2019 17:06			09 Dec 2019 13:59	10

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19120309

QC BATCH REPORT

Batch ID: R352044 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW3-120619** Units: **mg/L** Analysis Date: **07-Dec-2019 14:58**
Client ID: Run ID: **ICS-Integrion_352044** SeqNo: **5379639** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW3-120619** Units: **mg/L** Analysis Date: **07-Dec-2019 15:14**
Client ID: Run ID: **ICS-Integrion_352044** SeqNo: **5379640** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.811	0.100	4	0	95.3	80 - 120				

LCSD Sample ID: **WLCSDW3-120619** Units: **mg/L** Analysis Date: **07-Dec-2019 15:31**
Client ID: Run ID: **ICS-Integrion_352044** SeqNo: **5379641** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.799	0.100	4	0	95.0	80 - 120	3.811	0.3	20	

MS Sample ID: **HS19120309-01MS** Units: **mg/L** Analysis Date: **07-Dec-2019 16:04**
Client ID: **16EW11-191205** Run ID: **ICS-Integrion_352044** SeqNo: **5379643** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	21.65	1.00	20	4.004	88.2	80 - 120				

MS Sample ID: **HS19120190-01MS** Units: **mg/L** Analysis Date: **07-Dec-2019 19:07**
Client ID: Run ID: **ICS-Integrion_352044** SeqNo: **5379652** PrepDate: DF: **20**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	35.01	2.00	40	0	87.5	80 - 120				

MSD Sample ID: **HS19120309-01MSD** Units: **mg/L** Analysis Date: **07-Dec-2019 16:21**
Client ID: **16EW11-191205** Run ID: **ICS-Integrion_352044** SeqNo: **5379644** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	21.6	1.00	20	4.004	88.0	80 - 120	21.65	0.208	20	

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19120309

QC BATCH REPORT

Batch ID: R352044 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MSD Sample ID: **HS19120190-01MSD** Units: **mg/L** Analysis Date: **07-Dec-2019 19:23**
Client ID: Run ID: **ICS-Integrion_352044** SeqNo: **5379653** PrepDate: DF: **20**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	34.39	2.00	40	0	86.0	80 - 120	35.01	1.79	20	

The following samples were analyzed in this batch: HS19120309-01 HS19120309-02 HS19120309-03 HS19120309-04 HS19120309-05

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19120309

QC BATCH REPORT

Batch ID: R352090 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW1-120919** Units: **mg/L** Analysis Date: **09-Dec-2019 12:09**
Client ID: Run ID: **TOC_02_352090** SeqNo: **5380470** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW1-120919** Units: **mg/L** Analysis Date: **09-Dec-2019 12:23**
Client ID: Run ID: **TOC_02_352090** SeqNo: **5380471** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.763	1.00	10	0	97.6	85 - 115				

LCSD Sample ID: **WLCSDW1-120919** Units: **mg/L** Analysis Date: **09-Dec-2019 12:36**
Client ID: Run ID: **TOC_02_352090** SeqNo: **5380472** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.71	1.00	10	0	97.1	85 - 115	9.763	0.544	20	

MS Sample ID: **HS19120309-01MS** Units: **mg/L** Analysis Date: **09-Dec-2019 13:02**
Client ID: **16EW11-191205** Run ID: **TOC_02_352090** SeqNo: **5380474** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	59.6	5.00	50	8.325	103	80 - 120				

The following samples were analyzed in this batch: HS19120309-01 HS19120309-02 HS19120309-03 HS19120309-04 HS19120309-05

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19120309**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 09-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19120309

SAMPLE TRACKING

Lab Samp ID	Client Sample ID	Action	Date	Person	New Location
HS19120309-01	16EW11-191205	Login	12/6/2019 4:42:13 PM	AC	WET289
HS19120309-01	16EW11-191205	Login	12/6/2019 4:42:13 PM	AC	WET289

ALS Houston, US Date: 09-Dec-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19120309
Date/Time Received: **06-Dec-2019 08:48**
Received by: **AC**

Checklist completed by: *Asad Chaudhry* eSignature 6-Dec-2019 Date
Reviewed by: *RJ Modashia* eSignature 9-Dec-2019 Date

Matrices: **GW**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☐	No ☑	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	1.4c U/C	IR 25	
Cooler(s)/Kit(s):	45061		
Date/Time sample(s) sent to storage:	12/06/2019 16:50		
Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

Page 1 of 1

COC ID: 16DEC2019-Post Injection-191205-ALS

TURNAROUND TIME: 1 business day

RUSH: 1 business day

PROJECT/CLIENT INFO				LABORATORY				OTHER INFO			
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Email Invoice To	FedInvoices@aptim.com		
Project Number	501032			Lab Contact	RJ Modashia						
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Email Report To	Susan.Huang@aptim.com		
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd , Suite 210			Mail Reports To	Susan Huang		
	PMB 202							Address	4005 Port Chicago Highway, Suite 200		
City	Marshall	State	TX	City	Houston	State	TX	City	Concord	State	CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	Postal Code	94520	Country	USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656						
Project Manager	Praveen Srivastav							Shipping Company			

SAMPLE DETAILS / ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS	Sample Container and Preservatives: 2-40ml Amber/H2SO4 — TOC by SM5310	1-250ml /Cool to 6 deg C — Bromide by SW9056
16EW11-191205	16EW11				GW	12/5/2019	1640	3		2	1
16EW12B-191205	16EW12B				GW	12/5/2019	1645	3		2	1
16EW13-191205	16EW13				GW	12/5/2019	1651	3		2	1
16EW14B-191205	16EW14B				GW	12/5/2019	1658	3		2	1
16EW15-191205	16EW15				GW	12/5/2019	1706	3		2	1

HS19120309

Aptim Environmental & Infrastucture, Inc.

LHAAP-16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	[illegible]	12-5-19/1755	AC ALS	12/6/19 08:48

c/c
1-4
IR#25
cf.c
45c6

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

4506'

CUSTODY SEAL
Date: 12.5.19 Time: 1800
Name:
Company:

Seal Broken By:
Date: 12/06/19

4506' DEC 06

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

4506'

CUSTODY SEAL
Date: 12.5.19 Time: 1800
Name:
Company:

Seal Broken By:
Date: 12/06/19

Must Deliver Next Business Day
Time and Tempature Sensitive!

4506'

ORIGIN ID:SGRA (903) 930-6133
MIKE MARTINEZ
APTIM ENVIROMENTAL & INFASTRUCTURE
1203-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 01OCT19
ACTWGT: 1.00 LB MAN
CAD: 3001307CAFE3211
DIMS: 26x14x14 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP-17-SOIL-BO 67938-RJ
RMA:

FedEx Express

FedEx
TRK# 0221 1251 0290 1584

FRI - 06 DEC 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US IAH

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

December 11, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19120314**

Laboratory Results for: **LHAAP-16**

Dear Susan,


ALS Environmental received 1 sample(s) on Dec 06, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,



Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Work Order: HS19120314

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19120314-01	16LHAAP-IDW-191205	Soil		05-Dec-2019 13:20	06-Dec-2019 08:48	☐

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc. **CASE NARRATIVE**
Project: LHAAP-16
Work Order: HS19120314

Work Order Comments

- The analysis for Perchlorate was subcontracted to ALS Salt Lake City, UT. Final report attached.

GCMS Volatiles by Method SW8260

Batch ID: R352021

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

Metals by Method SW6020

Batch ID: 148409

Sample ID: 16LHAAP-IDW-191205 (HS19120314-01MS)

- The MS and/or MSD recovery was outside of the control; however, the result in the parent sample is greater than 4x the spike amount. Manganese.

Sample ID: 16LHAAP-IDW-191205 (HS19120314-01MSD)

- Chromium failed on the MSD but passed on the MS and PDS. Due to non-homogeneity of the soil sample matrix the MS/MSD RPD were outside the control limits for Manganese. Due to non-homogeneity of the soil sample matrix the MS/MSD RPD were outside the control limits for Manganese.

WetChemistry by Method ASTM D2216

Batch ID: R352074

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
Sample ID: 16LHAAP-IDW-191205
Collection Date: 05-Dec-2019 13:20

ANALYTICAL REPORT
WorkOrder:HS19120314
Lab ID:HS19120314-01
Matrix:Soil

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES ORGANICS BY SW8260C		**Method:SW8260**						Analyst: WLR
1,1,2-Trichloroethane	1.5	U	0.62	1.5	6.2	ug/Kg-dry	1	07-Dec-2019 12:06
1,1-Dichloroethene	1.5	U	0.62	1.5	6.2	ug/Kg-dry	1	07-Dec-2019 12:06
1,2-Dichloroethane	1.5	U	0.75	1.5	6.2	ug/Kg-dry	1	07-Dec-2019 12:06
cis-1,2-Dichloroethene	1.5	U	1.0	1.5	6.2	ug/Kg-dry	1	07-Dec-2019 12:06
Methylene chloride	3.1	U	1.2	3.1	12	ug/Kg-dry	1	07-Dec-2019 12:06
Trichloroethene	1.5	U	0.75	1.5	6.2	ug/Kg-dry	1	07-Dec-2019 12:06
Vinyl chloride	1.5	U	1.0	1.5	2.5	ug/Kg-dry	1	07-Dec-2019 12:06
Surr: 1,2-Dichloroethane-d4	*94.3*			**0**	*71-136*	*%REC*	*1*	*07-Dec-2019 12:06*
Surr: 4-Bromofluorobenzene	*97.3*			**0**	*79-119*	*%REC*	*1*	*07-Dec-2019 12:06*
Surr: Dibromofluoromethane	*97.5*			**0**	*78-119*	*%REC*	*1*	*07-Dec-2019 12:06*
Surr: Toluene-d8	*102*			**0**	*85-116*	*%REC*	*1*	*07-Dec-2019 12:06*
METALS BY SW6020A		**Method:SW6020**				Prep:SW3050A / 09-Dec-2019		Analyst: JC
Arsenic	**3.18**		**0.0925**	**0.132**	**0.660**	**mg/Kg-dry**	1	10-Dec-2019 00:07
Chromium	**15.7**		**0.0304**	**0.132**	**0.660**	**mg/Kg-dry**	1	10-Dec-2019 00:07
Manganese	**374**		**1.14**	**2.64**	**13.2**	**mg/Kg-dry**	20	10-Dec-2019 12:39
Nickel	**14.0**		**0.0634**	**0.132**	**0.660**	**mg/Kg-dry**	1	10-Dec-2019 00:07
Thallium	0.330	U	0.295	0.330	0.660	mg/Kg-dry	1	10-Dec-2019 00:07
MOISTURE - ASTM D2216		**Method:ASTM D2216**						Analyst: DFF
Percent Moisture	**27.0**		**0.0100**	**0.0100**	**0.0100**	**wt%**	1	09-Dec-2019 08:57
SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)		**Method:NA**						Analyst: SUB
Subcontract Analysis	See Attached		0	0		NA-dry	1	11-Dec-2019 11:48

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 11-Dec-19

Weight / Prep Log

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19120314

Batch ID: 3485 **Start Date:** 06 Dec 2019 12:30 **End Date:** 06 Dec 2019 12:30
Method: VOLATILES ORGANICS BY SW8260C

Sample ID	Container	Sample Wt/Vol	Final Volume	Weight Factor	Container Type
HS19120314-01	1	5.489 (g)	5 (mL)	0.91	TerraCore (5035A)

Batch ID: 148409 **Start Date:** 09 Dec 2019 08:34 **End Date:** 09 Dec 2019 14:30
Method: METALS PREP - SOLIDS - SW3050B **Prep Code:** 3050_I_LOW

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS19120314-01		0.5185 (g)	50 (mL)	96.43

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19120314

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: 148409 (0)	**Test Name :** METALS BY SW6020A				**Matrix:** Soil	
HS19120314-01	16LHAAP-IDW-191205	05 Dec 2019 13:20		09 Dec 2019 14:30	10 Dec 2019 12:39	20
HS19120314-01	16LHAAP-IDW-191205	05 Dec 2019 13:20		09 Dec 2019 14:30	10 Dec 2019 00:07	1
Batch ID: R352021 (0)	**Test Name :** VOLATILES ORGANICS BY SW8260C				**Matrix:** Soil	
HS19120314-01	16LHAAP-IDW-191205	05 Dec 2019 13:20			07 Dec 2019 12:06	1
Batch ID: R352074 (0)	**Test Name :** MOISTURE - ASTM D2216				**Matrix:** Soil	
HS19120314-01	16LHAAP-IDW-191205	05 Dec 2019 13:20			09 Dec 2019 08:57	1
Batch ID: R352255 (0)	**Test Name :** SUBCONTRACT ANALYSIS - PERCHLORATE (EPA 6850)				**Matrix:** Soil	
HS19120314-01	16LHAAP-IDW-191205	05 Dec 2019 13:20			11 Dec 2019 11:48	1

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19120314

QC BATCH REPORT

Batch ID: 148409 (0) **Instrument: ICPMS04** **Method: METALS BY SW6020A**

MBLK Sample ID: **MBLK-148409** Units: **mg/Kg** Analysis Date: **10-Dec-2019 00:03**
Client ID: Run ID: **ICPMS04_352123** SeqNo: **5381190** PrepDate: **09-Dec-2019** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	0.0986	0.493								U
Chromium	0.0986	0.493								U
Manganese	0.0986	0.493								U
Nickel	0.0986	0.493								U
Thallium	0.246	0.493								U

LCS Sample ID: **LCS-148409** Units: **mg/Kg** Analysis Date: **10-Dec-2019 00:05**
Client ID: Run ID: **ICPMS04_352123** SeqNo: **5381191** PrepDate: **09-Dec-2019** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	8.582	0.481	9.621	0	89.2	82 - 118				
Chromium	8.594	0.481	9.621	0	89.3	83 - 119				
Manganese	8.855	0.481	9.621	0	92.0	85 - 116				
Nickel	8.83	0.481	9.621	0	91.8	84 - 119				
Thallium	9.59	0.481	9.621	0	99.7	83 - 118				

MS Sample ID: **HS19120314-01MS** Units: **mg/Kg** Analysis Date: **10-Dec-2019 00:12**
Client ID: **16LHAAP-IDW-191205** Run ID: **ICPMS04_352123** SeqNo: **5381194** PrepDate: **09-Dec-2019** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	10.44	0.483	9.662	2.324	84.0	82 - 118				
Chromium	21.47	0.483	9.662	11.45	104	83 - 119				
Manganese	293.4	0.483	9.662	250.8	441	85 - 116				SEO
Nickel	19.2	0.483	9.662	10.25	92.6	84 - 119				
Thallium	9.556	0.483	9.662	0.1489	97.4	83 - 118				

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19120314

QC BATCH REPORT

Batch ID: 148409 (0) **Instrument: ICPMS04** **Method: METALS BY SW6020A**

MSD Sample ID: **HS19120314-01MSD** Units: **mg/Kg** Analysis Date: **10-Dec-2019 00:14**
Client ID: **16LHAAP-IDW-191205** Run ID: **ICPMS04_352123** SeqNo: **5381195** PrepDate: **09-Dec-2019** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	10.66	0.477	9.546	2.324	87.3	82 - 118	10.44	2.09	20	
Chromium	23.3	0.477	9.546	11.45	124	83 - 119	21.47	8.18	20	S
Manganese	178.6	0.477	9.546	250.8	-757	85 - 116	293.4	48.7	20	SREO
Nickel	21.03	0.477	9.546	10.25	113	84 - 119	19.2	9.11	20	
Thallium	9.759	0.477	9.546	0.1489	101	83 - 118	9.556	2.1	20	

PDS Sample ID: **HS19120314-01PDS** Units: **mg/Kg** Analysis Date: **10-Dec-2019 00:16**
Client ID: **16LHAAP-IDW-191205** Run ID: **ICPMS04_352123** SeqNo: **5381196** PrepDate: **09-Dec-2019** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	11.5	0.482	9.643	2.324	95.2	80 - 120				
Chromium	20.74	0.482	9.643	11.45	96.3	80 - 120				
Nickel	19.11	0.482	9.643	10.25	91.9	80 - 120				
Thallium	10.18	0.482	9.643	0.1489	104	80 - 120				

PDS Sample ID: **HS19120314-01PDS** Units: **mg/Kg** Analysis Date: **10-Dec-2019 12:43**
Client ID: **16LHAAP-IDW-191205** Run ID: **ICPMS04_352151** SeqNo: **5382023** PrepDate: **09-Dec-2019** DF: **20**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Manganese	463.7	9.64	192.9	272.8	99.0	80 - 120				

SD Sample ID: **HS19120314-01SD** Units: **mg/Kg** Analysis Date: **10-Dec-2019 00:09**
Client ID: **16LHAAP-IDW-191205** Run ID: **ICPMS04_352123** SeqNo: **5381193** PrepDate: **09-Dec-2019** DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%D	%D Limit	Qual
Arsenic	2.487	2.41					2.324	0	10	
Chromium	12.2	2.41					11.45	6.53	10	
Nickel	11.04	2.41					10.25	7.69	10	
Thallium	1.21	2.41					0	0	10	U

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19120314

QC BATCH REPORT

Batch ID: 148409 (0) **Instrument:** ICPMS04 **Method:** METALS BY SW6020A

SD Sample ID: **HS19120314-01SD** Units: **mg/Kg** Analysis Date: **10-Dec-2019 12:41**
Client ID: **16LHAAP-IDW-191205** Run ID: **ICPMS04_352151** SeqNo: **5382022** PrepDate: **09-Dec-2019** DF: **100**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%D	%D Limit	Qual
Manganese	273.4	48.2					272.8	0.229	10	

The following samples were analyzed in this batch: HS19120314-01

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19120314

QC BATCH REPORT

Batch ID: R352021 (0) **Instrument: VOA8** **Method: VOLATILES ORGANICS BY SW8260C**

MBLK Sample ID: **VBLKS1-120719** Units: **ug/Kg** Analysis Date: **07-Dec-2019 11:43**
Client ID: Run ID: **VOA8_352021** SeqNo: **5378985** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	1.2	5.0								U
1,1-Dichloroethene	1.2	5.0								U
1,2-Dichloroethane	1.2	5.0								U
cis-1,2-Dichloroethene	1.2	5.0								U
Methylene chloride	2.5	10								U
Trichloroethene	1.2	5.0								U
Vinyl chloride	1.2	2.0								U
Surr: Toluene-d8	*51.58*	*5.0*	*50*	*0*	*103*	*85 - 116*				
Surr: 1,2-Dichloroethane-d4	*50.49*	*5.0*	*50*	*0*	*101*	*71 - 136*				
Surr: 4-Bromofluorobenzene	*50.28*	*5.0*	*50*	*0*	*101*	*79 - 119*				
Surr: Dibromofluoromethane	*52.26*	*5.0*	*50*	*0*	*105*	*78 - 119*				

LCS Sample ID: **VLCSS1-120719** Units: **ug/Kg** Analysis Date: **07-Dec-2019 10:57**
Client ID: Run ID: **VOA8_352021** SeqNo: **5378984** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	42.43	5.0	50	0	84.9	78 - 121				
1,1-Dichloroethene	42.43	5.0	50	0	84.9	70 - 131				
1,2-Dichloroethane	41.95	5.0	50	0	83.9	73 - 128				
cis-1,2-Dichloroethene	42.04	5.0	50	0	84.1	77 - 123				
Methylene chloride	38.84	10	50	0	77.7	70 - 128				
Trichloroethene	43.23	5.0	50	0	86.5	77 - 123				
Vinyl chloride	45.55	2.0	50	0	91.1	56 - 135				
Surr: Toluene-d8	*48.78*	*5.0*	*50*	*0*	*97.6*	*85 - 116*				
Surr: 1,2-Dichloroethane-d4	*48.01*	*5.0*	*50*	*0*	*96.0*	*71 - 136*				
Surr: 4-Bromofluorobenzene	*48.32*	*5.0*	*50*	*0*	*96.6*	*79 - 119*				
Surr: Dibromofluoromethane	*49.65*	*5.0*	*50*	*0*	*99.3*	*78 - 119*				

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19120314

QC BATCH REPORT

Batch ID: R352021 (0) **Instrument: VOA8** **Method: VOLATILES ORGANICS BY SW8260C**

MS Sample ID: **HS19120157-03MS** Units: **ug/Kg** Analysis Date: **07-Dec-2019 13:37**
Client ID: Run ID: **VOA8_352021** SeqNo: **5378988** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	51.04	5.0	50	0	102	78 - 121				
1,1-Dichloroethene	54.1	5.0	50	0	108	70 - 131				
1,2-Dichloroethane	51.89	5.0	50	0	104	73 - 128				
cis-1,2-Dichloroethene	54.62	5.0	50	0	109	77 - 123				
Methylene chloride	49.31	10	50	0	98.6	70 - 128				
Trichloroethene	53.42	5.0	50	0	107	77 - 123				
Vinyl chloride	56.72	2.0	50	0	113	56 - 135				
Surr: Toluene-d8	*50.75*	*5.0*	*50*	*0*	*102*	*85 - 116*				
Surr: 1,2-Dichloroethane-d4	*49.06*	*5.0*	*50*	*0*	*98.1*	*71 - 136*				
Surr: 4-Bromofluorobenzene	*49.76*	*5.0*	*50*	*0*	*99.5*	*79 - 119*				
Surr: Dibromofluoromethane	*50.78*	*5.0*	*50*	*0*	*102*	*78 - 119*				

MSD Sample ID: **HS19120157-03MSD** Units: **ug/Kg** Analysis Date: **07-Dec-2019 14:00**
Client ID: Run ID: **VOA8_352021** SeqNo: **5378989** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,2-Trichloroethane	51.25	5.0	50	0	102	78 - 121	51.04	0.408	20	
1,1-Dichloroethene	55.44	5.0	50	0	111	70 - 131	54.1	2.45	20	
1,2-Dichloroethane	53.13	5.0	50	0	106	73 - 128	51.89	2.36	20	
cis-1,2-Dichloroethene	54.05	5.0	50	0	108	77 - 123	54.62	1.04	20	
Methylene chloride	50.56	10	50	0	101	70 - 128	49.31	2.51	20	
Trichloroethene	53.27	5.0	50	0	107	77 - 123	53.42	0.274	20	
Vinyl chloride	58.47	2.0	50	0	117	56 - 135	56.72	3.03	20	
Surr: Toluene-d8	*51.53*	*5.0*	*50*	*0*	*103*	*85 - 116*	*50.75*	*1.52*	*20*	
Surr: 1,2-Dichloroethane-d4	*49*	*5.0*	*50*	*0*	*98.0*	*71 - 136*	*49.06*	*0.118*	*20*	
Surr: 4-Bromofluorobenzene	*51.38*	*5.0*	*50*	*0*	*103*	*79 - 119*	*49.76*	*3.2*	*20*	
Surr: Dibromofluoromethane	*51.78*	*5.0*	*50*	*0*	*104*	*78 - 119*	*50.78*	*1.95*	*20*	

The following samples were analyzed in this batch: HS19120314-01

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: HS19120314

QC BATCH REPORT

Batch ID: R352074 (0) **Instrument:** Balance1 **Method:** MOISTURE - ASTM D2216

DUP Sample ID: **HS19120314-01DUP** Units: **wt%** Analysis Date: **09-Dec-2019 08:57**
Client ID: **16LHAAP-lDW-191205** Run ID: **Balance1_352074** SeqNo: **5380210** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Percent Moisture	26	0.0100					27	3.77	20	

The following samples were analyzed in this batch: HS19120314-01

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: LHAAP-16
WorkOrder: **HS19120314**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

ALS Houston, US Date: 11-Dec-19

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 11-Dec-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19120314
Date/Time Received: **06-Dec-2019 08:48**
Received by: **AC**

Checklist completed by: *Asad Chaudhry* 6-Dec-2019
eSignature | Date

Reviewed by: _____
eSignature | Date

Matrices: **Soil**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☐	No ☑	
Chain of custody agrees with sample labels?	Yes ☐	No ☑	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	1.4c U/C	IR 25
Cooler(s)/Kit(s):	45061	
Date/Time sample(s) sent to storage:	12/06/2019 17:40	

Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☑
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes: Bottle count differs: COC= 4, Received= 5.

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

Page 1 of 1

COC ID: 16LHAAP IDW 191205-ALS

TURNAROUND TIME: 48 hour

RUSH: 48 hour

PROJECT/CLIENT INFO				LABORATORY				OTHER INFO			
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Email Invoice To	FedInvoices@aptim.com		
Project Number	501032			Lab Contact	RJ Modashia						
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Email Report To	Susan.Huang@aptim.com		
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210			Mail Reports To	Susan Huang		
	PMB 202							Address	4005 Port Chicago Highway, Suite 200		
City	Marshall	State	TX	City	Houston	State	TX	City	Concord	State	CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	Postal Code	94520	Country	USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656						
Project Manager	Praveen Srivastav							Shipping Company			

SAMPLE DETAILS

ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont	ANALYSIS: Sample Container and Preservatives	3-Terracores (1-vial Methanol + 2 vials w/ sodium bisulfate)	1-8oz CWM w/ Cool to 4°C
										VOCs by 8260 (Please see required VOCs below)	Metals by SW6020 (Please see required metals below)
16LHAAP-IDW-191205	16 LHAAP					12/5/2019	1320	4		3	1

HS19120314

Aptim Environmental & Infrastucture, Inc.

LHAAP-16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS

VOC analyses for TCE, cis 1,2-DCE, 1,1-DCE, 1,2-DCA, VC, 1,1,2-TCA, methylene chloride.

Metals analysis for arsenic, chromium, manganese, nickel, thallium.

RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
[signature] APTIM	12-5-19/1215	AC ALS	12/6/19 0848

J/C 14 IR #25 CC: 0 45061

01031655

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

45061

CUSTODY SEAL
Date: 12.5.19 Time: 1800
Name:
Company: APTIM

Seal Broken By:
Date: 12/06/19

45061 DEC 06 2019

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

45061

CUSTODY SEAL
Date: 12.5.19 Time: 1800
Name:
Company: APTIM

Broken By:
Date: 12/06/19

Must Deliver Next Business Day
Time and Tempature Sensitive!

45061

ORIGIN ID:SGRA (903) 930-6193
MIKE MARTINEZ
APTIM ENVIRONMENTAL & INFRASTRUCTURE
1203-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 010CT19
ACTWGT: 1.00 LB MAN
CAD: 300130/CAFE3211
DIMS: 26x14x14 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530--5868
REF: LHAAP - 17 - SOIL - BO 67938 - RJ

RMA:

FedEx Express

FedEx
TRK# 0221 1251 0290 1584

FRI - 06 DEC 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US IAH

Case Narrative

Method: 6850
Analysis: Perchlorate
Analysis SOP: LC-MS-CLO4
ALS WO ID(s): 1934139; 1934141

Client: ALS Laboratories (Houston, TX)
Matrix: Soil
ELMS Batch (HBN): 2325 (253247)

General Set Information: There were two field samples in these Work Orders. The samples were analyzed for perchlorate.

Method Summary: Each sample was prepared as noted below and analyzed using an Agilent 1100 LC/MSD system in select ion monitoring (SIM) mode at m/z 83 and 85, which corresponds to the loss of one oxygen atom from the perchlorate molecule. ChemStation software was used for instrument control and data analysis. The ion ratio of m/z 83 to 85 was used to positively identify the response peak as perchlorate. Quantitation was performed using the m/z 83 peak area. An internal standard of ^{18}O labeled perchlorate was added to each sample to establish the perchlorate peak retention time and used in quantitation.

Sample Preparation: A 1.00 to 1.20 g aliquot of each sample was combined with 9.95mL of ASTM Type II water. 50µL of an ^{18}O labeled perchlorate solution was added to each sample as an internal standard. The samples were then capped, vortexed, sonicated for at least 15 minutes and filtered into autosampler vial using Phenex PES membrane 0.45µm Syringe Filters. If necessary, the samples were centrifuged at 2700rpm for 15 minutes prior to filtering in order to remove excess particulates from the extract.

Holding Times: Holding times were met for all analyses.

Dilutions: NA

Method QC data: The method blank (687444) was less than 1/2 the CRDL. The recovery for the LCS (687441) was within acceptable parameters.

MS/MSD Analysis: Matrix Spike and Duplicates (MS/MSD – 687445/46) were performed on sample 1934139001 (Client ID: 16LHAAP-IDW-191205). 3.0µL of Working Standard Solution Horizon ID 49947 was added to 10.0mL of sample preparation. The spike target was 30.µg/Kg. The MS/MSD failed QC acceptance criteria for percent recoveries. The Matrix Spike and Matrix Spike duplicate is reported for the clients' information only. The sample matrix may be inappropriate for the method selected**.** The relative percent difference (RPD) passed QC acceptance criteria.

Instrument QC: Instrument initial and continuing calibrations were performed in accordance with published procedures.

NC/CAR(s): None were required for this set.

Sample Calculation: Samples were reported in µg/Kg. Results were calculated in µg/Kg by the equation (A)x(B)x(C)x(D),

where: A = Analyte concentration from the standard curve (µg/L)
B = Conversion factor from µg/L to µg/kg (10mL/1.0g)
C = Dilution performed at time of analysis
D = Moisture correction

Miscellaneous Comments: These samples were analyzed in accordance with the requirements found in the DOD QSM Version 5.1.1, Table F-12. The Reporting Limit Verification Standard (RLVS – 687442) was reported from the analysis of the Laboratory Control Sample (LCS – 687441) at a level of 30.µg/Kg. Due to limitations of the Chemstation Software, some of the chromatographic peaks may require manual integrations. A manual integration was performed for one of the Initial Calibration analyses (datafile: 20SEPI03).

Thomas Bosch December 10, 2019
Analyst Date

ANALYTICAL REPORT

Report Date: December 10, 2019

RJ Modashia
ALS Environmental (Houston)
10450 Stancliff Road
Suite 210
Houston, TX 77099

Phone: 281 530-5656

E-mail: RJ.Modashia@ALSGlobal.com

Workorder: **34-1934139**
Project ID: HS19120314
Purchase Order: HS19120314
Project Manager Kevin W. Griffiths

Client Sample ID	Lab ID	Collect Date	Receive Date	Sampling Site
16LHAAP-IDW-191205	1934139001	12/05/19	12/06/19	16LHAAP

ANALYTICAL REPORT

Workorder: 34-1934139
Client: ALS Environmental (Houston)
Project Manager: Kevin W. Griffiths

Analytical Results

Sample ID: **16LHAAP-IDW-191205** | Sampling Site: 16LHAAP | Collected: 12/05/2019
Lab ID: 1934139001 | Media: 4 oz Amber Glass Jar | Received: 12/06/2019
Matrix: Soil/Solid/Sediment | Sampling Parameter: NA

Analysis Method - EPA 6850, DoD QSM

Preparation: Not Applicable
Analysis: EPA 6850, DoD QSM Soil | **Instrument ID:** LCMS04
Batch: ELMS/2325 (HBN: 253247) | **%Solids:** 73.6
Analyzed: 12/09/2019 12:10 | **Report Basis:** Dry

Analyte	Result (ug/Kg)	DL (ug/Kg)	LOD (ug/Kg)	LOQ (ug/Kg)	Dilution	Qual
Perchlorate	ND	14	14	27	1	U

Report Authorization (/S/ is an electronic signature that complies with 21 CFR Part 11)

Method	Analyst	Peer Review
EPA 6850, DoD QSM	/S/ Thomas Bosch 12/09/2019 16:26	/S/ Stephen Brose 12/10/2019 10:04
Solids/Moisture Determination	/S/ Ilse J. Ovalle 12/10/2019 09:37	/S/ Jeff Ward 12/10/2019 16:12

Laboratory Contact Information

ALS Environmental
960 W Levoy Drive
Salt Lake City, Utah 84123

Phone: (801) 266-7700
Email: alslt.lab@ALSGlobal.com
Web: www.alsslc.com

ANALYTICAL REPORT

Workorder: 34-1934139
Client: ALS Environmental (Houston)
Project Manager: Kevin W. Griffiths

General Lab Comments

The results provided in this report relate only to the items tested.
Samples were received in acceptable condition unless otherwise noted.
Samples have not been blank corrected unless otherwise noted.
This test report shall not be reproduced, except in full, without written approval of ALS.

ALS provides professional analytical services for all samples submitted. ALS is not in a position to interpret the data and assumes no responsibility for the quality of the samples submitted.

All quality control samples processed with the samples in this report yielded acceptable results unless otherwise noted.

ALS is accredited for specific fields of testing (scopes) in the following testing sectors. The quality system implemented at ALS conforms to accreditation requirements and is applied to all analytical testing performed by ALS. The following table lists testing sector, accreditation body, accreditation number and website. Please contact these accrediting bodies or your ALS project manager for the current scope of accreditation that applies to your analytical testing.

Testing Sector	Accreditation Body (Standard)	Certificate Number	Website
Environmental	PJLA (DoD ELAP)	L17-506	http://www.pjlabs.com
	PJLA (ISO 17025)	L17-507-R1	http://www.pjlabs.com
	Utah (TNI)	UT00953	http://lams.nelac-institute.org/search
	Iowa (TNI)	IA# 376	http://www.shl.uiowa.edu/labcert/idnr/
	Kansas	E-10416	http://www.kdheks.gov/envlab/disclaimer.html
Industrial Hygiene	AIHA (ISO 17025 & AIHA IHLAP)	101574	http://www.aihaaccreditedlabs.org
	DOECAP-AP	L18-606	http://www.pjlabs.com
	Washington	C596	https://ecology.wa.gov/Regulations-Permits/Permits-certifications/Laboratory-Accreditation
Dietary Supplements	PJLA (ISO 17025)	L17-507-R1	http://www.pjlabs.com

Result Symbol Definitions

MDL = Method Detection Limit, a statistical estimate of method/media/instrument sensitivity.
RL = Reporting Limit, a verified value of method/media/instrument sensitivity.
CRDL = Contract Required Detection Limit
Reg. Limit = Regulatory Limit.
ND = Not Detected, testing result not detected above the MDL or RL.
< Means this testing result is less than the numerical value.
** No result could be reported, see sample comments for details.

Qualifier Symbol Definitions

U = Qualifier indicates that the analyte was not detected above the MDL.
J = Qualifier Indicates that the analyte value is between the MDL and the RL. It is also used to indicate an estimated value for tentatively identified compounds in mass spectrometry where a 1:1 response is assumed.
B = Qualifier indicates that the analyte was detected in the blank.
E = Qualifier indicates that the analyte result exceeds calibration range.
P = Qualifier indicates that the RPD between the two columns is greater than 40%.

Quality Control Sample Batch Report

Analysis Information

Workorder: 1934139

Limits:	Client SOW/Contract Specified	**Preparation:**	NA	**Analysis:**	EPA 6850, DoD QSM
Basis:	DoD QSM	**Batch:**	NA	**Batch:**	ELMS/2325 (HBN: 253247)
		Prepared By:	NA	**Analyzed By:**	Thomas Bosch

Blank

LMB: 687444
Analyzed: 12/09/2019 11:56
Units: ug/Kg

Analyte	Result	MDL	RL
Perchlorate	ND	10	10.0

Laboratory Control Sample

LCS: 687441
Analyzed: 12/09/2019 11:28
Dilution: 1
Units: ug/Kg

Analyte	Result	Target	% Rec	QC Limits	
Perchlorate	32.7	30.0	109	84.0	121.0

Matrix Spike - Matrix Spike Duplicate

Sample:	1934139001	**MS:**	687445
Analyzed:	12/09/2019 12:10	**Analyzed:**	12/09/2019 12:24
Dilution:	1	**Dilution:**	1
Units:	ug/Kg	**Units:**	ug/Kg

	MSD:	687446
	Analyzed:	12/09/2019 12:38
	Dilution:	1
	Units:	ug/Kg

Analyte	Result	Result	Target	% Rec	QC Limits		Result	% Rec	RPD	QC Limits	
Perchlorate	ND	21.6	30	# 72.1	78.8	123.8	21.8	# 72.8	0.87	0.0	20.0

QC Report Authorization (/S/ is an electronic signature that complies with 21 CFR Part 11)

Analyst	Peer Review
/S/ Thomas Bosch	/S/ Stephen Brose
12/09/2019 16:26	12/10/2019 10:04

Symbols and Definitions

- * - Analyte above reporting limit or outside of control limits
- ▲ - Sample result is greater than 4 times the spike added
- ◆ - Sample and Matrix Duplicate less than 5 times the reporting limit
- ● - Result is above the calibration range
- # - The Matrix Spike, Matrix Spike duplicate or Matrix Duplicate is reported for your information only. The sample matrix may be inappropriate for the method selected.

RPD - Relative % Difference (Spike / Spike Duplicate)
ND - Not Detected (U - Qualifier also flags analyte as not detected)
NA - Not Applicable
QC results are not adjusted for moisture correction, where applicable

01031662

APTIM

1934139

1934139

Page 1 of 1

COC ID: 16LHAAP IDW 191205-ALS-STL

TURNAROUND TIME: 48 HOUR

18698 #9

RUSH: 48 HOUR

PROJECT/CLIENT INFO				LABORATORY				OTHER INFO			
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Email Invoice To	FedInvoices@aptim.com		
Project Number	501032			Lab Contact	Kevin Griffiths/RJ Modashia						
	LHAAP-16			Email	Kevin. Griffiths@alsglobal.com			Email Report To	Susan.Huang@aptim.com		
Address	1203-B East Grand Avenue			Address	960 West Levoy Drive			Mail Reports To	Susan Huang		
	PMB 202							Address	4005 Port Chicago Highway, Suite 200		
City	Marshall	State	TX	City	Salt Lake	State	UT	City	Concord	State	CA
Postal Code	75670	Country	USA	Postal Code	84123	Country	USA	Postal Code	94520	Country	USA
Phone Number	713.243.7264			Phone Number	801.266.7700						
Project Manager	Praveen Srivastav							Shipping Company			

SAMPLE DETAILS								ANALYSIS REQUESTED										
								Sample Container and Presrvatives	1-4oz CWM w/ Cool to 4°C									
Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS	Perchlorate by SW6850								
16LHAAP-IDW-191205	16 LHAAP					12/5/2019	1320	1		1								

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	[signature]	12-5-19/1700	[signature] / ALS	12/6/19 09:10

ALS Environmental

CHAIN-OF-CUSTODY

Project / Job / Task: 501032 LHAAP-16	***Split:***	**Workorder ID:** 1934139	**Level:** ENV_LVL4	**Requested Analysis**
Client: ALS Environmental (Houston)		**Account:** 8101	**Type:** 4ozAGWM	
Comments:			**Preservatives**	

Item	Collect Date/Time	Sample ID	Lab ID	QC	Matrix	Containers ID(s)	Containers Count	EPA 6850, DoD QSM												
						COOL														
1	12/05/2019 13:20	16LHAAP-IDW-191205	1934139001		Soil/Solid/Sediment	A	1	A	1.043	g										
2							MS		1.049	↓										
3							MSD		1.064											
4																				
5																				
6																				
7																				
8																				
9																				
10																				

BALANCE ID: 40090067

ORIGINAL FIELD SAMPLE CHAIN-OF-CUSTODY

Relinquished By: (Signature)	Date / Time	Received By: (Signature)	Reason for Transfer / Storage Location
Warath, Julie	12/06/2019 09:10	ALS Sample Receiving	Sample Login
[signature]	12/6/19 1130	LOC	Storage
R.33.1	12.9.19/10:10	T. Bush	CLOA 1 analysis

SAMPLE PREPARATION / ANALYSIS CHAIN-OF-CUSTODY

Sample Prep / Analysis for: _____ Lab Notebook No.: _____

Prepared / Analyzed by: _____ Date / Time: _____

Relinquished By: (Signature)	Date / Time	Received By: (Signature)	Reason for Transfer / Storage Location

10450 Stancliff Rd, Ste 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

Subcontract Chain of Custody

1934139

SAMPLING STATE: **Texas** **COC ID:** **12800**

SUBCONTRACT TO:

ALS Laboratory Group
960 LeVoy Dr
Salt Lake City, UT 84123

Phone: +1 801 266 7700

CUSTOMER INFORMATION:

Company:	ALS Houston
Contact:	RJ Modashia
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Email:	RJ.Modashia@alsglobal.com
Alternate Contact:	Jumoke M. Lawal
Email:	jumoke.lawal@alsglobal.com

INVOICE INFORMATION:

Company:	ALS Houston
Contact:	Accounts Payable
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Reference:	HS19120314
TSR:	Sonia West

	LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
	ANALYSIS REQUESTED			DUE DATE
1.	**HS19120314-01**	**16LHAAP-IDW-191205**	**Soil**	**05 Dec 2019 13:20**
	SUB_Perch-6850			10 Dec 2019

Comments: Please analyze for the analysis listed above.
Send report to the emails shown above.

QC Level: DOD IV (DoD Data Package)

Relinquished By: _____ Date/Time: _____

Received By: _____ Date/Time: _____

Cooler ID(s): _____ Temperature(s): _____

ALS-SALT LAKE CITY-RELATED INFORMATION REPORT (CRIR)

COOLER OR CONTAINER INFORMATION CHECKLIST (Fill In or Circle)

Client Name: APTIM

Project/Task/Site: 1934139

Date/Time of Receipt: 12/6/19 09:10

Number of Coolers Received: 1

Condition of Coolers:	(Acceptable)/Unacceptable	Temperature Control:	(Present)/Not Included
Cooler Custody Seals:	(Present)/Absent/NA		
	(Intact)/Broken/NA	Location Temp Taken:	(Control)/Between Samples
Container Custody Seals:	Present/(Absent)/NA		
	Intact/Broken/(NA)	Are all temperatures within project specific guidelines?	(Yes)/No/NA
Ice Present:	(Yes)/No/NA		
	(Frozen)/Melted/NA	VOA Headspace Present?	Yes/No/(NA)

pH Check Performed:							
	Metals	Yes/No/NA	Total Phenolics	Yes/No/NA	NO3/NO2	Yes/No/NA	
	Cyanide	Yes/No/NA	TPH – 418.1	Yes/No/NA	Oil & Grease	Yes/No/NA	
	Sulfide	Yes/No/NA	COD	Yes/No/NA	Total Phosphorous	Yes/No/NA	
	Ammonia	Yes/No/NA	TKN	Yes/No/NA	Gross A.B, Gamma Spec	Yes/No/NA	

Cooler Received	Cooler Condition	Temp.	Cooler Received	Cooler Condition	Temp.	Cooler Received	Cooler Condition	Temp.
1	Good	3 °C	4		°C	7		°C
2		°C	5		°C	8		°C
3		°C	6		°C	9		°C

Taken By: JayLynn Johnson (Signature) JayLynn Johnson (Printed Name) 12/6/19 (Date)

CLIENT-RELATED INFORMATION

☐ Missing Cooler	☐ Missing Samples/Bottles	☐ Incorrect Preservation	☐ Insufficient Sample Volume
☐ Cooler Conditions	☐ Broken/Leaking Samples	☐ pH Criteria Not Met	☐ Chain of Custody Problems
☐ Missing Paperwork	☐ Incorrect Bottle Type	☐ Residual Chlorine Present	☐ Other:
☐ Missing/Incorrect Bottle Labels	☐ Cooler Temperatures Out of Range	☐ Head Space in Bottles	

BRIEFLY DESCRIBE THE PROBLEM AND THE ACTION TAKEN:

Client Notified? YES ☐ NO ☐

Response Required Within 24 Hours

PROJECT MANAGEMENT

PROJECT MANAGER COMMENTS:

ALS Project Manager: _____ (Printed Name) Returned to Sample Receipt by: _____ (Signature) Date: _____

01031666



ORIGIN ID:SHVA (210) 247-8085
MICHEAL MARTINEZ


CONFIDENTIAL PRCNG-DONOT SHARE
10450 STANCLIFF RD
HOUSTON, TX 77099
UNITED STATES US

SHIP DATE: 05DEC19
ACTWGT: 22.20 LB
CAD: 6994980/SSFE2021
DIMS: 18x10x17 IN

BILL THIRD PARTY

TO **ALS ENVIRONMENTAL**
ALS ENVIRONMENTAL
960 W LEVOY DR

SALT LAKE CITY UT 84123
(801) 266-7700 REF:
INV:
PO: DEPT:



FedEx
Express




TRK# 0201 **7786 4396 7412**

FRI - 06 DEC 10:30A
PRIORITY OVERNIGHT

AX BTFA

AHS
84123
UT-US **SLC**



Batch Worklist

Batch: ELMS/ 2325 Created: 12/9/2019 10:57 Instrument: HBN: 253247

Rule: EPA 6850, DoD QSM Soil Analyst: T. Bosch Status: WP

Workorder: 1934139 [ENV_LVL4]

Workorder: 1934141 [ENV_LVL4]

Pos	Lab ID	Sample ID	Prep Initial	Prep Final	Dust Weight	Type	Mx	Container	Procedure	Mgr	Expire Date	Due Date	Run Date
1	687440	CCV for HBN 253247 [ELMS/2325]				CCV	3		E685041C4Q	5311		12/10/2019	
2	687441	LCS for HBN 253247 [ELMS/2325]				LCS	4		E6850Q414Q	5311		12/10/2019	
3	687442	RLVS for HBN 253247 [ELMS/2325				RLVS	4		E6850Q414Q	5311		12/10/2019	
4	687443	ICS for HBN 253247 [ELMS/2325]				ICS	3		E6850..D4Q	5311		12/10/2019	
5	687444	LMB for HBN 253247 [ELMS/2325]				LMB	4		E6850Q414Q	5311		12/10/2019	
6	1934139001	16LHAAP-IDW-191205				SAMPLE	4	1934139001-A	E6850Q41.4	5480	1/2/2020	12/10/2019	
7	687445	16LHAAP-IDW-1...(1934139001MS)				MS	4		E6850Q414Q	5311		12/10/2019	
8	687446	16LHAAP-IDW-...(1934139001MSD)				MSD	4		E6850Q414Q	5311		12/10/2019	
9	1934141001	50LHAAP-IDW-191205				SAMPLE	4	1934141001-A	E6850Q41.4	5480	1/2/2020	12/10/2019	
10	687447	CCV for HBN 253247 [ELMS/2325]				CCV	3		E685041C4Q	5311		12/10/2019	

01031668

ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Environmental Division

Analytical Documentation

ALS Work Order #'s & Sample #( )'s: 1934139 (001); 1934141 (001)
ELMS Batch/HBN ID: 2325 (253247)
Prep Date: 12/09/2019 Analysis Date: 12/09/2019
Sequence:\\HPCHEM\1\SEQUENCE\CLO4\2019\DEC\09DEC19D.s
Analyte: **Perchlorate** Method: **6850** Matrix: Soil Analyst: Tom Bosch
Instrument DL/LOD: 10.0µg/Kg Reported LOQ: 20.0µg/Kg

SAMPLE PREPARATION/ANALYSIS:

Soil: Samples were prepared by Tom Bosch. A 1.0 g (+/- 0.1g; Balance ID: 40090067) aliquot of sample was weighed into a 15mL centrifuge tube. 9.95mL of ASTM Type II water was added to each sample and 50µL of an oxygen-18 labeled perchlorate solution was added as an internal standard. Each sample was capped, vortexed, sonicated for at least 10 minutes and centrifuged (if necessary) at 2700rpm for 15 minutes. The samples are then filtered into autosampler vials using Phenex PES membrane 0.45µm Syringe filters. Sample weight have been scanned into the HBN folder.

REAGENTS: Eluent A1: 95% ASTM Type II water (ALS)/ 5% ACN (B&J Lot DU461-US)/0.1% glacial acetic acid (JT-Baker Lot 122550).
Eluent B1: 95% ACN (B&J Lot DU461-US)/ 5% ASTM Type II water (ALS)/0.1% glacial acetic acid (JT-Baker Lot 122550).

STANDARDS: Internal Standard Spiking Solution Horizon# 47863. Dilutions of Working Standards (Horizon: 49947/48) were used for the ICAL, CCV's and ICS.

CALIBRATION CURVE: Used curve from 09/20/2019, sequence 20SEP19I.s Offline Quantitation Method: CLO4-DP3.M

INSTRUMENT CONDITIONS: Samples were analyzed with an Agilent 1100 LC/MSD system, in negative SIM mode, monitoring m/z 83, 85, and 89.
Instrument ID: **LCMS04** Online Acquisition Method: CLO4-AQN.M Fragmentor: 160 Output Gain: 8 Injection Volume: 35µL
Column: KP-RPPX C8 separator, 250mm Mobile Phase: Eluent A1 - 70%; Eluent B1 - 30% Run Time: 12.0min.

FLOW GRADIENT:

Time (min.)	Flow (mL/min)
0	0.65
5.8	0.65
5.9	0.25
10.3	0.25
10.5	0.65

QC DATA:

Soil: Blank and QC samples were prepared using washed Ottawa sand (EM Science Lot# 36211706). A 3.0µL of QC Solution Horizon ID 47516 was used for LCS 687441; Targets = 30.0 µg/Kg. ASTM type II water was used for the LMB 687444.

CONVERSION: µg/L * 10.mL/1.0g * L/1,000mL * 1,000g/Kg = 10.µg/Kg

MS/MSD:

Soil: Matrix Spike and Duplicates (MS/MSD) were performed on sample 1934139001 (Client ID: 16LHAAP-IDW-191205). 3.0µl of Working Standard Solution Horizon ID 49947 was added to 10.0mL of sample preparation. Spike target = 30.µg/Kg. The Matrix Spike/Duplicates passed QC acceptance criteria for percent recoveries and relative percent differences (RPD's).

COMMENTS:

1) Soil results reported in µg/Kg, with moisture corrections.
2) All QC, Blank and CCV results were within method parameters, except for the following. The Matrix Spike/Duplicate (687445/46) failed QC acceptance criteria for percent recoveries. The Matrix Spike and Matrix Spike duplicate is reported for the clients' information only. The sample matrix may be inappropriate for the method selected. The relative percent difference (RPD) passed QC acceptance criteria.
3) Sample data: \\ALSLTWS013\LCMS\LCMS04\2019\OCT\HBN# or through NuGenesis\Tree\PrintData\LCMS\DefaultView.
4) Notebook: \\alsltws013\ORGANIC\BOSCH\LCMS\Perchlorates\Soils\2019\253247-ALS-Hstn-DOD-NBK-LCMS4 or through \\ALSLTWS013\DATAREVIEW\HBN#
5) The Reporting Limit Verification Standard (RLVS – 687442) was reported from the analysis of the Laboratory Control Sample (LCS – 687441) at a level of 30.µg/Kg.
6) Due to limitations of the Chemstation Software, some of the chromatographic peaks may require manual integrations. A manual integration was performed for one of the Initial Calibration analyses (datafile: 20SEPI03).

5.5 Chromatography (GC, HPLC and LC/MS) Technical Review

Note: It is the peer reviewer's responsibility to ensure that appropriate criteria are used as defined in the HORIZON PROFILE. The evaluation criteria are prioritized as per Section 2.2 of this SOP. These items must be checked for all projects. The following checklist will be completed by both the analyst and the peer reviewer and scanned into the HBN folder with the raw data.

Chromatography (GC, HPLC, LC/MS) Technical Review Criteria **Batch(es)/SDG:** ELMS: 2325 HBN: 253247 **Sample Set IDs if Applicable:** 1934139 / 1934141	**Analyst Initials**	**Reviewer Initials**
Sample positions on autosampler verified against instrument sequence	TB	NA
Calibration standards analyzed and meets criteria	TB	SB
Standards traceability checked and meets criteria	TB	SB
Standard curve coefficients evaluated and meet criteria	TB	SB
ICVs analyzed and meet acceptance criteria	TB	SB
CCVs analyzed and meet acceptance criteria	TB	SB
Retention Time Windows checked	TB	SB
For method 8081A, Endrin/DDT Breakdown is checked for compliance	—	—
Surrogate recoveries checked and appropriately addressed	—	—
Method Preparation Blanks analyzed and meet acceptance criteria	TB	SB
MSs, MSDs, and/or MDs analyzed and calculations checked; applicable	TB	SB
RLVS analyzed	TB	SB
Preparation and analysis hold times met	TB	SB
Preparation deviations and re-preparations noted when performed	TB	SB
Analysis deviations and re-analyses noted when performed	TB	SB
Sample dilution factors noted on reports	TB	SB
Electronic records in HBN transcription accuracy and completeness	TB	SB
Preparation and analysis calculations checked	TB	SB
NCRs are completed as necessary NC/CAR#_____	TB	SB
Report forms are complete and accurate	TB	SB
Manual integrations checked	TB	SB

STANDARD REPORT

Working Standard - CLO4ISTDWRK

CLO4ISTDWRK		Description - Perchlorate ISTD Wrk 1,000ug/L
Standard: 49946	**Created By:** Thomas Bosch	**Amount:** 25 mL
MFG: ALS/SLC	**Create Date:** 09/23/2019 03:09PM	**Expires:** 09/19/2020
MFG Lot: TNB: 09/20/2019	**Verified By:** Thomas Bosch	**Usable:** Yes
Pipette ID: Not Provided	**Verify Date:**	**Lab Lot:** CLO4ISTDWRK

Pos.	Analyte	Name	Concentration
1	14797-73-0-8385	Perchlorate 83:85 Ratio	1000 ug/L
2	14797-73-0-89	Perchlorate 89	1000 ug/L

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
47863	CLO4ISTDSTK	Perchlorate ISTD Stock	CLO4ISTDSTK	0.25 mL	12/05/2028

STANDARD REPORT

Constituent

Stock Standard - CLO4ISTDSTK

CLO4ISTDSTK		Description - Perchlorate ISTD Stock
Standard: 47863	**Created By:** Thomas Bosch	**Amount:** 1 mL
MFG: Cambridge Isotope	**Create Date:** 05/23/2019 10:05AM	**Expires:** 12/05/2028
MFG Lot: SDIH-016	**Verified By:** Thomas Bosch	**Usable:** Yes
Part ID: OLM-7310-S	**Verify Date:**	**Lab Lot:** CLO4ISTDSTK

Pos.	Analyte	Name	Concentration
1	14797-73-0-8385	Perchlorate 83:85 Ratio	100 ug/mL
2	14797-73-0-89	Perchlorate 89	100 ug/mL

STANDARD REPORT

Working Standard - CLO4 WRK

CLO4 WRK		Description - 6850 WKG Std 100.ug/L
Standard: 49948	**Created By:** Thomas Bosch	**Amount:** 10 mL
MFG: ALS/SLC	**Create Date:** 09/20/2019 03:09PM	**Expires:** 07/25/2020
MFG Lot: TNB: 09/20/2019		**Usable:** Yes
Pipette ID: Not Provided		**Lab Lot:** CLO4 WRK

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	0.1 ug/mL
2	14797-73-0-8385	Perchlorate 83:85 Ratio	0.1 ug/mL

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
109	ASTM H2O	ASTM Type II Water	LAB 109	9.9 mL	11/07/2025
49947	CLO4 INT	6850 Intermdt AccStd 10.ug/mL	CLO4 INT	0.1 mL	07/25/2020

STANDARD REPORT

Constituent

Stock Standard - CLO4 STOCK

CLO4 STOCK		Description - 6850 Stock AccStd 1,000ug/mL
Standard: 43659	**Created By:** Thomas Bosch	**Amount:** 100 mL
MFG: AccuStandard	**Create Date:** 09/17/2018 09:09AM	**Expires:** 07/25/2020
MFG Lot: 218065075		**Usable:** Yes
Part ID: IC-PER-10X-1		**Lab Lot:** CLO4 STOCK

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	1000 ug/mL
2	14797-73-0-8385	Perchlorate 83:85 Ratio	1000 ug/mL

STANDARD REPORT

Constituent

Solvent Standard - ASTM H2O

ASTM H2O			Description - ASTM Type II Water
Standard: 109	**Created By:** ALS Support (Lims)	**Amount:** 1000 L	
MFG: DCL In House	**Create Date:** 10/06/2005 09:10AM	**Expires:** 11/07/2025	
MFG Lot: Not Provided		**Usable:** Yes	
Part ID: Not Provided		**Lab Lot:** LAB 109	

Pos.	Analyte	Name	Concentration
Solvent - Analyte(s) not applicable			

STANDARD REPORT

Constituent

Working Standard - CLO4 INT

CLO4 INT		Description - 6850 Intermdt AccStd 10.ug/mL
Standard: 49947	**Created By:** Thomas Bosch	**Amount:** 10 mL
MFG: ALS/SLC	**Create Date:** 09/23/2019 03:09PM	**Expires:** 07/25/2020
MFG Lot: TNB: 09/20/2019		**Usable:** Yes
Pipette ID: Not Provided		**Lab Lot:** CLO4 INT

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	10 ug/mL
2	14797-73-0-8385	Perchlorate 83:85 Ratio	10 ug/mL

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
109	ASTM H2O	ASTM Type II Water	LAB 109	9.9 mL	11/07/2025
43659	CLO4 STOCK	6850 Stock AccStd 1,000ug/mL	CLO4 STOCK	0.1 mL	07/25/2020

STANDARD REPORT

Working Standard - CLO4 QC WRK

CLO4 QC WRK		Description - 6850 QC WKG STD 100ug/L
Standard: 47516	**Created By:** Thomas Bosch	**Amount:** 10 mL
MFG: ALS/SLC	**Create Date:** 05/06/2019 03:05PM	**Expires:** 03/31/2020
MFG Lot: TNB: 05/06/2019		**Usable:** Yes
Pipette ID: Not Provided		**Lab Lot:** CLO4 QC WRK 100.ug/L

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	100 ug/L

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
109	ASTM H2O	ASTM Type II Water	LAB 109	9.9 mL	11/07/2025
47515	CLO4 QC INT	6850 QC Intrmdt Std-QC 10ug/mL	CLO4 QC INT 10.ug/mL	0.1 mL	03/31/2020

STANDARD REPORT

Constituent

Solvent Standard - ASTM H2O

ASTM H2O			**Description - ASTM Type II Water**
Standard: 109	**Created By:** ALS Support (Lims)	**Amount:** 1000 L	
MFG: DCL In House	**Create Date:** 10/06/2005 09:10AM	**Expires:** 11/07/2025	
MFG Lot: Not Provided		**Usable:** Yes	
Part ID: Not Provided		**Lab Lot:** LAB 109	

Pos.	Analyte	Name	Concentration
Solvent - Analyte(s) not applicable			

STANDARD REPORT

Constituent

Stock Standard - CLO4 QCSTOCK

CLO4 QCSTOCK		Description - 6850 QC Stock STD 1,000ug/mL
Standard: 36748	**Created By:** Thomas Bosch	**Amount:** 100 mL
MFG: Ultra Scientific	**Create Date:** 05/11/2017 01:05PM	**Expires:** 03/31/2020
MFG Lot: CP-0860		**Usable:** Yes
Part ID: ICC-013		**Lab Lot:** CLO4 QC STOCK

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	1000 ug/mL

STANDARD REPORT

Constituent

Working Standard - CLO4 QC INT

CLO4 QC INT		Description - 6850 QC Intrmdt Std-QC 10ug/mL
Standard: 47515	**Created By:** Thomas Bosch	**Amount:** 10 mL
MFG: ALS/SLC	**Create Date:** 05/06/2019 03:05PM	**Expires:** 03/31/2020
MFG Lot: TNB: 05/06/2019		**Usable:** Yes
Pipette ID: Not Provided		**Lab Lot:** CLO4 QC INT 10.ug/mL

Pos.	Analyte	Name	Concentration
1	14797-73-0	Perchlorate	10 ug/mL

Composition

Standard	Standard ID	Description	Lab Lot ID	Volume	Expires
109	ASTM H2O	ASTM Type II Water	LAB 109	9.9 mL	11/07/2025
36748	CLO4 QCSTOCK	6850 QC Stock STD 1,000ug/mL	CLO4 QC STOCK	0.1 mL	03/31/2020

125 Market Street
New Haven, CT 06513
USA

AccuStandard®

Tel (203)786-5290
Fax (203)786-5287
www.AccuStandard.com

CERTIFICATE OF ANALYSIS

S 43659

AccuTrace™ Reference Standard

Catalog No: IC-PER-10X-1
Description: Perchlorate Standard
Element: Perchlorate (ClO_4)
SRM: Ind. Std.
Lot: 218065075
Matrix: Water
Hazards: *Refer to SDS for complete safety information*

Signal Word: None

Date Certified: Jun 25, 2018
Expiration: Jul 25, 2020
Sample Size: 100 mL
Components: 1
Storage Condition: Ambient (>5 °C)

Included on ISO/IEC 17025 Scope of Accreditation: Yes

Included on ISO 17034 Scope of Accreditation: Yes

Component		SRM #	Prepared Concentration (µg/mL)
ClO_4	Perchlorate	Ind. Std.	1000

AccuStandard®

The gravimetric uncertainty for this product is ±0.24%.

The final solution was checked against an independent standard to verify its concentration.

We use the highest purity raw materials available to minimize impurity levels in the final solution. Typically 99.999%+ pure starting materials are used as well as ASTM Type I 18 megohm deionized water.

All solutions are filtered through a 0.2 µm filter prior to being bottled.

All glassware used in preparation is Class A and calibrated regularly.

All weights are traceable through NIST, Test No. 822-275872-11

All bottles are triple rinsed with deionized water prior to use.

Shake bottle prior to use and do not pipette directly out of the bottle. Use only cleaned Class A volumetric glassware.

We certify the accuracy of this standard to be ±0.5% of the stated value until its expiration date provided it is kept tightly capped and stored under the conditions stated above.

Certified By: Meigan O'Leary

Meigan O'Leary, Inorganic QC Manager

For use in routine laboratory analysis.

AccuStandard is accredited to ISO 17034, ISO/IEC 17025 and certified to ISO 9001:2015

QR-ORG/INO-001
Rev. 5/18

ULTRA SCIENTIFIC
Analytical Solutions

Certificate of Analysis

ISO Guide 34 Reference Material

Product Number: ICC-013
Lot Number: CP-0860

S 36748

Lot Issue Date: 29-Feb 2016
Expiration Date: 31-Mar 2020

Product Name: Perchlorate IC Standard

Description:
This Reference Material (RM) was gravimetrically prepared in accordance with ISO Guide 34 and under ULTRA Scientific's ISO 9001 registered quality system. The neat materials used for this product have been verified by ULTRA's ISO 17025 laboratory and under ULTRA's ISO Guide 34 accreditation. The analyte concentrations were verified by ULTRA's ISO 17025 accredited laboratory. For each analyte, the true value, with its uncertainty value calculated at the 95% confidence level, is reported below.

Analyte	Starting Material	Lot Number	Purity (%)	Calculated Value	True Value	Traceability & Method
perchlorate	potassium perchlorate	RM07987	100	1001 ± 5 µg/mL	976 ± 6 µg/mL	NIST SRM 3141A; ICP-OES

Solvent: water (low TOC, < 50 ppb)

Storage: Store at Room Temperature (15° to 30°C).

Traceability:
Traceability has been established through an unbroken chain of comparisons, each having stated uncertainties. Comparisons are based on appropriate physical or chemical measurements, including gravimetric or volumetric dilution, where the mass or volume of a solution before and after dilution is measured. The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z-540-1, ISO 9001, ISO 17025, and ISO Guide 34. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 819.

Estimation of Uncertainties:
The true value is reported, with its uncertainty value calculated at the 95% confidence level.

Homogeneity:
This RM was formulated and unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Intended Use:
This RM is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods and continuing calibration verification.

Instructions for Use:
Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening and should be processed without delay for the true value to be valid within the stated uncertainties. Do not pipet from the bottle. Do not return any material removed for pipetting to the bottle. Tightly cap the bottle after removing any material and store according to the instructions noted above.

Hazards:
Refer to the Safety Data Sheet for information regarding this RM.

Expiration of Certification:
The certification of this RM is valid, within the measurement uncertainty specified, until the expiration date specified above, provided the RM is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the RM is damaged, contaminated, or otherwise modified.

ANAB ACCREDITED ISO 17034 REFERENCE MATERIAL PRODUCER
ANAB ACCREDITED ISO/IEC 17025 TESTING LABORATORY

ISO 9001 Registered Quality System – TUV USA

ULTRA SCIENTIFIC
Analytical Solutions

Certificate of Analysis

TRIPLE ISO CERTIFICATION ULTRA ISO 9001 ISO GUIDE 34 ISO 17025

ISO Guide 34 Reference Material

Product Number: ICC-013
Lot Number: CP-0860

Lot Issue Date: 29-Feb 2016
Expiration Date: 31-Mar 2020

Maintenance of Certification:
The real-time, long term stability of the RM may be monitored over the lifetime of the certification. If substantive changes occur that affect the certification before the expiration of this certificate, ULTRA Scientific will notify the purchaser.

Peter A. King, Ph.D.
VP, Technical Operations

Daniel J. Lamendola
Director of QA/RA

ANAB ACCREDITED ISO GUIDE 34 REFERENCE MATERIAL PRODUCER

ANAB ACCREDITED ISO/IEC 17025 TESTING LABORATORY

Cambridge Isotope Laboratories, Inc.

Certificate of Analysis

S 47863

Product Name: (Isotopic Label & Enrichment Specification)	PERCHLORIC ACID, SODIUM SALT (18O4, 90%+) 100 UG/ML IN WATER
Lot Number:	SDIH-016
Catalog Number:	OLM-7310-S

Product Information

Chemical Purity Specification:	≥ 98%
MW*: ** For isotopically labeled compounds, MW listed is for the fully enriched product.*	130.44
Labeled CAS Number:	NA
Unlabeled CAS Number:	7601-89-0
Chemical Formula:	NaCl*O4
Storage:	Store at room temperature away from light and moisture.
Stability:	See storage and expiration date.

$NaCl^{18}O_4$

Certification

Cambridge Isotope Laboratories, Inc. guarantees that this material meets or exceeds the specifications stated. Absolute identity as well as chemical and isotopic purities are assured by the use of unambiguous synthetic routes and multiple chemical analyses whenever possible. Results are representative of QC testing at time of release from Quality Control unless otherwise stated. CIL Certificates of Analysis are occasionally updated with new data following recertification. We recommend checking the website for the latest version.

Volumetric measurements were made with Class A glassware. Gravimetry is traceable to the NIST through calibrated balances and certified, calibrated, standard weights. The calibrations are traceable to the NIST under Test No. 822/270236-04. The calibrations also meet specifications outlined in ISO 9001, ISO/IEC 17025, ANSI/NSCL Z540-1-1994, NCR Document 10CFR50 Appendix B, and applicable subdocuments.

This COA references the bulk catalog number before packaging. The COA also applies to the CIL finished good catalog number . Some possible packaging sizes and their corresponding suffix are -1.2, -1, -0.5, -10, or -0.1.

Approved by: Sashi Sivendran-Basak

Sashi Sivendran-Basak, Ph.D., Quality Review

Quality Control Tests and Results

QC Release Date	12/05/2018
Expiration Date	12/05/2028
Concentration Based on Gravimetry	100.0 ± 1.0 µg/mL (k=2)
Chemical Purity of Neat Material(s)	98%
LC/MS for Concentration	105.4 ± 1.1 µg/mL (k=2)



ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Environmental Division

Raw Data

Batch Review Method:
C:\HPCHEM\1\METHODS\CLO4-DP3.M

['#' ==> Run has not been reprocessed with Batch Review Method
'*' ==> Run has been saved with batch file]

#*	Sample	Location	Inj	SampleType	Run	Perchlorate Area	Perchlorat RT	Perchlorate Amount
*	687440 CCV@25	Vial 71	1	Control	1	1.96528e6	7.330	27.65522
*	687441 QC@30.	Vial 72	1	Control	2	2.19960e5	7.271	32.68255
*	687443 ICS@3.0	Vial 73	1	Control	3	1.24430e5	7.270	2.72355
*	687444 LMB	Vial 74	1	Control	4	0.00000	0.000	0.00000
*	1934139001	Vial 75	1	Sample	5	0.00000	0.000	0.00000
*	687445 341391S	Vial 76	1	Sample	6	1.88246e5	7.276	21.63787
*	687446 341391D	Vial 77	1	Sample	7	1.94571e5	7.317	21.82727
*	1934141001	Vial 78	1	Sample	8	0.00000	0.000	0.00000
*	687447 CCV@25	Vial 71	1	Control	9	1.89396e6	7.365	27.60008

#*	Sample	Location	Inj	SampleType	Run	CLO4-89-ISTD Area	CLO4-89-IS RT	CLO4-89-ISTD Amount
*	687440 CCV@25	Vial 71	1	Control	1	2.40181e5	7.353	5.00000
*	687441 QC@30.	Vial 72	1	Control	2	2.47878e5	7.293	50.00000
*	687443 ICS@3.0	Vial 73	1	Control	3	1.67855e5	7.284	5.00000
*	687444 LMB	Vial 74	1	Control	4	2.41583e5	7.413	50.00000
*	1934139001	Vial 75	1	Sample	5	3.00642e5	7.288	47.94000
*	687445 341391S	Vial 76	1	Sample	6	3.03542e5	7.315	47.66500
*	687446 341391D	Vial 77	1	Sample	7	3.06786e5	7.344	46.99000
*	1934141001	Vial 78	1	Sample	8	2.71059e5	7.502	48.40500
*	687447 CCV@25	Vial 71	1	Control	9	2.31980e5	7.392	5.00000

#*	Sample	Location	Inj	SampleType	Run	CLO4-85 Area	CLO4-85 RT	CLO4-85 Amount
*	687440 CCV@25	Vial 71	1	Control	1	5.96373e5	7.348	27.55874
*	687441 QC@30.	Vial 72	1	Control	2	7.35058e4	7.280	34.92164
*	687443 ICS@3.0	Vial 73	1	Control	3	4.87057e4	7.290	3.41470
*	687444 LMB	Vial 74	1	Control	4	0.00000	0.000	0.00000
*	1934139001	Vial 75	1	Sample	5	0.00000	0.000	0.00000
*	687445 341391S	Vial 76	1	Sample	6	6.27139e4	7.288	22.82794
*	687446 341391D	Vial 77	1	Sample	7	6.24741e4	7.322	22.16276
*	1934141001	Vial 78	1	Sample	8	0.00000	0.000	0.00000
*	687447 CCV@25	Vial 71	1	Control	9	5.76944e5	7.380	27.59921

*** End of Report ***

Sequence Table:

Method and Injection Info Part:


Line	Location	SampleName		Method	Inj	SampleType	InjVolume	DataFile
1	Vial 71	687440	CCV@25	CLO4-AQN	1	Ctrl Samp		
2	Vial 72	687441	QC@30.	CLO4-AQN	1	Ctrl Samp		
3	Vial 73	687443	ICS@3.0	CLO4-AQN	1	Ctrl Samp		
4	Vial 74	687444	LMB	CLO4-AQN	1	Ctrl Samp		
5	Vial 75	1934139001		CLO4-AQN	1	Sample		
6	Vial 76	687445	341391S	CLO4-AQN	1	Sample		
7	Vial 77	687446	341391D	CLO4-AQN	1	Sample		
8	Vial 78	1934141001		CLO4-AQN	1	Sample		
9	Vial 71	687447	CCV@25	CLO4-AQN	1	Ctrl Samp		

Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD01.D Sample Name: 687440 CCV@25

Injection Date:	12/09/2019 11:09:23	Seq Line:	1
Sample Name:	687440 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD01.D Sample Name: 687440 CCV@25

Injection Date:	12/09/2019 11:09:23	Seq Line:	1
Sample Name:	687440 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	25.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.330	PBA	1965278.4	27.6552	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.348	PBA	596373.0	27.5587	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.353	PBA	240180.9	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD02.D Sample Name: 687441 QC@30.

Injection Date:	12/09/2019 11:28:47	Seq Line:	2
Sample Name:	687441 QC@30.	Location:	Vial 72
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD02.D Sample Name: 687441 QC@30.

Injection Date:	12/09/2019 11:28:47	Seq Line:	2
Sample Name:	687441 QC@30.	Location:	Vial 72
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	11/5/2019 08:44:45

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	10.000000
Dilution:	1.000000
Sample Amount:	30.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.271	BBA	219959.6	32.6825	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.280	PBA	73505.8	34.9216	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.293	PBA	247877.6	50.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD03.D Sample Name: 687443 ICS@3.0

Injection Date:	12/09/2019 11:42:43	Seq Line:	3
Sample Name:	687443 ICS@3.0	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD03.D Sample Name: 687443 ICS@3.0

Injection Date:	12/09/2019 11:42:43	Seq Line:	3
Sample Name:	687443 ICS@3.0	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	3.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.270	PBA	124430.1	2.7236	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.290	PBA	48705.7	3.4147	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.284	PBA	167855.2	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD04.D Sample Name: 687444 LMB

Injection Date:	12/09/2019 11:56:39	Seq Line:	4
Sample Name:	687444 LMB	Location:	Vial 74
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD04.D Sample Name: 687444 LMB

Injection Date:	12/09/2019 11:56:39	Seq Line:	4
Sample Name:	687444 LMB	Location:	Vial 74
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	11/5/2019 08:44:45

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	10.000000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.413	PBA	241583.0	50.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD05.D Sample Name: 1934139001

Injection Date:	12/09/2019 12:10:32	Seq Line:	5
Sample Name:	1934139001	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD05.D Sample Name: 1934139001

Injection Date:	12/09/2019 12:10:32	Seq Line:	5
Sample Name:	1934139001	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	11/5/2019 08:44:45

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	9.588000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.288	PBA	300641.5	47.9400	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD06.D Sample Name: 687445 341391S

Injection Date:	12/09/2019 12:24:26	Seq Line:	6
Sample Name:	687445 341391S	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD06.D Sample Name: 687445 341391S

Injection Date:	12/09/2019 12:24:26	Seq Line:	6
Sample Name:	687445 341391S	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	9.533000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.276	PBA	188246.3	21.6379	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.288	PBA	62713.9	22.8279	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.315	PBA	303541.6	47.6650	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD07.D Sample Name: 687446 341391D


Injection Date:	12/09/2019 12:38:18	Seq Line:	7
Sample Name:	687446 341391D	Location:	Vial 77
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD07.D Sample Name: 687446 341391D

Injection Date:	12/09/2019 12:38:18	Seq Line:	7
Sample Name:	687446 341391D	Location:	Vial 77
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	9.398000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.317	PBA	194570.8	21.8273	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.322	PBA	62474.1	22.1628	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.344	PBA	306785.9	46.9900	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD08.D Sample Name: 1934141001

Injection Date:	12/09/2019 12:52:13	Seq Line:	8
Sample Name:	1934141001	Location:	Vial 78
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	11/5/2019 08:44:45

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD08.D Sample Name: 1934141001

Injection Date:	12/09/2019 12:52:13	Seq Line:	8
Sample Name:	1934141001	Location:	Vial 78
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	9.681000
Dilution:	1.000000
Sample Amount:	0.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.502	PBA	271059.3	48.4050	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD09.D Sample Name: 687447 CCV@25

Injection Date:	12/09/2019 13:07:13	Seq Line:	9
Sample Name:	687447 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\09DEC19D\09DECD09.D Sample Name: 687447 CCV@25

Injection Date:	12/09/2019 13:07:13	Seq Line:	9
Sample Name:	687447 CCV@25	Location:	Vial 71
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	35 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 11/5/2019 08:44:45

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	25.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.365	PBA	1893964.4	27.6001	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.380	PBA	576943.9	27.5992	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.392	PBA	231980.4	5.0000	CLO4-89-ISTD

*** End of Report ***



ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Environmental Division

Raw Data

Initial Calibration

Calibration Table

Perchlorate

Calib. Data Modified : 9/23/2019 12:20:59 PM

Calculate : Internal Standard
Based on : Peak Area

Rel. Reference Window : 20.000 %
Abs. Reference Window : 0.000 min
Rel. Non-ref. Window : 20.000 %
Abs. Non-ref. Window : 0.000 min
Use Multiplier & Dilution Factor with ISTDs
Uncalibrated Peaks : not reported
Partial Calibration : No recalibration if peaks missing

Curve Type : Quadratic (some peaks differ, see below)
Origin : Ignored (some peaks differ, see below)
Weight : Linear (Amnt) (some peaks differ, see below)

Recalibration Settings:
Average Response : Average all calibrations
Average Retention Time: Floating Average New 75%

Calibration Report Options :
Printout of recalibrations within a sequence:
Calibration Table after Recalibration
Normal Report after Recalibration
If the sequence is done with bracketing:
Results of first cycle (ending previous bracket)

Default Sample ISTD Information (if not set in sample table):

ISTD #	ISTD Amount	Name
1	5.00000	CLO4-89-ISTD

Signal 1: MSD1 83, EIC=82.7:83.7
Signal 2: MSD1 85, EIC=84.7:85.7
Signal 3: MSD1 89, EIC=88.7:89.7

RetTime [min]	Lvl Sig		Amount	Area	Amt/Area	Ref	Grp	Name
7.750	1	3	1.00000	5.39218e4	1.85454e-5		1	Perchlorate
		4	2.00000	1.32825e5	1.50574e-5			
		5	5.00000	2.76271e5	1.80982e-5			
		6	10.00000	5.61298e5	1.78159e-5			
		7	25.00000	1.51820e6	1.64669e-5			
		8	50.00000	3.31156e6	1.50986e-5			
		9	75.00000	5.23914e6	1.43153e-5			
7.767	3	3	5.00000	2.14568e5	2.33026e-5	+I1		CLO4-89-ISTD
		4	5.00000	2.04758e5	2.44190e-5			
		5	5.00000	2.13407e5	2.34294e-5			
		6	5.00000	2.09246e5	2.38953e-5			
		7	5.00000	2.07403e5	2.41077e-5			
		8	5.00000	2.02929e5	2.46391e-5			
		9	5.00000	1.97933e5	2.52611e-5			
7.778	2	3	1.00000	1.70436e4	5.86732e-5		1	CLO4-85
		4	2.00000	4.20754e4	4.75337e-5			
		5	5.00000	9.24707e4	5.40712e-5			
		6	10.00000	1.68622e5	5.93041e-5			
		7	25.00000	4.63724e5	5.39114e-5			
		8	50.00000	9.95933e5	5.02042e-5			

Method C:\HPCHEM\1\METHODS\CLO4-DP3.M

RetTime [min]	Sig	Lvl	Amount	Area	Amt/Area	Ref	Grp	Name
		9	75.00000	1.58066e6	4.74484e-5			

More compound-specific settings:

Compound: Perchlorate
- Time Window : From 3.581 min To 11.899 min
- Curve Type : Quadratic
- Origin : Ignored
- Calibration Level Weights:/
  - Level 3 : 1
  - Level 4 : 0.5
  - Level 5 : 0.2
  - Level 6 : 0.1
  - Level 7 : 0.04
  - Level 8 : 0.02
  - Level 9 : 0.013333

Compound: CLO4-89-ISTD
- Time Window : From 3.581 min To 11.896 min
- Curve Type : Linear
- Origin : Included
- Calibration Level Weights:/
  - Level 3 : 1
  - Level 4 : 1
  - Level 5 : 1
  - Level 6 : 1
  - Level 7 : 1
  - Level 8 : 1
  - Level 9 : 1


Compound: CLO4-85
- Time Window : From 3.601 min To 11.913 min
- Curve Type : Quadratic
- Origin : Ignored
- Calibration Level Weights:/
  - Level 3 : 1
  - Level 4 : 0.5
  - Level 5 : 0.2
  - Level 6 : 0.1
  - Level 7 : 0.04
  - Level 8 : 0.02
  - Level 9 : 0.013333

Peak Sum Table


No Entries in table

Method C:\HPCHEM\1\METHODS\CLO4-DP3.M


Calibration Curves



Perchlorate at exp. RT: 7.750
MSD1 83, EIC=82.7:83.7
Correlation: 0.99975
Residual Std. Dev.: 0.10284
Formula: $y = ax^2 + bx + c$
a: 3.10463e-2
b: 1.30369
c: 2.19496e-2
x: Amount Ratio
y: Area Ratio
Calibration Level Weights:
Level 3 : 1
Level 4 : 0.5
Level 5 : 0.2
Level 6 : 0.1
Level 7 : 0.04
Level 8 : 0.02
Level 9 : 0.013333



CLO4-89-ISTD at exp. RT: 7.767
MSD1 89, EIC=88.7:89.7
Correlation: 1.00000
Residual Std. Dev.: 0.00000
Formula: $y = mx + b$
m: 1.00000
b: 0.00000
x: Amount Ratio
y: Area Ratio
Calibration Level Weights:
Level 3 : 1
Level 4 : 1
Level 5 : 1
Level 6 : 1
Level 7 : 1
Level 8 : 1
Level 9 : 1



CLO4-85 at exp. RT: 7.778
MSD1 85, EIC=84.7:85.7
Correlation: 0.99969
Residual Std. Dev.: 0.02601
Formula: $y = ax^2 + bx + c$
a: 8.85207e-3
b: 3.99283e-1
c: 1.33505e-2
x: Amount Ratio
y: Area Ratio
Calibration Level Weights:
Level 3 : 1
Level 4 : 0.5
Level 5 : 0.2
Level 6 : 0.1
Level 7 : 0.04
Level 8 : 0.02
Level 9 : 0.013333

Batch Report: C:\HPCHEM\1\DATA\20SEP19I\20SEP19D.B

Batch Review Method:
C:\HPCHEM\1\METHODS\CLO4-DP3.M

['#' ==> Run has not been reprocessed with Batch Review Method
'*' ==> Run has been saved with batch file]

#*	Sample	Location	Inj	SampleType	Run	Perchlorate Area	Perchlorat RT	Perchlorate Amount
#*	CLO4@ 1.0ug/L	Vial 73	1	Control	3	5.39218e4	7.750	8.75982e-1
#*	CLO4@ 2.0ug/L	Vial 74	1	Control	4	1.32825e5	7.797	2.37682
#*	CLO4@ 5.0ug/L	Vial 75	1	Control	5	2.76271e5	7.770	4.77237
#*	CLO4@ 10.ug/L	Vial 76	1	Control	6	5.61298e5	7.785	9.75097
#*	CLO4@ 25.ug/L	Vial 77	1	Control	7	1.51820e6	7.741	25.01082
#*	CLO4@ 50.ug/L	Vial 78	1	Control	8	3.31156e6	7.775	50.40300
#*	CLO4@ 75.ug/L	Vial 79	1	Control	9	5.23914e6	7.736	74.79107
#*	ICAL Verf@10ug/L	Vial 80	1	Control	11	5.74879e5	7.756	10.11855

#*	Sample	Location	Inj	SampleType	Run	CLO4-89-ISTD Area	CLO4-89-IS RT	CLO4-89-ISTD Amount
#*	CLO4@ 1.0ug/L	Vial 73	1	Control	3	2.14568e5	7.767	5.00000
#*	CLO4@ 2.0ug/L	Vial 74	1	Control	4	2.04758e5	7.816	5.00000
#*	CLO4@ 5.0ug/L	Vial 75	1	Control	5	2.13407e5	7.793	5.00000
#*	CLO4@ 10.ug/L	Vial 76	1	Control	6	2.09246e5	7.798	5.00000
#*	CLO4@ 25.ug/L	Vial 77	1	Control	7	2.07403e5	7.763	5.00000
#*	CLO4@ 50.ug/L	Vial 78	1	Control	8	2.02929e5	7.800	5.00000
#*	CLO4@ 75.ug/L	Vial 79	1	Control	9	1.97933e5	7.765	5.00000
#*	ICAL Verf@10ug/L	Vial 80	1	Control	11	2.06243e5	7.776	5.00000

#*	Sample	Location	Inj	SampleType	Run	CLO4-85 Area	CLO4-85 RT	CLO4-85 Amount
#*	CLO4@ 1.0ug/L	Vial 73	1	Control	3	1.70436e4	7.778	8.24488e-1
#*	CLO4@ 2.0ug/L	Vial 74	1	Control	4	4.20754e4	7.805	2.38090
#*	CLO4@ 5.0ug/L	Vial 75	1	Control	5	9.24707e4	7.787	5.14166
#*	CLO4@ 10.ug/L	Vial 76	1	Control	6	1.68622e5	7.781	9.52209
#*	CLO4@ 25.ug/L	Vial 77	1	Control	7	4.63724e5	7.760	25.04916
#*	CLO4@ 50.ug/L	Vial 78	1	Control	8	9.95933e5	7.793	50.14223
#*	CLO4@ 75.ug/L	Vial 79	1	Control	9	1.58066e6	7.758	74.93659
#*	ICAL Verf@10ug/L	Vial 80	1	Control	11	1.71000e5	7.760	9.79043

*** End of Report ***

Sequence: C:\HPCHEM\1\SEQUENCE\CLO4\2019\SEP\20SEP19I.S

Sequence Table:

Method and Injection Info Part:


Line	Location	SampleName	Method	Inj	SampleType	InjVolume	DataFile
1	Vial 71	CLO4@ 0.2ug/L	CLO4-AQN	1	Ctrl Samp		
2	Vial 72	CLO4@ 0.5ug/L	CLO4-AQN	1	Ctrl Samp		
3	Vial 73	CLO4@ 1.0ug/L	CLO4-AQN	1	Ctrl Samp		
4	Vial 74	CLO4@ 2.0ug/L	CLO4-AQN	1	Ctrl Samp		
5	Vial 75	CLO4@ 5.0ug/L	CLO4-AQN	1	Ctrl Samp		
6	Vial 76	CLO4@ 10.ug/L	CLO4-AQN	1	Ctrl Samp		
7	Vial 77	CLO4@ 25.ug/L	CLO4-AQN	1	Ctrl Samp		
8	Vial 78	CLO4@ 50.ug/L	CLO4-AQN	1	Ctrl Samp		
9	Vial 79	CLO4@ 75.ug/L	CLO4-AQN	1	Ctrl Samp		
10	Vial 71	CLO4@ 0.2ug/L	CLO4-AQN	1	Ctrl Samp		
11	Vial 80	ICAL Verf@10ug/L	CLO4-AQN	1	Ctrl Samp		

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI03.D Sample Name: CLO4@ 1.0ug/L

Injection Date:	9/20/2019 09:24:05	Seq Line:	3
Sample Name:	CLO4@ 1.0ug/L	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI03.D Sample Name: CLO4@ 1.0ug/L

Injection Date:	9/20/2019 09:24:05	Seq Line:	3
Sample Name:	CLO4@ 1.0ug/L	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	1.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.750	PBA	53921.8	0.8760	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.778	MM	17043.6	0.8245	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.767	PBA	214568.1	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI04.D Sample Name: CLO4@ 2.0ug/L

Injection Date:	9/20/2019 09:37:58	Seq Line:	4
Sample Name:	CLO4@ 2.0ug/L	Location:	Vial 74
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI04.D Sample Name: CLO4@ 2.0ug/L

Injection Date:	9/20/2019 09:37:58	Seq Line:	4
Sample Name:	CLO4@ 2.0ug/L	Location:	Vial 74
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	2.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.797	PBA	132825.2	2.3768	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.805	PBA	42075.4	2.3809	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.816	PBA	204758.3	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI05.D Sample Name: CLO4@ 5.0ug/L

Injection Date:	9/20/2019 09:51:49	Seq Line:	5
Sample Name:	CLO4@ 5.0ug/L	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI05.D Sample Name: CLO4@ 5.0ug/L

Injection Date:	9/20/2019 09:51:49	Seq Line:	5
Sample Name:	CLO4@ 5.0ug/L	Location:	Vial 75
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	5.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.770	PBA	276270.7	4.7724	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.787	PBA	92470.7	5.1417	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.793	PBA	213407.0	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI06.D Sample Name: CLO4@ 10.ug/L

Injection Date:	9/20/2019 10:05:36	Seq Line:	6
Sample Name:	CLO4@ 10.ug/L	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI06.D Sample Name: CLO4@ 10.ug/L

Injection Date:	9/20/2019 10:05:36	Seq Line:	6
Sample Name:	CLO4@ 10.ug/L	Location:	Vial 76
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	10.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.785	PBA	561297.7	9.7510	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.781	PBA	168622.4	9.5221	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.798	PBA	209246.3	5.0000	CLO4-89-ISTD


*** End of Report ***


Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI07.D Sample Name: CLO4@ 25.ug/L


Injection Date:	9/20/2019 10:19:23	Seq Line:	7
Sample Name:	CLO4@ 25.ug/L	Location:	Vial 77
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis







Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI07.D Sample Name: CLO4@ 25.ug/L

Injection Date:	9/20/2019 10:19:23	Seq Line:	7
Sample Name:	CLO4@ 25.ug/L	Location:	Vial 77
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	25.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.741	PBA	1518197.9	25.0108	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.760	PBA	463724.0	25.0492	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.763	PBA	207402.8	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI08.D Sample Name: CLO4@ 50.ug/L

Injection Date:	9/20/2019 10:33:18	Seq Line:	8
Sample Name:	CLO4@ 50.ug/L	Location:	Vial 78
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI08.D Sample Name: CLO4@ 50.ug/L

Injection Date:	9/20/2019 10:33:18	Seq Line:	8
Sample Name:	CLO4@ 50.ug/L	Location:	Vial 78
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	50.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.775	PBA	3311559.2	50.4030	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.793	PBA	995933.0	50.1422	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.800	PBA	202929.2	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI09.D Sample Name: CLO4@ 75.ug/L

Injection Date:	9/20/2019 10:47:05	Seq Line:	9
Sample Name:	CLO4@ 75.ug/L	Location:	Vial 79
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI09.D Sample Name: CLO4@ 75.ug/L

Injection Date:	9/20/2019 10:47:05	Seq Line:	9
Sample Name:	CLO4@ 75.ug/L	Location:	Vial 79
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	75.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.736	PBA	5239145.0	74.7911	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.758	PBA	1580664.2	74.9366	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.765	PBA	197932.5	5.0000	CLO4-89-ISTD


*** End of Report ***

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI11.D Sample Name: ICAL Verf@10ug/L

Injection Date:	9/20/2019 11:14:45	Seq Line:	11
Sample Name:	ICAL Verf@10ug/L	Location:	Vial 80
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:21:47

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI11.D Sample Name: ICAL Verf@10ug/L

Injection Date:	9/20/2019 11:14:45	Seq Line:	11
Sample Name:	ICAL Verf@10ug/L	Location:	Vial 80
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:21:47

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	10.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.756	PBA	574879.4	10.1185	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.760	PBA	171000.4	9.7904	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.776	PBA	206243.3	5.0000	CLO4-89-ISTD

*** End of Report ***



ALS Laboratory Group
ANALYTICAL CHEMISTRY & TESTING SERVICES

Environmental Division

Raw Data


Unmodified

Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI03.D Sample Name: CLO4@ 1.0ug/L

Injection Date:	9/20/2019 09:24:05	Seq Line:	3
Sample Name:	CLO4@ 1.0ug/L	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method: CLO4-AQN.M
Analysis Method: C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed: 9/23/2019 12:27:11

Perchlorate analysis



Data file: C:\HPCHEM\1\DATA\20SEP19I\20SEPI03.D Sample Name: CLO4@ 1.0ug/L

Injection Date:	9/20/2019 09:24:05	Seq Line:	3
Sample Name:	CLO4@ 1.0ug/L	Location:	Vial 73
Acq Operator:	TNB	Inj. No.:	1
		Inj. Vol.:	30 µl

Acq. Method:	CLO4-AQN.M
Analysis Method:	C:\HPCHEM\1\METHODS\CLO4-DP3.M
Last Changed:	9/23/2019 12:27:11

Perchlorate analysis

Sample Information

Sorted By:	Signal
Calib. Data Modified:	Mon, 23. Sep. 2019,00:20:59 pm
Multiplier:	1.000000
Dilution:	1.000000
Sample Amount:	1.000

LCMS Results

Signal1: MSD1 83, EIC=82.7:83.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.750	PBA	53921.8	0.8760	Perchlorate

Signal2: MSD1 85, EIC=84.7:85.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
0.000		0.0	0.0000	CLO4-85

Signal3: MSD1 89, EIC=88.7:89.7

RT [min]	Type	Area	Amount [ug/sample]	Compound Name
7.767	PBA	214568.1	5.0000	CLO4-89-ISTD

*** End of Report ***

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

December 10, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19120336**

Laboratory Results for: **Longhorn Army Ammunition Plant -16**

Dear Susan,

ALS Environmental received 5 sample(s) on Dec 07, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 10-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Work Order: HS19120336

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19120336-01	16EW11-191206	Water		06-Dec-2019 15:15	07-Dec-2019 09:00	☐
HS19120336-02	16EW12B-191206	Water		06-Dec-2019 15:23	07-Dec-2019 09:00	☐
HS19120336-03	16EW13-191206	Water		06-Dec-2019 15:33	07-Dec-2019 09:00	☐
HS19120336-04	16EW14B-191206	Water		06-Dec-2019 15:48	07-Dec-2019 09:00	☐
HS19120336-05	16EW15-191206	Water		06-Dec-2019 15:55	07-Dec-2019 09:00	☐

ALS Houston, US Date: 10-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Work Order: HS19120336

CASE NARRATIVE

WetChemistry by Method SW9056

Batch ID: R352147

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SM5310B

Batch ID: R352090

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 10-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW11-191206
Collection Date: 06-Dec-2019 15:15

ANALYTICAL REPORT
WorkOrder:HS19120336
Lab ID:HS19120336-01
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**93.4**		**2.50**	**5.00**	**5.00**	**mg/L**	5	09-Dec-2019 14:14
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.91**		**0.300**	**1.00**	**1.00**	**mg/L**	10	09-Dec-2019 18:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 10-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW12B-191206
Collection Date: 06-Dec-2019 15:23

ANALYTICAL REPORT
WorkOrder:HS19120336
Lab ID:HS19120336-02
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**12.7**		**2.50**	**5.00**	**5.00**	**mg/L**	5	09-Dec-2019 19:13
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.60**		**0.300**	**1.00**	**1.00**	**mg/L**	10	09-Dec-2019 18:35

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 10-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW13-191206
Collection Date: 06-Dec-2019 15:33

ANALYTICAL REPORT
WorkOrder:HS19120336
Lab ID:HS19120336-03
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**9.21**		**1.00**	**2.00**	**2.00**	**mg/L**	2	09-Dec-2019 19:26
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.35**		**0.300**	**1.00**	**1.00**	**mg/L**	10	09-Dec-2019 19:25

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 10-Dec-19

Client:	Aptim Environmental & Infrastucture, Inc.	**ANALYTICAL REPORT**	
Project:	Longhorn Army Ammunition Plant -16	WorkOrder:	HS19120336
Sample ID:	16EW14B-191206	Lab ID:	HS19120336-04
Collection Date:	06-Dec-2019 15:48	Matrix:	Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**20.7**		**2.50**	**5.00**	**5.00**	**mg/L**	5	09-Dec-2019 19:41
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.37**		**0.300**	**1.00**	**1.00**	**mg/L**	10	09-Dec-2019 20:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 10-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW15-191206
Collection Date: 06-Dec-2019 15:55

ANALYTICAL REPORT
WorkOrder:HS19120336
Lab ID:HS19120336-05
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**30.3**		**2.50**	**5.00**	**5.00**	**mg/L**	5	09-Dec-2019 19:56
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.52**		**0.300**	**1.00**	**1.00**	**mg/L**	10	09-Dec-2019 20:31

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 10-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: HS19120336

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R352090 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Water	
HS19120336-01	16EW11-191206	06 Dec 2019 15:15			09 Dec 2019 14:14	5
HS19120336-02	16EW12B-191206	06 Dec 2019 15:23			09 Dec 2019 19:13	5
HS19120336-03	16EW13-191206	06 Dec 2019 15:33			09 Dec 2019 19:26	2
HS19120336-04	16EW14B-191206	06 Dec 2019 15:48			09 Dec 2019 19:41	5
HS19120336-05	16EW15-191206	06 Dec 2019 15:55			09 Dec 2019 19:56	5
Batch ID: R352147 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Water	
HS19120336-01	16EW11-191206	06 Dec 2019 15:15			09 Dec 2019 18:19	10
HS19120336-02	16EW12B-191206	06 Dec 2019 15:23			09 Dec 2019 18:35	10
HS19120336-03	16EW13-191206	06 Dec 2019 15:33			09 Dec 2019 19:25	10
HS19120336-04	16EW14B-191206	06 Dec 2019 15:48			09 Dec 2019 20:15	10
HS19120336-05	16EW15-191206	06 Dec 2019 15:55			09 Dec 2019 20:31	10

ALS Houston, US Date: 10-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: HS19120336

QC BATCH REPORT

Batch ID: R352090 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW1-120919** Units: **mg/L** Analysis Date: **09-Dec-2019 12:09**
Client ID: Run ID: **TOC_02_352090** SeqNo: **5380470** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW1-120919** Units: **mg/L** Analysis Date: **09-Dec-2019 12:23**
Client ID: Run ID: **TOC_02_352090** SeqNo: **5380471** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.763	1.00	10	0	97.6	85 - 115				

LCSD Sample ID: **WLCSDW1-120919** Units: **mg/L** Analysis Date: **09-Dec-2019 12:36**
Client ID: Run ID: **TOC_02_352090** SeqNo: **5380472** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.71	1.00	10	0	97.1	85 - 115	9.763	0.544	20	

MS Sample ID: **HS19120309-01MS** Units: **mg/L** Analysis Date: **09-Dec-2019 13:02**
Client ID: Run ID: **TOC_02_352090** SeqNo: **5380474** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	59.6	5.00	50	8.325	103	80 - 120				

The following samples were analyzed in this batch: HS19120336-01 HS19120336-02 HS19120336-03 HS19120336-04 HS19120336-05

ALS Houston, US Date: 10-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: HS19120336

QC BATCH REPORT

Batch ID: R352147 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-120919** Units: **mg/L** Analysis Date: **09-Dec-2019 15:34**
Client ID: Run ID: **ICS-Integrion_352147** SeqNo: **5381798** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-120919** Units: **mg/L** Analysis Date: **09-Dec-2019 15:50**
Client ID: Run ID: **ICS-Integrion_352147** SeqNo: **5381799** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.805	0.100	4	0	95.1	80 - 120				

LCSD Sample ID: **WLCSDW1-120919** Units: **mg/L** Analysis Date: **09-Dec-2019 16:07**
Client ID: Run ID: **ICS-Integrion_352147** SeqNo: **5381800** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.786	0.100	4	0	94.7	80 - 120	3.805	0.49	20	

MS Sample ID: **HS19120336-02MS** Units: **mg/L** Analysis Date: **09-Dec-2019 18:52**
Client ID: **16EW12B-191206** Run ID: **ICS-Integrion_352147** SeqNo: **5381803** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	19.73	1.00	20	2.604	85.6	80 - 120				

MSD Sample ID: **HS19120336-02MSD** Units: **mg/L** Analysis Date: **09-Dec-2019 19:08**
Client ID: **16EW12B-191206** Run ID: **ICS-Integrion_352147** SeqNo: **5381804** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	19.74	1.00	20	2.604	85.7	80 - 120	19.73	0.0355	20	

The following samples were analyzed in this batch: HS19120336-01 HS19120336-02 HS19120336-03 HS19120336-04 HS19120336-05

ALS Houston, US Date: 10-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: **HS19120336**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 10-Dec-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19120336
Date/Time Received: **07-Dec-2019 09:00**
Received by: **JRM**

Checklist completed by: *Asad Chaudhry* eSignature 7-Dec-2019 Date
Reviewed by: *RJ Modashia* eSignature 9-Dec-2019 Date

Matrices: **GW**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	2.9c U/C	IR 25
Cooler(s)/Kit(s):	42759	
Date/Time sample(s) sent to storage:	12/07/2019 10:00	

Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

Page 1 of 1

COC ID: 16DEC2019-Post Injection-191206-ALS

TURNAROUND TIME: 1 business day

RUSH: 1 business day

PROJECT/CLIENT INFO				LABORATORY				OTHER INFO			
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Email Invoice To	FedInvoices@aptim.com		
Project Number	501032			Lab Contact	RJ Modashia						
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Email Report To	Susan.Huang@aptim.com		
Address	1203-B East Grand Avenue			Address	10450 Stanciff Rd., Suite 210			Mail Reports To	Susan Huang		
	PMB 202							Address	4005 Port Chicago Highway, Suite 200		
City	Marshall	State	TX	City	Houston	State	TX	City	Concord	State	CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	Postal Code	94520	Country	USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656						
Project Manager	Praveen Srivastav							Shipping Company	FedEx		

SAMPLE DETAILS / **ANALYSIS REQUESTED**

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS	Sample Container and Preservative: 2-40ml Amber/H2SO4 — TOC by SM5310	Sample Container and Preservative: 1-250ml /Cool to 6 deg C — Bromide by SW9056
16EW11-191206	16EW11				GW	12/6/2019	1515	3		2	1
16EW12B-191206	16EW12B				GW	12/6/2019	1523	3		2	1
16EW13-191206	16EW13				GW	12/6/2019	1533	3		2	1
16EW14B-191206	16EW14B				GW	12/6/2019	1548	3		2	1
16EW15-191206	16EW15				GW	12/6/2019	1555	3		2	1

HS19120336

Aptim Environmental & Infrastucture, Inc.

Longhorn Army Ammunition Plant -16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	[signature] APTIM	12-6-19/1535	J.M ALS	12/7/19 09:00

VC 3.9 IR#35 CF0.0 42759

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

CUSTODY SEAL
Date: 12/6/17 Time: 1650
Name:
Company:
Seal Broken By:
Date:

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
+1 281 530 5656
+1 281 530 5887

B 1595 12.07

Date:
Name:
Compan

CUSTODY SEAL
Date: 12/6 Time: 1650
Seal Broken By:
Date: 12/7/17

FedEx
TRK# 0221 1251 0290 1595
SATURDAY 12
PRIORITY OVERN
XO SGRA
TX-US

#475872 12/06 5673J2/1000/0562

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

December 11, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19120453**

Laboratory Results for: **Longhorn Army Ammunition Plant LHAAP-16**

Dear Susan,

ALS Environmental received 5 sample(s) on Dec 10, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: DAYNA.FISHER
RJ Modashia
Project Manager

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Work Order: HS19120453

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19120453-01	16EW11-191209	Groundwater		09-Dec-2019 16:00	10-Dec-2019 09:15	☐
HS19120453-02	16EW12B-191209	Groundwater		09-Dec-2019 16:08	10-Dec-2019 09:15	☐
HS19120453-03	16EW13-191209	Groundwater		09-Dec-2019 16:14	10-Dec-2019 09:15	☐
HS19120453-04	16EW14B-191209	Groundwater		09-Dec-2019 16:23	10-Dec-2019 09:15	☐
HS19120453-05	16EW15-191209	Groundwater		09-Dec-2019 16:32	10-Dec-2019 09:15	☐

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc. **CASE NARRATIVE**
Project: Longhorn Army Ammunition Plant LHAAP-16
Work Order: HS19120453

Work Order Comments

- Sample logged in for TOC analysis in Houston Lab per client request. Houston is not DOD certified to analyze TOC.

WetChemistry by Method SW9056

Batch ID: R352268

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SM5310B

Batch ID: R352212

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US

Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: Longhorn Army Ammunition Plant LHAAP-16

WorkOrder:HS19120453

Sample ID: 16EW11-191209

Lab ID:HS19120453-01

Collection Date: 09-Dec-2019 16:00

Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**13.5**		**2.50**	**5.00**	**5.00**	**mg/L**	5	10-Dec-2019 19:58
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.77**		**0.300**	**1.00**	**1.00**	**mg/L**	10	10-Dec-2019 17:05

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16EW12B-191209
Collection Date: 09-Dec-2019 16:08

ANALYTICAL REPORT
WorkOrder:HS19120453
Lab ID:HS19120453-02
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**11.2**		**2.50**	**5.00**	**5.00**	**mg/L**	5	10-Dec-2019 20:42
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.93**		**0.300**	**1.00**	**1.00**	**mg/L**	10	10-Dec-2019 17:21

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16EW13-191209
Collection Date: 09-Dec-2019 16:14

ANALYTICAL REPORT
WorkOrder:HS19120453
Lab ID:HS19120453-03
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**9.54**		**2.50**	**5.00**	**5.00**	**mg/L**	5	10-Dec-2019 20:56
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.23**		**0.300**	**1.00**	**1.00**	**mg/L**	10	10-Dec-2019 17:38

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16EW14B-191209
Collection Date: 09-Dec-2019 16:23

ANALYTICAL REPORT
WorkOrder:HS19120453
Lab ID:HS19120453-04
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**22.6**		**2.50**	**5.00**	**5.00**	**mg/L**	5	10-Dec-2019 21:11
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.48**		**0.300**	**1.00**	**1.00**	**mg/L**	10	10-Dec-2019 18:44

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16EW15-191209
Collection Date: 09-Dec-2019 16:32

ANALYTICAL REPORT
WorkOrder:HS19120453
Lab ID:HS19120453-05
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**26.1**		**2.50**	**5.00**	**5.00**	**mg/L**	5	10-Dec-2019 21:26
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.53**		**0.300**	**1.00**	**1.00**	**mg/L**	10	10-Dec-2019 19:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS19120453

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R352212 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS19120453-01	16EW11-191209	09 Dec 2019 16:00			10 Dec 2019 19:58	5
HS19120453-02	16EW12B-191209	09 Dec 2019 16:08			10 Dec 2019 20:42	5
HS19120453-03	16EW13-191209	09 Dec 2019 16:14			10 Dec 2019 20:56	5
HS19120453-04	16EW14B-191209	09 Dec 2019 16:23			10 Dec 2019 21:11	5
HS19120453-05	16EW15-191209	09 Dec 2019 16:32			10 Dec 2019 21:26	5
Batch ID: R352268 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS19120453-01	16EW11-191209	09 Dec 2019 16:00			10 Dec 2019 17:05	10
HS19120453-02	16EW12B-191209	09 Dec 2019 16:08			10 Dec 2019 17:21	10
HS19120453-03	16EW13-191209	09 Dec 2019 16:14			10 Dec 2019 17:38	10
HS19120453-04	16EW14B-191209	09 Dec 2019 16:23			10 Dec 2019 18:44	10
HS19120453-05	16EW15-191209	09 Dec 2019 16:32			10 Dec 2019 19:01	10

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS19120453

QC BATCH REPORT

Batch ID: R352212 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW1-121019** Units: **mg/L** Analysis Date: **10-Dec-2019 17:51**
Client ID: Run ID: **TOC_02_352212** SeqNo: **5383075** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW1-121019** Units: **mg/L** Analysis Date: **10-Dec-2019 18:06**
Client ID: Run ID: **TOC_02_352212** SeqNo: **5383076** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.832	1.00	10	0	98.3	85 - 115				

LCSD Sample ID: **WLCSDW1-121019** Units: **mg/L** Analysis Date: **10-Dec-2019 18:19**
Client ID: Run ID: **TOC_02_352212** SeqNo: **5383077** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.589	1.00	10	0	95.9	85 - 115	9.832	2.5	20	

MS Sample ID: **HS19120114-01MS** Units: **mg/L** Analysis Date: **10-Dec-2019 18:46**
Client ID: Run ID: **TOC_02_352212** SeqNo: **5383079** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	13.32	1.00	10	3.39	99.3	80 - 120				

The following samples were analyzed in this batch: HS19120453-01 HS19120453-02 HS19120453-03 HS19120453-04 HS19120453-05

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS19120453

QC BATCH REPORT

Batch ID: R352268 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-121019** Units: **mg/L** Analysis Date: **10-Dec-2019 10:22**
Client ID: Run ID: **ICS-Integrion_352268** SeqNo: **5384195** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-121019** Units: **mg/L** Analysis Date: **10-Dec-2019 10:38**
Client ID: Run ID: **ICS-Integrion_352268** SeqNo: **5384196** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.832	0.100	4	0	95.8	80 - 120				

LCSD Sample ID: **WLCSDW1-121019** Units: **mg/L** Analysis Date: **10-Dec-2019 10:55**
Client ID: Run ID: **ICS-Integrion_352268** SeqNo: **5384197** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.811	0.100	4	0	95.3	80 - 120	3.832	0.544	20	

MS Sample ID: **HS19120456-01MS** Units: **mg/L** Analysis Date: **10-Dec-2019 19:34**
Client ID: Run ID: **ICS-Integrion_352268** SeqNo: **5384211** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.616	0.100	2	0	80.8	80 - 120				

MS Sample ID: **HS19120367-01MS** Units: **mg/L** Analysis Date: **10-Dec-2019 11:28**
Client ID: Run ID: **ICS-Integrion_352268** SeqNo: **5384199** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	16.57	1.00	20	0	82.8	80 - 120				

MSD Sample ID: **HS19120456-01MSD** Units: **mg/L** Analysis Date: **10-Dec-2019 19:51**
Client ID: Run ID: **ICS-Integrion_352268** SeqNo: **5384212** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1.619	0.100	2	0	80.9	80 - 120	1.616	0.148	20	

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS19120453

QC BATCH REPORT

Batch ID: R352268 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MSD Sample ID: **HS19120367-01MSD** Units: **mg/L** Analysis Date: **10-Dec-2019 11:45**
Client ID: Run ID: **ICS-Integrion_352268** SeqNo: **5384200** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	16.59	1.00	20	0	83.0	80 - 120	16.57	0.157	20	

The following samples were analyzed in this batch: HS19120453-01 HS19120453-02 HS19120453-03 HS19120453-04 HS19120453-05

ALS Houston, US Date: 11-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: **HS19120453**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

ALS Houston, US Date: 11-Dec-19

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 11-Dec-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19120453
Date/Time Received: **10-Dec-2019 09:15**
Received by: **JRM**

Checklist completed by: *Jared R. Makan* eSignature 10-Dec-2019 Date
Reviewed by: *RJ Modashia* eSignature 10-Dec-2019 Date

Matrices: **Water**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☐	No ☑	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	1.1°C / 1.1°C UC/C	IR11	
Cooler(s)/Kit(s):	44672		
Date/Time sample(s) sent to storage:	12/10/2019 13:50		
Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☑
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

Page 1 of 1

COC ID: 16DEC2019-Post Injection-191209-ALS

TURNAROUND TIME: 1 business day

RUSH: 1 business day

PROJECT/CLIENT INFO				LABORATORY				OTHER INFO			
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Email Invoice To	FedInvoices@aptim.com		
Project Number	501032			Lab Contact	RJ Modashia						
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Email Report To	Susan.Huang@aptim.com		
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210			Mail Reports To	Susan Huang		
	PMB 202							Address	4005 Port Chicago Highway, Suite 200		
City	Marshall	State	TX	City	Houston	State	TX	City	Concord	State	CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	Postal Code	94520	Country	USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656						
Project Manager	Praveen Srivastav							Shipping Company			

SAMPLE DETAILS / ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS	TOC by SM5310	Bromide by SW9056
								Sample Container and Preservatives		2-40ml Amber/H2SO4	1-250ml /Cool to 6 deg C
16EW11-191209	16EW11				GW	12/9/2019	1600	3		2	1
16EW12B-191209	16EW12B				GW	12/9/2019	1608	3		2	1
16EW13-191209	16EW13				GW	12/9/2019	1614	3		2	1
16EW14B-191209	16EW14B				GW	12/9/2019	1623	3		2	1
16EW15-191209	16EW15				GW	12/9/2019	1632	3		2	1

HS19120453

Aptim Environmental & Infrastucture, Inc.

Longhorn Army Ammunition Plant LHAAP-16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
Cooler 44672 1211 Temp 1.1 CF 0.0		12/9/1641		12/10/19 09:15

01031763

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

uu672

CUSTODY SEAL
Date: 12-9-19 Time: 1452
Name:
Company:

Seal Broken By:
Date: 12/10/19

uu672

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

uu672

CUSTODY SEAL
Date: 12-9-19 Time: 1452
Name:
Company:

Seal Broken By:
Date: 12/10/19

Must Deliver Next Business Day
Time and Tempature Sensitive!

uu672

ORIGIN ID:SGRA (903) 930-8193
MIKE MARTINEZ
APTIM ENVIRONMENTAL & INFASTRUCTURE
1203-B EAST GRAND AVE
PMB 203
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 010CT19
ACTWGT: 1.00 LB MAN
CAD: 3C0130/CAFE3211
DIMS: 26x14x14 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP-17-SOIL-BD 67936-RJ
RMA:

FedEx Express

FedEx
TRK# 0221 1251 0250 1551

TUE - 10 DEC 10:30
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US IAH

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

December 16, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19120673**

Laboratory Results for: **Longhorn Army Ammunition Plant LHAAP-16**

Dear Susan,

ALS Environmental received 5 sample(s) on Dec 13, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 16-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Work Order: HS19120673

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19120673-01	16EW11-191212	Groundwater		12-Dec-2019 11:15	13-Dec-2019 09:00	☐
HS19120673-02	16EW12B-191212	Groundwater		12-Dec-2019 11:20	13-Dec-2019 09:00	☐
HS19120673-03	16EW13-191212	Groundwater		12-Dec-2019 11:25	13-Dec-2019 09:00	☐
HS19120673-04	16EW14B-191212	Groundwater		12-Dec-2019 11:30	13-Dec-2019 09:00	☐
HS19120673-05	16EW15-191212	Groundwater		12-Dec-2019 11:35	13-Dec-2019 09:00	☐

ALS Houston, US Date: 16-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Work Order: HS19120673

CASE NARRATIVE

WetChemistry by Method SM5310B

Batch ID: R352625

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SW9056

Batch ID: R352614

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 16-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16EW11-191212
Collection Date: 12-Dec-2019 11:15

ANALYTICAL REPORT
WorkOrder:HS19120673
Lab ID:HS19120673-01
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: KMU
Organic Carbon, Total	**11.2**		**0.500**	**1.00**	**1.00**	**mg/L**	1	16-Dec-2019 14:13
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**3.92**		**0.300**	**1.00**	**1.00**	**mg/L**	10	14-Dec-2019 12:43

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 16-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16EW12B-191212
Collection Date: 12-Dec-2019 11:20

ANALYTICAL REPORT
WorkOrder:HS19120673
Lab ID:HS19120673-02
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: KMU
Organic Carbon, Total	**11.8**		**0.500**	**1.00**	**1.00**	**mg/L**	1	16-Dec-2019 14:40
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.94**		**0.300**	**1.00**	**1.00**	**mg/L**	10	14-Dec-2019 12:59

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 16-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16EW13-191212
Collection Date: 12-Dec-2019 11:25

ANALYTICAL REPORT
WorkOrder:HS19120673
Lab ID:HS19120673-03
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: KMU
Organic Carbon, Total	**10.2**		**0.500**	**1.00**	**1.00**	**mg/L**	1	16-Dec-2019 14:55
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.53**		**0.300**	**1.00**	**1.00**	**mg/L**	10	14-Dec-2019 13:16

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 16-Dec-19

Client:	Aptim Environmental & Infrastucture, Inc.	**ANALYTICAL REPORT**
Project:	Longhorn Army Ammunition Plant LHAAP-16	WorkOrder:HS19120673
Sample ID:	16EW14B-191212	Lab ID:HS19120673-04
Collection Date:	12-Dec-2019 11:30	Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: KMU
Organic Carbon, Total	**21.0**		**0.500**	**1.00**	**1.00**	**mg/L**	1	16-Dec-2019 15:10
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.43**		**0.300**	**1.00**	**1.00**	**mg/L**	10	14-Dec-2019 13:32

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 16-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16EW15-191212
Collection Date: 12-Dec-2019 11:35

ANALYTICAL REPORT
WorkOrder:HS19120673
Lab ID:HS19120673-05
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: KMU
Organic Carbon, Total	**27.4**		**0.500**	**1.00**	**1.00**	**mg/L**	1	16-Dec-2019 15:26
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.48**		**0.300**	**1.00**	**1.00**	**mg/L**	10	14-Dec-2019 13:49

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 16-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS19120673

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R352614 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS19120673-01	16EW11-191212	12 Dec 2019 11:15			14 Dec 2019 12:43	10
HS19120673-02	16EW12B-191212	12 Dec 2019 11:20			14 Dec 2019 12:59	10
HS19120673-03	16EW13-191212	12 Dec 2019 11:25			14 Dec 2019 13:16	10
HS19120673-04	16EW14B-191212	12 Dec 2019 11:30			14 Dec 2019 13:32	10
HS19120673-05	16EW15-191212	12 Dec 2019 11:35			14 Dec 2019 13:49	10
Batch ID: R352625 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS19120673-01	16EW11-191212	12 Dec 2019 11:15			16 Dec 2019 14:13	1
HS19120673-02	16EW12B-191212	12 Dec 2019 11:20			16 Dec 2019 14:40	1
HS19120673-03	16EW13-191212	12 Dec 2019 11:25			16 Dec 2019 14:55	1
HS19120673-04	16EW14B-191212	12 Dec 2019 11:30			16 Dec 2019 15:10	1
HS19120673-05	16EW15-191212	12 Dec 2019 11:35			16 Dec 2019 15:26	1

ALS Houston, US Date: 16-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS19120673

QC BATCH REPORT

Batch ID: R352614 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW3-121319** Units: **mg/L** Analysis Date: **14-Dec-2019 11:53**
Client ID: Run ID: **ICS-Integrion_352614** SeqNo: **5392610** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW3-121319** Units: **mg/L** Analysis Date: **14-Dec-2019 12:09**
Client ID: Run ID: **ICS-Integrion_352614** SeqNo: **5392611** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.746	0.100	4	0	93.7	80 - 120				

LCSD Sample ID: **WLCSDW3-121319** Units: **mg/L** Analysis Date: **14-Dec-2019 12:26**
Client ID: Run ID: **ICS-Integrion_352614** SeqNo: **5392612** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.719	0.100	4	0	93.0	80 - 120	3.746	0.742	20	

MS Sample ID: **HS19120363-06MS** Units: **mg/L** Analysis Date: **14-Dec-2019 19:21**
Client ID: Run ID: **ICS-Integrion_352614** SeqNo: **5392627** PrepDate: DF: **100**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	177.7	10.0	200	8.75	84.5	80 - 120				

MS Sample ID: **HS19120363-06MS** Units: **mg/L** Analysis Date: **14-Dec-2019 18:31**
Client ID: Run ID: **ICS-Integrion_352614** SeqNo: **5392624** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	24.33	1.00	20	6.449	89.4	80 - 120				

MSD Sample ID: **HS19120363-06MSD** Units: **mg/L** Analysis Date: **14-Dec-2019 19:38**
Client ID: Run ID: **ICS-Integrion_352614** SeqNo: **5392628** PrepDate: DF: **100**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	177.5	10.0	200	8.75	84.4	80 - 120	177.7	0.158	20	

ALS Houston, US Date: 16-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS19120673

QC BATCH REPORT

Batch ID: R352614 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MSD Sample ID: **HS19120363-06MSD** Units: **mg/L** Analysis Date: **14-Dec-2019 18:48**
Client ID: Run ID: **ICS-Integrion_352614** SeqNo: **5392625** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	24.32	1.00	20	6.449	89.3	80 - 120	24.33	0.0658	20	

The following samples were analyzed in this batch: HS19120673-01 HS19120673-02 HS19120673-03 HS19120673-04 HS19120673-05

ALS Houston, US Date: 16-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS19120673

QC BATCH REPORT

Batch ID: R352625 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW1-121619** Units: **mg/L** Analysis Date: **16-Dec-2019 13:30**
Client ID: Run ID: **TOC_02_352625** SeqNo: **5392879** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW1-121619** Units: **mg/L** Analysis Date: **16-Dec-2019 13:45**
Client ID: Run ID: **TOC_02_352625** SeqNo: **5392880** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	10.51	1.00	10	0	105	85 - 115				

LCSD Sample ID: **WLCSDW1-121619** Units: **mg/L** Analysis Date: **16-Dec-2019 14:00**
Client ID: Run ID: **TOC_02_352625** SeqNo: **5392881** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	10.66	1.00	10	0	107	85 - 115	10.51	1.42	20	

MS Sample ID: **HS19120673-01MS** Units: **mg/L** Analysis Date: **16-Dec-2019 14:27**
Client ID: **16EW11-191212** Run ID: **TOC_02_352625** SeqNo: **5392883** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	22.11	1.00	10	11.18	109	80 - 120				

The following samples were analyzed in this batch: HS19120673-01 HS19120673-02 HS19120673-03 HS19120673-04 HS19120673-05

ALS Houston, US Date: 16-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: **HS19120673**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 16-Dec-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19120673
Date/Time Received: **13-Dec-2019 09:00**
Received by: **JRM**

Checklist completed by: *Jared R. Makan* eSignature 13-Dec-2019 Date
Reviewed by: *RJ Modashia* eSignature 13-Dec-2019 Date

Matrices: **Water**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	2.1°C / 2.1°C UC/C	IR11
Cooler(s)/Kit(s):	44016	
Date/Time sample(s) sent to storage:	12/13/2019 13:21	

Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☑
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

Page 1 of _____

COC ID: 16DEC2019-Post Injection-191212-ALS

TURNAROUND TIME: 1 business day

RUSH: 1 business day

PROJECT/CLIENT INFO

Facility Name	Longhorn AAP		
Project Number	501032		
	LHAAP-16		
Address	1203-B East Grand Avenue		
	PMB 202		
City	Marshall	State	TX
Postal Code	75670	Country	USA
Phone Number	713.243.7264		
Project Manager	Praveen Srivastav		

LABORATORY

Lab Name	ALS Laboratories		
Lab Contact	RJ Modashia		
Email	RJ.Modashia@alsglobal.com		
Address	10450 Stanchiff Rd., Suite 210		
City	Houston	State	TX
Postal Code	77099	Country	USA
Phone Number	281.575.2279 or 281.530.5656		

OTHER INFO

Email Invoice To	FedInvoices@aptim.com		
Email Report To	Susan.Huang@aptim.com		
Mail Reports To	Susan Huang		
Address	4005 Port Chicago Highway, Suite 200		
City	Concord	State	CA
Postal Code	94520	Country	USA
Shipping Company			

SAMPLE DETAILS

ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	Sample Container and Preservative: 2-40ml Amber/H2SO4 — TOC by SM5310	Sample Container and Preservative: 1-250ml /Cool to 6 deg C — Bromide by SW9056
16EW11-191212	16EW11				GW	12/12/2019	1115	3	2	1
16EW12B-191212	16EW12B				GW	12/12/2019	1120	3	2	1
16EW13-191212	16EW13				GW	12/12/2019	1125	3	2	1
16EW14B-191212	16EW14B				GW	12/12/2019	1130	3	2	1
16EW15-191212	16EW15				GW	12/12/2019	1135	3	2	1

HS19120673

Aptim Environmental & Infrastucture, Inc.

Longhorn Army Ammunition Plant LHAAP-16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
44014 2.1 °C FR11 C/F 0			Jim Fedor	12/13/19 9:00

FedEx
TRK# 0221 1251 0291 3740

FRI - 13 DEC 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US IAH



ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

CUSTODY SEAL

Time: 1500

Scott Blessinger

BHATS

Seal Broken By:

Date: 12/13/19

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

December 24, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19121088**

Laboratory Results for: **Longhorn Army Ammunition Plant LHAAP-16**

Dear Susan,

ALS Environmental received 5 sample(s) on Dec 19, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 24-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Work Order: HS19121088

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19121088-01	16EW11-191218	Groundwater		18-Dec-2019 11:31	19-Dec-2019 10:20	☐
HS19121088-02	16EW12B-191218	Groundwater		18-Dec-2019 11:38	19-Dec-2019 10:20	☐
HS19121088-03	16EW13-191218	Groundwater		18-Dec-2019 11:47	19-Dec-2019 10:20	☐
HS19121088-04	16EW14B-191218	Groundwater		18-Dec-2019 11:58	19-Dec-2019 10:20	☐
HS19121088-05	16EW15-191218	Groundwater		18-Dec-2019 12:06	19-Dec-2019 10:20	☐

ALS Houston, US Date: 24-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Work Order: HS19121088

CASE NARRATIVE

WetChemistry by Method SM5310B

Batch ID: R353185

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SW9056

Batch ID: R353133

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US

Date: 24-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: Longhorn Army Ammunition Plant LHAAP-16

WorkOrder:HS19121088

Sample ID: 16EW11-191218

Lab ID:HS19121088-01

Collection Date: 18-Dec-2019 11:31

Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**15.6**		**2.50**	**5.00**	**5.00**	**mg/L**	5	23-Dec-2019 20:47
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**4.58**		**0.300**	**1.00**	**1.00**	**mg/L**	10	23-Dec-2019 11:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 24-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: Longhorn Army Ammunition Plant LHAAP-16

WorkOrder:HS19121088

Sample ID: 16EW12B-191218

Lab ID:HS19121088-02

Collection Date: 18-Dec-2019 11:38

Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**13.8**		**2.50**	**5.00**	**5.00**	**mg/L**	5	23-Dec-2019 21:12
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.93**		**0.300**	**1.00**	**1.00**	**mg/L**	10	23-Dec-2019 12:09

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 24-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: Longhorn Army Ammunition Plant LHAAP-16

WorkOrder:HS19121088

Sample ID: 16EW13-191218

Lab ID:HS19121088-03

Collection Date: 18-Dec-2019 11:47

Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**23.9**		**2.50**	**5.00**	**5.00**	**mg/L**	5	23-Dec-2019 21:23
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.52**		**0.300**	**1.00**	**1.00**	**mg/L**	10	23-Dec-2019 12:25

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 24-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: Longhorn Army Ammunition Plant LHAAP-16

WorkOrder:HS19121088

Sample ID: 16EW14B-191218

Lab ID:HS19121088-04

Collection Date: 18-Dec-2019 11:58

Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**22.1**		**2.50**	**5.00**	**5.00**	**mg/L**	5	23-Dec-2019 21:34
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.65**		**0.300**	**1.00**	**1.00**	**mg/L**	10	23-Dec-2019 12:42

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 24-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: Longhorn Army Ammunition Plant LHAAP-16

WorkOrder:HS19121088

Sample ID: 16EW15-191218

Lab ID:HS19121088-05

Collection Date: 18-Dec-2019 12:06

Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**26.7**		**2.50**	**5.00**	**5.00**	**mg/L**	5	23-Dec-2019 21:45
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.59**		**0.300**	**1.00**	**1.00**	**mg/L**	10	23-Dec-2019 12:59

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 24-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS19121088

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R353133 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS19121088-01	16EW11-191218	18 Dec 2019 11:31			23 Dec 2019 11:19	10
HS19121088-02	16EW12B-191218	18 Dec 2019 11:38			23 Dec 2019 12:09	10
HS19121088-03	16EW13-191218	18 Dec 2019 11:47			23 Dec 2019 12:25	10
HS19121088-04	16EW14B-191218	18 Dec 2019 11:58			23 Dec 2019 12:42	10
HS19121088-05	16EW15-191218	18 Dec 2019 12:06			23 Dec 2019 12:59	10
Batch ID: R353185 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS19121088-01	16EW11-191218	18 Dec 2019 11:31			23 Dec 2019 20:47	5
HS19121088-02	16EW12B-191218	18 Dec 2019 11:38			23 Dec 2019 21:12	5
HS19121088-03	16EW13-191218	18 Dec 2019 11:47			23 Dec 2019 21:23	5
HS19121088-04	16EW14B-191218	18 Dec 2019 11:58			23 Dec 2019 21:34	5
HS19121088-05	16EW15-191218	18 Dec 2019 12:06			23 Dec 2019 21:45	5

ALS Houston, US Date: 24-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS19121088

QC BATCH REPORT

Batch ID: R353133 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-122119** Units: **mg/L** Analysis Date: **23-Dec-2019 10:29**
Client ID: Run ID: **ICS-Integrion_353133** SeqNo: **5405808** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-122119** Units: **mg/L** Analysis Date: **23-Dec-2019 10:46**
Client ID: Run ID: **ICS-Integrion_353133** SeqNo: **5405809** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.756	0.100	4	0	93.9	80 - 120				

LCSD Sample ID: **WLCSDW1-122119** Units: **mg/L** Analysis Date: **23-Dec-2019 11:02**
Client ID: Run ID: **ICS-Integrion_353133** SeqNo: **5405810** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.715	0.100	4	0	92.9	80 - 120	3.756	1.09	20	

MS Sample ID: **HS19121088-01MS** Units: **mg/L** Analysis Date: **23-Dec-2019 11:36**
Client ID: **16EW11-191218** Run ID: **ICS-Integrion_353133** SeqNo: **5405812** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	22.32	1.00	20	4.578	88.7	80 - 120				

MSD Sample ID: **HS19121088-01MSD** Units: **mg/L** Analysis Date: **23-Dec-2019 11:52**
Client ID: **16EW11-191218** Run ID: **ICS-Integrion_353133** SeqNo: **5405813** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	21.74	1.00	20	4.578	85.8	80 - 120	22.32	2.61	20	

The following samples were analyzed in this batch: HS19121088-01 HS19121088-02 HS19121088-03 HS19121088-04 HS19121088-05

ALS Houston, US Date: 24-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS19121088

QC BATCH REPORT

Batch ID: R353185 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW1-122319** Units: **mg/L** Analysis Date: **23-Dec-2019 19:59**
Client ID: Run ID: **TOC_02_353185** SeqNo: **5406774** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW1-122319** Units: **mg/L** Analysis Date: **23-Dec-2019 20:12**
Client ID: Run ID: **TOC_02_353185** SeqNo: **5406775** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.355	1.00	10	0	93.6	85 - 115				

LCSD Sample ID: **WLCSDW1-122319** Units: **mg/L** Analysis Date: **23-Dec-2019 20:23**
Client ID: Run ID: **TOC_02_353185** SeqNo: **5406776** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.283	1.00	10	0	92.8	85 - 115	9.355	0.773	20	

MS Sample ID: **HS19121088-01MS** Units: **mg/L** Analysis Date: **23-Dec-2019 21:01**
Client ID: **16EW11-191218** Run ID: **TOC_02_353185** SeqNo: **5406779** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	63.95	5.00	50	15.64	96.6	80 - 120				

The following samples were analyzed in this batch: HS19121088-01 HS19121088-02 HS19121088-03 HS19121088-04 HS19121088-05

ALS Houston, US Date: 24-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: **HS19121088**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

ALS Houston, US Date: 24-Dec-19

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 24-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Work Order: HS19121088

SAMPLE TRACKING

Lab Samp ID	Client Sample ID	Action	Date	Person	New Location
HS19121088-01	16EW11-191218	Login	12/19/2019 4:58:24 PM	RPG	WET393
HS19121088-01	16EW11-191218	Login	12/19/2019 4:58:24 PM	RPG	WET393
HS19121088-02	16EW12B-191218	Login	12/19/2019 4:58:24 PM	RPG	WET393
HS19121088-02	16EW12B-191218	Login	12/19/2019 4:58:24 PM	RPG	WET393
HS19121088-03	16EW13-191218	Login	12/19/2019 4:58:24 PM	RPG	WET393
HS19121088-03	16EW13-191218	Login	12/19/2019 4:58:24 PM	RPG	WET393
HS19121088-04	16EW14B-191218	Login	12/19/2019 4:58:24 PM	RPG	WET393
HS19121088-04	16EW14B-191218	Login	12/19/2019 4:58:24 PM	RPG	WET393
HS19121088-05	16EW15-191218	Login	12/19/2019 4:58:24 PM	RPG	WET393
HS19121088-05	16EW15-191218	Login	12/19/2019 4:58:24 PM	RPG	WET393

ALS Houston, US Date: 24-Dec-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19121088
Date/Time Received: **19-Dec-2019 10:20**
Received by: **NDR**

Checklist completed by: *Raegen Giga* eSignature 19-Dec-2019 Date
Reviewed by: *Corey Grandits* eSignature 20-Dec-2019 Date

Matrices: **GW**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	0.2c uc/c	IR 25
Cooler(s)/Kit(s):	44591	
Date/Time sample(s) sent to storage:	12/19/2019 17:02	

Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☑
Water - pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐
pH adjusted?	Yes ☐	No ☑	N/A ☐

pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

01031796

APTIM

Page 1 of 1

COC ID: 16NOV2019-Post Injection-191218-ALS **TURNAROUND TIME:** 1 business day **RUSH:** 1 business day

PROJECT/CLIENT INFO				LABORATORY				OTHER INFO			
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Email Invoice To	FedInvoices@aptim.com		
Project Number	501032			Lab Contact	RJ Modashia						
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Email Report To	Susan.Huang@aptim.com		
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210			Mail Reports To	Susan Huang		
	PMB 202							Address	4005 Port Chicago Highway, Suite 200		
City	Marshall	State	TX	City	Houston	State	TX	City	Concord	State	CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	Postal Code	94520	Country	USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656						
Project Manager	Praveen Srivastav							Shipping Company			

SAMPLE DETAILS / **ANALYSIS REQUESTED**

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS	TOC by SM5310	Bromide by SW9056
								Sample Container and Preservatives		2-40ml Amber/H2SO4	1-250ml /Cool to 6 deg C
16EW11-191218	16EW11				GW	12/18/2019	1131	3		2	1
16EW12B-191218	16EW12B				GW	12/18/2019	1138	3		2	1
16EW13-191218	16EW13				GW	12/18/2019	1147	3		2	1
16EW14B-191218	16EW14B				GW	12/18/2019	1158	3		2	1
16EW15-191218	16EW15				GW	12/18/2019	1206	3		2	1

HS19121088

Aptim Environmental & Infrastucture, Inc.

Longhorn Army Ammunition Plant LHAAP-16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	[illegible] APTIM	12-18-19/1450	NR ALS	12/19/19 10:20

44591 Temp adc 0.2

01031797

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

44591

CUSTODY SEAL

Date: 12-18-19 Time: 1500
Name: [illegible]
Company: [illegible]

Seal Broken By: [illegible]
Date: 12/19/19

44591 DEC 19 2019

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

44591

CUSTODY SEAL

Date: 12-18-19 Time: 1500
Name: [illegible]
Company: [illegible]

Seal Broken By: [illegible]
Date: 12/19/19

Must Deliver Next Business Day
Time and Tempature Sensitive!

44591

ORIGIN ID:SGRA (903) 930-6193
SCOTT BEESINGER
APTIM ENVIRONMENTAL & INFASTRUCTURE
1203-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 02DEC19
ACTWGT: 1.00 LB MAN
CAD: 3001307CAFE3211
DIMS: 19x16x13 IN

TO **CLIENT SERVICES**
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP 16 - RJ

RMA:

FedEx Express

FedEx
TRK# 0221 1251 0292 4600

THU - 19 DEC 10:30A
PRIORITY OVERNIGHT

77099
TX-US
IAH

AB SGRA

FTD 5090257 18DEC19 GGGA 55AC2/18DD/85A2

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

WorkOrder: HS19121313

Longhorn Army Ammunition Plant -16

Aptim Environmental & Infrastucture, Inc.

Susan Huang
2500 City West Blvd., Suite 1700
Houston TX 77042

31-Dec-2019

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

HS19121313 Cover Page
- CoverPage
- HS19121313 Longhorn Army Ammunition Plant 16 Final
  - CoverLetter
  - Sample Summary
  - CaseNarrative
  - 16EW05-E2-191223
  - 16EW06-E2-191223
  - 16EW06-E2-191223-FD
  - 16EW07-E2-191223
  - 16EW08-E2-191223
  - Dates Report
  - QC
  - Acronyms
  - Certifications
  - SampleReceiptCheckList
  - COC
- HS19121313 Wet Chem Raw Data

HS19121313 Longhorn Army Ammunition Plant
16 Final

ALS WO# HS19121313

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

December 30, 2019

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS19121313**

Laboratory Results for: **Longhorn Army Ammunition Plant -16**

Dear Susan,

ALS Environmental received 5 sample(s) on Dec 24, 2019 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: DAYNA.FISHER
RJ Modashia
Project Manager

ALS Houston, US Date: 30-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Work Order: HS19121313

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS19121313-01	16EW05-E2-191223	Groundwater		23-Dec-2019 08:30	24-Dec-2019 09:45	☐
HS19121313-02	16EW06-E2-191223	Groundwater		23-Dec-2019 09:25	24-Dec-2019 09:45	☐
HS19121313-03	16EW06-E2-191223-FD	Groundwater		23-Dec-2019 09:25	24-Dec-2019 09:45	☐
HS19121313-04	16EW07-E2-191223	Groundwater		23-Dec-2019 10:20	24-Dec-2019 09:45	☐
HS19121313-05	16EW08-E2-191223	Groundwater		23-Dec-2019 11:30	24-Dec-2019 09:45	☐

ALS Houston, US Date: 30-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Work Order: HS19121313

CASE NARRATIVE

WetChemistry by Method SM5310B

Batch ID: R353497

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SW9056

Batch ID: R353307

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 30-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW05-E2-191223
Collection Date: 23-Dec-2019 08:30

ANALYTICAL REPORT
WorkOrder:HS19121313
Lab ID:HS19121313-01
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**22,900**		**1000**	**2000**	**2000**	**mg/L**	2000	28-Dec-2019 06:02
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**350**		**6.00**	**20.0**	**20.0**	**mg/L**	200	26-Dec-2019 11:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 30-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW06-E2-191223
Collection Date: 23-Dec-2019 09:25

ANALYTICAL REPORT
WorkOrder:HS19121313
Lab ID:HS19121313-02
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**144,000**		**2000**	**4000**	**4000**	**mg/L**	4000	30-Dec-2019 10:44
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**521**		**12.0**	**40.0**	**40.0**	**mg/L**	400	26-Dec-2019 11:43

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US

Date: 30-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.

ANALYTICAL REPORT

Project: Longhorn Army Ammunition Plant -16

WorkOrder:HS19121313

Sample ID: 16EW06-E2-191223-FD

Lab ID:HS19121313-03

Collection Date: 23-Dec-2019 09:25

Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**137,000**		**2000**	**4000**	**4000**	**mg/L**	4000	30-Dec-2019 10:59
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**539**		**12.0**	**40.0**	**40.0**	**mg/L**	400	26-Dec-2019 12:00

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 30-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW07-E2-191223
Collection Date: 23-Dec-2019 10:20

ANALYTICAL REPORT
WorkOrder:HS19121313
Lab ID:HS19121313-04
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**48,000**		**1000**	**2000**	**2000**	**mg/L**	2000	28-Dec-2019 07:11
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**357**		**15.0**	**50.0**	**50.0**	**mg/L**	500	26-Dec-2019 12:17

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 30-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
Sample ID: 16EW08-E2-191223
Collection Date: 23-Dec-2019 11:30

ANALYTICAL REPORT
WorkOrder:HS19121313
Lab ID:HS19121313-05
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: MWG
Organic Carbon, Total	**38,000**		**1000**	**2000**	**2000**	**mg/L**	2000	28-Dec-2019 07:57
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**379**		**12.0**	**40.0**	**40.0**	**mg/L**	400	26-Dec-2019 13:06

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 30-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: HS19121313

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R353307 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS19121313-01	16EW05-E2-191223	23 Dec 2019 08:30			26 Dec 2019 11:27	200
HS19121313-02	16EW06-E2-191223	23 Dec 2019 09:25			26 Dec 2019 11:43	400
HS19121313-03	16EW06-E2-191223-FD	23 Dec 2019 09:25			26 Dec 2019 12:00	400
HS19121313-04	16EW07-E2-191223	23 Dec 2019 10:20			26 Dec 2019 12:17	500
HS19121313-05	16EW08-E2-191223	23 Dec 2019 11:30			26 Dec 2019 13:06	400
Batch ID: R353497 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS19121313-01	16EW05-E2-191223	23 Dec 2019 08:30			28 Dec 2019 06:02	2000
HS19121313-02	16EW06-E2-191223	23 Dec 2019 09:25			30 Dec 2019 10:44	4000
HS19121313-03	16EW06-E2-191223-FD	23 Dec 2019 09:25			30 Dec 2019 10:59	4000
HS19121313-04	16EW07-E2-191223	23 Dec 2019 10:20			28 Dec 2019 07:11	2000
HS19121313-05	16EW08-E2-191223	23 Dec 2019 11:30			28 Dec 2019 07:57	2000

ALS Houston, US Date: 30-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: HS19121313

QC BATCH REPORT

Batch ID: R353307 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW1-122619** Units: **mg/L** Analysis Date: **26-Dec-2019 10:37**
Client ID: Run ID: **ICS-Integrion_353307** SeqNo: **5409816** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-122619** Units: **mg/L** Analysis Date: **26-Dec-2019 10:54**
Client ID: Run ID: **ICS-Integrion_353307** SeqNo: **5409817** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.701	0.100	4	0	92.5	80 - 120				

LCSD Sample ID: **WLCSDW1-122619** Units: **mg/L** Analysis Date: **26-Dec-2019 11:10**
Client ID: Run ID: **ICS-Integrion_353307** SeqNo: **5409818** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.695	0.100	4	0	92.4	80 - 120	3.701	0.162	20	

MS Sample ID: **HS19121313-04MS** Units: **mg/L** Analysis Date: **26-Dec-2019 12:33**
Client ID: **16EW07-E2-191223** Run ID: **ICS-Integrion_353307** SeqNo: **5409823** PrepDate: DF: **500**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1279	50.0	1000	357	92.2	80 - 120				

MSD Sample ID: **HS19121313-04MSD** Units: **mg/L** Analysis Date: **26-Dec-2019 12:50**
Client ID: **16EW07-E2-191223** Run ID: **ICS-Integrion_353307** SeqNo: **5409824** PrepDate: DF: **500**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	1269	50.0	1000	357	91.2	80 - 120	1279	0.789	20	

The following samples were analyzed in this batch: HS19121313-01 HS19121313-02 HS19121313-03 HS19121313-04 HS19121313-05

ALS Houston, US Date: 30-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: HS19121313

QC BATCH REPORT

Batch ID: R353497 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW3-122719** Units: **mg/L** Analysis Date: **28-Dec-2019 05:20**
Client ID: Run ID: **TOC_02_353497** SeqNo: **5415041** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW3-122719** Units: **mg/L** Analysis Date: **28-Dec-2019 05:36**
Client ID: Run ID: **TOC_02_353497** SeqNo: **5415042** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.562	1.00	10	0	95.6	85 - 115				

LCSD Sample ID: **WLCSDW3-122719** Units: **mg/L** Analysis Date: **28-Dec-2019 05:49**
Client ID: Run ID: **TOC_02_353497** SeqNo: **5415043** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.521	1.00	10	0	95.2	85 - 115	9.562	0.43	20	

MS Sample ID: **HS19121313-04MS** Units: **mg/L** Analysis Date: **28-Dec-2019 07:27**
Client ID: **16EW07-E2-191223** Run ID: **TOC_02_353497** SeqNo: **5415050** PrepDate: DF: **2000**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	70960	2000	20000	48000	115	80 - 120				

MSD Sample ID: **HS19121313-04MSD** Units: **mg/L** Analysis Date: **28-Dec-2019 07:42**
Client ID: **16EW07-E2-191223** Run ID: **TOC_02_353497** SeqNo: **5415051** PrepDate: DF: **2000**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	71000	2000	20000	48000	115	80 - 120	70960	0.0564	20	

The following samples were analyzed in this batch: HS19121313-01 HS19121313-02 HS19121313-03 HS19121313-04 HS19121313-05

ALS Houston, US Date: 30-Dec-19

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant -16
WorkOrder: **HS19121313**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231	20-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2019	31-Dec-2019
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	TX104704231-19-23	30-Apr-2020

ALS Houston, US Date: 30-Dec-19

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS19121313
Date/Time Received: **24-Dec-2019 09:45**
Received by: **PMG**

Checklist completed by: *Paresh M. Giga* eSignature — 24-Dec-2019 Date
Reviewed by: *Andy C. Neir* eSignature — 24-Dec-2019 Date

Matrices: **GW**
Carrier name: **FedEx**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:None
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	1.2c U/C	IR25
Cooler(s)/Kit(s):	45464	
Date/Time sample(s) sent to storage:	12/24/19 11:15	

Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-BromideTOC-ALSHT-1910-___ TURNAROUND TIME: 24 hr TAT RUSH: 24 hr TAT Page 1 of ___

PROJECT/CLIENT INFO				LABORATORY					
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Fedinvoices @aptim.com	
Project Number	501032			Lab Contact	RJ Modashia				
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Susan.Huang@aptim.com	
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210			Susan Huang	
	PMB 202							4005 Port Chicago Hwy	
City	Marshall	State	TX	City	Houston	State	TX	Concord	State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	94520	Country USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656				
Project Manager	Praveen Srivastav								

SAMPLE DETAILS / ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	Containers and Preservative # Of Cont.	ANALYSIS	1-250 ml HDPE, Ice: Bromide by SW9056	2x40 ml VOA H2SO4: TOC by SM5310 C (ALS Houson)
16EW05-E2-191223	LHAAP 16				WG	12/23/19	0830	3		X	X
16EW06-E2-191223	LHAAP 16				WG	12/23/19	0925	3		X	X
16EW06-E2-191223-FD	LHAAP16				WG	12/23/19	0925	3		X	X
16EW07-E2-191223	LHAAP 16				WG	12/23/19	1020	3		X	X
16EW07-E2-191223-MS	LHAAP16				WG	12/23/19	1020	3		X	X
16EW07-E2-191223-MSD	LHAAP16				WG	12/23/19	1020	3		X	X
16EW08-E2-191223	LHAAP16				WG	12/23/19	1130	3		X	X

Aptim Environmental & Infrastructure, Inc.
Longhorn Army Ammunition Plant -16

HS19121313

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	Susan Basey / BHATE	12/23/19 1500		12/24/19 09:45

95464. u/c. I-20, #25, Cliff D.C.

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

CUSTODY SEAL

Must Deliver Next Business Day
Time and Tempature Sensitive!

ORIGIN ID:SGRA (903) 930-8193
SCOTT BEESINGER
APTIM ENVIRONMENTAL & INFASTRUCTURE
1203-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 11DEC19
ACTWGT: 7.70 LB MA
CAD: 300130/CAFE32
DIMS: 19x16x13 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP-BO - 69246-RJ
RMA:

FedEx Express

FedEx
TRK# 1251 0292 8102

TUE - 24 DEC 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US IAH

HS19121313 Wet Chem Raw Data

ALS WO# HS19121313

Sequence: 122319
Last Update Operator: alshs.nouser

HS19121313

CD	Name	Comment	Type	Position	Dilution	Level	Instrument Method	ng	me	Status	Inject Time
	STD1	2970209205	Calibration	GA1	1.0000	1	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:08:06 PM -05:00
	STD2		Calibration	GA2	1.0000	2	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:24:42 PM -05:00
	STD3		Calibration	GA3	1.0000	3	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:41:19 PM -05:00
	STD4		Calibration	GA4	1.0000	4	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 2:57:54 PM -05:00
	STD5		Calibration	GA5	1.0000	5	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 3:14:30 PM -05:00
	STD6	F, NO2 MAX 10PPM	Calibration	GB8	1.0000	6	Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:37:32 PM -05:00
	ICV	2970209123	Unknown	GA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 6:54:07 PM -05:00
	ICB		Unknown	GB8	1.0000		Anions Pro	Anions Pr	5.0	Finished	8/12/2019 7:29:52 PM -05:00
	CCV		Unknown	BA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 9:58:32 AM -06:00
	CCB		Unknown	BA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 10:15:08 AM -06:00
	WBLKW1-122619		Unknown	GC1	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 10:37:31 AM -06:00
	WLCSW1-122619		Unknown	GC2	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 10:54:06 AM -06:00
	WLCSDW1-122619		Unknown	GC3	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 11:10:42 AM -06:00
	HS19121313-01DF200		Unknown	GC4	200.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 11:27:21 AM -06:00
	HS19121313-02DF400		Unknown	GC5	400.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 11:43:58 AM -06:00
	HS19121313-03DF400		Unknown	GC6	400.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 12:00:33 PM -06:00
	HS19121313-04DF500		Unknown	GC7	500.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 12:17:08 PM -06:00
	HS19121313-04MSDF500		Unknown	GC8	500.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 12:33:45 PM -06:00
	HS19121313-04MSDDF500		Unknown	GD1	500.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 12:50:22 PM -06:00
	HS19121313-05DF400		Unknown	GD2	400.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 1:06:57 PM -06:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 1:23:39 PM -06:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 1:40:14 PM -06:00
	HS19121316-01DF10		Unknown	GD3	10.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 2:03:34 PM -06:00
	CCV		Unknown	BA5	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 4:49:46 PM -06:00
	CCB		Unknown	BA6	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 5:06:22 PM -06:00
	HS19121028-01DF10		Unknown	BC8	10.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 5:22:59 PM -06:00
	HS19121029-01DF10		Unknown	BD1	10.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 5:39:34 PM -06:00
	HS19120760-11DF500		Unknown	GE6	500.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 6:12:45 PM -06:00
	HS19120760-11MSDF500		Unknown	GE7	500.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 6:29:22 PM -06:00
	HS19120760-11MSDDF500		Unknown	GE8	500.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 6:45:56 PM -06:00
	CCV1		Unknown	BA7	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 7:19:10 PM -06:00
	CCB		Unknown	BA8	1.0000		Anions Pro	Anions Pr	5.0	Finished	12/26/2019 7:35:47 PM -06:00

Sequence: 122319
Injection #6: STD6


Calibration

Peak No.	Peak Name	Cal.Type	Eval.Type	Number of Points	Rel.Std.Dev. %	Coeff.of Determination	C0 (Offset)	C1 (Slope)	C2 (Curve)
1	*Fluoride*	*Lin, WithOffset, 1/*	*Area*	*5*	*10.1532*	*0.99927*	*-0.0056*	*0.3716*	*0.0000*
2	Chloride	Lin, WithOffset, 1/	Area	6	0.2804	1.00000	-0.0135	0.2355	0.0000
3	Nitrite,N	Lin, WithOffset, 1/	Area	5	15.1147	0.99824	0.0003	0.5120	0.0000
4	Bromide	Lin, WithOffset, 1/	Area	6	14.0217	0.99919	-0.0052	0.1009	0.0000
5	Sulfate	Lin, WithOffset, 1/	Area	6	1.1258	0.99999	-0.0022	0.1717	0.0000
6	Nitrate	Lin, WithOffset, 1/	Area	6	2.2249	0.99998	-0.0102	0.5876	0.0000
7	Chlorate	Lin, WithOffset, 1/	Area	6	10.0265	0.99953	-0.0024	0.0944	0.0000
8	Phosphate	Lin, WithOffset, 1/	Area	6	6.6198	0.99981	-0.0110	0.2321	0.0000
Maximum					**15.1147**	1.00000			
Minimum					0.2804	**0.99824**			

1 STD1

Sample Name:	**STD1**	*Injection Volume:*	**5.00**
Vial Number:	**GA1**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:08**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.60	Fluoride	BMB	0.031	0.0973	0.0973	1.0000
2	5.12	Chloride	BMB	0.105	0.5026	0.5026	1.0000
3	6.12	Nitrite,N	BMB	0.046	0.0893	0.0893	1.0000
4	8.00	Bromide	BMB	0.007	0.1192	0.1192	1.0000
5	8.64	Sulfate	BM	0.084	0.5042	0.5042	1.0000
6	9.10	Nitrate	M	0.051	0.1034	0.1034	1.0000
7	9.58	Chlorate	MB	0.008	0.1143	0.1143	1.0000
8	12.83	Phosphate	BMB	0.014	0.1085	0.1085	1.0000
Total:			**0.000**	**0.346**		**1.64**	

2 STD2

Sample Name:	**STD2**	*Injection Volume:*	**5.00**
Vial Number:	**GA2**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:24**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.140	0.3929	0.3929	1.0000
2	5.12	Chloride	BMB	0.456	1.9918	1.9918	1.0000
3	6.12	Nitrite,N	BMB	0.211	0.4119	0.4119	1.0000
4	8.00	Bromide	BMB	0.031	0.3593	0.3593	1.0000
5	8.64	Sulfate	BM	0.337	1.9733	1.9733	1.0000
6	9.10	Nitrate	M	0.220	0.3917	0.3917	1.0000
7	9.58	Chlorate	MB	0.033	0.3704	0.3704	1.0000
8	12.80	Phosphate	BMB	0.078	0.3841	0.3841	1.0000
Total:			**0.000**	**1.506**		**6.28**	

3 STD3

Sample Name:	**STD3**	*Injection Volume:*	**5.00**
Vial Number:	**GA3**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:41**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.758	2.0551	2.0551	1.0000
2	5.12	Chloride	BMB	2.339	9.9888	9.9888	1.0000
3	6.12	Nitrite,N	BMB	1.091	2.1305	2.1305	1.0000
4	8.00	Bromide	BMB	0.182	1.8590	1.8590	1.0000
5	8.61	Sulfate	BM	1.715	10.0007	10.0007	1.0000
6	9.07	Nitrate	M	1.153	1.9792	1.9792	1.0000
7	9.57	Chlorate	MB	0.176	1.8940	1.8940	1.0000
8	12.75	Phosphate	BMB	0.436	1.9269	1.9269	1.0000
Total:			**0.000**	**7.851**		**31.83**	

4 STD4

Sample Name:	**STD4**	*Injection Volume:*	**5.00**
Vial Number:	**GA4**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 14:57**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.535	4.1457	4.1457	1.0000
2	5.12	Chloride	BMB	4.695	19.9948	19.9948	1.0000
3	6.13	Nitrite,N	BMB	2.133	4.1659	4.1659	1.0000
4	8.00	Bromide	BMB	0.385	3.8642	3.8642	1.0000
5	8.58	Sulfate	BM	3.451	20.1082	20.1082	1.0000
6	9.05	Nitrate	M	2.330	3.9823	3.9823	1.0000
7	9.57	Chlorate	MB	0.365	3.8956	3.8956	1.0000
8	12.69	Phosphate	BMB	0.903	3.9395	3.9395	1.0000
Total:			**0.000**	**15.798**		**64.10**	

5 STD5

Sample Name:	**STD5**	*Injection Volume:*	**5.00**
Vial Number:	**GA5**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 15:14**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.639	9.8090	9.8090	1.0000
2	5.11	Chloride	BMB	11.762	49.9996	49.9996	1.0000
3	6.12	Nitrite,N	BMB	4.968	9.7023	9.7023	1.0000
4	7.98	Bromide	BMB	1.001	9.9786	9.9786	1.0000
5	8.50	Sulfate	BM	8.590	50.0271	50.0271	1.0000
6	8.98	Nitrate	M	5.854	9.9805	9.9805	1.0000
7	9.54	Chlorate	MB	0.939	9.9670	9.9670	1.0000
8	12.57	Phosphate	BMB	2.305	9.9803	9.9803	1.0000
Total:			**0.000**	**39.057**		**159.44**	

6 STD6

Sample Name:	**STD6**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Calibration Standard**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:37**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.63	Fluoride	BMB	6.773	18.2418	18.2418	1.0000
2	5.10	Chloride	BMB	23.542	100.0224	100.0224	1.0000
3	6.11	Nitrite,N	BMB	9.157	17.8850	17.8850	1.0000
4	7.95	Bromide	BM	2.045	20.3197	20.3197	1.0000
5	8.40	Sulfate	M	17.153	99.8863	99.8863	1.0000
6	8.91	Nitrate	M	11.778	20.0629	20.0629	1.0000
7	9.51	Chlorate	MB	1.910	20.2586	20.2586	1.0000
8	12.44	Phosphate	BMB	4.668	20.1606	20.1606	1.0000
Total:			**0.000**	**77.025**		**316.84**	

7 ICV

Sample Name:	**ICV**	*Injection Volume:*	**5.00**
Vial Number:	**GA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 18:54**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.495	4.0374	4.0374	1.0000
2	5.12	Chloride	BMB	4.681	19.9333	19.9333	1.0000
3	6.13	Nitrite,N	BMB	2.195	4.2858	4.2858	1.0000
4	8.00	Bromide	BMB	0.384	3.8585	3.8585	1.0000
5	8.57	Sulfate	BM	3.469	20.2132	20.2132	1.0000
6	9.05	Nitrate	M	2.340	3.9993	3.9993	1.0000
7	9.57	Chlorate	MB	0.367	3.9104	3.9104	1.0000
8	12.68	Phosphate	BMB	0.911	3.9732	3.9732	1.0000
Total:			**0.000**	**15.841**		**64.21**	

8 ICB

Sample Name:	**ICB**	*Injection Volume:*	**5.00**
Vial Number:	**GB8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**08/12/2019 19:29**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.11	Chloride	BMB	0.004	0.0748	0.0748	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
2	8.63	Sulfate	BMB	0.008	0.0618	0.0618	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.013**		**0.14**	

225 CCV

Sample Name:	**CCV**	*Injection Volume:*	**5.00**
Vial Number:	**BA5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/26/2019 09:58**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.452	3.9239	3.9239	1.0000
2	5.06	Chloride	BMB	4.611	19.6382	19.6382	1.0000
3	6.02	Nitrite,N	BMB^	2.087	4.0755	4.0755	1.0000
4	7.83	Bromide	BMB	0.366	3.6814	3.6814	1.0000
5	8.49	Sulfate	BM	3.305	19.2580	19.2580	1.0000
6	8.83	Nitrate	M	2.339	3.9982	3.9982	1.0000
7	9.32	Chlorate	MB	0.372	3.9674	3.9674	1.0000
8	12.63	Phosphate	BMB	0.780	3.4070	3.4070	1.0000
Total:			**0.000**	**15.313**		**61.95**	

226 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/26/2019 10:15**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.06	Chloride	BMB	0.003	0.0689	0.0689	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.003**		**0.07**	

227 WBLKW1-122619

Sample Name:	**WBLKW1-122619**	*Injection Volume:*	**5.00**
Vial Number:	**GC1**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/26/2019 10:37**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.06	Chloride	BMB	0.003	0.0707	0.0707	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.003**		**0.07**	

228 WLCSW1-122619

Sample Name:	WLCSW1-122619	Injection Volume:	5.00
Vial Number:	GC2	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	1.0000
Recording Time:	12/26/2019 10:54	Sample Weight:	1.0000

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.469	3.9681	3.9681	1.0000
2	5.06	Chloride	BMB	4.626	19.6996	19.6996	1.0000
3	6.02	Nitrite,N	BMB^	2.093	4.0863	4.0863	1.0000
4	7.83	Bromide	BMB	0.368	3.7009	3.7009	1.0000
5	8.49	Sulfate	BM	3.328	19.3920	19.3920	1.0000
6	8.83	Nitrate	M	2.354	4.0240	4.0240	1.0000
7	9.32	Chlorate	MB	0.373	3.9777	3.9777	1.0000
8	12.62	Phosphate	BMB	0.781	3.4148	3.4148	1.0000
Total:			**0.000**	**15.392**		**62.26**	

229 WLCSDW1-122619

Sample Name:	**WLCSDW1-122619**	*Injection Volume:*	**5.00**
Vial Number:	**GC3**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/26/2019 11:10**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	1.458	3.9397	3.9397	1.0000
2	5.06	Chloride	BMB	4.624	19.6939	19.6939	1.0000
3	6.02	Nitrite,N	BMB^	2.087	4.0750	4.0750	1.0000
4	7.83	Bromide	BMB	0.368	3.6949	3.6949	1.0000
5	8.49	Sulfate	BM	3.317	19.3241	19.3241	1.0000
6	8.83	Nitrate	M	2.344	4.0076	4.0076	1.0000
7	9.32	Chlorate	MB	0.371	3.9557	3.9557	1.0000
8	12.62	Phosphate	BMB	0.790	3.4530	3.4530	1.0000
Total:			0.000	15.360		62.14	

230 HS19121313-01DF200

Sample Name:	**HS19121313-01DF200**	*Injection Volume:*	**5.00**
Vial Number:	**GC4**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**200.0000**
Recording Time:	**12/26/2019 11:27**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	200.0000
4	5.06	Chloride	BMB	0.084	0.4127	82.5367	200.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	200.0000
6	7.84	Bromide	BMB	0.171	1.7518	350.3632	200.0000
7	8.43	Sulfate	BMB	0.009	0.0672	13.4475	200.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	200.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	200.0000
8	12.75	Phosphate	BMB	0.039	0.2157	43.1432	200.0000
Total:			**0.000**	**0.304**		**489.49**	

231 HS19121313-02DF400

Sample Name:	HS19121313-02DF400	Injection Volume:	5.00
Vial Number:	GC5	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	400.0000
Recording Time:	12/26/2019 11:43	Sample Weight:	1.0000

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	400.0000
4	5.06	Chloride	BMB	0.101	0.4875	195.0087	400.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	400.0000
6	7.84	Bromide	BMB	0.126	1.3021	520.8576	400.0000
7	8.52	Sulfate	BM	0.036	0.2195	87.7990	400.0000
8	8.86	Nitrate	MB	0.004	0.0238	9.5266	400.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	400.0000
9	12.78	Phosphate	BMB	0.011	0.0970	38.7938	400.0000
Total:			**0.000**	**0.278**		**851.99**	

232 HS19121313-03DF400

Sample Name:	**HS19121313-03DF400**	*Injection Volume:*	**5.00**
Vial Number:	**GC6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**400.0000**
Recording Time:	**12/26/2019 12:00**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	400.0000
4	5.06	Chloride	BMB	0.050	0.2701	108.0221	400.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	400.0000
6	7.84	Bromide	BMB	0.131	1.3471	538.8561	400.0000
7	8.52	Sulfate	BM	0.036	0.2242	89.6909	400.0000
8	8.89	Nitrate	MB	0.002	0.0209	8.3429	400.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	400.0000
9	12.76	Phosphate	BMB	0.011	0.0950	38.0111	400.0000
Total:			**0.000**	**0.230**		**782.92**	

233 HS19121313-04DF500

Sample Name:	HS19121313-04DF500	Injection Volume:	5.00
Vial Number:	GC7	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	500.0000
Recording Time:	12/26/2019 12:17	Sample Weight:	1.0000
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	500.0000
4	5.06	Chloride	BMB	0.034	0.2035	101.7697	500.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	500.0000
6	7.83	Bromide	BMB	0.067	0.7140	356.9953	500.0000
7	8.44	Sulfate	BMB	0.010	0.0699	34.9487	500.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	500.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	500.0000
8	12.78	Phosphate	BMB	0.009	0.0860	42.9883	500.0000
Total:			**0.000**	**0.120**		**536.70**	

234 HS19121313-04MSDF500

Sample Name:	**HS19121313-04MSDF500**	*Injection Volume:*	**5.00**
Vial Number:	**GC8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**500.0000**
Recording Time:	**12/26/2019 12:33**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.471	1.2825	641.2446	500.0000
5	5.06	Chloride	BMB	2.291	9.7843	4892.1464	500.0000
7	6.02	Nitrite,N	BMB^	1.029	2.0089	1004.4656	500.0000
8	7.83	Bromide	BMB	0.253	2.5589	1279.4549	500.0000
9	8.52	Sulfate	BM	1.622	9.4557	4727.8722	500.0000
10	8.86	Nitrate	M	1.148	1.9706	985.3046	500.0000
11	9.33	Chlorate	MB	0.181	1.9418	970.8946	500.0000
12	12.67	Phosphate	BMB	0.383	1.6998	849.8942	500.0000
Total:			**0.000**	**7.377**		**15351.28**	

235 *HS19121313-04MSDDF500*

Sample Name:	**HS19121313-04MSDDF500**	*Injection Volume:*	**5.00**
Vial Number:	**GD1**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**500.0000**
Recording Time:	**12/26/2019 12:50**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.467	1.2708	635.4189	500.0000
5	5.06	Chloride	BMB	2.270	9.6983	4849.1688	500.0000
7	6.02	Nitrite,N	BMB^	1.022	1.9946	997.3118	500.0000
8	7.83	Bromide	BMB	0.251	2.5388	1269.4051	500.0000
9	8.52	Sulfate	BM	1.608	9.3747	4687.3635	500.0000
10	8.86	Nitrate	M	1.140	1.9571	978.5666	500.0000
11	9.33	Chlorate	MB	0.178	1.9158	957.9004	500.0000
12	12.67	Phosphate	BMB	0.383	1.6983	849.1298	500.0000
Total:			**0.000**	**7.319**		**15224.26**	

236 HS19121313-05DF400

Sample Name:	**HS19121313-05DF400**	*Injection Volume:*	**5.00**
Vial Number:	**GD2**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**400.0000**
Recording Time:	**12/26/2019 13:06**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	400.0000
4	5.06	Chloride	BMB	0.047	0.2559	102.3597	400.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	400.0000
6	7.84	Bromide	BMB	0.090	0.9484	379.3485	400.0000
7	8.45	Sulfate	BMB	0.013	0.0874	34.9624	400.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	400.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	400.0000
8	12.76	Phosphate	BMB	0.017	0.1210	48.3973	400.0000
Total:			**0.000**	**0.167**		**565.07**	

237 CCV1

Sample Name:	**CCV1**	*Injection Volume:*	**5.00**
Vial Number:	**BA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/26/2019 13:23**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.572	9.6292	9.6292	1.0000
2	5.06	Chloride	BMB	11.581	49.2327	49.2327	1.0000
3	6.02	Nitrite,N	BMB^	4.893	9.5560	9.5560	1.0000
4	7.82	Bromide	BMB^	0.957	9.5351	9.5351	1.0000
5	8.41	Sulfate	BM	8.251	48.0556	48.0556	1.0000
6	8.77	Nitrate	M	5.948	10.1398	10.1398	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
8	12.50	Phosphate	BMB	2.097	9.0822	9.0822	1.0000
Total:			**0.000**	**37.298**		**145.23**	

238 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/26/2019 13:40**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.06	Chloride	BMB	0.002	0.0659	0.0659	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.002**		**0.07**	

249 CCV

Sample Name:	**CCV**	*Injection Volume:*	**5.00**
Vial Number:	**BA5**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/26/2019 16:49**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	1.464	3.9552	3.9552	1.0000
2	5.06	Chloride	BMB	4.615	19.6524	19.6524	1.0000
3	6.02	Nitrite,N	BMB^	2.091	4.0825	4.0825	1.0000
4	7.83	Bromide	BMB	0.366	3.6835	3.6835	1.0000
5	8.48	Sulfate	BM	3.304	19.2485	19.2485	1.0000
6	8.83	Nitrate	M	2.349	4.0148	4.0148	1.0000
7	9.32	Chlorate	MB	0.375	3.9982	3.9982	1.0000
8	12.61	Phosphate	BMB	0.784	3.4246	3.4246	1.0000
Total:			**0.000**	**15.347**		**62.06**	

250 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA6**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/26/2019 17:06**	*Sample Weight:*	**1.0000**

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.05	Chloride	BMB	0.003	0.0694	0.0694	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.003**		**0.07**	

254 HS19120760-11DF500

Sample Name:	HS19120760-11DF500	Injection Volume:	5.00
Vial Number:	GE6	Channel:	CD
Sample Type:	Unknown	Wavelength:	210
Control Program:	Anions Program 08092019	Bandwidth:	n.a.
Quantif. Method:	Anions Processing Method	Dilution Factor:	500.0000
Recording Time:	12/26/2019 18:12	Sample Weight:	1.0000

Run Time:




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	500.0000
1	5.06	Chloride	BMB	4.750	20.2286	10114.2759	500.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	500.0000
2	7.83	Bromide	BMB	0.006	0.1069	53.4587	500.0000
3	8.54	Sulfate	BM	0.375	2.1979	1098.9507	500.0000
4	8.89	Nitrate	MB	0.018	0.0485	24.2330	500.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	500.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	500.0000
Total:			**0.000**	**5.149**		**11290.92**	

255 HS19120760-11MSDF500

Sample Name:	**HS19120760-11MSDF500**	*Injection Volume:*	**5.00**
Vial Number:	**GE7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**500.0000**
Recording Time:	**12/26/2019 18:29**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.723	1.9618	980.8763	500.0000
2	5.06	Chloride	BMB	6.960	29.6091	14804.5335	500.0000
3	6.02	Nitrite,N	BMB^	1.057	2.0632	1031.6145	500.0000
4	7.83	Bromide	BMB	0.182	1.8523	926.1527	500.0000
5	8.51	Sulfate	BM	2.019	11.7663	5883.1541	500.0000
6	8.86	Nitrate	M	1.170	2.0090	1004.4907	500.0000
7	9.33	Chlorate	MB	0.184	1.9747	987.3564	500.0000
8	12.67	Phosphate	BMB	0.355	1.5776	788.8205	500.0000
Total:			**0.000**	**12.649**		**26407.00**	

256 HS19120760-11MSDDF500

Sample Name:	**HS19120760-11MSDDF500**	*Injection Volume:*	**5.00**
Vial Number:	**GE8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**500.0000**
Recording Time:	**12/26/2019 18:45**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.61	Fluoride	BMB	0.725	1.9668	983.3831	500.0000
2	5.06	Chloride	BMB	6.972	29.6618	14830.9112	500.0000
3	6.02	Nitrite,N	BMB^	1.056	2.0621	1031.0312	500.0000
4	7.83	Bromide	BMB	0.181	1.8503	925.1728	500.0000
5	8.51	Sulfate	BM	2.029	11.8287	5914.3640	500.0000
6	8.85	Nitrate	M	1.164	1.9988	999.3893	500.0000
7	9.33	Chlorate	MB	0.182	1.9580	979.0131	500.0000
8	12.67	Phosphate	BMB	0.362	1.6060	803.0000	500.0000
Total:			**0.000**	**12.672**		**26466.26**	

258 CCV1

Sample Name:	**CCV1**	*Injection Volume:*	**5.00**
Vial Number:	**BA7**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/26/2019 19:19**	*Sample Weight:*	**1.0000**
Run Time:			




Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
1	3.62	Fluoride	BMB	3.574	9.6340	9.6340	1.0000
2	5.06	Chloride	BMB	11.592	49.2809	49.2809	1.0000
3	6.02	Nitrite,N	BMB^	4.901	9.5724	9.5724	1.0000
4	7.82	Bromide	BMB^	0.956	9.5330	9.5330	1.0000
5	8.41	Sulfate	BM	8.259	48.1004	48.1004	1.0000
6	8.77	Nitrate	M	5.969	10.1761	10.1761	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
8	12.50	Phosphate	BMB	2.114	9.1562	9.1562	1.0000
Total:			**0.000**	**37.366**		**145.45**	

259 CCB

Sample Name:	**CCB**	*Injection Volume:*	**5.00**
Vial Number:	**BA8**	*Channel:*	**CD**
Sample Type:	**Unknown**	*Wavelength:*	**210**
Control Program:	**Anions Program 08092019**	*Bandwidth:*	**n.a.**
Quantif. Method:	**Anions Processing Method**	*Dilution Factor:*	**1.0000**
Recording Time:	**12/26/2019 19:35**	*Sample Weight:*	**1.0000**
Run Time:			



Integration Results

No.	Retention min	Peak Name	Peak Type	Area µS*min	Amount ppm	Concentration ppm	Dilution
n.a.	n.a.	Fluoride	n.a.	n.a.	n.a.	n.a.	1.0000
1	5.06	Chloride	BMB	0.002	0.0673	0.0673	1.0000
n.a.	n.a.	Nitrite,N	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Bromide	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Sulfate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Nitrate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Chlorate	n.a.	n.a.	n.a.	n.a.	1.0000
n.a.	n.a.	Phosphate	n.a.	n.a.	n.a.	n.a.	1.0000
Total:			**0.000**	**0.002**		**0.07**	

C:\TOC3201\Data\2019_12_27_001.t32

HS19121313

	T	Analysi	Sample Name	Sample ID	Origin	Result	Status	Date / Time	Vial
1	S	NPOC	CAL	312.093(401-40	12-27-2019.2		Completed	12/27/2019 7:01:10 PM	1, 2, 3
2	U	NPOC	ICV	312.093.407	12-27-2019.c	NPOC:9.611mg/L	Completed	12/27/2019 7:14:23 PM	7
3	U	NPOC	ICB	Untitled	12-27-2019.c	NPOC:0.1604mg/	Completed	12/27/2019 7:27:36 PM	8
4	U	NPOC	WBLKW1-122719	5310B	12-27-2019.c	NPOC:0.1409mg/	Completed	12/27/2019 7:42:54 PM	9
5	U	NPOC	WLCSW-122719		12-27-2019.c	NPOC:9.499mg/L	Completed	12/27/2019 8:12:28 PM	10
6	U	NPOC	WLCSDW-122719		12-27-2019.c	NPOC:9.534mg/L	Completed	12/27/2019 8:25:41 PM	11
7	U	NPOC	HS19120594-01	1/2	12-27-2019.c	NPOC:3.476mg/L	Completed	12/27/2019 8:38:54 PM	12
8	U	NPOC	HS19120596-01	1/2	12-27-2019.c	NPOC:6.586mg/L	Completed	12/27/2019 8:52:07 PM	13
9	U	NPOC	HS19120790-01DF20	1/1	12-27-2019.c	NPOC:3.832mg/L	Completed	12/27/2019 9:07:25 PM	14
10	U	NPOC	HS19120790-02DF20	1/1	12-27-2019.c	NPOC:2.895mg/L	Completed	12/27/2019 9:20:33 PM	15
11	U	NPOC	HS19120790-03DF20	1/1	12-27-2019.c	NPOC:6.811mg/L	Completed	12/27/2019 9:33:48 PM	16
12	U	NPOC	HS19120790-04DF20	1/1	12-27-2019.c	NPOC:5.517mg/L	Completed	12/27/2019 9:52:06 PM	17
13	U	NPOC	HS19120790-05DF20	1/1	12-27-2019.c	NPOC:6.992mg/L	Completed	12/27/2019 10:06:30 P	18
14	U	NPOC	CCV	312.093.408	12-27-2019.c	NPOC:23.75mg/L	Completed	12/27/2019 10:20:02 P	19
15	U	NPOC	CCB		12-27-2019.c	NPOC:0.2278mg/	Completed	12/27/2019 10:35:20 P	20
16	U	NPOC	HS19120790-06DF5	1/1	12-27-2019.c	NPOC:3.066mg/L	Completed	12/27/2019 10:48:28 P	21
17	U	NPOC	HS19120790-07DF20	1/1	12-27-2019.c	NPOC:21.59mg/L	Completed	12/27/2019 11:01:58 P	22
18	U	NPOC	HS19121167-01	1/2	12-27-2019.c	NPOC:11.90mg/L	Completed	12/27/2019 11:15:26 P	23
19	U	NPOC	HS19121167-01MS	1/2	12-27-2019.c	NPOC:21.31mg/L	Completed	12/27/2019 11:28:39 P	24
20	U	NPOC	CCV		12-27-2019.c	NPOC:24.98mg/L	Completed	12/27/2019 11:41:54 P	25
21	U	NPOC	CCB		12-27-2019.c	NPOC:0.2541mg/	Completed	12/27/2019 11:57:12 P	26
22	U	NPOC	WBLKW-122719	415.1 DISS	12-27-2019.c	NPOC:0.3005mg/	Completed	12/28/2019 12:12:26 A	27
23	U	NPOC	WLCSW-122719		12-27-2019.c	NPOC:9.382mg/L	Completed	12/28/2019 12:25:35 A	28
24	U	NPOC	WLCSDW-122719		12-27-2019.c	NPOC:9.440mg/L	Completed	12/28/2019 12:38:49 A	29
25	U	NPOC	HS19120742-01	1/1 PH=2	12-27-2019.c	NPOC:1.819mg/L	Completed	12/28/2019 12:52:03 A	30
26	U	NPOC	HS19120742-01MS	1/1	12-27-2019.c	NPOC:11.68mg/L	Completed	12/28/2019 1:05:17 AM	31
27	U	NPOC	CCV		12-27-2019.c	NPOC:24.53mg/L	Completed	12/28/2019 1:18:31 AM	32
28	U	NPOC	CCB		12-27-2019.c	NPOC:0.2052mg/	Completed	12/28/2019 1:31:45 AM	33
29	U	NPOC	WBLKW2-122719		12-27-2019.c	NPOC:0.2622mg/	Completed	12/28/2019 1:44:59 AM	34
30	U	NPOC	WLCSW2-122719		12-27-2019.c	NPOC:9.431mg/L	Completed	12/28/2019 1:58:13 AM	35
31	U	NPOC	WLCSDW2-122719		12-27-2019.c	NPOC:9.464mg/L	Completed	12/28/2019 2:11:27 AM	36
32	U	NPOC	HS19121045-02	1/2	12-27-2019.c	NPOC:3.736mg/L	Completed	12/28/2019 2:26:55 AM	37
33	U	NPOC	HS19121097-01	1/2	12-27-2019.c	NPOC:3.892mg/L	Completed	12/28/2019 2:40:04 AM	38
34	U	NPOC	HS19121134-01	1/2	12-27-2019.c	NPOC:4.409mg/L	Completed	12/28/2019 2:53:18 AM	39
35	U	NPOC	HS19121188-01	1/2	12-27-2019.c	NPOC:2.718mg/L	Completed	12/28/2019 3:06:32 AM	40
36	U	NPOC	HS19121084-01	1/2	12-27-2019.c	NPOC:4.135mg/L	Completed	12/28/2019 3:19:46 AM	41
37	U	NPOC	HS19120862-01	1/2	12-27-2019.c	NPOC:8.834mg/L	Completed	12/28/2019 3:33:00 AM	42
38	U	NPOC	HS19120874-01	1/2	12-27-2019.c	NPOC:4.295mg/L	Completed	12/28/2019 3:48:19 AM	43
39	U	NPOC	CCV		12-27-2019.c	NPOC:24.64mg/L	Completed	12/28/2019 4:01:28 AM	44
40	U	NPOC	CCB		12-27-2019.c	NPOC:0.2241mg/	Completed	12/28/2019 4:16:47 AM	45
41	U	NPOC	HS19121214-01DF20	1/2	12-27-2019.c	NPOC:1.360mg/L	Completed	12/28/2019 4:32:01 AM	46
42	U	NPOC	HS19121263-01	1/2	12-27-2019.c	NPOC:10.06mg/L	Completed	12/28/2019 4:45:11 AM	47
43	U	NPOC	HS19121274-01	1/2	12-27-2019.c	NPOC:11.12mg/L	Completed	12/28/2019 4:58:26 AM	48
44	U	NPOC	HS19121274-01MS	1/2	12-27-2019.c	NPOC:21.21mg/L	Completed	12/28/2019 5:11:41 AM	49
45	U	NPOC	WBLKW3-122719		12-27-2019.c	NPOC:0.3120mg/	Completed	12/28/2019 5:27:02 AM	50
46	U	NPOC	WLCSW3-122719		12-27-2019.c	NPOC:9.562mg/L	Completed	12/28/2019 5:40:12 AM	51
47	U	NPOC	WLCSDW3-122719		12-27-2019.c	NPOC:9.521mg/L	Completed	12/28/2019 5:53:27 AM	52
48	U	NPOC	HS191121313-01DF2000	1/2	12-27-2019.c	NPOC:11.47mg/L	Completed	12/28/2019 6:08:47 AM	53
49	U	NPOC	HS191121313-02DF2000	1/2	12-27-2019.c	NPOC:77.35mg/L	Completed	12/28/2019 6:22:19 AM	54
50	U	NPOC	HS191121313-03DF2000	1/2	12-27-2019.c	NPOC:72.13mg/L	Completed	12/28/2019 6:36:06 AM	55
51	U	NPOC	CCV		12-27-2019.c	NPOC:24.45mg/L	Completed	12/28/2019 6:49:37 AM	56

C:\TOC3201\Data\2019_12_27_001.t32

	T	Analysi	Sample Name	Sample ID	Origin	Result	Status	Date / Time	Vial
52	U	NPOC	CCB		12-27-2019.c	NPOC:0.3809mg/	Completed	12/28/2019 7:02:52 AM	57
53	U	NPOC	HS191121313-04DF2000	1/6	12-27-2019.c	NPOC:24.00mg/L	Completed	12/28/2019 7:18:13 AM	58
54	U	NPOC	HS191121313-04MSDF2000	1/6	12-27-2019.c	NPOC:35.48mg/L	Completed	12/28/2019 7:33:28 AM	59
55	U	NPOC	HS191121313-04MSDDF2000	1/6	12-27-2019.c	NPOC:35.50mg/L	Completed	12/28/2019 7:48:44 AM	60
56	U	NPOC	HS191121313-05DF2000	1/2	12-27-2019.c	NPOC:19.02mg/L	Completed	12/28/2019 8:04:00 AM	61
57	U	NPOC	CCV		12-27-2019.c	NPOC:23.94mg/L	Completed	12/28/2019 8:17:11 AM	62
58	U	NPOC	CCB		12-27-2019.c	NPOC:0.2852mg/	Completed	12/28/2019 8:32:32 AM	63
59	U	NPOC	CCV	RERUN	12-27-2019.c	NPOC:24.20mg/L	Completed	12/30/2019 10:19:47 A	1
60	U	NPOC	CCB		12-27-2019.c	NPOC:0.1740mg/	Completed	12/30/2019 10:35:05 A	2
61	U	NPOC	HS191121313-01DF4000	1/2	12-27-2019.c	NPOC:36.12mg/L	Completed	12/30/2019 10:48:22 A	3
62	U	NPOC	HS191121313-02DF4000	1/2	12-27-2019.c	NPOC:34.19mg/L	Completed	12/30/2019 11:03:58 A	4
63	U	NPOC	CCV		12-27-2019.c	NPOC:24.87mg/L	Completed	12/30/2019 11:17:20 A	5
64	U	NPOC	CCB		12-27-2019.c	NPOC:0.4667mg/	Completed	12/30/2019 11:32:38 A	6

Instr.Information

System	TOC csh with asi
Instrument Options	TOC/ASI/IC Unit/
Catalyst	Regular Sensitivity

Cal. Curve


Sample Name:	CAL
Sample ID:	312.093(401-406)
Cal. Curve:	12-27-2019.2019_12_27_17_39_54.cal
Status	Completed

Type	Anal.
Standard	NPOC

Conc: 1.000mg/L

No.	Area	Inj. Vol.	Aut. Dil.	Rem.	Ex.	Date / Time
1	5.197	50uL	1	*******		12/27/2019 5:48:38 PM
2	5.190	50uL	1	*******		12/27/2019 5:50:43 PM
3	4.974	50uL	1	*******		12/27/2019 5:52:48 PM
4	4.605	50uL	1	*******	E	12/27/2019 5:54:53 PM


Acid Add. 0.000%
Sp. Time 180.0sec
Mean Area 5.120



Conc: 2.000mg/L

No.	Area	Inj. Vol.	Aut. Dil.	Rem.	Ex.	Date / Time
1	8.696	50uL	1	*******		12/27/2019 6:03:51 PM
2	8.755	50uL	1	*******		12/27/2019 6:05:56 PM
3	8.629	50uL	1	*******		12/27/2019 6:08:01 PM


Acid Add. 0.000%
Sp. Time 180.0sec
Mean Area 8.693



Conc: 5.000mg/L

No.	Area	Inj. Vol.	Aut. Dil.	Rem.	Ex.	Date / Time
1	20.77	50uL	1	*******		12/27/2019 6:17:04 PM
2	20.80	50uL	1	*******		12/27/2019 6:19:20 PM
3	20.69	50uL	1	*******		12/27/2019 6:21:25 PM


Acid Add. 0.000%
Sp. Time 180.0sec
Mean Area 20.75



Conc: 10.00mg/L

No.	Area	Inj. Vol.	Aut. Dil.	Rem.	Ex.	Date / Time
1	41.28	50uL	1	*******		12/27/2019 6:30:28 PM
2	41.15	50uL	1	*******		12/27/2019 6:32:33 PM
3	41.51	50uL	1	*******		12/27/2019 6:34:38 PM


Acid Add. 0.000%
Sp. Time 180.0sec
Mean Area 41.31



Conc: 25.00mg/L

No.	Area	Inj. Vol.	Aut. Dil.	Rem.	Ex.	Date / Time
1	104.6	50uL	1	*******		12/27/2019 6:43:41 PM
2	104.2	50uL	1	*******		12/27/2019 6:45:46 PM
3	104.9	50uL	1	*******		12/27/2019 6:47:51 PM


Acid Add. 0.000%
Sp. Time 180.0sec
Mean Area 104.6




Conc: 50.00mg/L

No.	Area	Inj. Vol.	Aut. Dil.	Rem.	Ex.	Date / Time
1	212.1	50uL	1	*******		12/27/2019 6:57:00 PM
2	212.9	50uL	1	*******		12/27/2019 6:59:05 PM
3	211.7	50uL	1	*******		12/27/2019 7:01:10 PM

Acid Add. 0.000%
Sp. Time 180.0sec
Mean Area 212.2



Slope: 4.234
Intercept 0.000
r^2 0.9999
r 0.9999
Zero Shift Yes



Sample

Sample Name: ICV
Sample ID: 312.093.407
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:9.611mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	40.69	9.610mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/27/2019 7:10:13 PM
2	40.63	9.596mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/27/2019 7:12:18 PM
3	40.76	9.626mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/27/2019 7:14:23 PM

Mean Area 40.69
Mean Conc. 9.611mg/L



Sample

Sample Name: ICB
Sample ID: Untitled
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:0.1604mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	0.6561	0.1550mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/27/2019 7:23:26 PM
2	0.6578	0.1554mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/27/2019 7:25:31 PM
3	0.7234	0.1708mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/27/2019 7:27:36 PM

Mean Area 0.6791
Mean Conc. 0.1604mg/L



Sample

Sample Name: CCV
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:24.64mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	105.5	24.92mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 3:57:18 AM
2	103.7	24.49mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 3:59:23 AM
3	103.8	24.51mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 4:01:28 AM

Mean Area 104.3
Mean Conc. 24.64mg/L



Sample

Sample Name: CCB
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:0.2241mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	1.244	0.2938mg/L	50uL	1	E	12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 4:10:32 AM
2	1.141	0.2695mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 4:12:37 AM
3	0.8406	0.1985mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 4:14:42 AM
4	0.8653	0.2044mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 4:16:47 AM

Mean Area 0.9490
Mean Conc. 0.2241mg/L



Sample

Sample Name: WBLKW3-122719
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:0.3120mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	2.390	0.5645mg/L	50uL	1	E	12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 5:20:47 AM
2	1.486	0.3510mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 5:22:52 AM
3	1.221	0.2884mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 5:24:57 AM
4	1.256	0.2966mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 5:27:02 AM

Mean Area 1.321
Mean Conc. 0.3120mg/L



Sample

Sample Name: WLCSW3-122719
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:9.562mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	40.30	9.518mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 5:36:02 AM
2	40.69	9.610mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 5:38:07 AM
3	40.47	9.558mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 5:40:12 AM

Mean Area 40.49
Mean Conc. 9.562mg/L



Sample

Sample Name: WLCSDW3-122719
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:9.521mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	40.73	9.619mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 5:49:17 AM
2	39.77	9.393mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 5:51:22 AM
3	40.44	9.551mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 5:53:27 AM

Mean Area 40.31
Mean Conc. 9.521mg/L



Sample

Sample Name: HS191121313-01DF2000
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:11.47mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	61.21	14.46mg/L	50uL	1	E	12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:02:32 AM
2	50.19	11.85mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:04:37 AM
3	48.01	11.34mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:06:42 AM
4	47.51	11.22mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:08:47 AM

Mean Area 48.57
Mean Conc. 11.47mg/L



Sample

Sample Name: HS191121313-02DF2000
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:77.35mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	332.9	78.62mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:18:09 AM
2	326.4	77.09mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:20:14 AM
3	323.3	76.35mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:22:19 AM

Mean Area 327.5
Mean Conc. 77.35mg/L



Sample

Sample Name: HS191121313-03DF2000
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:72.13mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	312.2	73.73mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:31:25 AM
2	301.6	71.23mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:33:30 AM
3	302.4	71.42mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:36:06 AM

Mean Area 305.4
Mean Conc. 72.13mg/L



Sample

Sample Name: CCV
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:24.45mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	104.4	24.66mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:45:11 AM
2	102.8	24.28mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:47:16 AM
3	103.4	24.42mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:49:37 AM

Mean Area 103.5
Mean Conc. 24.45mg/L



Sample

Sample Name: CCB
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:0.3809mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	1.680	0.3968mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 6:58:42 AM
2	1.602	0.3783mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:00:47 AM
3	1.556	0.3675mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:02:52 AM

Mean Area 1.613
Mean Conc. 0.3809mg/L



Sample

Sample Name: HS191121313-04DF2000
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:24.00mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	115.8	27.35mg/L	50uL	1	E	12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:11:57 AM
2	103.2	24.37mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:14:02 AM
3	100.8	23.81mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:16:07 AM
4	100.9	23.83mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:18:13 AM

Mean Area 101.6
Mean Conc. 24.00mg/L



Sample

Sample Name: HS191121313-04MSDF2000
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:35.48mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	158.7	37.48mg/L	50uL	1	E	12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:27:13 AM
2	153.8	36.32mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:29:18 AM
3	148.9	35.17mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:31:23 AM
4	148.0	34.95mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:33:28 AM

Mean Area 150.2
Mean Conc. 35.48mg/L



Sample

Sample Name: HS191121313-04MSDDF2000
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:35.50mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	163.7	38.66mg/L	50uL	1	E	12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:42:29 AM
2	150.2	35.47mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:44:34 AM
3	151.3	35.73mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:46:39 AM
4	149.4	35.28mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:48:44 AM

Mean Area 150.3
Mean Conc. 35.50mg/L



Sample

Sample Name: HS191121313-05DF2000
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:19.02mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	89.16	21.06mg/L	50uL	1	E	12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:57:45 AM
2	81.01	19.13mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 7:59:50 AM
3	80.55	19.02mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 8:01:55 AM
4	80.09	18.92mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 8:04:00 AM

Mean Area 80.55
Mean Conc. 19.02mg/L



Sample

Sample Name: CCV
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:23.94mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	101.8	24.04mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 8:13:01 AM
2	100.2	23.66mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 8:15:06 AM
3	102.1	24.11mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 8:17:11 AM

Mean Area 101.4
Mean Conc. 23.94mg/L



Sample

Sample Name: CCB
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:0.2852mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	2.067	0.4882mg/L	50uL	1	E	12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 8:26:17 AM
2	1.269	0.2997mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 8:28:22 AM
3	1.212	0.2862mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 8:30:27 AM
4	1.142	0.2697mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/28/2019 8:32:32 AM

Mean Area 1.208
Mean Conc. 0.2852mg/L



Sample

Sample Name: CCV
Sample ID: RERUN
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:24.20mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	103.5	24.44mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 10:15:37 AM
2	101.4	23.95mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 10:17:42 AM
3	102.5	24.21mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 10:19:47 AM

Mean Area 102.5
Mean Conc. 24.20mg/L



Sample

Sample Name: CCB
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:0.1740mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	1.258	0.2971mg/L	50uL	1	E	12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 10:28:50 AM
2	0.7579	0.1790mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 10:30:55 AM
3	0.7908	0.1868mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 10:33:00 AM
4	0.6610	0.1561mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 10:35:05 AM

Mean Area 0.7366
Mean Conc. 0.1740mg/L



Sample

Sample Name: HS191121313-01DF4000
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:36.12mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	155.8	36.80mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 10:44:12 AM
2	151.2	35.71mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 10:46:17 AM
3	151.8	35.85mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 10:48:22 AM

Mean Area 152.9
Mean Conc. 36.12mg/L



Sample

Sample Name: HS191121313-02DF4000
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:34.19mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	146.2	34.53mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 10:59:31 AM
2	143.2	33.82mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 11:01:53 AM
3	144.9	34.22mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 11:03:58 AM

Mean Area 144.8
Mean Conc. 34.19mg/L



Sample

Sample Name: CCV
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:24.87mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	106.5	25.15mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 11:13:10 AM
2	104.0	24.56mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 11:15:15 AM
3	105.4	24.89mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 11:17:20 AM

Mean Area 105.3
Mean Conc. 24.87mg/L



Sample

Sample Name: CCB
Sample ID:
Origin: 12-27-2019.cal
Status Completed
Chk. Result


Type	Anal.	Manual Dilution	Result
Unknown	NPOC	1.000	NPOC:0.4667mg/L

1. Det

Anal.: NPOC

No.	Area	Conc.	Inj. Vol.	Aut. Dil.	Ex.	Cal. Curve	Date / Time
1	2.170	0.5125mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 11:26:23 AM
2	1.919	0.4532mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 11:28:28 AM
3	1.534	0.3623mg/L	50uL	1	E	12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 11:30:33 AM
4	1.839	0.4343mg/L	50uL	1		12-27-2019.2019_12_27_17_39_54.cal	12/30/2019 11:32:38 AM

Mean Area 1.976
Mean Conc. 0.4667mg/L



10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

February 07, 2020

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS20011144**

Laboratory Results for: **Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier**

Dear Susan,

ALS Environmental received 9 sample(s) on Jan 24, 2020 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier
Work Order: HS20011144

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS20011144-01	16WW36-200123	Groundwater		23-Jan-2020 10:25	24-Jan-2020 08:50	☐
HS20011144-02	16PM09-200123	Groundwater		23-Jan-2020 11:15	24-Jan-2020 08:50	☐
HS20011144-03	16PM06-200123	Groundwater		23-Jan-2020 12:05	24-Jan-2020 08:50	☐
HS20011144-04	16PM06-200123-FD	Groundwater		23-Jan-2020 12:05	24-Jan-2020 08:50	☐
HS20011144-05	16IW04-200123	Groundwater		23-Jan-2020 12:55	24-Jan-2020 08:50	☐
HS20011144-06	16IW03-200123	Groundwater		23-Jan-2020 13:45	24-Jan-2020 08:50	☐
HS20011144-07	16PM14-200123	Groundwater		23-Jan-2020 14:40	24-Jan-2020 08:50	☐
HS20011144-08	16PM02-200123	Groundwater		23-Jan-2020 15:30	24-Jan-2020 08:50	☐
HS20011144-09	16PM03-200123	Groundwater		23-Jan-2020 16:15	24-Jan-2020 08:50	☐

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc. **CASE NARRATIVE**
Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier
Work Order: HS20011144

Work Order Comments

- The analysis for TOC was subcontracted to ALS Environmental in Kelso, WA. Final report attached.

WetChemistry by Method SW9056

Batch ID: R355881

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc. **ANALYTICAL REPORT**

Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier WorkOrder:HS20011144

Sample ID: 16WW36-200123 Lab ID:HS20011144-01

Collection Date: 23-Jan-2020 10:25 Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**1.40**		**0.300**	**1.00**	**1.00**	**mg/L**	10	06-Feb-2020 14:21
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	05-Feb-2020 15:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc. **ANALYTICAL REPORT**

Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier WorkOrder:HS20011144

Sample ID: 16PM09-200123 Lab ID:HS20011144-02

Collection Date: 23-Jan-2020 11:15 Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**0.744**		**0.150**	**0.500**	**0.500**	**mg/L**	5	06-Feb-2020 15:15
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	05-Feb-2020 15:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc. **ANALYTICAL REPORT**

Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier WorkOrder:HS20011144

Sample ID: 16PM06-200123 Lab ID:HS20011144-03

Collection Date: 23-Jan-2020 12:05 Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.74**		**0.300**	**1.00**	**1.00**	**mg/L**	10	06-Feb-2020 15:51
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	05-Feb-2020 15:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc. **ANALYTICAL REPORT**

Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier WorkOrder:HS20011144

Sample ID: 16PM06-200123-FD Lab ID:HS20011144-04

Collection Date: 23-Jan-2020 12:05 Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.74**		**0.300**	**1.00**	**1.00**	**mg/L**	10	06-Feb-2020 16:09
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	05-Feb-2020 15:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc. **ANALYTICAL REPORT**

Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier WorkOrder:HS20011144

Sample ID: 16IW04-200123 Lab ID:HS20011144-05

Collection Date: 23-Jan-2020 12:55 Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**4.68**		**0.300**	**1.00**	**1.00**	**mg/L**	10	06-Feb-2020 17:04
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	05-Feb-2020 15:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc. **ANALYTICAL REPORT**

Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier WorkOrder:HS20011144

Sample ID: 16IW03-200123 Lab ID:HS20011144-06

Collection Date: 23-Jan-2020 13:45 Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**0.660**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	06-Feb-2020 17:22
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	05-Feb-2020 15:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc. **ANALYTICAL REPORT**

Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier WorkOrder:HS20011144

Sample ID: 16PM14-200123 Lab ID:HS20011144-07

Collection Date: 23-Jan-2020 14:40 Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**2.99**		**0.300**	**1.00**	**1.00**	**mg/L**	10	06-Feb-2020 17:58
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	05-Feb-2020 15:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc. **ANALYTICAL REPORT**

Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier WorkOrder:HS20011144

Sample ID: 16PM02-200123 Lab ID:HS20011144-08

Collection Date: 23-Jan-2020 15:30 Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**0.774**		**0.150**	**0.500**	**0.500**	**mg/L**	5	06-Feb-2020 18:16
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	05-Feb-2020 15:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc. **ANALYTICAL REPORT**

Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier WorkOrder:HS20011144

Sample ID: 16PM03-200123 Lab ID:HS20011144-09

Collection Date: 23-Jan-2020 16:15 Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KMU
Bromide	**4.55**		**0.300**	**1.00**	**1.00**	**mg/L**	10	06-Feb-2020 18:52
SUBCONTRACT ANALYSIS - TOC ANALYSIS		**Method:NA**						Analyst: SUBK
Subcontract Analysis	See Attached		0	0		NA	1	05-Feb-2020 15:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier
WorkOrder: HS20011144

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R355729 (0)	**Test Name :** SUBCONTRACT ANALYSIS - TOC ANALYSIS				**Matrix:** Groundwater	
HS20011144-01	16WW36-200123	23 Jan 2020 10:25			05 Feb 2020 15:19	1
HS20011144-02	16PM09-200123	23 Jan 2020 11:15			05 Feb 2020 15:19	1
HS20011144-03	16PM06-200123	23 Jan 2020 12:05			05 Feb 2020 15:19	1
HS20011144-04	16PM06-200123-FD	23 Jan 2020 12:05			05 Feb 2020 15:19	1
HS20011144-05	16IW04-200123	23 Jan 2020 12:55			05 Feb 2020 15:19	1
HS20011144-06	16IW03-200123	23 Jan 2020 13:45			05 Feb 2020 15:19	1
HS20011144-07	16PM14-200123	23 Jan 2020 14:40			05 Feb 2020 15:19	1
HS20011144-08	16PM02-200123	23 Jan 2020 15:30			05 Feb 2020 15:19	1
HS20011144-09	16PM03-200123	23 Jan 2020 16:15			05 Feb 2020 15:19	1
Batch ID: R355881 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS20011144-01	16WW36-200123	23 Jan 2020 10:25			06 Feb 2020 14:21	10
HS20011144-02	16PM09-200123	23 Jan 2020 11:15			06 Feb 2020 15:15	5
HS20011144-03	16PM06-200123	23 Jan 2020 12:05			06 Feb 2020 15:51	10
HS20011144-04	16PM06-200123-FD	23 Jan 2020 12:05			06 Feb 2020 16:09	10
HS20011144-05	16IW04-200123	23 Jan 2020 12:55			06 Feb 2020 17:04	10
HS20011144-06	16IW03-200123	23 Jan 2020 13:45			06 Feb 2020 17:22	1
HS20011144-07	16PM14-200123	23 Jan 2020 14:40			06 Feb 2020 17:58	10
HS20011144-08	16PM02-200123	23 Jan 2020 15:30			06 Feb 2020 18:16	5
HS20011144-09	16PM03-200123	23 Jan 2020 16:15			06 Feb 2020 18:52	10

ALS Houston, US Date: 07-Feb-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier
WorkOrder: HS20011144

QC BATCH REPORT

Batch ID: R355881 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WBLKW2-020520** Units: **mg/L** Analysis Date: **06-Feb-2020 13:26**
Client ID: Run ID: **ICS-Integrion_355881** SeqNo: **5464425** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW2-020520** Units: **mg/L** Analysis Date: **06-Feb-2020 13:44**
Client ID: Run ID: **ICS-Integrion_355881** SeqNo: **5464426** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.983	0.100	4	0	99.6	80 - 120				

LCSD Sample ID: **WLCSDW2-020520** Units: **mg/L** Analysis Date: **06-Feb-2020 14:02**
Client ID: Run ID: **ICS-Integrion_355881** SeqNo: **5464427** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.982	0.100	4	0	99.6	80 - 120	3.983	0.01	20	

MS Sample ID: **HS20011144-01MS** Units: **mg/L** Analysis Date: **06-Feb-2020 14:39**
Client ID: **16WW36-200123** Run ID: **ICS-Integrion_355881** SeqNo: **5464429** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	19.38	1.00	20	1.405	89.9	80 - 120				

MSD Sample ID: **HS20011144-01MSD** Units: **mg/L** Analysis Date: **06-Feb-2020 14:57**
Client ID: **16WW36-200123** Run ID: **ICS-Integrion_355881** SeqNo: **5464430** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	19.21	1.00	20	1.405	89.0	80 - 120	19.38	0.876	20	

The following samples were analyzed in this batch:

HS20011144-01	HS20011144-02	HS20011144-03	HS20011144-04
HS20011144-05	HS20011144-06	HS20011144-07	HS20011144-08
HS20011144-09			

ALS Houston, US Date: 07-Feb-20

Client:	Aptim Environmental & Infrastucture, Inc.	**QUALIFIERS, ACRONYMS, UNITS**
Project:	Longhorn Army Ammunition Plant LHAAP-16 PM Biobarrier	
WorkOrder:	**HS20011144**	

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231 V009	22-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2020	31-Dec-2020
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	T104704231-19-25	30-Apr-2020

ALS Houston, US Date: 07-Feb-20

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS20011144
Date/Time Received: **24-Jan-2020 08:50**
Received by: **AC**

Checklist completed by: *Jared R. Makan* eSignature 24-Jan-2020 Date
Reviewed by: *RJ Modashia* eSignature 27-Jan-2020 Date

Matrices: **Water**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	

Temperature(s)/Thermometer(s):	1.2°C/1.2°C UC/C	IR25
Cooler(s)/Kit(s):	24330	
Date/Time sample(s) sent to storage:	01/24/2020 19:10	

Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☑
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑

pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-ALSHT-2020-____ TURNAROUND TIME: normal RUSH: Page 1 of ____

PROJECT/CLIENT INFO				LABORATORY					
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Fedinvoices @aptim.com	
Project Number	501032			Lab Contact	RJ Modashia				
	LHAAP-16 PM Biobarrier			Email	RJ.Modashia@alsglobal.com			Susan.Huang@aptim.com	
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210			Susan Huang	
	PMB 202							4005 Port Chicago Hwy	
City	Marshall	State	TX	City	Houston	State	TX	Concord	State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	94520	Country USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656				
Project Manager	Praveen Srivastav								


SAMPLE DETAILS									ANALYSIS REQUESTED		
								Containers and Preservative	1-250 ml HDPE, Ice	2-40ml Vox Vials /H2SO4	
Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	Bromide by SW9056	TOC by SM5310	
16MW36-200123	LHAAP 16				WG	1/23/20	1025	3	X	X	
16MW36-200123-MS	LHAAP 16				WG	1/23/20	1025	3	X	X	
16MW36-200123MSD	LHAAP 16				WG	1/23/20	1025	3	X	X	
16PM09-200123	LHAAP 16				WG	1/23/20	1115	3	X	X	
16PM06-200123	LHAAP 16				WG	1/23/20	1205	3	X	X	
16PM06-200123-FD	LHAAP 16				WG	1/23/20	1205	3	X	X	
16IW04-200123	LHAAP 16				WG	1/23/20	1255	3	X	X	
16IW03-200123	LHAAP 16				WG	1/23/20	1345	3	X	X	
16PM14-200123	LHAAP 16				WG	1/23/20	1440	3	X	X	
16PM02-200123	LHAAP 16				WG	1/23/20	1530	3	X	X	
16PM03-200123	LHAAP 16				WG	1/23/20	1615	3	X	X	

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	Seth Belanger / BHATE	1/23/20 1700	AC / ALS	01/24/2020 0830

WIC
12
IR#25
Pg 2
24330

HS20011144

Aptim Environmental & Infrastucture, Inc.
Longhorn Army Ammunition Plant LHAAP-16 PM Bio


FedEx
TRK# 0221 1251 0293 7438
FRI - 24 JAN 10:30A
PRIORITY OVERNIGHT
AB SGRA
77099
TX— US IAH
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887
ALS
CUSTODY SEAL
Time: 1100
Seal Broken By:
JM
Date:
1/24/2

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

February 05, 2020

Analytical Report for Service Request No: K2000749

RJ Modashia
ALS Laboratory Group
10450 Stancliff Road
Suite 210
Houston, TX 77099-4338

RE: HS20011144

Dear RJ,

Enclosed are the results of the sample(s) submitted to our laboratory January 28, 2020
For your reference, these analyses have been assigned our service request number **K2000749.**

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please contact me if you have any questions. My extension is 3350. You may also contact me via email at Kelley.Lovejoy@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Kelley Lovejoy

Kelley Lovejoy
Project Manager

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Environmental
ALS Group USA, Corp
1317 South 13th Avenue
Kelso, WA 98626
T : +1 360 577 7222
F : +1 360 636 1068
www.alsglobal.com

Table of Contents

Acronyms
Qualifiers
State Certifications, Accreditations, And Licenses
Case Narrative
Chain of Custody
General Chemistry
Raw Data
    General Chemistry

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Inorganic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
E	The result is an estimate amount because the value exceeded the instrument calibration range.
J	The result is an estimated value.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.
H	The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

#	The control limit criteria is not applicable. See case narrative.
J	The result is an estimated value.
E	The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
M	The duplicate injection precision was not met.
N	The Matrix Spike sample recovery is not within control limits. See case narrative.
S	The reported value was determined by the Method of Standard Additions (MSA).
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
W	The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
i	The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
X	See case narrative.
+	The correlation coefficient for the MSA is less than 0.995.
Q	See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

*	The result is an outlier. See case narrative.
#	The control limit criteria is not applicable. See case narrative.
A	A tentatively identified compound, a suspected aldol-condensation product.
B	The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
C	The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
D	The reported result is from a dilution.
E	The result is an estimated value.
J	The result is an estimated value.
N	The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
P	The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
U	The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL. *DOD-QSM 4.2 definition* : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
i	The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
X	See case narrative.
Q	See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

F	The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
L	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
H	The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
O	The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
Y	The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
Z	The chromatographic fingerprint does not resemble a petroleum product.

ALS Group USA Corp. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEH	http://dec.alaska.gov/eh/lab/cs/csapproval.htm	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2795
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L16-58-R4
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Hawaii DOH	http://health.hawaii.gov/	-
ISO 17025	http://www.pjlabs.com/	L16-57
Louisiana DEQ	http://www.deq.louisiana.gov/page/la-lab-accreditation	03016
Maine DHS	http://www.maine.gov/dhhs/	WA01276
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-457
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA01276
New Jersey DEP	http://www.nj.gov/dep/enforcement/oqa.html	WA005
New York - DOH	https://www.wadsworth.org/regulatory/elap	12060
North Carolina DEQ	https://deq.nc.gov/about/divisions/water-resources/water-resources-data/water-sciences-home-page/laboratory-certification-branch/non-field-lab-certification	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA100010
South Carolina DHEC	http://www.scdhec.gov/environment/EnvironmentalLabCertification/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704427
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C544
Wyoming (EPA Region 8)	https://www.epa.gov/region8-waterops/epa-region-8-certified-drinking-water-	-
Kelso Laboratory Website	www.alsglobal.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.ALSGlobal.com or at the accreditation bodies web site.
Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/anlayte is offered by that state.

Case Narrative

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

Client: ALS Environmental - US
Project: HS20011144
Sample Matrix: Ground Water

Service Request: K2000749
Date Received: 01/28/2020

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier level IV requested by the client.

Sample Receipt:

Nine ground water samples were received for analysis at ALS Environmental on 01/28/2020. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

General Chemistry:

Method SM 5310 C, 01/31/2020:The matrix spike recovery of Total Organic Carbon for sample 16WW36-200123 was outside control criteria because of suspected matrix interference. Sample 16IW03-200123 initial, undiluted analysis resulted in shutting down of the instrument. The subsequent 1000x dilution did not yield any spike recovery. The sample matrix does not appear suitable for analysis by this method. No further corrective action was appropriate.

Approved by Kelley Lovejoy Date 02/05/2020

Chain of Custody

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

K2006749

10450 Stancliff Rd, Ste 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887
www.alsglobal.com

Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **13198**

SUBCONTRACT TO:

ALS Environmental Kelso
1317 S. 13th Avenue
Kelso, WA 98626

Phone: +1 360 501 3312

CUSTOMER INFORMATION:

Company:	ALS Houston
Contact:	RJ Modashia
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Email:	RJ.Modashia@alsglobal.com
Alternate Contact:	Jumoke M. Lawal
Email:	jumoke.lawal@alsglobal.com

INVOICE INFORMATION:

Company:	ALS Houston
Contact:	Accounts Payable
Address:	10450 Stancliff Rd, Ste 210
Phone:	+1 281 530 5656
Reference:	HS20011144
TSR:	Sonia West

	LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
	ANALYSIS REQUESTED			DUE DATE
1.	**HS20011144-01**	**16WW36-200123**	**Groundwater**	**23 Jan 2020 10:25**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Feb 2020
2.	**HS20011144-02**	**16PM09-200123**	**Groundwater**	**23 Jan 2020 11:15**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Feb 2020
3.	**HS20011144-03**	**16PM06-200123**	**Groundwater**	**23 Jan 2020 12:05**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Feb 2020
4.	**HS20011144-04**	**16PM06-200123-FD**	**Groundwater**	**23 Jan 2020 12:05**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Feb 2020
5.	**HS20011144-05**	**16IW04-200123**	**Groundwater**	**23 Jan 2020 12:55**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Feb 2020
6.	**HS20011144-06**	**16IW03-200123**	**Groundwater**	**23 Jan 2020 13:45**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Feb 2020
7.	**HS20011144-07**	**16PM14-200123**	**Groundwater**	**23 Jan 2020 14:40**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Feb 2020
8.	**HS20011144-08**	**16PM02-200123**	**Groundwater**	**23 Jan 2020 15:30**
	TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Feb 2020
9.	**HS20011144-09**	**16PM03-200123**	**Groundwater**	**23 Jan 2020 16:15**

Received: Cleared 1/24/2020 0910

Subcontract Chain of Custody

SAMPLING STATE: **Texas** **COC ID:** **13198**

LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	COLLECT DATE
ANALYSIS REQUESTED			DUE DATE
TOC Analysis with DOD Level IV/EQuIS APTIM EDD			03 Feb 2020

Comments: Please analyze for the analysis listed above.
Send report to the emails shown above.

HS20011144-01 MS/MSD

QC Level: DOD IV (DoD Data Package)

Relinquished By:	J. Marcum	Date/Time:	01/27/20 18:00
Received By:		Date/Time:	1/28/2020 0920
Cooler ID(s):		Temperature(s):	

01031894

PC KL

Cooler Receipt and Preservation Form

Client ALS Houston Service Request *K20* 00749

Received: 1/28/2020 Opened: 1/28/2020 By: CG Unloaded: 1/28/2020 By: CG

1. Samples were received via? *USPS* (*Fed Ex*) *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
2. Samples were received in: (circle) (*Cooler*) *Box* *Envelope* *Other* _____ *NA*
3. Were custody seals on coolers? NA (Y) N If yes, how many and where? 2 Front
   If present, were custody seals intact? (Y) N If present, were they signed and dated? (Y) N

Raw Cooler Temp	Corrected Cooler Temp	Raw Temp Blank	Corrected Temp Blank	Corr. Factor	Thermometer ID	Cooler/COC ID NA	Tracking Number NA	File
0.0	-0.2	1.8	1.6	-0.2	376	13198	1251 0293 9923	

4. Packing material: *Inserts* (*Baggies*) (*Bubble Wrap*) *Gel Packs* (*Wet Ice*) *Dry Ice* *Sleeves* _____
5. Were custody papers properly filled out (ink, signed, etc.)? NA (Y) N
6. Were samples received in good condition (temperature, unbroken)? *Indicate in the table below.* NA (Y) N
   If applicable, tissue samples were received: *Frozen* *Partially Thawed* *Thawed*
7. Were all sample labels complete (i.e analysis, preservation, etc.)? NA (Y) N
8. Did all sample labels and tags agree with custody papers? *Indicate major discrepancies in the table on page 2.* NA (Y) N
9. Were appropriate bottles/containers and volumes received for the tests indicated? NA (Y) N
10. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below* NA (Y) N
11. Were VOA vials received without headspace? *Indicate in the table below.* (NA) Y N
12. Was C12/Res negative? (NA) Y N

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Out of Temp	Head-space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time

Notes, Discrepancies, & Resolutions: _____

RUSH

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	ALS Environmental - US	**Service Request:**	K2000749
Project:	HS20011144	**Date Collected:**	01/23/20
Sample Matrix:	Ground Water	**Date Received:**	01/28/20
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Carbon, Total Organic

Sample Name	Lab Code	Result	LOQ	LOD	MDL	Dil.	Date Analyzed	Q
16WW36-200123	K2000749-001	**21.0**	0.50	0.20	0.07	1	01/31/20 00:01	
16PM09-200123	K2000749-002	**7.58**	0.50	0.20	0.07	1	01/31/20 00:59	
16PM06-200123	K2000749-003	**9.03**	0.50	0.20	0.07	1	01/31/20 01:27	
16PM06-200123-FD	K2000749-004	**9.01**	0.50	0.20	0.07	1	01/31/20 01:55	
16IW04-200123	K2000749-005	**6.70**	0.50	0.20	0.07	1	01/31/20 02:52	
16IW03-200123	K2000749-006	ND U	500	200	70	1000	01/31/20 03:20	
16PM14-200123	K2000749-007	**10.4**	0.50	0.20	0.07	1	01/31/20 03:48	
16PM02-200123	K2000749-008	**6.58**	0.50	0.20	0.07	1	01/31/20 04:16	
16PM03-200123	K2000749-009	**4.88**	0.50	0.20	0.07	1	01/31/20 04:44	
Method Blank	K2000749-MB	ND U	0.50	0.20	0.07	1	01/30/20 22:49	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K2000749
Project	HS20011144	**Date Collected:**	01/23/20
Sample Matrix:	Ground Water	**Date Received:**	01/28/20
Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA

Replicate Sample Summary
Carbon, Total Organic

Sample Name:	Lab Code:	LOQ	LOD	MDL	Sample Result	Duplicate Result	Average	RPD	RPD Limit	Date Analyzed
16WW36-200123	K2000749-001DUP	0.50	0.20	0.07	21.0	20.6	20.8	2	10	01/31/20
16PM09-200123	K2000749-002DUP	0.50	0.20	0.07	7.58	7.39	7.48	3	10	01/31/20
16PM06-200123	K2000749-003DUP	0.50	0.20	0.07	9.03	9.33	9.18	3	10	01/31/20
16PM06-200123-FD	K2000749-004DUP	0.50	0.20	0.07	9.01	8.83	8.92	2	10	01/31/20
16IW04-200123	K2000749-005DUP	0.50	0.20	0.07	6.70	6.57	6.63	2	10	01/31/20
16IW03-200123	K2000749-006DUP	500	200	70	ND U	ND U	NC	NC	10	01/31/20
16PM14-200123	K2000749-007DUP	0.50	0.20	0.07	10.4	10.5	10.4	<1	10	01/31/20
16PM02-200123	K2000749-008DUP	0.50	0.20	0.07	6.58	6.49	6.53	1	10	01/31/20
16PM03-200123	K2000749-009DUP	0.50	0.20	0.07	4.88	4.76	4.82	2	10	01/31/20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K2000749
Project:	HS20011144	**Date Collected:**	01/23/20
Sample Matrix:	Ground Water	**Date Received:**	01/28/20
		Date Analyzed:	01/31/20
		Date Extracted:	NA

Matrix Spike Summary
Carbon, Total Organic

Sample Name:	16WW36-200123	**Units:**	mg/L
Lab Code:	K2000749-001	**Basis:**	NA
Analysis Method:	SM 5310 C		
Prep Method:	None		

Matrix Spike
K2000749-001MS

Analyte Name	Sample Result	Result	Spike Amount	% Rec	% Rec Limits
Carbon, Total Organic	21.0	1.49	25.0	-78 *	83-117

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	ALS Environmental - US	**Service Request:**	K2000749
Project:	HS20011144	**Date Analyzed:**	01/30/20
Sample Matrix:	Ground Water	**Date Extracted:**	NA

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method:	SM 5310 C	**Units:**	mg/L
Prep Method:	None	**Basis:**	NA
		Analysis Lot:	668439

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K2000749-LCS	26.6	25.0	107	83-117

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:** K2000749
Project: HS20011144

Continuing Calibration Verification (CCV) Summary

Carbon, Total Organic

Analysis Method: SM 5310 C **Units:** mg/L

	Analysis Lot	Lab Code	Date Analyzed	True Value	Measured Value	Percent Recovery	Acceptance Limits
CCV1	668439	KQ2001484-01	01/30/20 22:20	25.0	24.9	99	90-110
CCV2	668439	KQ2001484-02	01/31/20 02:23	25.0	25.6	102	90-110
CCV3	668439	KQ2001484-03	01/31/20 07:33	25.0	25.6	103	90-110
CCV4	668439	KQ2001484-04	01/31/20 11:36	25.0	25.0	100	90-110

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: ALS Environmental - US **Service Request:**K2000749
Project: HS20011144

Continuing Calibration Blank (CCB) Summary
Carbon, Total Organic

Analysis Method: SM 5310 C **Units:**mg/L

	Analysis Lot	Lab Code	Date Analyzed	LOQ	LOD	MDL	Result	Q
CCB1	668439	KQ2001484-05	01/30/20 22:35	0.50	0.20	0.07	ND	U
CCB2	668439	KQ2001484-06	01/31/20 02:37	0.50	0.20	0.07	ND	U
CCB3	668439	KQ2001484-07	01/31/20 07:48	0.50	0.20	0.07	ND	U
CCB4	668439	KQ2001484-08	01/31/20 11:51	0.50	0.20	0.07	ND	U

Raw Data

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

General Chemistry

ALS Environmental—Kelso Laboratory
1317 South 13th Avenue, Kelso, WA 98626
Phone (360)577-7222 Fax (360)636-1068
www.alsglobal.com

Work Request # Original ( ) K2000534, 570, 584, 625, 719, 749, 670, 695, 729, 730, 846, 833, 886

Tier: II, IV, II, IV, IV, IV, II, IV, IV, II, I, II, II

Date Analyzed: 1/30/20

Analyst: BCP

Run # TOC: 668439, 668440, DOC: 668441, 668442

Analysis: TOC/DOC

DATA QUALITY REPORT
INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1.	Is the method name and number correct and appropriate?	yes/no/NA
2.	Holding times met for all analyses and for all samples?	yes/no/NA
3.	Are calculations correct?	yes/no/NA
4.	Is the reporting basis correct? (Dry Weight)	yes/no/NA
5.	All quality control criteria met?	yes/no
6.	Is the calibration curve correlation coefficient ≥ 0.995?	yes/no/NA
7.	MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency?	yes/no/NA
8.	Are ICVs, CCVs, and CCBs all within acceptance limits?	yes/no/NA
9.	Are results for methods blanks all ND?	yes/no/NA
10.	Are all QC samples within acceptance criteria? (LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.)	yes/no/NA
11.	Are all exceptions explained?	yes/no/NA
12.	Have all applicable service requests been reviewed?	yes/no/NA
13.	Are all samples labeled correctly?	yes/no/NA
14.	Have all instructions on the service request been followed? (e.g. Special MRLs, QC on a specific sample, Form V)	yes/no/NA
15.	Are detection limits and units reported correctly?	yes/no/NA
16.	Is the unused space on the benchsheet crossed out?	yes/no/NA
17.	Was analysis turned in by the due date? (n-2) (If not record SR#)	yes/no/NA

COMMENTS: K2000749-MS reports a low %Rec, due to matrix interference. K2000584-V1d, 695-1/1d, 695-2/2d report a high %RSD. However, these samples are less than 5x the MRL.

Final Approved by: _____ Date: 02/04/20

DQREPORT

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 668439 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K2000534-016	Carbon, Total Organic	N/A		Water	17.24 mg/L	10 mL	17.2 mg/L	1	0.07	0.50			1/31/20 05:12:00	N	II
K2000534-017	Carbon, Total Organic	N/A		Water	1.53 mg/L	10 mL	153 mg/L	100	7	50			1/31/20 05:40:00	N	II
K2000534-018	Carbon, Total Organic	N/A		Water	2.29 mg/L	10 mL	229 mg/L	100	7	50			1/31/20 06:09:00	N	II
K2000570-001	Carbon, Total Organic	N/A		Storm Water	11.31 mg/L	10 mL	11.3 mg/L	1	0.07	0.50			1/31/20 06:37:00	N	IV
K2000570-002	Carbon, Total Organic	N/A		Storm Water	10.73 mg/L	10 mL	10.7 mg/L	1	0.07	0.50			1/31/20 07:05:00	N	IV
K2000584-001	Carbon, Total Organic	N/A		Water	1.18 mg/L	10 mL	118 mg/L	100	7	50			1/31/20 08:32:00	N	II
K2000625-004	Carbon, Total Organic	N/A		Water	4.60 mg/L	10 mL	4.60 mg/L	1	0.07	0.50			1/31/20 09:00:00	N	IV
K2000625-008	Carbon, Total Organic	N/A		Water	0.65 mg/L	10 mL	6.5 mg/L	10	0.7	5.0			1/31/20 09:28:00	N	IV
K2000625-010	Carbon, Total Organic	N/A		Water	16.09 mg/L	10 mL	16.1 mg/L	1	0.07	0.50			1/31/20 09:56:00	Y	IV
K2000625-011	Carbon, Total Organic	N/A		Water	5.24 mg/L	10 mL	105 mg/L	20	2	10			1/31/20 10:53:00	Y	IV
K2000719-001	Carbon, Total Organic	N/A		Water	2.02 mg/L	10 mL	2.02 mg/L	1	0.07	0.50			1/30/20 23:33:00	N	IV
K2000749-001	Carbon, Total Organic	N/A		Ground Water	21.02 mg/L	10 mL	21.0 mg/L	1	0.07	0.50			1/31/20 00:01:00	Y	IV
K2000749-002	Carbon, Total Organic	N/A		Ground Water	7.58 mg/L	10 mL	7.58 mg/L	1	0.07	0.50			1/31/20 00:59:00	N	IV
K2000749-003	Carbon, Total Organic	N/A		Ground Water	9.03 mg/L	10 mL	9.03 mg/L	1	0.07	0.50			1/31/20 01:27:00	N	IV
K2000749-004	Carbon, Total Organic	N/A		Ground Water	9.01 mg/L	10 mL	9.01 mg/L	1	0.07	0.50			1/31/20 01:55:00	N	IV
K2000749-005	Carbon, Total Organic	N/A		Ground Water	6.70 mg/L	10 mL	6.70 mg/L	1	0.07	0.50			1/31/20 02:52:00	N	IV
K2000749-006	Carbon, Total Organic	N/A		Ground Water	0.00 mg/L	10 mL	500 mg/L U	1000	70	500			1/31/20 03:20:00	N	IV
K2000749-007	Carbon, Total Organic	N/A		Ground Water	10.39 mg/L	10 mL	10.4 mg/L	1	0.07	0.50			1/31/20 03:48:00	N	IV
K2000749-008	Carbon, Total Organic	N/A		Ground Water	6.58 mg/L	10 mL	6.58 mg/L	1	0.07	0.50			1/31/20 04:16:00	N	IV
K2000749-009	Carbon, Total Organic	N/A		Ground Water	4.88 mg/L	10 mL	4.88 mg/L	1	0.07	0.50			1/31/20 04:44:00	N	IV
KQ2001484-01	Carbon, Total Organic	CCV		Water	24.87 mg/L	10 mL	24.9 mg/L	1					1/30/20 22:20:00	N	IV
KQ2001484-02	Carbon, Total Organic	CCV		Water	25.57 mg/L	10 mL	25.6 mg/L	1					1/31/20 02:23:00	N	IV
KQ2001484-03	Carbon, Total Organic	CCV		Water	25.63 mg/L	10 mL	25.6 mg/L	1					1/31/20 07:33:00	N	IV
KQ2001484-04	Carbon, Total Organic	CCV		Water	24.96 mg/L	10 mL	25.0 mg/L	1					1/31/20 11:36:00	N	IV
KQ2001484-05	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/30/20 22:35:00	N	IV
KQ2001484-06	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 02:37:00	N	IV
KQ2001484-07	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 07:48:00	N	IV
KQ2001484-08	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 11:51:00	N	IV
KQ2001484-09	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/30/20 22:49:00	N	IV
KQ2001484-10	Carbon, Total Organic	LCS		Water	26.63 mg/L	10 mL	26.6 mg/L	1	0.07	0.50	107		1/30/20 23:04:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

02/04/20

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 668439 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ2001484-11	Carbon, Total Organic	MS	K2000749-001	Ground Water	1.49 mg/L	10 mL	1.49 mg/L	1	0.07	0.50	-78*		1/31/20 00:30:00	N	IV
KQ2001484-12	Carbon, Total Organic	DUP	K2000534-016	Water	17.18 mg/L	10 mL	17.2 mg/L	1	0.07	0.50		<1	1/31/20 05:12:00	N	II
KQ2001484-13	Carbon, Total Organic	DUP	K2000534-017	Water	1.42 mg/L	10 mL	142 mg/L	100	7	50		8	1/31/20 05:40:00	N	II
KQ2001484-14	Carbon, Total Organic	DUP	K2000534-018	Water	2.31 mg/L	10 mL	231 mg/L	100	7	50		<1	1/31/20 06:09:00	N	II
KQ2001484-15	Carbon, Total Organic	DUP	K2000570-001	Storm Water	11.41 mg/L	10 mL	11.4 mg/L	1	0.07	0.50		<1	1/31/20 06:37:00	N	IV
KQ2001484-16	Carbon, Total Organic	DUP	K2000570-002	Storm Water	10.78 mg/L	10 mL	10.8 mg/L	1	0.07	0.50		<1	1/31/20 07:05:00	N	IV
KQ2001484-17	Carbon, Total Organic	DUP	K2000584-001	Water	0.80 mg/L	10 mL	80 mg/L	100	7	50		38*	1/31/20 08:32:00	N	II
KQ2001484-18	Carbon, Total Organic	DUP	K2000625-004	Water	4.55 mg/L	10 mL	4.55 mg/L	1	0.07	0.50		1	1/31/20 09:00:00	N	IV
KQ2001484-19	Carbon, Total Organic	DUP	K2000625-008	Water	0.63 mg/L	10 mL	6.3 mg/L	10	0.7	5.0		3	1/31/20 09:28:00	N	IV
KQ2001484-20	Carbon, Total Organic	DUP	K2000625-010	Water	16.64 mg/L	10 mL	16.6 mg/L	1	0.07	0.50		3	1/31/20 09:56:00	N	IV
KQ2001484-21	Carbon, Total Organic	DUP	K2000625-011	Water	5.25 mg/L	10 mL	105 mg/L	20	2	10		<1	1/31/20 10:53:00	N	IV
KQ2001484-22	Carbon, Total Organic	DUP	K2000719-001	Water	1.97 mg/L	10 mL	1.97 mg/L	1	0.07	0.50		3	1/30/20 23:33:00	N	IV
KQ2001484-23	Carbon, Total Organic	DUP	K2000749-002	Ground Water	7.39 mg/L	10 mL	7.39 mg/L	1	0.07	0.50		3	1/31/20 00:59:00	N	IV
KQ2001484-24	Carbon, Total Organic	DUP	K2000749-003	Ground Water	9.33 mg/L	10 mL	9.33 mg/L	1	0.07	0.50		3	1/31/20 01:27:00	N	IV
KQ2001484-25	Carbon, Total Organic	DUP	K2000749-004	Ground Water	8.83 mg/L	10 mL	8.83 mg/L	1	0.07	0.50		2	1/31/20 01:55:00	N	IV
KQ2001484-26	Carbon, Total Organic	DUP	K2000749-001	Ground Water	20.60 mg/L	10 mL	20.6 mg/L	1	0.07	0.50		2	1/31/20 00:01:00	N	IV
KQ2001484-27	Carbon, Total Organic	DUP	K2000749-005	Ground Water	6.57 mg/L	10 mL	6.57 mg/L	1	0.07	0.50		2	1/31/20 02:52:00	N	IV
KQ2001484-28	Carbon, Total Organic	DUP	K2000749-006	Ground Water	0.00 mg/L	10 mL	500 mg/L U	1000	70	500		NC	1/31/20 03:20:00	N	IV
KQ2001484-29	Carbon, Total Organic	DUP	K2000749-007	Ground Water	10.48 mg/L	10 mL	10.5 mg/L	1	0.07	0.50		<1	1/31/20 03:48:00	N	IV
KQ2001484-30	Carbon, Total Organic	DUP	K2000749-008	Ground Water	6.49 mg/L	10 mL	6.49 mg/L	1	0.07	0.50		1	1/31/20 04:16:00	N	IV
KQ2001484-31	Carbon, Total Organic	DUP	K2000749-009	Ground Water	4.76 mg/L	10 mL	4.76 mg/L	1	0.07	0.50		2	1/31/20 04:44:00	N	IV
KQ2001484-32	Carbon, Total Organic	MS	K2000625-010	Water	32.38 mg/L	10 mL	130 mg/L	4	0.3	2.0	113		1/31/20 10:24:00	N	IV
KQ2001484-33	Carbon, Total Organic	MS	K2000625-011	Water	27.93 mg/L	10 mL	2790 mg/L	100	7	50	108		1/31/20 11:21:00	N	IV

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 668440 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K2000625-012	Carbon, Total Organic	N/A		Water	0.94 mg/L	10 mL	94 mg/L	100	7	50			1/31/20 12:05:00	Y	IV
K2000670-002	Carbon, Total Organic	N/A		Water	21.87 mg/L	10 mL	21.9 mg/L	1	0.07	0.50			1/31/20 15:23:00	N	II
K2000695-001	Carbon, Total Organic	N/A		Water	0.30 mg/L	10 mL	0.30 mg/L J	1	0.07	0.50			1/31/20 15:51:00	N	IV
K2000695-002	Carbon, Total Organic	N/A		Water	0.26 mg/L	10 mL	0.26 mg/L J	1	0.07	0.50			1/31/20 17:18:00	N	IV
K2000729-038	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 17:46:00	N	IV
K2000730-001	Carbon, Total Organic	N/A		Water	0.50 mg/L	10 mL	0.50 mg/L J	1	0.07	0.50			1/31/20 18:14:00	N	II
K2000730-002	Carbon, Total Organic	N/A		Water	0.44 mg/L	10 mL	0.44 mg/L J	1	0.07	0.50			1/31/20 18:43:00	N	II
K2000730-003	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 19:11:00	N	II
K2000730-004	Carbon, Total Organic	N/A		Water	2.59 mg/L	10 mL	2.59 mg/L	1	0.07	0.50			1/31/20 19:39:00	N	II
K2000730-005	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 20:07:00	N	II
K2000730-006	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 20:35:00	N	II
K2000730-007	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 21:32:00	N	II
K2000730-008	Carbon, Total Organic	N/A		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 22:01:00	N	II
K2000846-001	Carbon, Total Organic	N/A		Water	3.82 mg/L	10 mL	3.82 mg/L	1	0.07	0.50			1/31/20 13:03:00	N	I
K2000846-002	Carbon, Total Organic	N/A		Water	2.05 mg/L	10 mL	2.05 mg/L	1	0.07	0.50			1/31/20 13:31:00	N	I
K2000846-003	Carbon, Total Organic	N/A		Water	1.96 mg/L	10 mL	1.96 mg/L	1	0.07	0.50			1/31/20 13:59:00	N	I
K2000846-004	Carbon, Total Organic	N/A		Water	2.10 mg/L	10 mL	2.10 mg/L	1	0.07	0.50			1/31/20 14:27:00	N	I
K2000846-005	Carbon, Total Organic	N/A		Water	1.96 mg/L	10 mL	1.96 mg/L	1	0.07	0.50			1/31/20 14:55:00	N	I
KQ2001485-01	Carbon, Total Organic	CCV		Water	24.96 mg/L	10 mL	25.0 mg/L	1					1/31/20 11:36:00	N	IV
KQ2001485-02	Carbon, Total Organic	CCV		Water	24.64 mg/L	10 mL	24.6 mg/L	1					1/31/20 16:19:00	N	IV
KQ2001485-03	Carbon, Total Organic	CCV		Water	24.37 mg/L	10 mL	24.4 mg/L	1					1/31/20 21:03:00	N	IV
KQ2001485-04	Carbon, Total Organic	CCV		Water	24.53 mg/L	10 mL	24.5 mg/L	1					2/1/20 01:47:00	N	IV
KQ2001485-05	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 11:51:00	N	IV
KQ2001485-06	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 16:34:00	N	IV
KQ2001485-07	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 21:18:00	N	IV
KQ2001485-08	Carbon, Total Organic	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			2/1/20 02:01:00	N	IV
KQ2001485-09	Carbon, Total Organic	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 08:03:00	N	IV
KQ2001485-10	Carbon, Total Organic	LCS		Water	27.91 mg/L	10 mL	27.9 mg/L	1	0.07	0.50	112		1/31/20 08:17:00	N	IV
KQ2001485-11	Carbon, Total Organic	MS	K2000625-012	Water	27.15 mg/L	10 mL	10900 mg/L	400	30	200	108		1/31/20 12:33:00	N	IV
KQ2001485-12	Carbon, Total Organic	DUP	K2000670-002	Water	22.31 mg/L	10 mL	22.3 mg/L	1	0.07	0.50		2	1/31/20 15:23:00	N	II
KQ2001485-13	Carbon, Total Organic	DUP	K2000695-002	Water	0.19 mg/L	10 mL	0.19 mg/L J	1	0.07	0.50		31*	1/31/20 17:18:00	N	IV
KQ2001485-14	Carbon, Total Organic	DUP	K2000695-001	Water	0.21 mg/L	10 mL	0.21 mg/L J	1	0.07	0.50		35*	1/31/20 15:51:00	N	IV
KQ2001485-15	Carbon, Total Organic	DUP	K2000625-012	Water	0.92 mg/L	10 mL	92 mg/L	100	7	50		2	1/31/20 12:05:00	N	IV
KQ2001485-16	Carbon, Total Organic	DUP	K2000729-038	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	1/31/20 17:46:00	N	IV
KQ2001485-17	Carbon, Total Organic	DUP	K2000730-001	Water	0.51 mg/L	10 mL	0.51 mg/L	1	0.07	0.50		2	1/31/20 18:14:00	N	II
KQ2001485-18	Carbon, Total Organic	DUP	K2000730-002	Water	0.47 mg/L	10 mL	0.47 mg/L J	1	0.07	0.50		7	1/31/20 18:43:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 668440 **Method/Testcode:** SM 5310 C/TOC T

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ2001485-19	Carbon, Total Organic	DUP	K2000730-003	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	1/31/20 19:11:00	N	II
KQ2001485-20	Carbon, Total Organic	DUP	K2000730-004	Water	2.55 mg/L	10 mL	2.55 mg/L	1	0.07	0.50		2	1/31/20 19:39:00	N	II
KQ2001485-21	Carbon, Total Organic	DUP	K2000730-005	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	1/31/20 20:07:00	N	II
KQ2001485-22	Carbon, Total Organic	DUP	K2000730-006	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	1/31/20 20:35:00	N	II
KQ2001485-23	Carbon, Total Organic	DUP	K2000730-007	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	1/31/20 21:32:00	N	II
KQ2001485-24	Carbon, Total Organic	DUP	K2000730-008	Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50		NC	1/31/20 22:01:00	N	II
KQ2001485-25	Carbon, Total Organic	DUP	K2000846-001	Water	3.78 mg/L	10 mL	3.78 mg/L	1	0.07	0.50		1	1/31/20 13:03:00	N	I
KQ2001485-26	Carbon, Total Organic	DUP	K2000846-002	Water	1.97 mg/L	10 mL	1.97 mg/L	1	0.07	0.50		4	1/31/20 13:31:00	N	I
KQ2001485-27	Carbon, Total Organic	DUP	K2000846-003	Water	1.91 mg/L	10 mL	1.91 mg/L	1	0.07	0.50		2	1/31/20 13:59:00	N	I
KQ2001485-28	Carbon, Total Organic	DUP	K2000846-004	Water	2.11 mg/L	10 mL	2.11 mg/L	1	0.07	0.50		<1	1/31/20 14:27:00	N	I
KQ2001485-29	Carbon, Total Organic	DUP	K2000846-005	Water	1.91 mg/L	10 mL	1.91 mg/L	1	0.07	0.50		3	1/31/20 14:55:00	N	I

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 668441 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K2000833-001	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	6.10 mg/L	10 mL	6.10 mg/L	1	0.07	0.50			1/31/20 22:43:00	N	II
K2000833-002	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	4.98 mg/L	10 mL	4.98 mg/L	1	0.07	0.50			1/31/20 23:12:00	N	II
K2000833-003	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	0.98 mg/L	10 mL	0.98 mg/L	1	0.07	0.50			1/31/20 23:40:00	N	II
K2000833-004	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	3.95 mg/L	10 mL	3.95 mg/L	1	0.07	0.50			2/1/20 00:08:00	N	II
K2000833-005	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	1.96 mg/L	10 mL	1.96 mg/L	1	0.07	0.50			2/1/20 00:36:00	N	II
K2000833-006	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	3.85 mg/L	10 mL	3.85 mg/L	1	0.07	0.50			2/1/20 01:04:00	N	II
K2000833-007	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	5.64 mg/L	10 mL	5.64 mg/L	1	0.07	0.50			2/1/20 02:45:00	N	II
K2000833-008	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	5.16 mg/L	10 mL	5.16 mg/L	1	0.07	0.50			2/1/20 03:14:00	N	II
K2000833-009	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	5.32 mg/L	10 mL	5.32 mg/L	1	0.07	0.50			2/1/20 03:42:00	N	II
K2000833-010	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	3.32 mg/L	10 mL	3.32 mg/L	1	0.07	0.50			2/1/20 04:10:00	N	II
K2000833-011	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	5.11 mg/L	10 mL	5.11 mg/L	1	0.07	0.50			2/1/20 04:38:00	N	II
K2000833-012	Carbon, Dissolved Organic (DOC)	N/A		Surface Water	3.95 mg/L	10 mL	3.95 mg/L	1	0.07	0.50			2/1/20 05:06:00	N	II
KQ2001486-01	Carbon, Dissolved Organic (DOC)	CCV		Surface Water	24.37 mg/L	10 mL	24.4 mg/L	1					1/31/20 21:03:00	N	II
KQ2001486-02	Carbon, Dissolved Organic (DOC)	CCV		Surface Water	24.53 mg/L	10 mL	24.5 mg/L	1					2/1/20 01:47:00	N	II
KQ2001486-03	Carbon, Dissolved Organic (DOC)	CCV		Surface Water	24.21 mg/L	10 mL	24.2 mg/L	1					2/1/20 06:17:00	N	II
KQ2001486-04	Carbon, Dissolved Organic (DOC)	CCB		Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 21:18:00	N	II
KQ2001486-05	Carbon, Dissolved Organic (DOC)	CCB		Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			2/1/20 02:01:00	N	II
KQ2001486-06	Carbon, Dissolved Organic (DOC)	CCB		Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			2/1/20 06:31:00	N	II
KQ2001486-07	Carbon, Dissolved Organic (DOC)	MB		Surface Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			1/31/20 16:49:00	N	II
KQ2001486-08	Carbon, Dissolved Organic (DOC)	LCS		Surface Water	26.55 mg/L	10 mL	26.6 mg/L	1	0.07	0.50	106		1/31/20 17:03:00	N	II
KQ2001486-09	Carbon, Dissolved Organic (DOC)	MS	K2000833-001	Surface Water	29.49 mg/L	10 mL	59.0 mg/L	2	0.2	1.0	106		2/1/20 01:32:00	N	II
KQ2001486-10	Carbon, Dissolved Organic (DOC)	DUP	K2000833-001	Surface Water	5.93 mg/L	10 mL	5.93 mg/L	1	0.07	0.50		3	1/31/20 22:43:00	N	II
KQ2001486-11	Carbon, Dissolved Organic (DOC)	DUP	K2000833-002	Surface Water	4.88 mg/L	10 mL	4.88 mg/L	1	0.07	0.50		2	1/31/20 23:12:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

02/04/20

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 668441 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ2001486-12	Carbon, Dissolved Organic (DOC)	DUP	K2000833-003	Surface Water	0.90 mg/L	10 mL	0.90 mg/L	1	0.07	0.50		8	1/31/20 23:40:00	N	II
KQ2001486-13	Carbon, Dissolved Organic (DOC)	DUP	K2000833-004	Surface Water	3.95 mg/L	10 mL	3.95 mg/L	1	0.07	0.50		<1	2/1/20 00:08:00	N	II
KQ2001486-14	Carbon, Dissolved Organic (DOC)	DUP	K2000833-005	Surface Water	2.02 mg/L	10 mL	2.02 mg/L	1	0.07	0.50		3	2/1/20 00:36:00	N	II
KQ2001486-15	Carbon, Dissolved Organic (DOC)	DUP	K2000833-006	Surface Water	3.91 mg/L	10 mL	3.91 mg/L	1	0.07	0.50		1	2/1/20 01:04:00	N	II
KQ2001486-16	Carbon, Dissolved Organic (DOC)	DUP	K2000833-007	Surface Water	5.54 mg/L	10 mL	5.54 mg/L	1	0.07	0.50		2	2/1/20 02:45:00	N	II
KQ2001486-17	Carbon, Dissolved Organic (DOC)	DUP	K2000833-008	Surface Water	5.19 mg/L	10 mL	5.19 mg/L	1	0.07	0.50		<1	2/1/20 03:14:00	N	II
KQ2001486-18	Carbon, Dissolved Organic (DOC)	DUP	K2000833-009	Surface Water	5.32 mg/L	10 mL	5.32 mg/L	1	0.07	0.50		<1	2/1/20 03:42:00	N	II
KQ2001486-19	Carbon, Dissolved Organic (DOC)	DUP	K2000833-010	Surface Water	3.41 mg/L	10 mL	3.41 mg/L	1	0.07	0.50		3	2/1/20 04:10:00	N	II
KQ2001486-20	Carbon, Dissolved Organic (DOC)	DUP	K2000833-011	Surface Water	5.07 mg/L	10 mL	5.07 mg/L	1	0.07	0.50		<1	2/1/20 04:38:00	N	II
KQ2001486-21	Carbon, Dissolved Organic (DOC)	DUP	K2000833-012	Surface Water	3.88 mg/L	10 mL	3.88 mg/L	1	0.07	0.50		2	2/1/20 05:06:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 668442 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
K2000866-001	Carbon, Dissolved Organic (DOC)	N/A		Water	0.52 mg/L	10 mL	0.52 mg/L	1	0.07	0.50			2/1/20 05:34:00	N	II
K2000866-002	Carbon, Dissolved Organic (DOC)	N/A		Water	1.45 mg/L	10 mL	1.45 mg/L	1	0.07	0.50			2/1/20 06:46:00	N	II
K2000866-003	Carbon, Dissolved Organic (DOC)	N/A		Water	1.33 mg/L	10 mL	1.33 mg/L	1	0.07	0.50			2/1/20 07:15:00	N	II
K2000866-004	Carbon, Dissolved Organic (DOC)	N/A		Water	1.41 mg/L	10 mL	1.41 mg/L	1	0.07	0.50			2/1/20 07:43:00	N	II
K2000866-005	Carbon, Dissolved Organic (DOC)	N/A		Water	1.00 mg/L	10 mL	1.00 mg/L	1	0.07	0.50			2/1/20 08:11:00	N	II
K2000866-006	Carbon, Dissolved Organic (DOC)	N/A		Water	0.76 mg/L	10 mL	0.76 mg/L	1	0.07	0.50			2/1/20 08:39:00	N	II
K2000866-007	Carbon, Dissolved Organic (DOC)	N/A		Water	0.52 mg/L	10 mL	0.52 mg/L	1	0.07	0.50			2/1/20 09:07:00	N	II
K2000866-008	Carbon, Dissolved Organic (DOC)	N/A		Water	1.02 mg/L	10 mL	1.02 mg/L	1	0.07	0.50			2/1/20 09:35:00	N	II
K2000866-009	Carbon, Dissolved Organic (DOC)	N/A		Water	0.92 mg/L	10 mL	0.92 mg/L	1	0.07	0.50			2/1/20 10:03:00	N	II
KQ2001487-01	Carbon, Dissolved Organic (DOC)	CCV		Water	24.53 mg/L	10 mL	24.5 mg/L	1					2/1/20 01:47:00	N	II
KQ2001487-02	Carbon, Dissolved Organic (DOC)	CCV		Water	24.21 mg/L	10 mL	24.2 mg/L	1					2/1/20 06:17:00	N	II
KQ2001487-03	Carbon, Dissolved Organic (DOC)	CCV		Water	24.09 mg/L	10 mL	24.1 mg/L	1					2/1/20 10:46:00	N	II
KQ2001487-04	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			2/1/20 02:01:00	N	II
KQ2001487-05	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			2/1/20 06:31:00	N	II
KQ2001487-06	Carbon, Dissolved Organic (DOC)	CCB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			2/1/20 11:01:00	N	II
KQ2001487-07	Carbon, Dissolved Organic (DOC)	MS	K2000866-001	Water	28.00 mg/L	10 mL	28.0 mg/L	1	0.07	0.50	110		2/1/20 06:02:00	N	II
KQ2001487-08	Carbon, Dissolved Organic (DOC)	MB		Water	0.00 mg/L	10 mL	0.50 mg/L U	1	0.07	0.50			2/1/20 02:16:00	N	II
KQ2001487-09	Carbon, Dissolved Organic (DOC)	LCS		Water	25.87 mg/L	10 mL	25.9 mg/L	1	0.07	0.50	103		2/1/20 02:31:00	N	II
KQ2001487-10	Carbon, Dissolved Organic (DOC)	DUP	K2000866-001	Water	0.53 mg/L	10 mL	0.53 mg/L	1	0.07	0.50		2	2/1/20 05:34:00	N	II
KQ2001487-11	Carbon, Dissolved Organic (DOC)	DUP	K2000866-002	Water	1.44 mg/L	10 mL	1.44 mg/L	1	0.07	0.50		<1	2/1/20 06:46:00	N	II
KQ2001487-12	Carbon, Dissolved Organic (DOC)	DUP	K2000866-003	Water	1.33 mg/L	10 mL	1.33 mg/L	1	0.07	0.50		<1	2/1/20 07:15:00	N	II
KQ2001487-13	Carbon, Dissolved Organic (DOC)	DUP	K2000866-004	Water	1.41 mg/L	10 mL	1.41 mg/L	1	0.07	0.50		<1	2/1/20 07:43:00	N	II
KQ2001487-14	Carbon, Dissolved Organic (DOC)	DUP	K2000866-005	Water	0.97 mg/L	10 mL	0.97 mg/L	1	0.07	0.50		3	2/1/20 08:11:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

02/04/20

Analytical Results Summary

Instrument Name: K-TOC-03 **Analyst:** BDITZLER **Analysis Lot:** 668442 **Method/Testcode:** SM 5310 C/TOC D

Lab Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC?	Tier
KQ2001487-15	Carbon, Dissolved Organic (DOC)	DUP	K2000866-006	Water	0.75 mg/L	10 mL	0.75 mg/L	1	0.07	0.50		2	2/1/20 08:39:00	N	II
KQ2001487-16	Carbon, Dissolved Organic (DOC)	DUP	K2000866-007	Water	0.50 mg/L	10 mL	0.50 mg/L	1	0.07	0.50		3	2/1/20 09:07:00	N	II
KQ2001487-17	Carbon, Dissolved Organic (DOC)	DUP	K2000866-008	Water	0.97 mg/L	10 mL	0.97 mg/L	1	0.07	0.50		5	2/1/20 09:35:00	N	II
KQ2001487-18	Carbon, Dissolved Organic (DOC)	DUP	K2000866-009	Water	0.83 mg/L	10 mL	0.83 mg/L	1	0.07	0.50		10	2/1/20 10:03:00	N	II

# indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

TOC: 668439, 668440
DOC: 668441, 668442

Schedule: 01302020

Version: 5
Instrument: Fusion1
Last Saved by: Fusion1 (Fusion1)
Last Saved on: 2020/01/30 19:58 - Thursday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
(Clean)	Clean	Clean		1	True	Ready
D	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Clean)	Clean	Clean		1	True	Ready
(Blank)	Blank	Reagent/Acid Blank		1	True	Ready
D	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
1	Sample	MB1	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
2	Sample	ICS	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
3	Sample	K2000719-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
4	Sample	K2000749-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
5	Sample	K2000749-001.01 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
6	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
7	Sample	K2000749-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
8	Sample	K2000749-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
9	Sample	K2000749-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
10	Sample	K2000749-005.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
11	Sample	K2000749-006.01 1000x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
12	Sample	K2000749-007.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
13	Sample	K2000749-008.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
14	Sample	K2000749-009.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
15	Sample	K2000534-016.05	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
16	Sample	K2000534-017.05 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
17	Sample	K2000534-018.05 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
18	Sample	K2000570-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
19	Sample	K2000570-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
20	Sample	MB2	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [24.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
21	Sample	K2000584-001.02 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
22	Sample	K2000625-004.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
23	Sample	K2000625-008.12 10x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
24	Sample	K2000625-010.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
25	Sample	K2000625-010.12 ms 4x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
26	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
27	Sample	K2000625-011.12 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
28	Sample	K2000625-011.12 ms 100x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
29	Sample	K2000625-012.12 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
30	Sample	K2000625-012.12 ms 400x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
31	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
32	Sample	K2000846-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
33	Sample	K2000846-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
34	Sample	K2000846-003.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
35	Sample	K2000846-004.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
36	Sample	K2000846-005.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
37	Sample	K2000670-002.05	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
38	Sample	K2000695-001.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready

02/04/20

Schedule: 01302020

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
39	Sample	MB3	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
40	Sample	K2000695-002.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
41	Sample	K2000729-038.01	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
42	Sample	K2000730-001.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
43	Sample	K2000730-002.02	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
44	Sample	K2000730-003.02	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
45	Sample	K2000730-004.02	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
46	Sample	K2000730-005.02	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
47	Sample	K2000730-006.02	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
48	Sample	K2000730-007.02	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
49	Sample	K2000730-008.02	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
50	Sample	FB 1/29/20 1600	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
51	Sample	K2000833-001.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
52	Sample	K2000833-002.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
53	Sample	K2000833-003.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
54	Sample	K2000833-004.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
55	Sample	K2000833-005.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
56	Sample	K2000833-006.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
57	Sample	K2000833-001.01 ms doc 2x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
58	Sample	MB4	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
C	Check Standard	[TOC] LCS [25.0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
59	Sample	K2000833-007.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
60	Sample	K2000833-008.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
61	Sample	K2000833-009.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
62	Sample	K2000833-010.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
63	Sample	K2000833-011.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
64	Sample	K2000833-012.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
65	Sample	K2000833-001.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
66	Sample	K2000866-001.01 ms doc	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
67	Sample	K2000866-002.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
68	Sample	K2000866-003.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
69	Sample	K2000866-004.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
70	Sample	K2000866-005.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
71	Sample	K2000866-006.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
72	Sample	K2000866-007.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
73	Sample	K2000866-008.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
74	Sample	K2000866-009.01 doc	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
75	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
					False	

Fusion Report - 01302020
Thursday, January 30, 2020 07:58 PM

(View - Reps, Unused Reps, Meta-Data, Signature, History)
Printed on 2020/02/01 12:38 - Saturday

Report Summary Information

Company Location:	Gen Chem Lab		
Schedule Name:	01302020	Engine Version:	1.1.5.1
Instrument Name:	Fusion1	Firmware Version:	1.2.0696
Report Version:	1 of 1	Connection:	RS232 COM1
Report Creation by Operators (schedule version):	Fusion1 (Fusion1) (v5)		
Comment:			

Report Results

02/04/20

Sample Type: Clean — From Schedule Version 5

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2020/01/30 19:58

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	12.84	16.66	3.82	49.60	05:22
2	TC Clean	12.96	16.71	3.75	50.11	04:04
3	TC Clean	7.40	11.36	3.96	50.12	03:47
4	TC Clean	6.84	10.71	3.87	50.04	03:53

Sample Type: Sample — From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	D	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/30 20:20

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.28	13.20	3.92	50.11	10:29
2	TOC	0.0000	0.0000	8.49	12.52	4.03	50.12	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.6185 (IC) (v1344)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Clean From Schedule Version 5

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2020/01/30 20:48

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	11.35	16.00	4.65	49.54	05:19
2	TC Clean	4.47	8.46	3.99	50.09	04:00
3	TC Clean	2.20	6.13	3.92	50.04	03:44
4	TC Clean	1.65	5.72	4.07	50.10	03:52

Sample Type: Clean From Schedule Version 5

	Pos	Analysis Type	Sample ID	Start Time
◆	(clean)		Clean	2020/01/30 21:10

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	0.92	4.69	3.77	49.54	05:20
2	TC Clean	4.74	8.66	3.92	50.04	03:59
3	TC Clean	2.41	6.28	3.87	49.98	03:53
4	TC Clean	1.73	5.74	4.01	50.00	03:54

Sample Type: Blank (Creating v1345) From Schedule Version 5

	Pos	Analysis Type	Sample ID	Start Time
◆	(blank)		Reagent/Acid Blank	2020/01/30 21:32

Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	0.95	4.76	3.82	49.37	05:19
2	TC Clean	4.99	8.85	3.87	50.07	04:01
3	TC Clean	2.36	6.11	3.76	49.98	03:44
4	TC Clean	1.82	5.77	3.95	50.10	03:44
5	Reagent Blank	5.99	9.83	3.85	50.06	05:04
6	Acid Blank	1.47	5.28	3.81	49.70	05:27

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	D	TOC	RB	0.1534 ppm	0.0000 ppm	0.0000%	2020/01/30 22:05

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.1534	1.5340	10.55	14.41	3.86	50.07	10:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.8716 ppm (PASS)	0.0000 ppm	0%	2020/01/30 22:20

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.8716	248.7162	167.46	171.33	3.87	50.07	10:28

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2020/01/30 22:35

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	8.69	12.47	3.78	50.08	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	1	TOC	MB1	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/30 22:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	0.0000	0.0000	7.91	11.66	3.75	50.06	10:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Check Standard --> LCS From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	26.6294 ppm (PASS)	0.0000 ppm	0%	2020/01/30 23:04

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	26.6294	266.2938	178.57	182.28	3.71	50.08	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	25 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	2	TOC	ICS	0.2124 ppm	0.0000 ppm	0.0000%	2020/01/30 23:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2124	2.1239	10.92	14.79	3.87	50.08	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	3	TOC	K2000719-001.01	1.9981 ppm	0.0365 ppm	1.8200%	2020/01/30 23:33

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.0239	20.2392	22.38	26.21	3.84	50.05	10:29
2	TOC	1.9724	19.7236	22.05	25.70	3.65	50.07	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	4	TOC	K2000749-001.01	20.8078 ppm	0.2950 ppm	1.4200%	2020/01/31 00:01

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	21.0164	210.1637	142.46	146.24	3.78	50.05	10:29

2	TOC	20.5992	205.9915	139.82	143.74	3.92	50.05	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	5	TOC	K2000749-001.01 ms	1.4882 ppm	0.0000 ppm	0.0000%	2020/01/31 00:30

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4882	14.8824	18.99	22.72	3.73	50.06	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	6	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 00:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.90	11.86	3.96	50.05	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	7	TOC	K2000749-002.01	7.4834 ppm	0.1363 ppm	1.8200%	2020/01/31 00:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.5798	75.7982	57.50	61.02	3.51	50.08	10:28
2	TOC	7.3870	73.8703	56.29	60.08	3.80	50.05	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	8	TOC	K2000749-003.01	9.1803 ppm	0.2088 ppm	2.2700%	2020/01/31 01:27

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	9.0327	90.3265	66.69	70.47	3.77	50.04	10:26
2	TOC	9.3279	93.2793	68.56	72.29	3.73	50.04	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	9	TOC	K2000749-004.01	8.9160 ppm	0.1269 ppm	1.4200%	2020/01/31 01:55

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	9.0058	90.0576	66.52	70.35	3.83	50.04	10:29
2	TOC	8.8263	88.2626	65.39	69.25	3.86	50.06	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	25.5670 ppm (PASS)	0.0000 ppm	0%	2020/01/31 02:23

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	25.5670	255.6704	171.86	175.50	3.65	50.06	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2020/01/31 02:37

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	8.02	11.78	3.77	50.07	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	10	TOC	K2000749-005.01	6.6340 ppm	0.0939 ppm	1.4200%	2020/01/31 02:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.7005	67.0047	51.94	55.69	3.75	50.04	10:29
2	TOC	6.5676	65.6762	51.10	54.81	3.70	50.04	10:28

Dilution	Blank Contribution	Method	Calibration

1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	11	TOC	K2000749-006.01 1000x	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 03:20

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.36	13.21	3.85	50.04	10:31
2	TOC	0.0000	0.0000	8.91	12.77	3.86	50.05	10:23

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	12	TOC	K2000749-007.01	10.4351 ppm	0.0659 ppm	0.6300%	2020/01/31 03:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	10.3885	103.8853	75.26	78.89	3.63	50.04	10:29
2	TOC	10.4817	104.8169	75.85	79.52	3.67	50.01	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	13	TOC	K2000749-008.01	6.5320 ppm	0.0633 ppm	0.9700%	2020/01/31 04:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.5768	65.7679	51.16	54.99	3.83	50.06	10:27
2	TOC	6.4873	64.8727	50.60	54.24	3.64	50.03	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	14	TOC	K2000749-009.01	4.8193 ppm	0.0842 ppm	1.7500%	2020/01/31 04:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.8788	48.7881	40.43	44.29	3.86	50.02	10:26
2	TOC	4.7597	47.5972	39.67	43.46	3.79	50.02	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	15	TOC	K2000534-016.05	17.2091 ppm	0.0389 ppm	0.2300%	2020/01/31 05:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	17.2366	172.3658	118.56	122.19	3.63	50.05	10:28
2	TOC	17.1815	171.8154	118.22	121.92	3.70	50.03	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	16	TOC	K2000534-017.05 100x	1.4765 ppm	0.0825 ppm	5.5900%	2020/01/31 05:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5349	15.3490	19.28	22.95	3.67	50.02	10:26
2	TOC	1.4182	14.1818	18.55	22.32	3.77	50.06	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	17	TOC	K2000534-018.05 100x	2.2967 ppm	0.0162 ppm	0.7100%	2020/01/31 06:09

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.2852	22.8520	24.03	27.84	3.81	50.11	10:28
2	TOC	2.3081	23.0813	24.17	27.94	3.77	50.03	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	18	TOC	K2000570-001.01	11.3581 ppm	0.0737 ppm	0.6500%	2020/01/31 06:37

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	11.3060	113.0600	81.06	84.70	3.63	49.99	10:27
2	TOC	11.4102	114.1023	81.72	85.39	3.67	49.94	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	19	TOC	K2000570-002.01	10.7557 ppm	0.0368 ppm	0.3400%	2020/01/31 07:05

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	10.7297	107.2968	77.42	80.96	3.54	49.91	10:28
2	TOC	10.7817	107.8171	77.75	81.31	3.56	49.88	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC)	CAS_salt_010711	CAS_salt_010711

(v1345) (v4) (v31)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	25.6295 ppm (PASS)	0.0000 ppm	0%	2020/01/31 07:33

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	25.6295	256.2951	172.25	175.97	3.72	49.86	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2020/01/31 07:48

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	8.18	11.87	3.69	49.83	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	20	TOC	MB2	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 08:03

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.85	11.31	3.46	49.79	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Check Standard --> LCS From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time

◆	C	TOC	25.0000	1:1	[TOC] LCS [24.0 ppm]	0 / infinity (NA / NA)	27.9141 ppm (PASS)	0.0000 ppm	0%	2020/01/31 08:17

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	27.9141	279.1409	186.70	190.32	3.62	49.77	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	25 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	21	TOC	K2000584-001.02 100x	0.9890 ppm	0.2654 ppm	26.8300%	2020/01/31 08:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.1767	11.7667	17.02	20.76	3.74	49.73	10:26
2	TOC	0.8014	8.0137	14.65	18.29	3.64	49.70	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	22	TOC	K2000625-004.12	4.5756 ppm	0.0394 ppm	0.8600%	2020/01/31 09:00

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.6035	46.0346	38.69	42.62	3.94	49.70	10:27
2	TOC	4.5478	45.4779	38.33	42.04	3.71	49.72	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	23	TOC	K2000625-008.12 10x	0.6445 ppm	0.0136 ppm	2.1200%	2020/01/31 09:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6541	6.5412	13.72	17.27	3.56	49.76	10:25
2	TOC	0.6348	6.3483	13.59	17.23	3.64	49.78	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	24	TOC	K2000625-010.12	16.3623 ppm	0.3881 ppm	2.3700%	2020/01/31 09:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	16.0879	160.8788	111.30	115.08	3.78	49.80	10:27
2	TOC	16.6367	166.3669	114.77	118.32	3.55	49.80	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	25	TOC	K2000625-010.12 ms 4x	32.3758 ppm	0.0000 ppm	0.0000%	2020/01/31 10:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	32.3758	323.7585	214.29	217.90	3.62	49.81	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	26	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 10:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	9.54	13.12	3.58	49.80	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	27	TOC	K2000625-011.12 20x	5.2436 ppm	0.0055 ppm	0.1000%	2020/01/31 10:53

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.2397	52.3973	42.71	46.37	3.66	49.82	10:30
2	TOC	5.2475	52.4748	42.76	46.44	3.69	49.82	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	28	TOC	K2000625-011.12 ms 100x	27.9296 ppm	0.0000 ppm	0.0000%	2020/01/31 11:21

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	27.9296	279.2958	186.17	189.90	3.73	49.82	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.9591 ppm (PASS)	0.0000 ppm	0%	2020/01/31 11:36

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.9591	249.5908	168.01	171.73	3.71	49.81	10:34

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2020/01/31 11:51

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.67	11.49	3.82	49.82	10:32

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	29	TOC	K2000625-012.12 100x	0.9263 ppm	0.0157 ppm	1.6900%	2020/01/31 12:05

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9374	9.3738	15.51	19.27	3.77	49.80	10:28
2	TOC	0.9152	9.1524	15.37	19.20	3.84	49.82	10:24

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	30	TOC	K2000625-012.12 ms 400x	27.1527 ppm	0.0000 ppm	0.0000%	2020/01/31 12:33

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	27.1527	271.5271	181.26	185.01	3.74	49.81	10:36

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	31	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 12:48

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.64	11.48	3.85	49.82	10:34

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	32	TOC	K2000846-001.01	3.7995 ppm	0.0323 ppm	0.8500%	2020/01/31 13:03

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.8223	38.2232	33.75	37.50	3.75	49.81	10:30
2	TOC	3.7766	37.7662	33.46	37.20	3.74	49.79	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	33	TOC	K2000846-002.01	2.0087 ppm	0.0544 ppm	2.7100%	2020/01/31 13:31

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.0472	20.4717	22.52	26.25	3.72	49.79	10:25
2	TOC	1.9703	19.7031	22.04	25.73	3.69	49.80	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	34	TOC	K2000846-003.01	1.9344 ppm	0.0309 ppm	1.6000%	2020/01/31 13:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9562	19.5623	21.95	25.64	3.70	49.81	10:28
2	TOC	1.9126	19.1258	21.67	25.43	3.76	49.80	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	35	TOC	K2000846-004.01	2.1029 ppm	0.0091 ppm	0.4300%	2020/01/31 14:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	36	TOC	K2000846-005.01	1.9342 ppm	0.0412 ppm	2.1300%	2020/01/31 14:55

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9633	19.6335	21.99	25.74	3.75	49.81	10:26
2	TOC	1.9051	19.0514	21.62	25.31	3.69	49.82	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	37	TOC	K2000670-002.05	22.0878 ppm	0.3150 ppm	1.4300%	2020/01/31 15:23

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	21.8650	218.6504	147.83	151.58	3.76	49.83	10:26
2	TOC	22.3106	223.1057	150.65	154.40	3.76	49.83	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	38	TOC	K2000695-001.01	0.2547 ppm	0.0639 ppm	25.0700%	2020/01/31 15:51

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2998	2.9985	11.48	15.27	3.79	49.84	10:28
2	TOC	0.2095	2.0954	10.90	14.63	3.73	49.81	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.6420 ppm (PASS)	0.0000 ppm	0%	2020/01/31 16:19

Pos	Base Analysis	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time

	Type									
B	TOC	25 ppm	1	24.6420	246.4198	166.01	169.68	3.67	49.81	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2020/01/31 16:34

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.27	11.05	3.78	49.82	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	39	TOC	MB3	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 16:49

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.56	10.34	3.79	49.82	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Check Standard --> LCS From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	26.5543 ppm (PASS)	0.0000 ppm	0%	2020/01/31 17:03

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	26.5543	265.5425	178.10	181.77	3.67	49.81	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	25 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	40	TOC	K2000695-002.01	0.2229 ppm	0.0489 ppm	21.9200%	2020/01/31 17:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2575	2.5746	11.21	15.06	3.85	49.80	10:31
2	TOC	0.1883	1.8835	10.77	14.53	3.76	49.80	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	41	TOC	K2000729-038.01	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 17:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.67	10.41	3.74	49.82	10:27
2	TOC	0.0000	0.0000	6.56	10.09	3.53	49.83	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	42	TOC	K2000730-001.03	0.5038 ppm	0.0075 ppm	1.4900%	2020/01/31 18:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.4985	4.9850	12.73	16.38	3.65	49.83	10:28
2	TOC	0.5091	5.0909	12.80	16.53	3.73	49.84	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	43	TOC	K2000730-002.02	0.4583 ppm	0.0215 ppm	4.6800%	2020/01/31 18:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.4431	4.4314	12.38	16.33	3.95	49.87	10:26
2	TOC	0.4735	4.7351	12.57	16.33	3.75	49.85	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	44	TOC	K2000730-003.02	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 19:11

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time

1	TOC	0.0000	0.0000	9.46	13.09	3.63	49.86	10:28
2	TOC	0.0000	0.0000	9.33	13.04	3.71	49.87	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	45	TOC	K2000730-004.02	2.5669 ppm	0.0291 ppm	1.1300%	2020/01/31 19:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.5874	25.8743	25.94	29.68	3.74	49.87	10:28
2	TOC	2.5463	25.4631	25.68	29.50	3.82	49.88	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	46	TOC	K2000730-005.02	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 20:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.26	10.93	3.67	49.88	10:27
2	TOC	0.0000	0.0000	7.09	10.82	3.73	49.88	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	47	TOC	K2000730-006.02	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 20:35

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.39	11.12	3.74	49.90	10:27
2	TOC	0.0000	0.0000	7.44	11.22	3.78	49.89	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.3660 ppm (PASS)	0.0000 ppm	0%	2020/01/31 21:03

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.3660	243.6599	164.26	168.06	3.80	49.89	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2020/01/31 21:18

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	6.78	10.52	3.73	49.91	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	48	TOC	K2000730-007.02	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 21:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.17	10.99	3.82	49.90	10:30
2	TOC	0.0000	0.0000	7.67	11.54	3.87	49.92	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	49	TOC	K2000730-008.02	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 22:01

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.86	10.62	3.76	49.91	10:28
2	TOC	0.0000	0.0000	6.95	10.82	3.87	49.93	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	50	TOC	FB 1/29/20 1600	0.0000 ppm	0.0000 ppm	0.0000%	2020/01/31 22:29

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.80	10.57	3.76	49.94	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	51	TOC	K2000833-001.01 doc	6.0117 ppm	0.1221 ppm	2.0300%	2020/01/31 22:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.0980	60.9805	48.14	51.87	3.73	49.93	10:30
2	TOC	5.9253	59.2534	47.04	50.85	3.81	49.94	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	52	TOC	K2000833-002.01 doc	4.9342 ppm	0.0718 ppm	1.4600%	2020/01/31 23:12

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	4.9849	49.8494	41.10	44.78	3.68	49.93	10:25
2	TOC	4.8834	48.8340	40.46	44.15	3.69	49.95	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	53	TOC	K2000833-003.01 doc	0.9394 ppm	0.0526 ppm	5.6000%	2020/01/31 23:40

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9766	9.7660	15.75	19.44	3.69	49.94	10:32
2	TOC	0.9023	9.0227	15.28	19.04	3.76	49.96	10:29

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	54	TOC	K2000833-004.01 doc	3.9488 ppm	0.0006 ppm	0.0100%	2020/02/01 00:08

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.9484	39.4838	34.54	38.16	3.61	49.96	10:25
2	TOC	3.9492	39.4917	34.55	38.37	3.82	49.95	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	55	TOC	K2000833-005.01 doc	1.9930 ppm	0.0431 ppm	2.1600%	2020/02/01 00:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9626	19.6256	21.99	25.62	3.63	49.97	10:30
2	TOC	2.0234	20.2345	22.37	26.00	3.63	49.97	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	56	TOC	K2000833-006.01 doc	3.8770 ppm	0.0405 ppm	1.0400%	2020/02/01 01:04

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.8484	38.4842	33.91	37.44	3.53	49.99	10:26
2	TOC	3.9057	39.0567	34.27	37.89	3.61	49.98	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	57	TOC	K2000833-001.01 ms doc 2x	29.4855 ppm	0.0000 ppm	0.0000%	2020/02/01 01:32

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	29.4855	294.8553	196.01	199.72	3.71	49.97	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.5308 ppm (PASS)	0.0000 ppm	0%	2020/02/01 01:47

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.5308	245.3079	165.30	168.92	3.61	49.99	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0	0 / infinity	0.0000	0.0000	0%	2020/02/01 02:01

					ppm]	(NA / NA)	ppm (PASS)	ppm		

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.31	11.01	3.70	49.97	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2020/02/01 02:16

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.75	10.46	3.71	49.96	10:33

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Check Standard --> LCS From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	C	TOC	25.0000	1:1	[TOC] LCS [25.0 ppm]	0 / infinity (NA / NA)	25.8663 ppm (PASS)	0.0000 ppm	0%	2020/02/01 02:31

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
C	TOC	25.0 ppm	1	25.8663	258.6627	173.75	177.43	3.68	49.97	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos C
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	25 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	59	TOC	K2000833-007.01 doc	5.5893 ppm	0.0701 ppm	1.2500%	2020/02/01 02:45

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.6389	56.3892	45.23	49.06	3.83	49.97	10:28
2	TOC	5.5398	55.3975	44.61	48.20	3.60	49.98	10:25

Dilution	Blank Contribution	Method	Calibration

1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	60	TOC	K2000833-008.01 doc	5.1761 ppm	0.0158 ppm	0.3000%	2020/02/01 03:14

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.1649	51.6492	42.24	45.87	3.64	49.98	10:29
2	TOC	5.1872	51.8722	42.38	46.16	3.78	50.01	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	61	TOC	K2000833-009.01 doc	5.3191 ppm	0.0040 ppm	0.0800%	2020/02/01 03:42

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.3163	53.1628	43.19	46.92	3.72	50.00	10:29
2	TOC	5.3220	53.2197	43.23	47.18	3.95	50.03	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	62	TOC	K2000833-010.01 doc	3.3628 ppm	0.0643 ppm	1.9100%	2020/02/01 04:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.3173	33.1733	30.55	34.29	3.73	50.02	10:27
2	TOC	3.4083	34.0827	31.13	34.93	3.80	50.02	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	63	TOC	K2000833-011.01 doc	5.0911 ppm	0.0287 ppm	0.5600%	2020/02/01 04:38

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.1115	51.1146	41.90	45.56	3.66	50.04	10:31
2	TOC	5.0708	50.7082	41.64	45.21	3.57	50.06	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	64	TOC	K2000833-012.01 doc	3.9145 ppm	0.0510 ppm	1.3000%	2020/02/01 05:06

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.9506	39.5059	34.56	38.34	3.78	50.04	10:28
2	TOC	3.8785	38.7847	34.10	37.96	3.85	50.04	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	65	TOC	K2000833-001.01 doc	0.5269 ppm	0.0084 ppm	1.5900%	2020/02/01 05:34

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5210	5.2095	12.87	16.63	3.76	50.09	10:32
2	TOC	0.5328	5.3282	12.95	16.72	3.77	50.03	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	66	TOC	K2000866-001.01 ms doc	28.0039 ppm	0.0000 ppm	0.0000%	2020/02/01 06:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	28.0039	280.0391	186.64	190.39	3.75	50.07	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.2094 ppm (PASS)	0.0000 ppm	0%	2020/02/01 06:17

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.2094	242.0942	163.27	167.17	3.90	50.03	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◈	D	TOC	0.0000	1:1	[TOC] CCB [0	0 / infinity	0.0000	0.0000	0%	2020/02/01 06:31

					ppm]	(NA / NA)	ppm (PASS)	ppm		

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.34	11.10	3.76	50.07	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	0 ppmC

Sample Type: Sample From Schedule Version 5

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	67	TOC	K2000866-002.01 doc	1.4433 ppm	0.0081 ppm	0.5600%	2020/02/01 06:46

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4490	14.4902	18.74	22.67	3.93	50.04	10:28
2	TOC	1.4376	14.3763	18.67	22.59	3.92	50.05	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	68	TOC	K2000866-003.01 doc	1.3272 ppm	0.0025 ppm	0.1900%	2020/02/01 07:15

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.3290	13.2898	17.98	22.05	4.06	50.03	10:29
2	TOC	1.3255	13.2550	17.96	21.75	3.79	50.06	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	69	TOC	K2000866-004.01 doc	1.4099 ppm	0.0064 ppm	0.4500%	2020/02/01 07:43

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4144	14.1438	18.52	22.40	3.88	50.03	10:29
2	TOC	1.4054	14.0537	18.46	22.40	3.93	50.03	10:26

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◈	70	TOC	K2000866-005.01 doc	0.9858 ppm	0.0174 ppm	1.7700%	2020/02/01 08:11

Rep	Base	ppm	µg	Adjusted	NDIR (Abs)	Baseline	Pressure	Run

#	Analysis Type			(Abs)		(Abs)	(psig)	Time
1	TOC	0.9981	9.9811	15.89	19.67	3.78	50.04	10:25
2	TOC	0.9734	9.7344	15.73	19.66	3.92	50.02	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	71	TOC	K2000866-006.01 doc	0.7543 ppm	0.0102 ppm	1.3500%	2020/02/01 08:39

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7615	7.6151	14.39	18.11	3.72	50.04	10:29
2	TOC	0.7471	7.4712	14.30	18.09	3.79	50.06	10:25

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	72	TOC	K2000866-007.01 doc	0.5100 ppm	0.0117 ppm	2.3000%	2020/02/01 09:07

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5183	5.1826	12.86	16.76	3.91	50.03	10:27
2	TOC	0.5017	5.0166	12.75	16.72	3.97	50.07	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	73	TOC	K2000866-008.01 doc	0.9984 ppm	0.0362 ppm	3.6300%	2020/02/01 09:35

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.0241	10.2405	16.05	19.93	3.87	50.04	10:26
2	TOC	0.9728	9.7281	15.73	19.56	3.83	50.06	10:28

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
◆	74	TOC	K2000866-009.01 doc	0.8757 ppm	0.0615 ppm	7.0200%	2020/02/01 10:03

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9192	9.1919	15.39	19.12	3.72	50.06	10:28
2	TOC	0.8322	8.3221	14.84	18.61	3.77	50.05	10:30

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.39	10.03	3.64	50.06	10:32

Dilution	Blank Contribution	Method	Calibration
1:10	(TC) 9.5791 (IC) (v1345)	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.0948 ppm (PASS)	0.0000 ppm	0%	2020/02/01 10:46

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.0948	240.9475	162.55	166.16	3.61	50.03	10:31

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 5

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
◆	D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2020/02/01 11:01

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	6.83	10.49	3.67	50.05	10:33

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v4)	CAS_salt_010711 (v31)	0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent	Acid	DI IC	DI TC	DI TOC	Save Time	Operator

	(Abs)	(Abs)	(Abs)	(Abs)	(Abs)		
v1344	2.1923	1.5750	0.0000	0.0000	0.0000	2020/01/30 14:00	Fusion1 (Fusion1)
v1345	1.9953	1.4740	0.0000	0.0000	0.0000	2020/01/30 22:05	Fusion1 (Fusion1)

Calibrations

Name: CAS_salt_010711 (TOC)

Version: v31
Ver Creation: 2020/01/07 14:30
Comment:
Operator: Fusion1 (Fusion1)
Basic Analysis Type: TOC
Calibration curve formula: TOC: y = 6.323x + 10.200
r^2 value: TOC: r^2 = 0.99991

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
DI Water	9.5850	0.0000		2020/01/07 13:02
0.500 ppm	12.6160	0.5000		2020/01/07 13:17
1.0 ppm	15.6440	1.0000		2020/01/07 13:31
5.0 ppm	43.7700	5.0000		2020/01/07 13:45
10 ppm	73.2770	10.0000		2020/01/07 14:00
25 ppm	169.4210	25.0000		2020/01/07 14:14
50 ppm	325.6260	50.0000		2020/01/07 14:28

Methods

Name: CAS_salt_010711 (TOC)

Version: v4
Ver Creation: 2019/02/21 17:57
Comment:
Operator: Fusion1 (Fusion1)

Parameter	Value
SampleVolume	10.0 mL
Dilution	1:10
AcidVolume	0.5 ml
ReagentVolume	2.0 ml
UVReactorPrerinse	Off
UVReactorPrerinseVolume	5.0
NumberOfUVReactorPrerinses	1
ICSpargeTime	1.00 mins
DetectorSweepFlow	500 ml/min
PreSpargeTime	2.00 mins
SystemFlow	500 ml/min

Advanced Parameter	Value
NeedleRinseVolume	5.0 ml
VialPrimeVolume	2.0 ml
ICSamplePrimeVolume	2.0 ml
ICSpargeRinseVolume	12.0 ml
BaselineStabilizeTime	0.70 min
DetectorPressureFlow	150 ml/min
SyringeSpeedWaste	10
SyringeSpeedAcid	7
SyringeSpeedReagent	7
SyringeSpeedDIWater	7
NDIRPressurization	60 psig
SyringeSpeedSampleDispense	5
SyringeSpeedSampleAspirate	4
SyringeSpeedUVDispense	5

SyringeSpeedUVAspirate	5
SyringeSpeedICDispense	5
SyringeSpeedICAspirate	5
NDIRPressureStabilize	1.75 min
SampleMixing	Off
SampleMixingCycles	1
SampleMixingVolume	10.0
LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Fusion1 (Fusion1)	Schedule completed	Schedule completed	2020/02/01 11:16

ALS Environmental

StarLIMS Run: 668439, 668440, 668441, 668442

Analysis: DOC/TOC

Method: SM 5310 C, 9060A, 415.1, 9060

CCV: 11-GEN-05-82C 50 ppm LCS: 11-GEN-05-79J 25.0 ppm

ICAL Date: 1/7/2020

ICAL ID: 11-GEN-05-83-K->O/84-A/11-GEN-05-84-C->H

ICS ID: 11-GEN-05-78M

ICS TV: 25.0 ppm ICS % R < 1

Spike ID: 11-GEN-05-82C 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 ppm x dilution factor

Sodium Persulfate: 19-GEN-08-2-M

21 % H3PO4: 19-GEN-08-2-L

Equipment ID: K-TOC-03

PIPETTE ID: 124276B, 129001F, N11314F, Marge

FILTER ID: 16967789

Analyzed By: BCB	Date Analyzed: 2/1/20
Reviewed By:	Date Reviewed: 02/04/20

ALS Houston, US Date: 18-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Work Order: HS20030390

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS20030390-01	16IW20-200309	Water		09-Mar-2020 08:15	10-Mar-2020 09:00	☐
HS20030390-02	16EW01-200309	Water		09-Mar-2020 09:15	10-Mar-2020 09:00	☐
HS20030390-03	16EW02-200309	Water		09-Mar-2020 10:15	10-Mar-2020 09:00	☐
HS20030390-04	16EW04-200309	Water		09-Mar-2020 11:15	10-Mar-2020 09:00	☐
HS20030390-05	16RW03-200309	Water		09-Mar-2020 12:05	10-Mar-2020 09:00	☐
HS20030390-06	16RW04-200309	Water		09-Mar-2020 12:55	10-Mar-2020 09:00	☐
HS20030390-07	16WW26-200309	Water		09-Mar-2020 13:50	10-Mar-2020 09:00	☐

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 18-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16IW20-200309
Collection Date: 09-Mar-2020 08:15

ANALYTICAL REPORT
WorkOrder:HS20030390
Lab ID:HS20030390-01
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**10.7**	a	**0.500**	**1.00**	**1.00**	**mg/L**	1	12-Mar-2020 17:25
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KVL
Bromide	**13.4**		**0.150**	**0.500**	**0.500**	**mg/L**	5	11-Mar-2020 08:17

Note: See Qualifiers Page for a list of qualifiers and their explanation.

PRELIMINARY

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 18-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16EW01-200309
Collection Date: 09-Mar-2020 09:15

ANALYTICAL REPORT
WorkOrder:HS20030390
Lab ID:HS20030390-02
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**13.4**	a	**0.500**	**1.00**	**1.00**	**mg/L**	1	12-Mar-2020 17:38
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**3.39**		**0.300**	**1.00**	**1.00**	**mg/L**	10	17-Mar-2020 16:14
Nitrogen, Nitrate (As N)	0.100	U	0.0300	0.100	0.100	mg/L	1	10-Mar-2020 18:42

Note: See Qualifiers Page for a list of qualifiers and their explanation.

PRELIMINARY

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 18-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16EW02-200309
Collection Date: 09-Mar-2020 10:15

ANALYTICAL REPORT
WorkOrder:HS20030390
Lab ID:HS20030390-03
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**6.48**	a	**0.500**	**1.00**	**1.00**	**mg/L**	1	12-Mar-2020 17:11
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**2.06**		**0.600**	**2.00**	**2.00**	**mg/L**	20	17-Mar-2020 16:32

Note: See Qualifiers Page for a list of qualifiers and their explanation.

PRELIMINARY

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 18-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16EW04-200309
Collection Date: 09-Mar-2020 11:15

ANALYTICAL REPORT
WorkOrder:HS20030390
Lab ID:HS20030390-04
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**3.40**	a	**0.500**	**1.00**	**1.00**	**mg/L**	1	12-Mar-2020 19:03
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KVL
Bromide	**0.637**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	10-Mar-2020 19:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

PRELIMINARY

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 18-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16RW03-200309
Collection Date: 09-Mar-2020 12:05

ANALYTICAL REPORT
WorkOrder:HS20030390
Lab ID:HS20030390-05
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**1.04**	a	**0.500**	**1.00**	**1.00**	**mg/L**	1	12-Mar-2020 19:17
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KVL
Bromide	**0.792**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	10-Mar-2020 19:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

PRELIMINARY

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 18-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16RW04-200309
Collection Date: 09-Mar-2020 12:55

ANALYTICAL REPORT
WorkOrder:HS20030390
Lab ID:HS20030390-06
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**3.17**	a	**0.500**	**1.00**	**1.00**	**mg/L**	1	12-Mar-2020 19:32
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KVL
Bromide	**0.430**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	10-Mar-2020 20:31

Note: See Qualifiers Page for a list of qualifiers and their explanation.

PRELIMINARY

RIGHT SOLUTIONS | RIGHT PARTNER

ALS Houston, US Date: 18-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16WW26-200309
Collection Date: 09-Mar-2020 13:50

ANALYTICAL REPORT
WorkOrder:HS20030390
Lab ID:HS20030390-07
Matrix:Water

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**2.27**	a	**0.500**	**1.00**	**1.00**	**mg/L**	1	12-Mar-2020 19:45
ANIONS BY SW9056A		**Method:SW9056**						Analyst: KVL
Bromide	**0.258**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	10-Mar-2020 20:49

Note: See Qualifiers Page for a list of qualifiers and their explanation.

PRELIMINARY

RIGHT SOLUTIONS | RIGHT PARTNER

APTIM

COC ID: LHAAP16-Effectiveness_ ALSHT-2020- | TURNAROUND TIME: 5 Business Days | RUSH: 5 Business Days | Page 1 of

PROJECT/CLIENT INFO				LABORATORY					
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories				Fedinvoices @aptim.com
Project Number	501032			Lab Contact	RJ Modashia				
	LHAAP-16			Email	RJ.Modashia@alsglobal.com				Susan.Huang@aptim.com
Address	1203-B East Grand Avenue			Address	10450 Stancliff Rd., Suite 210				Susan Huang
	PMB 202								4005 Port Chicago Hwy
City	Marshall	State	TX	City	Houston	State	TX		Concord State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA		94520 Country USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656				
Project Manager	Praveen Srivastav								

SAMPLE DETAILS								ANALYSIS REQUESTED											
								Containers and Preservative		1-250 ml HDPE, Ice	2X40ml Vox Vials / H2SO4								
Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	ANALYSIS	Bromide by SW9056	TOC by SM5310								
16IW20-200309	LHAAP 16				WG	3/9/20	0815	3		X	X								
16EW01-200309	LHAAP 16				WG	3/9/20	0915	3		X	X								
16EW02-200309	LHAAP 16				WG	3/9/20	1015	3		X	X								
16EW04-200309	LHAAP 16				WG	3/9/20	1115	3		X	X								
16RW03-200309	LHAAP 16				WG	3/9/20	1205	3		X	X								
16RW04-200309	LHAAP 16				WG	3/9/20	1255	3		X	X								
16WW26-200309	LHAAP 16				WG	3/9/20	1350	3		X	X								

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	Jeetu Basnyat / BHATE	3/9/20 1500	J. Marcum	3/10/20 09.00

HS20030390

Aptim Environmental & Infrastucture, Inc.
Longhorn Army Ammunition Plant LHAAP-16

Cooler - 45498
Temp 1.7
1025
CF 0.0

RIGHT SOLUTIONS | RIGHT PARTNER

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

45498

CUSTODY SEAL

Date: 3/9/20 Time: 1500
Name: Scott Bessinger
Company: BHMTG

Seal Broken By:
Date: 03/10/20

45498

Must Deliver Next Business Day
Time and Temperature Sensitive!

45498

ORIGIN ID:SGRA (903) 930-6193
SCOTT BESSINGER
APTIM
1203-B EAST GRAND AVE.
PMB202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 02MAR20
ACTWGT: 1.00 LB MAN
CAD: 3001130/CAFE3211
DIMS: 19x16x13 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAP 16 - RJ

RMA:

FedEx Express

TRK# 8221 1251 0294 9854

TUE - 10 MAR 10:30A
PRIORITY OVERNIGHT

AB SGRA

77099
TX-US
IAH

FID 371191 05MAR20 CGCA 568C2/64F8/05A2

RIGHT SOLUTIONS | RIGHT PARTNER

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

March 19, 2020

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS20030472**

Laboratory Results for: **Longhorn Army Ammunition Plant LHAAP-16**

Dear Susan,

ALS Environmental received 8 sample(s) on Mar 11, 2020 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Work Order: HS20030472

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS20030472-01	16PM14-200310	Groundwater		10-Mar-2020 08:25	11-Mar-2020 08:53	☐
HS20030472-02	16IW04-200310	Groundwater		10-Mar-2020 09:20	11-Mar-2020 08:53	☐
HS20030472-03	16PM06-200310	Groundwater		10-Mar-2020 10:10	11-Mar-2020 08:53	☐
HS20030472-04	16PM09-200310	Groundwater		10-Mar-2020 11:00	11-Mar-2020 08:53	☐
HS20030472-05	16WW42-200310	Groundwater		10-Mar-2020 12:00	11-Mar-2020 08:53	☐
HS20030472-06	16WW42-200310-FD	Groundwater		10-Mar-2020 12:00	11-Mar-2020 08:53	☐
HS20030472-07	16RW12-200310	Groundwater		10-Mar-2020 12:55	11-Mar-2020 08:53	☐
HS20030472-08	16WW40-200310	Groundwater		10-Mar-2020 13:45	11-Mar-2020 08:53	☐

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Work Order: HS20030472

CASE NARRATIVE

WetChemistry by Method SW9056

Batch ID: R358445

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SM5310B

Batch ID: R358074,R358104

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16PM14-200310
Collection Date: 10-Mar-2020 08:25

ANALYTICAL REPORT
WorkOrder:HS20030472
Lab ID:HS20030472-01
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**10.5**		**0.500**	**1.00**	**1.00**	**mg/L**	1	12-Mar-2020 21:24
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**2.65**		**0.300**	**1.00**	**1.00**	**mg/L**	10	18-Mar-2020 20:23

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16IW04-200310
Collection Date: 10-Mar-2020 09:20

ANALYTICAL REPORT
WorkOrder:HS20030472
Lab ID:HS20030472-02
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**7.68**		**0.500**	**1.00**	**1.00**	**mg/L**	1	12-Mar-2020 21:37
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**4.82**		**0.300**	**1.00**	**1.00**	**mg/L**	10	18-Mar-2020 20:59

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16PM06-200310
Collection Date: 10-Mar-2020 10:10

ANALYTICAL REPORT
WorkOrder:HS20030472
Lab ID:HS20030472-03
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**8.00**		**0.500**	**1.00**	**1.00**	**mg/L**	1	12-Mar-2020 23:16
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**2.26**		**0.300**	**1.00**	**1.00**	**mg/L**	10	18-Mar-2020 21:35

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16PM09-200310
Collection Date: 10-Mar-2020 11:00

ANALYTICAL REPORT
WorkOrder:HS20030472
Lab ID:HS20030472-04
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**3.33**		**0.500**	**1.00**	**1.00**	**mg/L**	1	12-Mar-2020 23:30
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**0.266**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	18-Mar-2020 22:11

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16WW42-200310
Collection Date: 10-Mar-2020 12:00

ANALYTICAL REPORT
WorkOrder:HS20030472
Lab ID:HS20030472-05
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**1.73**		**0.500**	**1.00**	**1.00**	**mg/L**	1	12-Mar-2020 23:45
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**1.36**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	18-Mar-2020 23:24

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16WW42-200310-FD
Collection Date: 10-Mar-2020 12:00

ANALYTICAL REPORT
WorkOrder:HS20030472
Lab ID:HS20030472-06
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**1.68**		**0.500**	**1.00**	**1.00**	**mg/L**	1	13-Mar-2020 00:00
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**1.35**		**0.0300**	**0.100**	**0.100**	**mg/L**	1	18-Mar-2020 23:42

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16RW12-200310
Collection Date: 10-Mar-2020 12:55

ANALYTICAL REPORT
WorkOrder:HS20030472
Lab ID:HS20030472-07
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**2.56**		**0.500**	**1.00**	**1.00**	**mg/L**	1	13-Mar-2020 00:15
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**4.30**		**0.300**	**1.00**	**1.00**	**mg/L**	10	19-Mar-2020 00:00

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Sample ID: 16WW40-200310
Collection Date: 10-Mar-2020 13:45

ANALYTICAL REPORT
WorkOrder:HS20030472
Lab ID:HS20030472-08
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**9.79**		**0.500**	**1.00**	**1.00**	**mg/L**	1	13-Mar-2020 00:31
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**4.20**		**0.300**	**1.00**	**1.00**	**mg/L**	10	19-Mar-2020 00:36

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS20030472

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R358074 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS20030472-01	16PM14-200310	10 Mar 2020 08:25			12 Mar 2020 21:24	1
HS20030472-02	16IW04-200310	10 Mar 2020 09:20			12 Mar 2020 21:37	1
Batch ID: R358104 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS20030472-03	16PM06-200310	10 Mar 2020 10:10			12 Mar 2020 23:16	1
HS20030472-04	16PM09-200310	10 Mar 2020 11:00			12 Mar 2020 23:30	1
HS20030472-05	16WW42-200310	10 Mar 2020 12:00			12 Mar 2020 23:45	1
HS20030472-06	16WW42-200310-FD	10 Mar 2020 12:00			13 Mar 2020 00:00	1
HS20030472-07	16RW12-200310	10 Mar 2020 12:55			13 Mar 2020 00:15	1
HS20030472-08	16WW40-200310	10 Mar 2020 13:45			13 Mar 2020 00:31	1
Batch ID: R358445 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS20030472-01	16PM14-200310	10 Mar 2020 08:25			18 Mar 2020 20:23	10
HS20030472-02	16IW04-200310	10 Mar 2020 09:20			18 Mar 2020 20:59	10
HS20030472-03	16PM06-200310	10 Mar 2020 10:10			18 Mar 2020 21:35	10
HS20030472-04	16PM09-200310	10 Mar 2020 11:00			18 Mar 2020 22:11	1
HS20030472-05	16WW42-200310	10 Mar 2020 12:00			18 Mar 2020 23:24	1
HS20030472-06	16WW42-200310-FD	10 Mar 2020 12:00			18 Mar 2020 23:42	1
HS20030472-07	16RW12-200310	10 Mar 2020 12:55			19 Mar 2020 00:00	10
HS20030472-08	16WW40-200310	10 Mar 2020 13:45			19 Mar 2020 00:36	10

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS20030472

QC BATCH REPORT

Batch ID: R358074 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW2-031220** Units: **mg/L** Analysis Date: **12-Mar-2020 18:21**
Client ID: Run ID: **TOC_02_358074** SeqNo: **5510414** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW2-031220** Units: **mg/L** Analysis Date: **12-Mar-2020 18:37**
Client ID: Run ID: **TOC_02_358074** SeqNo: **5510415** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.417	1.00	10	0	94.2	85 - 115				

LCSD Sample ID: **WLCSDW2-031220** Units: **mg/L** Analysis Date: **12-Mar-2020 18:50**
Client ID: Run ID: **TOC_02_358074** SeqNo: **5510416** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	8.929	1.00	10	0	89.3	85 - 115	9.417	5.32	20	

MS Sample ID: **HS20030462-01MS** Units: **mg/L** Analysis Date: **12-Mar-2020 21:52**
Client ID: Run ID: **TOC_02_358074** SeqNo: **5510429** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	23.44	1.00	10	12.34	111	80 - 120				

The following samples were analyzed in this batch: HS20030472-01 HS20030472-02

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS20030472

QC BATCH REPORT

Batch ID: R358104 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW3-031220** Units: **mg/L** Analysis Date: **12-Mar-2020 22:35**
Client ID: Run ID: **TOC_02_358104** SeqNo: **5511336** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW3-031220** Units: **mg/L** Analysis Date: **12-Mar-2020 22:50**
Client ID: Run ID: **TOC_02_358104** SeqNo: **5511337** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.155	1.00	10	0	91.6	85 - 115				

LCSD Sample ID: **WLCSDW3-031220** Units: **mg/L** Analysis Date: **12-Mar-2020 23:03**
Client ID: Run ID: **TOC_02_358104** SeqNo: **5511338** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.907	1.00	10	0	99.1	85 - 115	9.155	7.89	20	

MS Sample ID: **HS20030472-03MS** Units: **mg/L** Analysis Date: **13-Mar-2020 17:16**
Client ID: **16PM06-200310** Run ID: **TOC_02_358104** SeqNo: **5516775** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	18.22	1.00	10	8.005	102	80 - 120				

The following samples were analyzed in this batch: HS20030472-03 HS20030472-04 HS20030472-05 HS20030472-06 HS20030472-07 HS20030472-08

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS20030472

QC BATCH REPORT

Batch ID: R358445 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WMBLKW1-031820** Units: **mg/L** Analysis Date: **18-Mar-2020 19:28**
Client ID: Run ID: **ICS-Integrion_358445** SeqNo: **5519255** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-031820** Units: **mg/L** Analysis Date: **18-Mar-2020 19:46**
Client ID: Run ID: **ICS-Integrion_358445** SeqNo: **5519256** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.677	0.100	4	0	91.9	80 - 120				

LCSD Sample ID: **WLCSDW1-031820** Units: **mg/L** Analysis Date: **18-Mar-2020 20:04**
Client ID: Run ID: **ICS-Integrion_358445** SeqNo: **5519257** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.652	0.100	4	0	91.3	80 - 120	3.677	0.674	20	

MS Sample ID: **HS20030502-03MS** Units: **mg/L** Analysis Date: **19-Mar-2020 04:13**
Client ID: Run ID: **ICS-Integrion_358445** SeqNo: **5519284** PrepDate: DF: **50**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	88.13	5.00	100	5.705	82.4	80 - 120				

MS Sample ID: **HS20030502-03MS** Units: **mg/L** Analysis Date: **19-Mar-2020 03:19**
Client ID: Run ID: **ICS-Integrion_358445** SeqNo: **5519281** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	21.51	1.00	20	4.865	83.2	80 - 120				

MSD Sample ID: **HS20030502-03MSD** Units: **mg/L** Analysis Date: **19-Mar-2020 03:37**
Client ID: Run ID: **ICS-Integrion_358445** SeqNo: **5519282** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	21.64	1.00	20	4.865	83.9	80 - 120	21.51	0.57	20	

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: HS20030472

QC BATCH REPORT

Batch ID: R358445 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MSD Sample ID: **HS20030502-03MSD** Units: **mg/L** Analysis Date: **19-Mar-2020 04:31**
Client ID: Run ID: **ICS-Integrion_358445** SeqNo: **5519285** PrepDate: DF: **50**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	88.07	5.00	100	5.705	82.4	80 - 120	88.13	0.0681	20	

The following samples were analyzed in this batch:

HS20030472-01	HS20030472-02	HS20030472-03	HS20030472-04
HS20030472-05	HS20030472-06	HS20030472-07	HS20030472-08

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
WorkOrder: **HS20030472**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231 V009	22-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2020	31-Dec-2020
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	T104704231-19-25	30-Apr-2020

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant LHAAP-16
Work Order: HS20030472

SAMPLE TRACKING

Lab Samp ID	Client Sample ID	Action	Date	Person	New Location
HS20030472-01	16PM14-200310	Login	3/11/2020 6:11:05 PM	AC	Disposed
HS20030472-01	16PM14-200310	Login	3/11/2020 6:11:05 PM	AC	Disposed
HS20030472-02	16IW04-200310	Login	3/11/2020 6:11:05 PM	AC	Disposed
HS20030472-02	16IW04-200310	Login	3/11/2020 6:11:05 PM	AC	Disposed
HS20030472-03	16PM06-200310	Login	3/11/2020 6:11:05 PM	AC	Disposed
HS20030472-03	16PM06-200310	Login	3/11/2020 6:11:05 PM	AC	Disposed
HS20030472-04	16PM09-200310	Login	3/11/2020 6:11:05 PM	AC	Disposed
HS20030472-04	16PM09-200310	Login	3/11/2020 6:11:05 PM	AC	Disposed
HS20030472-05	16WW42-200310	Login	3/11/2020 6:11:05 PM	AC	Disposed
HS20030472-05	16WW42-200310	Login	3/11/2020 6:11:05 PM	AC	Disposed

ALS Houston, US Date: 19-Mar-20

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS20030472
Date/Time Received: **11-Mar-2020 08:53**
Received by: **AC**

Checklist completed by: *Asad Chaudhry* eSignature 11-Mar-2020 Date
Reviewed by: *RJ Modashia* eSignature 12-Mar-2020 Date

Matrices: **GW**
Carrier name: **FedEx Priority Overnight**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:N/A
Samplers name present on COC?	Yes ☐	No ☑	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	2.3c U/C	IR 25	
Cooler(s)/Kit(s):	45112		
Date/Time sample(s) sent to storage:	03/11/2020 18:20		
Water - VOA vials have zero headspace?	Yes ☑	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-Effectiveness_ALSHT-2020-

TURNAROUND TIME: 5 Business Days

RUSH: 5 Business Days

Page 1 of 1

PROJECT/CLIENT INFO

Facility Name	Longhorn AAP
Project Number	501032
	LHAAP-16
Address	1203-B East Grand Avenue
	PMB 202
City	Marshall
State	TX
Postal Code	75670
Country	USA
Phone Number	713.243.7264
Project Manager	Praveen Srivastav

LABORATORY

Lab Name	ALS Laboratories
Lab Contact	RJ Modashia
Email	RJ.Modashia@alsgl
Address	10450 Stancliff Rd.,
City	Houston
Postal Code	77099
Phone Number	281.575.2279 or 28

HS20030472

Aptim Environmental & Infrastucture, Inc.

Longhorn Army Ammunition Plant LHAAP-16

A

SAMPLE DETAILS

ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	Containers and Preservative	1-250 ml HDPE, Ice	2X40ml Voa Vials /H2SO4
									ANALYSIS	Bromide by SW9056	TOC by SM5310
16PW14-200310	LHAAP 16				WG	3/10/20	0825	3		X	X
[redacted]16IW04-200310	LHAAP16				WG	3/10/20	0920	3		X	X
16PM06-200310	LHAAP 16				WG	3/10/20	1010	3		X	X
16PM09-200310	LHAAP 16				WG	3/10/20	1100	3		X	X
16MW42-200310	LHAAP16				WG	3/10/20	1200	3		X	X
16MW42-200310-FD	LHAAP16				WG	3/10/20	1200	3		X	X
16RW12-200310	LHAAP 16				WG	3/10/20	1255	3		X	X
16MW40-200310	LHAAP 16				WG	3/10/20	1345	3		X	X

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	Scott Bussey / BHATE	3/10/20 1432	AC / ALS	3/11/2020 08:55

o/c 2.3 IR#25 cf#: 4512

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

45112

CUSTODY SEAL

Date: 3/10/20 Time: 1430
Name: Scott Beesinger
Company: SGRA

Seal Broken By: ZM
Date: 03/11/20

45112

Must Deliver Next Business Day
Time and Tempature Sensitive!

45112

ORIGIN ID:SGRA (903) 930 8193
SCOTT BEESINGER
APTIM
1209-B EAST GRAND AVE
PMB 202
MARSHALL, TX 75670
UNITED STATES US

SHIP DATE: 25FEB20
ACTWGT: 1.00 LB MAN
CAD: 300130/CAFE3211
DIMS: 26x14x14 IN

TO CLIENT SERVICES
ALS LABORATORY GROUP
10450 STANCLIFF ROAD
SUITE 210
HOUSTON TX 77099
(281) 530-5656
REF: LHAAF 16 - BO 7u505-39
RMA:

FedEx Express

FedEx
TRK# 0221 1251 0294 7932

WED - 11 MAR 10:30A
PRIORITY OVERNIGHT

77099
TX-US
IAH

AB SGRA

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

March 19, 2020

Susan Huang
Aptim Environmental & Infrastucture, Inc.
2500 City West Blvd., Suite 1700
Houston, TX 77042

Work Order: **HS20030502**

Laboratory Results for: **Longhorn Army Ammunition Plant - 16**

Dear Susan,

ALS Environmental received 4 sample(s) on Mar 12, 2020 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL
RJ Modashia
Project Manager

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
Work Order: HS20030502

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS20030502-01	16WW12-200311	Groundwater		11-Mar-2020 08:15	12-Mar-2020 08:50	☐
HS20030502-02	16RW10-200311	Groundwater		11-Mar-2020 09:05	12-Mar-2020 08:50	☐
HS20030502-03	16RW09-200311	Groundwater		11-Mar-2020 10:00	12-Mar-2020 08:50	☐
HS20030502-04	16RW08-200311	Groundwater		11-Mar-2020 10:55	12-Mar-2020 08:50	☐

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
Work Order: HS20030502

CASE NARRATIVE

WetChemistry by Method SW9056

Batch ID: R358445

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

WetChemistry by Method SM5310B

Batch ID: R358346,R358436

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
Sample ID: 16WW12-200311
Collection Date: 11-Mar-2020 08:15

ANALYTICAL REPORT
WorkOrder:HS20030502
Lab ID:HS20030502-01
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**7.08**	a	**0.500**	**1.00**	**1.00**	**mg/L**	1	17-Mar-2020 00:04
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**3.71**		**0.300**	**1.00**	**1.00**	**mg/L**	10	19-Mar-2020 01:12

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
Sample ID: 16RW10-200311
Collection Date: 11-Mar-2020 09:05

ANALYTICAL REPORT
WorkOrder:HS20030502
Lab ID:HS20030502-02
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**4.08**	a	**0.500**	**1.00**	**1.00**	**mg/L**	1	18-Mar-2020 14:22
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**3.33**		**0.300**	**1.00**	**1.00**	**mg/L**	10	19-Mar-2020 01:48

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
Sample ID: 16RW09-200311
Collection Date: 11-Mar-2020 10:00

ANALYTICAL REPORT
WorkOrder:HS20030502
Lab ID:HS20030502-03
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**2.56**	a	**0.500**	**1.00**	**1.00**	**mg/L**	1	18-Mar-2020 14:35
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**4.86**		**0.300**	**1.00**	**1.00**	**mg/L**	10	19-Mar-2020 03:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
Sample ID: 16RW08-200311
Collection Date: 11-Mar-2020 10:55

ANALYTICAL REPORT
WorkOrder:HS20030502
Lab ID:HS20030502-04
Matrix:Groundwater

ANALYSES	RESULT	QUAL	DL	LOD	LOQ	UNITS	DILUTION FACTOR	DATE ANALYZED
TOTAL ORGANIC CARBON - SM5310B		**Method:SM5310B**						Analyst: GR
Organic Carbon, Total	**2.60**	a	**0.500**	**1.00**	**1.00**	**mg/L**	1	18-Mar-2020 14:50
ANIONS BY SW9056A		**Method:SW9056**						Analyst: GR
Bromide	**5.10**		**0.300**	**1.00**	**1.00**	**mg/L**	10	19-Mar-2020 04:50

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
WorkOrder: HS20030502

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R358346 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS20030502-01	16WW12-200311	11 Mar 2020 08:15			17 Mar 2020 00:04	1
Batch ID: R358436 (0)	**Test Name :** TOTAL ORGANIC CARBON - SM5310B				**Matrix:** Groundwater	
HS20030502-02	16RW10-200311	11 Mar 2020 09:05			18 Mar 2020 14:22	1
HS20030502-03	16RW09-200311	11 Mar 2020 10:00			18 Mar 2020 14:35	1
HS20030502-04	16RW08-200311	11 Mar 2020 10:55			18 Mar 2020 14:50	1
Batch ID: R358445 (0)	**Test Name :** ANIONS BY SW9056A				**Matrix:** Groundwater	
HS20030502-01	16WW12-200311	11 Mar 2020 08:15			19 Mar 2020 01:12	10
HS20030502-02	16RW10-200311	11 Mar 2020 09:05			19 Mar 2020 01:48	10
HS20030502-03	16RW09-200311	11 Mar 2020 10:00			19 Mar 2020 03:01	10
HS20030502-04	16RW08-200311	11 Mar 2020 10:55			19 Mar 2020 04:50	10

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
WorkOrder: HS20030502

QC BATCH REPORT

Batch ID: R358346 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW4-031620** Units: **mg/L** Analysis Date: **16-Mar-2020 20:37**
Client ID: Run ID: **TOC_02_358346** SeqNo: **5516678** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW4-031620** Units: **mg/L** Analysis Date: **16-Mar-2020 20:52**
Client ID: Run ID: **TOC_02_358346** SeqNo: **5516679** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual
Organic Carbon, Total	8.594	1.00	10	0	85.9	85 - 115				

LCSD Sample ID: **WLCSDW4-031620** Units: **mg/L** Analysis Date: **16-Mar-2020 21:06**
Client ID: Run ID: **TOC_02_358346** SeqNo: **5516680** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual
Organic Carbon, Total	8.751	1.00	10	0	87.5	85 - 115	8.594	1.81	20	

MS Sample ID: **HS20030483-33MS** Units: **mg/L** Analysis Date: **16-Mar-2020 23:51**
Client ID: Run ID: **TOC_02_358346** SeqNo: **5516692** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual
Organic Carbon, Total	11.18	1.00	10	1.863	93.2	80 - 120				

The following samples were analyzed in this batch: HS20030502-01

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
WorkOrder: HS20030502

QC BATCH REPORT

Batch ID: R358436 (0) **Instrument: TOC_02** **Method: TOTAL ORGANIC CARBON - SM5310B**

MBLK Sample ID: **WBLKW2-031720** Units: **mg/L** Analysis Date: **18-Mar-2020 13:24**
Client ID: Run ID: **TOC_02_358436** SeqNo: **5518865** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	1.00	1.00								U

LCS Sample ID: **WLCSW2-031720** Units: **mg/L** Analysis Date: **18-Mar-2020 13:40**
Client ID: Run ID: **TOC_02_358436** SeqNo: **5518866** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.483	1.00	10	0	94.8	85 - 115				

LCSD Sample ID: **WLCSDW2-031720** Units: **mg/L** Analysis Date: **18-Mar-2020 13:53**
Client ID: Run ID: **TOC_02_358436** SeqNo: **5518867** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	9.497	1.00	10	0	95.0	85 - 115	9.483	0.148	20	

MS Sample ID: **HS20030502-03MS** Units: **mg/L** Analysis Date: **19-Mar-2020 09:48**
Client ID: **16RW09-200311** Run ID: **TOC_02_358436** SeqNo: **5520428** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Organic Carbon, Total	13.35	1.00	10	2.562	108	80 - 120				

The following samples were analyzed in this batch: HS20030502-02 HS20030502-03 HS20030502-04

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
WorkOrder: HS20030502

QC BATCH REPORT

Batch ID: R358445 (0) **Instrument: ICS-Integrion** **Method: ANIONS BY SW9056A**

MBLK Sample ID: **WMBLKW1-031820** Units: **mg/L** Analysis Date: **18-Mar-2020 19:28**
Client ID: Run ID: **ICS-Integrion_358445** SeqNo: **5519255** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	0.100	0.100								U

LCS Sample ID: **WLCSW1-031820** Units: **mg/L** Analysis Date: **18-Mar-2020 19:46**
Client ID: Run ID: **ICS-Integrion_358445** SeqNo: **5519256** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.677	0.100	4	0	91.9	80 - 120				

LCSD Sample ID: **WLCSDW1-031820** Units: **mg/L** Analysis Date: **18-Mar-2020 20:04**
Client ID: Run ID: **ICS-Integrion_358445** SeqNo: **5519257** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	3.652	0.100	4	0	91.3	80 - 120	3.677	0.674	20	

MS Sample ID: **HS20030502-03MS** Units: **mg/L** Analysis Date: **19-Mar-2020 04:13**
Client ID: **16RW09-200311** Run ID: **ICS-Integrion_358445** SeqNo: **5519284** PrepDate: DF: **50**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	88.13	5.00	100	5.705	82.4	80 - 120				

MS Sample ID: **HS20030502-03MS** Units: **mg/L** Analysis Date: **19-Mar-2020 03:19**
Client ID: **16RW09-200311** Run ID: **ICS-Integrion_358445** SeqNo: **5519281** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	21.51	1.00	20	4.865	83.2	80 - 120				

MSD Sample ID: **HS20030502-03MSD** Units: **mg/L** Analysis Date: **19-Mar-2020 03:37**
Client ID: **16RW09-200311** Run ID: **ICS-Integrion_358445** SeqNo: **5519282** PrepDate: DF: **10**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	21.64	1.00	20	4.865	83.9	80 - 120	21.51	0.57	20	

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
WorkOrder: HS20030502

QC BATCH REPORT

Batch ID: **R358445 (0)** **Instrument:** **ICS-Integrion** **Method:** **ANIONS BY SW9056A**

MSD Sample ID: **HS20030502-03MSD** Units: **mg/L** Analysis Date: **19-Mar-2020 04:31**
Client ID: **16RW09-200311** Run ID: **ICS-Integrion_358445** SeqNo: **5519285** PrepDate: DF: **50**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Bromide	88.07	5.00	100	5.705	82.4	80 - 120	88.13	0.0681	20	

The following samples were analyzed in this batch: HS20030502-01 HS20030502-02 HS20030502-03 HS20030502-04

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
WorkOrder: **HS20030502**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231 V009	22-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2020	31-Dec-2020
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	T104704231-19-25	30-Apr-2020

ALS Houston, US Date: 19-Mar-20

Client: Aptim Environmental & Infrastucture, Inc.
Project: Longhorn Army Ammunition Plant - 16
Work Order: HS20030502

SAMPLE TRACKING

Lab Samp ID	Client Sample ID	Action	Date	Person	New Location
HS20030502-01	16WW12-200311	Login	3/12/2020 12:34:30 PM	PMG	Sub
HS20030502-01	16WW12-200311	Login	3/12/2020 12:34:30 PM	PMG	VOA012

ALS Houston, US Date: 19-Mar-20

Sample Receipt Checklist

Client Name: CBI-Houston
Work Order: HS20030502
Date/Time Received: **12-Mar-2020 08:50**
Received by: **AC**

Checklist completed by: *Paresh M. Giga* eSignature 12-Mar-2020 Date
Reviewed by: *RJ Modashia* eSignature 12-Mar-2020 Date

Matrices: **GW**
Carrier name: **FedEx**

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☑	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	Yes ☐	No ☐	Not Present ☑
Chain of custody present?	Yes ☑	No ☐	1 Page(s)
Chain of custody signed when relinquished and received?	Yes ☑	No ☐	COC IDs:None
Samplers name present on COC?	Yes ☑	No ☐	
Chain of custody agrees with sample labels?	Yes ☑	No ☐	
Samples in proper container/bottle?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	
All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	
Temperature(s)/Thermometer(s):	1.8c U/C	IR25	
Cooler(s)/Kit(s):	44977		
Date/Time sample(s) sent to storage:	3/12/2020 12:50		
Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☑
Water - pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☑
pH adjusted?	Yes ☐	No ☐	N/A ☑
pH adjusted by:			

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

APTIM

COC ID: LHAAP16-Effectiveness_ALSHT-2020-

TURNAROUND TIME: 5 Business Days

RUSH: 5 Business Days

Page 1 of 1

PROJECT/CLIENT INFO				LABORATORY					
Facility Name	Longhorn AAP			Lab Name	ALS Laboratories			Fedinvoices @aptim.com	
Project Number	501032			Lab Contact	RJ Modashia				
	LHAAP-16			Email	RJ.Modashia@alsglobal.com			Susan.Huang@aptim.com	
Address	1203-B East Grand Avenue			Address	10450 Stanciff Rd., Suite 210			Susan Huang	
	PMB 202							4005 Port Chicago Hwy	
City	Marshall	State	TX	City	Houston	State	TX	Concord	State CA
Postal Code	75670	Country	USA	Postal Code	77099	Country	USA	94520	Country USA
Phone Number	713.243.7264			Phone Number	281.575.2279 or 281.530.5656				
Project Manager	Praveen Srivastav								

SAMPLE DETAILS

ANALYSIS REQUESTED

Sample ID	Location	Start Depth	End Depth	Depth Unit	Field Matrix	Date	Time (24hr)	# Of Cont.	Containers and Preservatives: ANALYSIS	1-250 ml HDPE, Ice: Bromide by SW9056	2X40ml Vox Vials /H2SO4: TOC by SW5310
16RW12-200311	LHAAP16				WG	3/11/20	0815	3		X	X
16RW10-200311	LHAAP16				WG	3/11/20	0905	3		X	X
16RW09-200311	LHAAP16				WG	3/11/20	1000	3		X	X
16RW09-200311-MS	LHAAP16				WG	3/11/20	1000	3		X	X
16RW09-200311-MSD	LHAAP16				WG	3/11/20	1000	3		X	X
16RW08-200311	LHAAP16				WG	3/11/20	1055	3		X	X

HS20030502

Aptim Environmental & Infrastructure, Inc.
Longhorn Army Ammunition Plant - 16

ADDITIONAL COMMENTS/SPECIAL INSTRUCTIONS	RELINQUISHED BY/AFFILIATION	DATE/TIME	ACCEPTED BY/AFFILIATION	DATE/TIME
	Scott Bessyer / Bhate	3/11/20 1430	AC /ALS	3/12/2020 08:50

U/C 1.8 IR #25 CF 0.0 44977

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Date: 3/11/20
Name:
Company:

CUSTODY SEAL
Time: 1430
Scott Beesinger
BHATS

Seal Broken By:
Date: 3/12



DEPARTMENT OF THE ARMY
LONGHORN ARMY AMMUNITION PLANT
POST OFFICE BOX 220
RATCLIFF, AR 72951

April 20, 2021

DAIM-ODB-LO

Ms. Lauren Poulos
U.S. Environmental Protection Agency
Federal Facilities Section R6
1201 Elm Street, Suite 500
Dallas, TX 75202-2102

Re: Draft Revised Proposed Plan for LHAAP-47, Plant 3 Area, Solid Rocket Motor Fuel Production Longhorn Army Ammunition Plant, Karnack, Texas

Dear Ms. Poulos,

An electronic copy of the above-referenced document is being transmitted to you for your review. In accordance with the Federal Facilities Agreement for Longhorn, review comments are requested by May 20, 2021.

The document was prepared by HDR Environmental, Operations and Construction, Inc. (HDR) on behalf of the Army as part of HDR's contract for the facility. I ask that Phil Werner, HDR's Project Manager, be copied on any communications related to the project.

The point of contact for this action is the undersigned. I may be contacted at 479-635-0110, or by email at rose.m.zeiler.civ@mail.mil.

Sincerely,

Rose M. Zeiler, Ph.D.
Longhorn AAP Site Manager

Copies furnished:
A. Palmie, TCEQ, Austin, TX (1 electronic only)
A. Williams, USACE, Tulsa District, OK (1 electronic only)
R. Smith, USACE, Tulsa District, OK (1 electronic only)
A. Maly, USAEC, San Antonio, TX (1 electronic only)
P. Bruckwicki, Caddo Lake NWR, TX (1 hard copy, 1 CD)

DEPARTMENT OF THE ARMY
LONGHORN ARMY AMMUNITION PLANT
POST OFFICE BOX 220
RATCLIFF, AR 72951

April 20, 2021

DAIM-ODB-LO

Ms. April Palmie
Texas Commission on Environmental Quality
Superfund Section, MC-136
12100 Park 35 Circle, Bldg D
Austin, TX 78753

Re: Draft Revised Proposed Plan for LHAAP-47, Plant 3 Area, Solid Rocket Motor Fuel Production Longhorn Army Ammunition Plant, Karnack, Texas

Dear Ms. Palmie,

An electronic copy of the above-referenced document is being transmitted to you for your review. In accordance with the Federal Facilities Agreement for Longhorn, review comments are requested by May 20, 2021.

The document was prepared by HDR Environmental, Operations and Construction, Inc. (HDR) on behalf of the Army as part of HDR's contract for the facility. I ask that Phil Werner, HDR's Project Manager, be copied on any communications related to the project.

The point of contact for this action is the undersigned. I may be contacted at 479-635-0110, or by email at rose.m.zeiler.civ@mail.mil.

Sincerely,

Rose M. Zeiler, Ph.D.
Longhorn AAP Site Manager

Copies furnished:
L. Poulos, USEPA Region 6, Dallas, TX (1 electronic only)
A. Williams, USACE, Tulsa District, OK (1 electronic only)
R. Smith, USACE, Tulsa District, OK (1 electronic only)
A. Maly, USAEC, San Antonio, TX (1 electronic only)
P. Bruckwicki, Caddo Lake NWR, TX (1 hard copy, 1 CD)

Subject: Final Minutes, Quarterly Restoration Advisory Board (RAB) Meeting
Longhorn Army Ammunition Plant (LHAAP)
Location of Meeting: Conference Call
Date of Meeting: January 21, 2021, 6:00 PM Central Standard Time (CST)

Meeting Participants:

Army BRAC:	Rose M. Zeiler
USACE:	Aaron Williams
USAEC:	Andrew Maly, Laura Zographos, and Thomas Toudouze
Bhate:	Kim Nemmers
APTIM:	Bill Foss
HDR, Inc.	Philip Werner
TLI:	Kyra Donnell
USEPA Region 6:	Lauren Poulos and Kent Becher-USGS Liaison
TCEQ:	April Palmie
RAB:	Present: Deon Hall, Richard LeTourneau, and Donna Burney Absent: Judy VanDeventer; John Fortune; Terry Britt; John Pollard, Jr.; Tom Walker; Charles Dixon; and Nigel R. Shivers
Public:	Laura-Ashley Overdyke (Executive Director of the Caddo Lake Institute [CLI]); George Rice (CLI)

An agenda for the RAB meeting, a color copy of the Bhate Environmental Associates, Inc. (Bhate) slide presentation, and handouts (see list at end of meeting minutes) were provided for meeting attendees via electronic mail (e-mail) and regular postal mail for hard copies.

Welcome and Introduction

Ms. Judy VanDeventer and Ms. Rose Zeiler, the RAB Co-Chairs, were not present at the start of the meeting, therefore, Ms. Kim Nemmers called the meeting to order. Ms. Nemmers pointed out the map within the slides that present the different sites that are discussed during the RAB meeting. Ms. Nemmers said that the agenda for the RAB meeting was previously provided and has not changed.

RAB Meeting Format and Presentation

Mr. Aaron Williams said that Army is always looking for new members. Mr. Williams said that if anyone knows of someone interested in joining the RAB that the person can reach out to Ms. VanDeventer or Ms. Zeiler. Mr. Williams said that the RAB meeting minutes from the October 2020 meeting were sent out and should have been received. Mr. Richard LeTourneau made a motion to approve the minutes to which Mr. Deon Hall seconded.

COVID-19 Status Update

Ms. Nemmers stated that the requirement to follow Executive Order (EO) and Proclamation issued by the Texas governor on July 2, 2020, has been lifted on a county by county basis. At the time of planning for the meeting, Harrison County was still required to follow the EO which is why the RAB meeting was being held remotely. Ms. Nemmers said the hope is to meet face-to-

face in April 2021 for the 2nd quarter meeting. Ms. Nemmers said that the decision on how to hold the meeting is made about 45 days ahead of the meeting. Ms. Zeiler joined the call during the COVID-19 discussion.

Defense Environmental Restoration

Overview of Sites

Ms. Nemmers discussed the documents currently in progress. Ms. Nemmers explained that Remedial Action Completion Reports (RACRs) are in progress for LHAAP-03, -04, and -16. Ms. Nemmers said that the RACRs document the remedies put in place. Ms. Nemmers said that Remedial Action Operation (RA-O) Reports are in progress for LHAAP-46 and -50 and the Fourth Quarter 2020 Groundwater Treatment Plant (GWTP) Report.

Ms. Nemmers discussed field work completed since the RAB meeting in October 2020. Ms. Nemmers said that the field work since the last meeting was all groundwater sampling to evaluate performance of the remedies. Ms. Nemmers explained that the surface water samples from the bayous were collected in December 2020 and the data is presented in the handouts included with the RAB slides.

LHAAP-04

Mr. Bill Foss explained that the first figure on Slide 10 presents the original perchlorate plume at LHAAP-04 from January 2019 before the remedy was implemented. Mr. Foss pointed out that the purple points are the injection points. Mr. Foss pointed out the four monitoring wells within the original perchlorate plume and the one monitoring well downgradient of the plume. Mr. Foss then presented the groundwater results from prior to the remedy and then the quarterly results following the injections. Mr. Foss pointed out that perchlorate was detected in February 2020 following the injections but the May, August, and December 2020 sampling results were below the cleanup level. Mr. Foss explained that the dissolved oxygen was below 1 milligram per liter (mg/L) and the oxidation-reduction potential remained negative, which indicated reducing conditions, which means that continued treatment will occur if there is residual perchlorate present. Mr. Foss said that the groundwater sampling will continue quarterly for another year with the next sampling event in February 2021. Mr. Foss said that a Land Use Control (LUC), which is part of the remedy for prohibition of excavation and groundwater use, will be filed with the County. Surveyors were onsite to survey the LUC boundary. Ms. Laura-Ashley Overdyke asked about the January 2019 results that were elevated. Mr. Foss explained that the January 2019 results were prior to the remedy implementation. Injections were completed in November 2019. Mr. George Rice said that the results are impressive so far.

LHAAP-16

Mr. Foss explained that LHAAP-16 is another site where an injection remedy was performed and a LUC is a component of the remedy. Mr. Foss said that the LUC boundary for LHAAP-16 was also surveyed and will be filed with the county. Mr. Foss said that the red line on the figure on slide 13 shows the groundwater and land use boundary. Mr. Foss explained that the red line borders the LUC boundary for LHAAP-18/24 and LHAAP-17. Mr. Foss said that the blue line is the boundary of the landfill cover restriction. Mr. Foss said that the LUC is for groundwater use except

for environmental sampling and remediation and restricting land use to nonresidential.

Look Ahead

Ms. Nemmers then discussed the 3-month look ahead for LHAAP field work. Ms. Nemmers said that more monitoring of the remedies will be completed.

Ms. Nemmers discussed the document look-ahead. Ms. Nemmers said that once the LUC boundaries are filed with the county that the RACRs for LHAAP-04 and -16 will be issued as final and include the filings with the county. She said that the LHAAP-03 RACR will also be finalized in the coming months. Ms. Nemmers explained that the Excavation and Backfilling Report for LHAAP-17 is the final report from the Bhate contract that summarizes the work completed and is the handoff of the site to MMG-TLI Joint Venture. Ms. Nemmers explained that the other reports planned for the next 3 months include a summary of groundwater sampling at LHAAP-46 and the Fourth Quarter 2020 GWTP Report that also includes the groundwater sampling from LHAAP-18/24 where the groundwater treated by the GWTP is extracted.

Groundwater Treatment Plant

Ms. Nemmers explained the graph that shows the treated groundwater discharged. Ms. Nemmers stated that lower discharge amounts are shown in October and November 2020 due to limited precipitation. Ms. Nemmers said that the rain that came in December allowed for discharge to the Bayou. She explained that the volume of water discharged in December 2020 included both water from the GWTP and the holding pond where water that is treated by the GWTP is stored when it is not released to the Bayou.

Surface Water Sampling

Ms. Nemmers said that the surface water sampling results from 2020 had all been near or at non-detect. Ms. Nemmers said that the information presented about the GWTP and surface water was included in handouts that were e-mailed and mailed out.

LHAAP-18/24, LHAAP-29, and LHAAP-47

Mr. Philip Werner said HDR is working on LHAAP-18/24, -29, and -47. Mr. Werner explained that the draft Pre-Design Investigation (PDI) Work Plan for LHAAP-18/24 will be submitted to the Regulators next week. Mr. Werner said that the draft final LHAAP-29 PDI Work Plan is in final review by the Regulators. Mr. Werner explained that the LHAAP-47 Draft Final Post Screening Investigation (PSI) Addendum No. 2 Report is in final review by the Regulators. He said that the Draft Feasibility Study Addendum for LHAAP-47 was submitted that day to the Regulators. Mr. Werner said that the LHAAP-47 Draft Revised Proposed Plan was in progress for a March 2021 submittal.

Mr. Werner explained that PDI field activities at LHAAP-18/24 and LHAAP-29 will be done concurrently with LHAAP-18/24 direct push technology (DPT) drilling to install monitoring wells followed by DPT soil sampling at LHAAP-29. Ms. Zeiler explained that the additional field work was being completed to gather additional data before preparing the design.

For LHAAP-47, additional monitoring wells, DPT borings, and samples from soil and groundwater were presented in the PSI Addendum Report that is currently under review. Mr. Werner explained that remedies and technologies are being evaluated for LHAAP-47 under the Feasibility Study phase. A Proposed Plan will then be prepared.

Mr. Werner said slide 22 is a summary of the field work completed in 2020 at LHAAP-47. Mr. Werner said that the original investigation was completed in December 2018 and included the entire site. During that investigation, high trichloroethene (TCE) was detected at the Building 46A area, in one of the groundwater monitoring wells. A second round of PSI field activities was completed in November 2019 that confirmed the December 2018 results as well as led to more questions about the presence of TCE in groundwater around Building 46A. The primary objectives of the effort of the 2020 PSI activities were then presented.

Mr. Werner explained that LHAAP-47 shallow zone groundwater consists of laterally discontinuous sand and clay units and is separated from the continuous sands of the intermediate zone by clay with thin sand laminations. He said that groundwater is generally present in the sand units, but not in the unproductive clay units. Mr. Werner stated that three distinct plumes exist with TCE concentrations greater than the Maximum Contaminant Level (MCL) of 5 micrograms per liter (µg/L). Within the shallow zone groundwater, there are three areas of residual TCE dense non-aqueous phase liquid (DNAPL), defined as TCE concentrations greater than 10,000 µg/L. Mr. Werner said that the three areas of residual DNAPL are present within the extent of the plumes. He explained that samples with concentrations indicative of residual DNAPL were taken from intervals with predominantly clay soils, with some interspersed sand laminations. Mr. Werner presented the contaminated areas within the shallow zone groundwater using the figure on slide 24.

Mr. Rice asked if a decision on how to deal with the DNAPL had been made. Mr. Werner said that the remedies are being evaluated in a revised draft Feasibility Study Addendum that is being prepared. Mr. Werner said that preferred remedy will be presented in the Proposed Plan.

Mr. Werner said that the summary of the upper intermediate zone groundwater is that a single TCE plume defined by TCE concentrations exceeding 5 µg/L was identified. A single area of residual DNAPL was identified within the larger plume defined as TCE concentrations greater than 10,000 µg/L. Contamination was presented in samples taken from the sand unit underlying the clay-dominated unit separating the Shallow and Upper Intermediate Zones. Mr. Werner presented the contaminated areas within the intermediate zone groundwater using the figure on slide 26.

Mr. Werner presented the soil results for the unsaturated soil. TCE exceeded the Medium Specific Concentration (MSC) for industrial use based on groundwater protection (GWP-Ind). The unsaturated soil contamination overlies the extent of the shallow zone groundwater plume centered on Building 46A and the groundwater plume to the northeast. Mr. Werner said that the concentrations did not indicate the presence of a DNAPL source. The highest TCE concentration in soil corresponds with the shallow and upper intermediate zone groundwater residual DNAPL

plumes extending from Building 46A to the north and northeast. Mr. Werner said that elevated TCE concentrations are typically from 21 to 23 feet below ground surface. Mr. Werner used the figure on slide 28 to present the results for soil.

Mr. Werner then presented the objectives for the PDI Work Plan for LHAAP-29 and -18/24. Mr. Werner said that the investigation is being done prior to development of the Remedial Design/Remedial Action Work Plan to help fill in any data gaps. Mr. Werner said that the PDI will evaluate the two trinitrotoluene wastewater lines, the two water cooling lines, the cooling water outfall ditch, and the Building 812 area. Mr. Werner then presented figures showing the areas previously identified as contaminated soil areas along with the planned sample locations for the PDI.

Mr. Rice asked about whether the vertical extent of groundwater contamination at LHAAP-47 has been delineated. Mr. Werner said that the plume is delineated vertically. Mr. Rice asked if there are wells in the deeper aquifer zone that are not contaminated. Ms. Zeiler said that the upper intermediate zone has a thick layer of sand that thins out to the east. Ms. Zeiler said that a lower intermediate zone well near the most contaminated shallow zone well was sampled and the results were much lower; greater than the cleanup level but not DNAPL. Ms. Zeiler said that additional wells will need to be installed below the upper intermediate zone to define vertical extent.

LHAAP-17

Ms. Kyra Donnell from TLI Solutions, Inc. explained that work at LHAAP-17 is being implemented by a joint venture between MMG and TLI Solutions, Inc. Ms. Donnell explained that the project is currently in the work planning phase. The Munitions and Explosives of Concern Investigation Work Plan is under review by the Army. Ms. Donnell said that an Explanation of Significant Difference has been drafted and is currently under legal review. She then explained that the LHAAP-17 Work Plan Addendum to the existing Remedial Design/Remedial Action Work Plan is being prepared for excavation of soil and sifting of soils at LHAAP-17 in consideration of munitions. Ms. Donnell plans to present more details about planned field activities at the April 2021 RAB meeting.

Next RAB Meeting Schedule and Closing Remarks

Ms. Zeiler then discussed the next meeting with the RAB members. It was decided that the next RAB meeting will be held on **Wednesday, April 21, 2021,** with the **meeting starting at 6:00 pm Central Daylight Time**. Ms. Zeiler stated that the plan is to meet in person.

Mr. LeTourneau made a motion to adjourn; Mr. Hall seconded the motion.

Adjourn

The meeting adjourned at 6:55 pm CST.

January 2021 Meeting Attachments and Handouts:

- Color copy of Bhate presentation slides
- GWTP – Processed Groundwater Volumes Handout
- Surface Water Sampling Handout

Longhorn Army Ammunition Plant Quarterly Restoration Advisory Board Meeting


January 20, 2021
6:00 PM CST

APTIM

bhate

Restoration Advisory Board Meeting

Site Map



Restoration Advisory Board Meeting

Abbreviations and Acronyms

µg/L	Micrograms per liter
DERP	Defense Environmental Restoration Program
GPW	Goose Prairie Creek Water Sample
GWP-Ind	Industrial Groundwater Use Protection
GWTP	Groundwater Treatment Plant
HBW	Harrison Bayou Water Sample
J	Estimated laboratory value
LHAAP	Longhorn Army Ammunition Plant
LUC	Land Use Control
mg/kg	Milligrams per kilogram
mg/L	Milligrams per liter
MSC	Medium-Specific Concentration
mV	Millivolts
NV	No Value
PCL	Protective Concentration Level
RAB	Restoration Advisory Board
RA(O)	Remedial Action Operation
TCE	Trichloroethylene
TRRP	Texas Risk Reduction Program

Restoration Advisory Board Meeting

Agenda

06:00 Welcome and Introduction

06:05 Open Items {RMZ}

-Restoration Advisory Board (RAB) Administrative Issues

- o Membership Update
- o Minutes (October 2020 RAB Meeting)

-Purpose of the RAB Meeting

-Ongoing Outreach/Website

-Update on COVID-19

06:15 Defense Environmental Restoration Program (DERP) Update {Bhate}

-Documents in Process and Field Work Completed since last RAB

- o Longhorn Army Ammunition Plant (LHAAP)-04 Remedy Update
- o LHAAP-16 Land Use Control (LUC) Boundaries

-Three Month Look Ahead

-Groundwater Treatment Plant (GWTP) Update

06:45 Other DERP Update

-LHAAP-18/24, -29, and -47 Status {HDR}

-LHAAP-17 Status {MMG-TLI}

06:55 Next RAB Meeting Schedule and Closing Remarks {RMZ}

Restoration Advisory Board Meeting

RAB Administrative Issues

- Membership Update
  - Persons interested in being new members
- Minutes (October 2020 RAB Meeting)

Restoration Advisory Board Meeting

The Army Wants You to be Informed

- The Army is committed to protecting human health and the environment; key to that commitment is engaging the community and increasing public participation in environmental restoration at LHAAP
- You are encouraged to:
  - Attend RAB Meetings and/or become a member of the RAB
  - Visit the Longhorn environmental website at www.longhornaap.com. The website is regularly updated to indicate the upcoming field events at each site including groundwater sampling, monitoring well installations, soil sampling, or remediation activities.
  - Make suggestions for improving communication – the Army welcomes and appreciates community feedback

Restoration Advisory Board Meeting

Update on COVID-19

- Executive Order/Proclamation issued on 2 July 2020 from Governor of Texas
  - Remains in effect until amended, superseded, or rescinded
  - Wear face coverings in public spaces
  - People cannot be in groups larger than 10 and must maintain 6 feet of social distancing from others.
- April 2021 RAB Meeting – To Be Determined

Restoration Advisory Board Meeting

Documents in Process

Site	Document
LHAAP-03	Remedial Action Completion Report
LHAAP-04	Remedial Action Completion Report
LHAAP-16	Remedial Action Completion Report
LHAAP-46	Annual RA(O) Report
LHAAP-50	Annual RA(O) Report
GWTP	Quarterly Evaluation Report: Fourth Quarter (October – December 2020)

Restoration Advisory Board Meeting


Completed Field Work Since Last RAB Meeting

Site	Activity
LHAAP-04	Year 1 Quarter 4 Performance Sampling (November)
LHAAP-12	2020 Annual Remedial Action Operation (RA(O)) Sampling (December)
LHAAP-16	Year 1 Quarter 3 Performance Sampling (October)
LHAAP-37	Year 4 1st Semi-Annual Sampling (November)
LHAAP-50	Year 1 Quarter 2 Contingency Remedy Performance Sampling (October)
LHAAP-58	Semi-Annual Sampling (December)
LHAAP-67	Year 7 Annual RA(O) Sampling (November)
LHAAP-18/24	Semi-Annual Sampling (December)
Surface Water	Surface Water Sampling (December)

Restoration Advisory Board Meeting

LHAAP-04 Remedy Update

2019 Plume and Injection Locations



Restoration Advisory Board Meeting

LHAAP-04 Pre-injection and Year 1 Performance Sampling

Sampling Results at Key Monitoring Locations

	Location Code		04WW01					04WW05				
	Sample Date		1/22/2019	2/4/2020	5/4/2020	8/10/2020	11/4/2020	1/22/2019	2/4/2020	5/5/2020	8/11/2020	11/4/2020
Analyte	Units	PCL	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result
Perchlorate												
Perchlorate	µg/L	17	< 2	19	< 0.05	0.561 J	0.246 J	78	< 2	< 0.05	0.399 J	< 0.05
Field Parameters												
Dissolved Oxygen	mg/L	NV	0.15	0.03	0.04	0.05	0.03	1.62	0.09	0.22	0.14	0.15
Oxidation-Reduction Potential	mV	NV	327	-52	-135	-191	-115	163	-88	-90	-66	-36

	Location Code		04WW07					04WW09				
	Sample Date		1/22/2019	2/4/2020	5/5/2020	8/11/2020	11/4/2020	1/22/2019	2/4/2020	5/5/2020	8/11/2020	11/4/2020
Analyte	Units	PCL	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result
Perchlorate												
Perchlorate	µg/L	17	110	86	3.51	0.557 J	< 0.05	2,100	18	11.1	3.92	2.02
Field Parameters												
Dissolved Oxygen	mg/L	NV	1.83	0.05	2.12	0.04	0.03	5.78	0.08	0.04	0.03	0.02
Oxidation-Reduction Potential	mV	NV	338	-260	-314	-112	-105	326	-74	-16	-87	-91

	Location Code		04WW10				
	Sample Date		1/22/2019	2/4/2020	5/5/2020	8/11/2020	11/4/2020
Analyte	Units	PCL	Result	Result	Result	Result	Result
Perchlorate							
Perchlorate	µg/L	17	10,000	< 2	< 0.05	0.339 J+	0.0888 J
Field Parameters							
Dissolved Oxygen	mg/L	NV	3.59	5.54	2.72	1.03	0.11
Oxidation-Reduction Potential	mV	NV	333	-79	-286	-47	-62

Notes:

Blue highlighting indicates concentrations above the PCL

< The analyte was not detected above the laboratory reporting limit shown

J - Estimated: The concentration shown is estimated

J+ - The concentration shown is an estimate with a high bias

µg/L - micrograms per liter

mg/L - milligrams per liter

NV - No PCL value has been established for the analyte.

PCL - Texas Risk Reduction Program Tier 1 Groundwater Residential Protective Concentration Level.

mV - millivolts


Restoration Advisory Board Meeting

LHAAP-04 Performance Sampling

- Perchlorate in all wells was below the cleanup goal for 3 consecutive quarters
- Dissolved oxygen remains well below 1 milligram per liter (mg/L) in all previously contaminated wells
- Oxidation-reduction potential values remain negative in all previously contaminated wells
- Quarterly monitoring will continue for Year 2
- Next sampling event in February 2021
- LUC Notice to be filed with Harrison County in January 2021

Restoration Advisory Board Meeting

LHAAP-16 Land Use Control Boundaries



Restoration Advisory Board Meeting

LHAAP-16 Land Use Control Boundaries

- Two LUC boundaries approved by United States Environmental Protection Agency (USEPA) and Texas Commission on Environmental Quality (TCEQ)
- Landfill cover restriction protects landfill cover and contents from intrusive activities
- Groundwater use and land use restrictions share the same boundary and limit use of the site to non-residential use and prohibit groundwater use except for environmental sampling and remediation
- Groundwater use restriction boundary extends across Harrison Bayou to the western edge of the planned LHAAP-17 and LHAAP-18/24 LUC boundaries
- LUC Notice to be filed in Harrison County in January 2021

Restoration Advisory Board Meeting

3 Month Look Ahead - Field Work by Bhate Team

Site	Activity
LHAAP-04	Performance Monitoring (February 2021)
LHAAP-16	Year 1 Quarter 4 Remedy Performance Monitoring (January 2021)
LHAAP-50	Year 1 Quarter 3 Contingency Remedy Performance Sampling (January 2021)
Surface Water	1st Quarter Sampling


Restoration Advisory Board Meeting

3 Month Look Ahead – Documents by Bhate Team

Site	Document
LHAAP-03	Remedial Action Completion Report to Regulators
LHAAP-04	Finalize Remedial Action Completion Report with LUC Notice Filing
LHAAP-16	Finalize Remedial Action Completion Report with LUC Notice Filing
LHAAP-17	Excavation and Backfill Summary Report to Regulators
LHAAP-46	Finalize RA(O) Report
GWTP and LHAAP-18/24	Quarterly Evaluation Report: Fourth Quarter (October – December 2020)


Restoration Advisory Board Meeting

GWTP Update



Restoration Advisory Board Meeting


Surface Water Sample Results



Note: Surface water at HBW-7 had a detection of 27 µg/L from a sample collected on 11 July 2019. Surface water at HBW-7 was resampled 19 days later (30 July 2019) with a detection of 1.2 J µg/L.

Restoration Advisory Board Meeting

Other DERP Updates



Longhorn Army Ammunition Plant, Karnack, TX | p.19

Restoration Advisory Board Meeting

LHAAP-18/24, -29, and -47 Document Status
3 Month Look Ahead - Documents by HDR Team

Site	Document
LHAAP-18/24	Draft Pre-Design Investigation Work Plan, January 2021
LHAAP-29	Draft Final Pre-Design Investigation Work Plan, January 2021
LHAAP-47	Draft Final Post Screening Investigation Addendum No. 2 Report, January 2021
LHAAP-47	Draft Feasibility Study Addendum, January 2021
LHAAP-47	Draft Revised Proposed Plan, March 2021

Restoration Advisory Board Meeting

Future Field Work by HDR Team

Site	Activity
LHAAP-18/24	Pre-Design Investigation Field Work, March - April 2021
LHAAP-29	Pre-Design Investigation Field Work, February – March 2021

Restoration Advisory Board Meeting

Summary of LHAAP-47 Additional Post Screening Investigation Addendum No. 2 (Spring/Summer 2020)

- **Primary objectives of PSI Addendum No. 2 field effort:**
  - **Determine whether or not groundwater is present in the Shallow Zone aquifer near Building 46A;**
  - **Determine if groundwater in the Shallow Zone is impacted by VOCs and to what extent;**
  - **Determine if unsaturated soil overlying historical high groundwater levels in the Shallow Zone has been impacted by VOCs at Building 46A and to what extent;**
  - **Define the extent of residual TCE dense non-aqueous phase liquid; and**
  - **Eliminate data gaps by defining the spatial boundary of VOC (TCE) contamination in the Upper Intermediate Zone groundwater.**


Restoration Advisory Board Meeting

Summary of LHAAP-47 Additional Post Screening Investigation Addendum No. 2: Shallow Zone Groundwater (Spring/Summer 2020)

- The shallow zone groundwater consists of laterally discontinuous sand and clay units and is separated from the continuous sands of the intermediate zone by clay with thin sand laminations.
- Shallow Zone:
  - Groundwater is generally present in the sand units, but not in the unproductive clay units.
  - Three distinct plumes exist with trichloroethene (TCE) concentrations greater than the Maximum Contaminant Level (MCL) of 5 µg/L.
  - Three areas of residual TCE dense non-aqueous phase liquid, defined as TCE concentrations greater than 10,000 µg/L.
  - Largest plume is near Building 46A, with concentrations reported at 57,000 µg/L.
  - Smaller area defined within the larger TCE plume southwest of Building 46A.
  - Third (smallest area) centered on DPT-029 (22,000 µg/L).
  - Three areas of residual dense non-aqueous phase liquid are present within the extent of the plumes.
  - Samples with concentrations indicative of residual dense non-aqueous phase liquid were taken from intervals with predominantly clay soils, with some interspersed sand laminations.

Restoration Advisory Board Meeting

Summary of LHAAP-47 Additional Post Screening Investigation Addendum No. 2: Shallow Groundwater TCE Plumes(Spring/Summer 2020)




Restoration Advisory Board Meeting

Summary of LHAAP-47 Additional Post Screening Investigation Addendum No. 2: Upper Intermediate Zone Groundwater (Spring/Summer 2020)

- Upper Intermediate Zone Groundwater
  - Single TCE plume defined by TCE concentrations exceeding 5 µg/L.
  - Single area of residual dense non-aqueous liquid within the larger plume defined as TCE concentrations greater than 10,000 µg/L.
  - TCE concentrations in the Upper Intermediate Zone ranged from 11,000 µg/L to 66,000 µg/L.
  - Results were reported in samples taken from the sand unit underlying the clay-dominated unit separating the Shallow and Upper Intermediate Zones.

Restoration Advisory Board Meeting

Summary of LHAAP-47 Additional Post Screening Investigation Addendum No. 2: Upper Intermediate Zone Groundwater TCE Plume




Restoration Advisory Board Meeting

Summary of LHAAP-47 Additional Post Screening Investigation Addendum No. 2: Soil

- Unsaturated soil results indicate an area of contamination with TCE concentrations exceeding the Medium Specific Concentration (MSC) for industrial use based on groundwater protection (GWP-Ind) of 0.5 milligrams per kilogram (mg/kg).
- Contaminated unsaturated soil generally overlies the extent of the shallow zone groundwater plume centered on Building 46A and the smaller plume to the northeast.
- Unsaturated soil TCE concentrations ranged from 0.5 mg/kg to 3.3 mg/kg with one outlier of 16 mg/kg.
- Detected concentrations do not indicate the presence of dense non-aqueous phase liquid source (e.g., concentrations in soil greater than 1% by mass or 10,000 mg/kg).
- Highest (greater than 10 mg/kg) TCE concentrations reported in saturated soils coincide with the shallow and upper intermediate zone groundwater residual dense non-aqueous phase liquid plumes extending around Building 46A.

Restoration Advisory Board Meeting

Summary of LHAAP-47 Additional Post Screening Investigation Addendum No. 2: Soil TCE Isoconcentrations




Restoration Advisory Board Meeting

Draft LHAAP-29 Pre-Design Work Plan

- **Primary objectives of Pre-Design field effort:**
  - **Further evaluate the extent and volume of explosives-contaminated soil present at levels exceeding the TCEQ MSC GWP-Ind cleanup levels at former Building 812-F;**
  - **Further evaluate the extent and volume of explosives-contaminated soil present at levels exceeding the TCEQ MSC GWP-Ind cleanup levels at the cooling water outfall/ditch;**
  - **Further evaluate the extent and volume of explosives-contaminated soil, if present at levels exceeding the TCEQ MSC GWP-Ind cleanup levels, located adjacent to the north and south cooling water lines and wooden and transite trinitrotoluene wastewater lines; and**
  - **Provide extent and volume data for contaminated soil that supports development of the Remedial Design.**


Restoration Advisory Board Meeting

Planned Pre-Design Investigation Sample Locations: Main Production Area




Restoration Advisory Board Meeting

Planned Pre-Design Investigation Sample Locations: Building 812-F Area



Restoration Advisory Board Meeting

Planned Pre-Design Investigation Sample Locations: Cooling Water Outfall/Ditch



Restoration Advisory Board Meeting

LHAAP-17 Document Status 3 Month Look Ahead - Documents by MMG-TLI JV

Site	Document
LHAAP-17	Munitions and Explosives of Concern Investigation Work Plan (Uniform Federal Policy-Quality Assurance Project Plan format), February 2021
LHAAP-17	Explanation of Significant Difference, January 2021
LHAAP-17	Remedial Design/Remedial Action Work Plan Addendum, March 2021

Restoration Advisory Board Meeting

Next RAB Meeting Schedule & Closing Remarks

- Schedule April 2021 RAB Meeting
- Other Issues/Remarks
- Thank you for coming

Groundwater Treatment Plant - Processed Groundwater Volumes

The amount of groundwater treated is determined by measuring the number of gallons of processed water discharged.

Processed Water Discharged Data (in gallons)

Oct-07	Nov-07	Dec-07	Jan-08	Feb-08	Mar-08	Apr-08	May-08	Jun-08	Jul-08	Aug-08	Sep-08
1,041,491	848,356	804,822	792,148	665,883	818,872	791,306	568,812	776,904	748,377	690,052	617,199

Oct-08	Nov-08	Dec-08	Jan-09	Feb-09	Mar-09	Apr-09	May-09	Jun-09	Jul-09	Aug-09	Sep-09
655,059	619,274	726,118	552,299	598,144	433,800	488,807	526,958	387,644	0	414,853	735,716

Oct-09	Nov-09	Dec-09	Jan-10	Feb-10	Mar-10	Apr-10	May-10	Jun-10	Jul-10	Aug-10	Sep-10
808,322	636,306	727,492	391,898	695,343	802,656	894,731	962,121	1,257,977	1,314,924	1,041,495	1,136,547

Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11
956,567	705,805	849,712	811,679	668,281	1,090,348	817,325	900,338	916,552	784,369	652,524	733,456

Oct-11	Nov-11	Dec-11	Jan-12	Feb-12	Mar-12	Apr-12	May-12	Jun-12	Jul-12	Aug-12	Sep-12
748,102	658,250	684,903	865,453	725,000*	730,000*	980,000*	630,000*	0	0	0	349,012

Oct-12	Nov-12	Dec-12	Jan-13	Feb-13	Mar-13	Apr-13	May-13	Jun-13	Jul-13	Aug-13	Sep-13
617,037	607,610	560,436	869,710	751,213	641,708	699,776	746,885	392,719	962,890	843,913	716,057

Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Jun-14	Jul-14	Aug-14	Sep-14
813,974	727,442	706,416	552,657	738,691	844,095	811,346	972,913	611,505	626,253	573,601	575,376

Oct-14	Nov-14	Dec-14	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Jun-15	Jul-15	Aug-15	Sep-15
440,877	572,479	634,890	614,073	516,592	1,111,859	1,108,336	822,637	1,020,313	1,002,887	951,758	306,467

Oct-15	Nov-15	Dec-15	Jan-16	Feb-16	Mar-16	Apr-16	May-16	Jun-16	Jul-16	Aug-16	Sep-16
128,586	209,088	120,234	454,444	1,028,210	1,201,904	1,224,064	1,094,528	792,311	844,916	1,032,732	805,728

Oct-16	Nov-16	Dec-16	Jan-17	Feb-17	Mar-17	Apr-17	May-17	Jun-17	Jul-17	Aug-17	Sep-17
890,892	617,570	353,327	544,543	745,790	550,555	454,860	896,514	890,391	528,538	195,198	961,324


Oct-17	Nov-17	Dec-17	Jan-18	Feb-18	Mar-18	Apr-18	May-18	Jun-18	Jul - 18	Aug-18	Sep-18
517,945	368,318	453,155	325,566	1,607,996	1,319,474	630,888	403,369	329,448	140,247	150,228	901,856

Oct-18	Nov-18	Dec-18	Jan-19	Feb-19	Mar-19	Apr-19	May-19	Jun-19	Jul - 19	Aug-19	Sep-19
1,502,926	71,204	392,024	369,490	1,534,825	463,698	271,989	758,312	1,133,830	1,415,203	493,063	442,423

Oct-19	Nov-19	Dec-19	Jan -20	Feb -20	Mar -20	Apr -20	May -20	Jun -20	Jul -20	Aug -20	Sep -20
270,515	288,683	355,132	1,459,356	1,166,593	419,943	440,426	442,135	584,887	1,402,277	539,526	467,445

Oct-20	Nov-20	Dec-20									
397,772	372,793	1,892,374									

*Indicates Estimate


Treated Groundwater Discharged Monthly
from December 2014 through December 2020
Gallons
Month
2000000
1800000
1600000
1400000
1200000
1000000
800000
600000
400000
200000
0
Dec-14
Feb-15
Apr-15
Jun-15
Aug-15
Oct-15
Dec-15
Feb-16
Apr-16
Jun-16
Aug-16
Oct-16
Dec-16
Feb-17
Apr-17
Jun-17
Aug-17
Oct-17
Dec-17
Feb-18
Apr-18
Jun-18
Aug-18
Oct-18
Dec-18
Feb-19
Apr-19
Jun-19
Aug-19
Oct-19
Dec-19
Feb-20
Apr-20
Jun-20
Aug-20
Oct-20
634890
614073
516592
1111859
1108336
822637
1020313
1002887
951758
306467
128586
209088
120234
454444
1028210
1201904
1224064
1094528
792311
844916
1032732
805728
890892
617570
353,327
544,543
745,790
550,555
454860
896,514
890,391
671351
196607
395646
517945
368318
453155
325568
1607996
1319474
630888
403369
329448
140247
150228
901856
1502926
71204
392024
369490
1534825
463698
271989
758312
1133830
1415203
493063
442423
270515
288683
355132
1,459,356
1,166,593
419,943
440,426
442,135
584,887
1,402,277
539,526
467,445
397,772
372,793
1,892,374

Water Discharge Location and Volume (Gallons)

Month	Total Combined to Harrison Bayou	LHAAP-18/24 Sprinklers	GWTP To INF Pond	INF Pond to Harrison Bayou	Contract Hauled Off-Site
Dec-16	0	236,688	0	0	0
Jan-17	0	0	0	0	0
Feb-17	0	0	0	0	14,355
Mar-17	127,242	0	0	0	14,400
Apr-17	113,038	0	236,821	0	0
May-17	0	0	534,155	0	0
Jun-17	958,404	0	294,550	490,574	0
Jul-17	0	0	528,538	0	0
Aug-17	0	0	195,197	0	0
Sep-17	651,434	0	309,980	651,434	0
Oct-17	0	0	517,945	0	0
Nov-17	0	0	368,318	0	0
Dec-17	560,350	0	453,155	560,350	0
Jan-18	325,566	0	253,177	325,566	0
Feb-18	1,607,996	0	62,017	1,430,634	0
Mar-18	1,319,474	0	0	870,816	0
Apr-18	630,888	0	0	630,888	0
May-18	403,369	0	0	403,369	0
Jun-18	193,669	0	135,779	0	0
Jul -18	0	0	140,247	0	0
Aug -18	49,409	0	100,819	0	0
Sep-18	585,397	0	316,459	524,484	0
Oct-18	1,409,106	0	93,820	1,016,285	0
Nov-18	71,204	0	0	0	0
Dec-18	392,024	0	0	0	0
Jan-19	369,490	0	0	369,490	0
Feb-19	1,534,825	0	0	1,326,485	0
Mar-19	463,698	0	0	83,250	0
Apr-19	271,989	0	0	0	0
May-19	758,312	0	0	253,817	0
Jun-19	1,133,830	0	0	847,918	0

Month	Total Combined to Harrison Bayou	LHAAP-18/24 Sprinklers	GWTP To INF Pond	INF Pond to Harrison Bayou	Contract Hauled Off-Site
Jul -19	1,415,203	0	0	903,001	0
Aug-19	374,629	0	118,434	0	0
Sep-19	0	0	442,423	0	0
Oct-19	0	0	270,515	0	0
Nov-19	115,503	0	173,180	0	0
Dec-19	318,248	0	36,884	0	0
Jan-20	1,459,396	0	0	1,115,183	0
Feb -20	1,166,593	0	0	741,954	0
Mar -20	419,943	0	0	0	0
Apr -20	440,426	0	0	0	0
May -20	442,135	0	0	0	0
June -20	584,887	0	0	0	0
July -20	1,402,277	0	0	984,393	0
Aug -20	216,197	0	323,359	0	0
Sep -20	0	0	467,445	0	0
Oct -20	0	0	397,772	0	0
Nov -20	0	0	372,793	0	0
Dec -20	1,892,374	0	60,199	1,571,432	0

Harrison Bayou and Goose Prairie Creek – Perchlorate Data

Surface water samples are collected quarterly from each location in Harrison Bayou and Goose Prairie Creek, unless the sampling location is dry.

Surface Water Sample Data (in micrograms per liter)

Quarter	3rd	4th	1st	2nd	3rd	4th	1st	2nd	3rd	4th	1st
Creek Sample ID	Jul 1999	Sep 1999	Feb 2000	Apr 2000	Aug 2000	Dec 2000	Feb 2001	Apr 2001	July 2001	Oct 2001	Jan 2002
GPW-1	<1.0 U	-	4	<4.0 U	<4.0 U	<4.0 U	-	2.65	<4.0 U	<4.0 U	<4.0 U
GPW-3	<1.0 U	<4.0 U	17	8	<4.0 U	<4.0 U	-	2.28	<4.0 U	<4.0 U	<4.0 U
HBW-1	-	<8.0 U	310	23	-	-	<4.0 U	-	<4.0 U	<4.0 U	<4.0 U
HBW-7	-	<8.0 U	370	110	-	-	<4.0 U	-	<4.0 U	<4.0 U	<4.0 U
HBW-10	-	<8.0 U	905	650	<4.0 U	-	<4.0 U	-	<4.0 U	-	-

Quarter	2nd	3rd	4th	1st	2nd	3rd	3rd	4th	2nd	3rd	4th
Creek Sample ID	June 2002	Sept 2002	Dec 2002	Feb 2003	June 2003	Aug 2003	July 2004	Dec 2006	May 2007	Aug 2007	Dec 2007
GPW-1	<4.0 U	<4.0 U	18.3	18.6	59.9	-	2.25	-	<1.0 U	<1.0 U	10.7
GPW-3	<4.0 U	<4.0 U	5.49	12.6	14.7	-	2.2	-	<1.0 U	<1.0 U	7.48
HBW-1	<4.0 U	<4.0 U	<4.0 U	-	<4.0 U	99.3	<0.2 U	<1.0 U	<1.0 U	122	<1.0 U
HBW-7	<4.0 U	<4.0 U	<4.0 U	-	<4.0 U	<4.0 U	<0.2 U	<1.0 U	<1.0 U	1.02	<1.0 U
HBW-10	<4.0 U	<4.0 U	<4.0 U	-	<4.0 U	-	<0.2 U	<1.0 U	<1.0 U	<1.0 U	<1.0 U

Quarter	1st	2nd	3rd	4th	2nd	3rd	3rd	3rd	4th	1st	2nd
Creek Sample ID	Mar 2008	Jun 2008	Sep 2008	Dec 2008	May 2009	Jul 2009	Aug 2009	Sep 2009	Dec 2009	Mar 2010	Jun 2010
GPW-1	27	<0.5 U	<0.5 U	<0.22 U	16	<4 U	NS	<1.2 U	3.7	1.3 J	<0.6 U
GPW-3	21.9	9.42	1.1	<0.22 U	8.9	<4 U	NS	<0.6 U	2.8	1.8 J	<0.6 U
HBW-1	<0.5 U	<0.5 U	<0.5 U	<0.22 U	<0.55 U	<4 U	NS	<1.5 U	<0.275 U	1.5 U	<0.6 U
HBW-7	<0.5 U	<0.5 U	<0.5 U	<0.22 U	<0.55 U	<4 U	24	<1.2 U	<0.275 U	1.5 U	<0.6 U
HBW-10	<0.5 U	<0.5 U	<0.5 U	<0.22 U	<0.55 U	<4 U	NS	<1.5 U	<0.275 U	1.2 U	<0.6 U

Quarter	3rd	4th	1st	2nd	3rd	4th	1st	2nd	3rd	4th	1st
Creek Sample ID	Sep 2010	Dec 2010	Mar 2011	Jun 2011	Sep 2011	Dec 2011	Mar 2012	Jun 2012	Not Applicable	Jan & Feb 2013	Mar 2013
GPW-1	Dry	<0.1 U	8.7	Dry	Dry	1.76	0.163 J	Dry	NS	1.65	0.735
GPW-3	Dry	0.199 J	0.673	Dry	Dry	1.31	0.261	Dry	NS	1.74	0.754
HBW-1	Dry	<0.1 U	<0.2 U	Dry	Dry	<0.1 U	<0.1 U	Dry	NS	<0.2 U	<0.2 U
HBW-7	Dry	<0.1 U	<0.2 U	Dry	Dry	0.171 J	<0.1 U	Dry	NS	<0.2 U	<0.2 U
HBW-10	Dry	<0.1 U	<0.2 U	Dry	Dry	<0.1 U	<0.1 U	Dry	NS	<0.2 U	<0.2 U


Quarter	2nd	3rd	4th	1st	2nd	3nd	4th	1st	2nd	3rd	4th
Creek Sample ID	Jun 2013	Sept 2013	Dec 2013	Feb 2014	May 2014	Aug 2014	Nov 2014	Feb 2015	May 2015	Aug 2015	Nov 2015
GPW-1	Dry	<0.2 U	Dry	0.766	Dry	Dry	0.244 J	0.311 J	0.156 J	Dry	0.142 J
GPW-3	Dry	<0.2 U	Dry	1.15	Dry	Dry	0.276 J	0.344 J	Dry	Dry	0.311 J
HBW-1	<0.2 U	<0.2 U	Dry	<0.2 U	Dry	Dry	<0.2 U	<0.2 U	Dry	Dry	<0.2 U
HBW-7	<0.2 U	<0.2 U	Dry	0.201 J	Dry	Dry	<0.2 U	0.124 J	Dry	Dry	<0.2 U
HBW-10	<0.2 U	<0.2 U	Dry	<0.2 U	Dry	Dry	<0.2 U	<0.2 U	Dry	Dry	<0.2 U

Quarter	1st	2nd	3rd	4th	1st	2nd	3rd	4th	1st	2nd	3rd
Creek Sample ID	Feb 2016	May 2016	Aug 2016	Nov 2016	Feb 2017	May 2017	Aug 2017	Dec 2017	Mar 2018	Jun 2018	Aug 2018
GPW-1	0.447	6.59	<0.2 U	0.301 J	<1 U	0.263	Dry	<2.0 U	<2.0 U	Dry	<2.0 U
GPW-3	0.474	0.457	0.141	0.563	<1 U	0.274	Dry	<2.0 U	<2.0 U	Dry	<2.0 U
HBW-1	<0.2 U	<0.2 U	<0.2 U	<0.2 U	<1 U	<0.2 U	<0.2 U	1.1 J	<2.0 U	Dry	<2.0 U
HBW-7	<0.2 U	<0.2 U	<0.2 U	0.318 J	<1 U	0.155	<0.2 U	<2.0 U	<2.0 U	Dry	<2.0 U
HBW-10	<0.2 U	<0.2 U	<0.2 U	<0.2 U	<1 U	<0.2 U	0.111 J	<2.0 U	<2.0 U	Dry	<2.0 U

NS – not sampled U – non-detect J – Estimated Dry – no surface water


Quarter	4th	1st	2nd	3rd	4th	1st	2nd	3rd	4th
Creek Sample ID	**Oct 2018**	**Jan 2019**	**Apr 2019**	**Jul 2019**	**Oct 2019**	**Jan 2020**	**Apr 2020**	**Jul 2020**	**Dec 2020**
GPW-1	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	0.163	0.0589 J	<0.05 U	0.110
GPW-3	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	0.156	0.0662 J	0.0326 J	0.108
HBW-1	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	0.0600 J	<0.05 U	<0.05 U	0.0305 J/ 0.0374 J
HBW-7	<2.0 U	<2.0 U	<2.0 U	27 (initial)/ 1.2 J (resample)	1.6 J	0.0761 J	<0.05 U	0.0318 J	0.0265 J
HBW-10	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	0.0782 J	<0.05 U	<0.05 U	<0.05 U

NS – not sampled U – non-detect J – Estimated Dry – no surface water



Note: Surface water at HBW-7 had a detection of 27 µg/L from a sample collected on 11 July 2019. Surface water at HBW-7 was resampled 19 days later (30 July 2019) with a detection of 1.2 J µg/L.

Longhorn Army Ammuntion Plant Creek Sampling Locations



Legend

- ▲ Surface Water Sampling Location
- Stream
- Road
- Site
- Lake

U.S. ARMY CORPS OF ENGINEERS
TULSA DISTRICT
TULSA, OKLAHOMA

SURFACE WATER SAMPLING LOCATION

LONGHORN ARMY AMMUNITION PLANT
KARNACK, TEXAS